

# Status Report

EMB-135BJ - LEGACY  
600

S/N 14501007 N317PJ

OWNER: PRIVATE JETS INC.  
ADDRESS: 7200 NW 63RD STREET  
BETHANY OK 73008  
OFFICE: 405-681-4466  
FAX: 405-681-1661

OPERATOR: PRIVATE JETS INC.  
ADDRESS: 7200 NW 63RD STREET  
BETHANY OK 73008  
OFFICE: 405-681-4466  
FAX: 405-681-1661

ANALYST: ERIC KALOMBO  
EMAIL: EKALOMBO@CAMPSYSTEMS.COM

514-636-2020 (OFFICE)  
514-636-7866 (FAX)  
WWW.CAMPSYSTEMS.COM

800-787-9749 (EFAX-CARDS)  
631-980-4222 (EFAX-CARDS)

PLEASE REACH OUT TO YOUR ANALYST TO  
RECORD CHANGES TO ADDRESS, LAST ACTUALS  
(IF ANY).

AIRCRAFT	SERIAL/REGNO: 14501007/N317PJ	MODEL: EMB-135BJ - LEGACY 600	MANUFACTURER: EMBRAER
----------	-------------------------------	-------------------------------	-----------------------

CERTIFICATION DATE: 27-AUG-2007

LAST ACTUALS:  
10402.1 A/C HRS as of 29-JAN-2024  
5534 AFL as of 29-JAN-2024  
5605 APH as of 10-JAN-2024

APU	SERIAL/PART: SP-E0614882/4504113A	MODEL: APS500R/T-62T-40C14	MANUFACTURER: PRATT & WHITNEY CANADA CORP.
-----	-----------------------------------	----------------------------	--

INSTALLED ON: 10-FEB-2017  
2952.1 APU HRS 8094.9 A/C HRS  
2686 APUS

LAST ACTUALS:  
5605 APU HRS as of 10-JAN-2024  
4834 APUS as of 10-JAN-2024

ENGINE NO. 1	SERIAL/PART: CAE312988/23074862	MODEL: AE 3007A1E	MANUFACTURER: ROLLS-ROYCE DERBY PLC
--------------	---------------------------------	-------------------	-------------------------------------

INSTALLED ON: 25-SEP-2007  
0 ENG. HRS 0 A/C HRS  
0 ENC

LAST ACTUALS:  
10297.9 ENG. HRS as of 29-JAN-2024  
5462 ENC as of 29-JAN-2024

ENGINE NO. 2	SERIAL/PART: CAE312989/23074862	MODEL: AE 3007A1E	MANUFACTURER: ROLLS-ROYCE DERBY PLC
--------------	---------------------------------	-------------------	-------------------------------------

INSTALLED ON: 25-SEP-2007  
0 ENG. HRS 0 A/C HRS  
0 ENC

LAST ACTUALS:  
10297.9 ENG. HRS as of 29-JAN-2024  
5462 ENC as of 29-JAN-2024



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 00 - INFORMATION										
A135-160301	APU - REVIEW T-62T-40C14 EM REV 13									Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS		
	HRS									
	APUS									
PROC. REF: RCF A135										
E135-160422	REVIEW EMBRAER 135 (LEGACY 600/650) SMRD-1533, TR 11-2 DATED APRIL 22/16 AND MPG-1483, TR 11-3 DATED APRIL 22/16 - REQUIREMENT CHANGE FORM									Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS		
	HRS									
	AFL									
PROC. REF: RCF E135										
E135-160829	REVIEW EMBRAER 135 - LEGACY 600/650 (E135) MISCELLANOUS CORRECTIONS REQUIREMENT SUMMARY CHANGE FORM									Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS		
	HRS									
	AFL									
PROC. REF: RCF E135										
E135-200623	REVIEW EMBRAER LEGACY 600/650 MPG AND SMRD TR 14-2 DATED JUNE 23, 2020									Service ATA:00
	MOS/MSC	27-Aug-07	-					REQUIREMENT CHANGE FORMS		
	HRS	0								
	AFL	0								
PROC. REF: RCF 00										
E135-210629-MPG-SMRD	REVIEW LEGACY 600/650 MAINTENANCE PLANNING GIUDE (MPG) AND SCHEDULED MAINTENANCE REQUIREMENTS DOCUMENT (SMRD) REVISION 15, DATED 29 JUNE, 2021									Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS		
	HRS									
	AFL									
PROC. REF: RCF 00										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 00 - INFORMATION										
E135-220517-CAMP ADJUSTMENT					REVIEW CAMP ADJUSTMENT FORM DATED MAY 17/2022 FOR EMB-135BJ - LEGACY 600/650					Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS		
	HRS									
	AFL									
					PROC. REF: RCF 00					
E135-220823-CAMP ADJUSTMENT					REVIEW CAMP ADJUSTMENT FORM DATED AUG 23/2022 FOR EMB-135BJ - LEGACY 600/650					Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS		
	HRS									
	AFL									
					PROC. REF: RCF 00					
E135-220908-CAMP ADJUSTMENT					REVIEW CAMP ADJUSTMENT FORM DATED SEP 08/2022 FOR EMB-135BJ - LEGACY 600/650					Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS		
	HRS									
	AFL									
					PROC. REF: RCF 00					
E135-230313-MPG-SMRD					REVIEW LEGACY 600/650 MAINTENANCE PLANNING GIUDE (MPG) AND SCHEDULED MAINTENANCE REQUIREMENTS DOCUMENT (SMRD) REVISION 16, DATED MAR 13/2023					Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS		
	HRS									
	AFL									
					PROC. REF: RCF 00, RCF 00					
E135-230404-TR					REVIEW LEGACY 600/650 MAINTENANCE PLANNING GIUDE (MPG) TEMPORARY REVISION 16-1, DATED 04 APRIL, 2023					Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS		
	HRS									
	AFL									
					PROC. REF: RCF -					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 00 - INFORMATION										
E135-230411-TR	REVIEW LEGACY 600/650 SCHEDULED MAINTENANCE REQUIREMENTS DOCUMENT (SMRD) TEMPORARY REVISION 16-1, DATED 11 APRIL, 2023								Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS		
	HRS									
	AFL									
					PROC. REF: RCF --					
E135-230425-CAMP ADJUSTMENT	REVIEW CAMP ADJUSTMENT FORM DATED APR 25/2023 FOR EMB-135BJ - LEGACY 600/650								Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS		
	HRS									
	AFL									
					PROC. REF: RCF 00					
E307-160420	NO. 1 ENGINE - REVIEW AE3007A MM REV 78								Service	ATA:00
	MOS/MSC	29-Aug-16	-					REQUIREMENT CHANGE FORMS		
	HRS	7760.1								
	ENC	4148								
					PROC. REF: RCF E307					
E307-160420	NO. 2 ENGINE - REVIEW AE3007A MM REV 78								Service	ATA:00
	MOS/MSC	29-Aug-16	-					REQUIREMENT CHANGE FORMS		
	HRS	7760.1								
	ENC	4148								
					PROC. REF: RCF E307					
E307-160720	NO. 1 ENGINE - REVIEW AE3700A MM REV 79								Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS		
	HRS									
	ENC									
					PROC. REF: RCF E307					
E307-160720	NO. 2 ENGINE - REVIEW AE3700A MM REV 79								Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS		
	HRS									
	ENC									
					PROC. REF: RCF E307					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS										
05-LU06	LOW UTILIZATION-LU06									Package ATA:05
	MOS/MSC	14-Jan-21	N/A	Adj -15d						
	HRS	9507.9								
	AFL	5060								
PROC. REF: GENERIC NO REF										PKG:5001
05-LU12	LOW UTILIZATION-LU12									Package ATA:05
	MOS	29-Jun-23	12 (+15d/-15d)	Adj 15d	14-Jul-24	29-Jul-24	153 d (+15)	LOW UTILIZATION		
	HRS	10161.5	500 (+20/-20)		10661.5	10681.5	259.4 (+20)			
	AFL	5401								
PROC. REF: SMRD SECTION II										PKG:5002
05-LU24	LOW UTILIZATION-LU24									Package ATA:05
	MOS	29-Jun-23	24 (+15d/-15d)		29-Jun-25	14-Jul-25	503 d (+15)	LOW UTILIZATION		
	HRS	10161.5	1000 (+20/-20)		11161.5	11181.5	759.4 (+20)			
	AFL	5401								
PROC. REF: SMRD SECTION II										PKG:5004
05-LU24T96	THRESHOLD 96 MOS LOW UTILIZATION-LU24									Package ATA:05
	MOS	29-Jun-23	24 (+15d/-15d)		29-Jun-25	14-Jul-25	503 d (+15)	LOW UTILIZATION		
	HRS	10161.5	1000 (+20/-20)		11161.5	11181.5	759.4 (+20)			
	AFL	5401								
PROC. REF: SMRD SECTION II										PKG:5007
05-LU48	LOW UTILIZATION-LU48									Package ATA:05
	MOS	29-Jun-23	48 (+15d/-15d)		29-Jun-27	14-Jul-27	1233 d (+15)	LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)		12161.5	12181.5	1759.4 (+20)			
	AFL	5401	1000 (+20/-20)		6401	6421	867 (+20)			
PROC. REF: SMRD SECTION II										PKG:5008
05-LU48T96	THRESHOLD 96 MOS LOW UTILIZATION-LU48									Package ATA:05
	MOS	29-Jun-23	48 (+15d/-15d)		29-Jun-27	14-Jul-27	1233 d (+15)	LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)		12161.5	12181.5	1759.4 (+20)			
	AFL	5401	1000 (+20/-20)		6401	6421	867 (+20)			
PROC. REF: SMRD SECTION II										PKG:5009

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS										
05-LU48T192	THRESHOLD 192 MOS LOW UTILIZATION-LU48									Package ATA:05
	MOS	29-Jun-23	48 (+15d/-15d)		29-Jun-27	14-Jul-27	1233 d (+15)	LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)		12161.5	12181.5	1759.4 (+20)			
	AFL	5401	1000 (+20/-20)		6401	6421	867 (+20)			
PROC. REF: SMRD SECTION II										PKG:5010
05-LU48T288	THRESHOLD 288 MOS LOW UTILIZATION-LU48									Package ATA:05
	MOS	29-Jun-23	48 (+15d/-15d)		29-Jun-27	14-Jul-27	1233 d (+15)	LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)		12161.5	12181.5	1759.4 (+20)			
	AFL	5401	1000 (+20/-20)		6401	6421	867 (+20)			
PROC. REF: SMRD SECTION II										PKG:5011
05-LU72	LOW UTILIZATION-LU72									Package ATA:05
	MOS	06-Jul-19	72 (+15d/-15d)	Adj 52d	27-Aug-25	11-Sep-25	562 d (+15)	LOW UTILIZATION		
	HRS	9057.4	3000 (+20/-20)		12057.4	12077.4	1655.3 (+20)			
	AFL	4853	1500 (+20/-20)		6353	6373	819 (+20)			
PROC. REF: SMRD SECTION II										PKG:5012
05-LU96	LOW UTILIZATION-LU96									Package ATA:05
	MOS	29-Jun-23	96 (+15d/-15d)		29-Jun-31	14-Jul-31	2694 d (+15)	LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)		14161.5	14181.5	3759.4 (+20)			
	AFL	5401	2000 (+20/-20)		7401	7421	1867 (+20)			
PROC. REF: SMRD SECTION II										PKG:5016
05-LU96T192	THRESHOLD 192 MOS LOW UTILIZATION-LU96									Package ATA:05
	MOS	29-Jun-23	96 (+15d/-15d)		29-Jun-31	14-Jul-31	2694 d (+15)	LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)		14161.5	14181.5	3759.4 (+20)			
	AFL	5401	2000 (+20/-20)		7401	7421	1867 (+20)			
PROC. REF: SMRD SECTION II										PKG:5017
05-LU96T288	THRESHOLD 288 MOS LOW UTILIZATION-LU96									Package ATA:05
	MOS	27-Aug-07	T:288 (+15d/-15d)		27-Aug-31	11-Sep-31	2753 d (+15)	LOW UTILIZATION		
	HRS	0	T:12000 (+20/-20)		12000	12020	1597.9 (+20)			
	AFL	0	T:6000 (+20/-20)		6000	6020	466 (+20)			
PROC. REF: SMRD SECTION II										PKG:5018

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS										
05-LU144	LOW UTILIZATION-LU144									Package ATA:05
	MOS	06-Jul-19	144 (+15d/-15d)	Adj 52d	27-Aug-31	11-Sep-31	2753 d (+15)	LOW UTILIZATION		
	HRS	9057.4	6000 (+20/-20)		15057.4	15077.4	4655.3 (+20)			
	AFL	4853	3000 (+20/-20)		7853	7873	2319 (+20)			
PROC. REF: SMRD SECTION II										PKG:5024
05-LU144T288	THRESHOLD 288 MOS LOW UTILIZATION-LU144									Package ATA:05
	MOS	27-Aug-07	T:288 (+15d/-15d)		27-Aug-31	11-Sep-31	2753 d (+15)	LOW UTILIZATION		
	HRS	0	T:12000 (+20/-20)		12000	12020	1597.9 (+20)			
	AFL	0	T:6000 (+20/-20)		6000	6020	466 (+20)			
PROC. REF: SMRD SECTION II										PKG:5025
05-LU192	LOW UTILIZATION-LU192									Package ATA:05
	MOS	02-Jul-15	192 (+15d/-15d)	Adj 56d	27-Aug-31	11-Sep-31	2753 d (+15)	LOW UTILIZATION		
	HRS	7460.3	8000 (+20/-20)		15460.3	15480.3	5058.2 (+20)			
	AFL	3992	4000 (+20/-20)		7992	8012	2458 (+20)			
PROC. REF: SMRD SECTION II										PKG:5032
05-LU288	LOW UTILIZATION-LU288									Package ATA:05
	MOS	27-Aug-07	288 (+15d/-15d)		27-Aug-31	11-Sep-31	2753 d (+15)	LOW UTILIZATION		
	HRS	0	12000 (+20/-20)		12000	12020	1597.9 (+20)			
	AFL	0	6000 (+20/-20)		6000	6020	466 (+20)			
PROC. REF: SMRD SECTION II										PKG:5140
05-00-CUS-1000 <sup>U</sup>	PERFORM ANNUAL AVIONICS RAMP CHECK									Service ATA:05
	MOS	29-Jun-23	12		29-Jun-24		138 d	CUSTOMER CODE		
	HRS	10161.5								
	AFL	5401								
05-00-CUS-1004 <sup>U</sup>	RENEW AIRCRAFT REGISTRATION									Service ATA:05
	MOS	25-Jan-24	36 (+1m/-2m)		25-Jan-27	25-Feb-27	1078 d (+31)			
	HRS									
	AFL									
05-00-CUS-1005 <sup>U</sup>	RENEW ELT REGISTRATION									Service ATA:05
	MOS	11-Jan-23	24		11-Jan-25 (M)		334 d			
	HRS	10066.9								
	AFL	5346								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS										
05-50-01-200-801	LIGHTNING STRIKE - GENERAL INSPECTION									Service ATA:05
	MOS/MSC	27-Aug-07	A/R							
	HRS	0								
	AFL	0								
PROC. REF: AMM 05-50-01										
05-50-01-200-802	FORWARD FUSELAGE AND NOSE LANDINGGEAR - DETAILED INSPECTION									Service ATA:05
	MOS/MSC	27-Aug-07	A/R							
	HRS	0								
	AFL	0								
PROC. REF: AMM 05-50-01										
05-50-01-200-803	CENTER FUSELAGE MAIN LANDINGGEARS AND WING STUB - INSPECTION									Service ATA:05
	MOS/MSC	27-Aug-07	A/R							
	HRS	0								
	AFL	0								
PROC. REF: AMM 05-50-01										
05-50-01-200-804	WINGS - DETAILED INSPECTION									Service ATA:05
	MOS/MSC	27-Aug-07	A/R							
	HRS	0								
	AFL	0								
PROC. REF: AMM 05-50-01										
05-50-01-200-805	ENGINE NACELLE - DETAILED INSPECTION									Service ATA:05
	MOS/MSC	27-Aug-07	A/R							
	HRS	0								
	AFL	0								
PROC. REF: AMM 05-50-01										
05-50-01-200-806	REAR FUSELAGE AND EMPENNAGE -DETAILED INSPECTION									Service ATA:05
	MOS/MSC	27-Aug-07	A/R							
	HRS	0								
	AFL	0								
PROC. REF: AMM 05-50-01										
05-50-02-200-801	OVERWEIGHT LANDING OR HARDLANDING									Service ATA:05
	MOS/MSC	27-Aug-07	A/R							
	HRS	0								
	AFL	0								
PROC. REF: AMM 05-50-02										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b>											
05-50-03-200-801		<b>HIGH DRAG/SIDE LOAD LANDING CONDITION</b>								Service	ATA:05
	MOS/MSC	27-Aug-07	A/R								
	HRS	0									
	AFL	0									
PROC. REF: AMM 05-50-03											
05-50-04-200-801		<b>OVERSPEED INSPECTION</b>								Service	ATA:05
	MOS/MSC	27-Aug-07	A/R								
	HRS	0									
	AFL	0									
PROC. REF: AMM 05-50-04											
05-50-04-200-802		<b>ON-GROUND GALE-FORCE WINDS</b>								Service	ATA:05
	MOS/MSC	27-Aug-07	A/R								
	HRS	0									
	AFL	0									
PROC. REF: AMM 05-50-04											
05-50-04-200-803		<b>SEVERE TURBULENCE OR BUFFETINGCONDITION</b>								Service	ATA:05
	MOS/MSC	27-Aug-07	A/R								
	HRS	0									
	AFL	0									
PROC. REF: AMM 05-50-04											
05-50-05-200-801		<b>HIGH-LOAD-FACTOR FLIGHT CONDITION</b>								Service	ATA:05
	MOS/MSC	27-Aug-07	A/R								
	HRS	0									
	AFL	0									
PROC. REF: AMM 05-50-05											
05-50-06-200-801		<b>LANDING GEAR DOWN OVERSPEED</b>								Service	ATA:05
	MOS/MSC	27-Aug-07	A/R								
	HRS	0									
	AFL	0									
PROC. REF: AMM 05-50-06											
05-50-07-200-801		<b>MAXIMUM FLAP EXTENDED SPEED</b>								Service	ATA:05
	MOS/MSC	27-Aug-07	A/R								
	HRS	0									
	AFL	0									
PROC. REF: AMM 05-50-07											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b>											
05-50-08-200-801		<b>BIRD STRIKE AND HAILSTORM</b>							Service	ATA:05	
	MOS/MSC	27-Aug-07	A/R								
	HRS	0									
	AFL	0									
PROC. REF: AMM 05-50-08											
05-50-09-200-801		<b>ENGINE FIRE WARNING</b>							Service	ATA:05	
	MOS/MSC	27-Aug-07	A/R								
	HRS	0									
	AFL	0									
PROC. REF: AMM 05-50-09											
05-50-10-200-801		<b>ICING OR SNOWING INSPECTION</b>							Service	ATA:05	
	MOS/MSC	27-Aug-07	A/R								
	HRS	0									
	AFL	0									
PROC. REF: AMM 05-50-10											
05-50-11-200-801		<b>APU FIRE WARNING</b>							Service	ATA:05	
	MOS/MSC	27-Aug-07	A/R								
	HRS	0									
	AFL	0									
PROC. REF: AMM 05-50-11											
05-50-12-100-801		<b>TOILET OVERSERVICING - CLEANING</b>							Service	ATA:05	
	MOS/MSC	27-Aug-07	A/R								
	HRS	0									
	AFL	0									
PROC. REF: AMM 05-50-12											
05-50-12-200-801		<b>TOILET OVERSERVICING - INSPECTION</b>							Service	ATA:05	
	MOS/MSC	27-Aug-07	A/R								
	HRS	0									
	AFL	0									
PROC. REF: AMM 05-50-12											
05-50-13-700-801		<b>AIRCRAFT RECONFIGURATION - CHECK</b>							Service	ATA:05	
	MOS/MSC	27-Aug-07	A/R								
	HRS	0									
	AFL	0									
PROC. REF: AMM 05-50-13											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b>											
05-50-14-200-801		<b>OVERHEAT WHEELS</b>								Service	ATA:05
	MOS/MSC	27-Aug-07	A/R								
	HRS	0									
	AFL	0									
PROC. REF: AMM 05-50-14											
05-50-15-200-801		<b>LANDING-GEAR TIRE TREAD FAILURE -EXTENDED LANDING GEAR</b>								Service	ATA:05
	MOS/MSC	27-Aug-07	A/R								
	HRS	0									
	AFL	0									
PROC. REF: AMM 05-50-15											
05-50-15-200-802		<b>LANDING-GEAR TIRE TREAD FAILURE -RETRACTED LANDING GEAR</b>								Service	ATA:05
	MOS/MSC	27-Aug-07	A/R								
	HRS	0									
	AFL	0									
PROC. REF: AMM 05-50-15											
05-50-16-200-801		<b>HIGH ENERGY STOP - INSPECTION</b>								Service	ATA:05
	MOS/MSC	27-Aug-07	A/R								
	HRS	0									
	AFL	0									
PROC. REF: AMM 05-50-16											
05-50-18-200-801		<b>VOLCANIC ASH CONDITION</b>								Service	ATA:05
	MOS/MSC	27-Aug-07	A/R								
	HRS	0									
	AFL	0									
PROC. REF: AMM 05-50-18											
05-50-19-960-801		<b>APU FUEL INLET FILTER - INSPECTION</b>								Service	ATA:05
	MOS/MSC	27-Aug-07	A/R								
	HRS	0									
	AFL	0									
PROC. REF: AMM 05-50-19											
05-50-20-200-801		<b>FORWARD POCKET DOOR RESETTING -INSPECTION</b>								Service	ATA:05
	MOS/MSC	27-Aug-07	A/R								
	HRS	0									
	AFL	0									
PROC. REF: AMM 05-50-20											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b>										
05-50-23-200-801	<b>BRAKE USE DURING TOWBARLESSTOWING OPERATION</b>									Service ATA:05
	MOS/MSC	27-Aug-07	A/R							
	HRS	0								
	AFL	0								
PROC. REF: AMM 05-50-23										
05-50-24-200-801	<b>LH/RH STATIC PORTS VICINITY - INSPECTION</b>									Service ATA:05
	MOS/MSC	27-Aug-07	A/R							
	HRS	0								
	AFL	0								
PROC. REF: AMM 05-50-24										
05-50-32-200-801	<b>OVERSTEERING - GENERAL VISUAL INSPECTION</b>									Service ATA:05
	MOS/MSC	27-Aug-07	A/R							
	HRS	0								
	AFL	0								
PROC. REF: AMM 05-50-32										
055013	<b>NO. 1 ENGINE - FLUSH THE ENGINE AFTER A FIRE-EXTINGUISHING AGENT DISCHARGE</b>									Service ATA:05
	MOS/MSC	25-Sep-07	A/R							
	HRS	0								
	ENC	0								
PROC. REF: MM 05-50-00										
055013	<b>NO. 2 ENGINE - FLUSH THE ENGINE AFTER A FIRE-EXTINGUISHING AGENT DISCHARGE</b>									Service ATA:05
	MOS/MSC	25-Sep-07	A/R							
	HRS	0								
	ENC	0								
PROC. REF: MM 05-50-00										
MRA-003344 <sup>U</sup>	<b>PERFORM INSPECTION FOR THE ROSEN LCD CABIN BULKHEAD MONITORS</b>									Service ATA:05
	MOS	04-Jan-19	72		04-Jan-25		327 d	CUSTOMER CODE		
	HRS	8912.5								
	AFL	4764								
<b>ATA 08 - LEVELING AND WEIGHING</b>										
08051910 <sup>U</sup>	<b>WEIGHT AND BALANCE AIRCRAFT</b>									Service ATA:08
	MOS	17-May-22	36		17-May-25		460 d			
	HRS	9875.7								
	AFL	5259								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 10 - PARKING, MOORING, STORE AND RET TO SERV										
10-10-02-500-801-A <sup>U</sup>	PERFORM AIRCRAFT PROLONGED PARKING									Service ATA:10
	MOS/MSC		A/R							
	HRS									
	AFL									
10-10-02-500-802-A <sup>U</sup>	PERFORM AIRCRAFT RETURN TO SERVICE AFTER PROLONGED PARKING									Service ATA:10
	MOS/MSC		A/R							
	HRS									
	AFL									
ATA 12 - SERVICING										
12-13-01-610-001-A00	SERVICE (REPLENISH) HYDRAULIC SYSTEM RESERVOIR									Service ATA:12
	MOS	11-Dec-23						SYSTEM		
	HRS	10328.7	250		10578.7		176.6			
	AFL	5502								
	PROC. REF: AMM 12-13-01									
ATA 20 - STANDARD PRACTICES - AIRFRAME										
20-00-00-140-002-A00	RESTORE (CLEANING) CENTER FUSELAGE III LOWER SIDE INCLUDING WIRING, LINES AND OMEGA BEAMS (ZONES: 151, 152, 153, 154, 155, 156, 157).NOTE: EWIS (L650 ONLY)									Service ATA:20
	MOS/MSC	25-Sep-07	N/A					SYSTEM		
	HRS	0								
	AFL	0								
	PROC. REF: AMM 05-40-01									
20-00-00-140-003-A00	RESTORE (CLEANING) CENTER FUSELAGE IV LOWER SIDE INCLUDING WIRING, LINES AND OMEGA BEAMS (ZONES: 161, 162).NOTE: EWIS (L650 ONLY)									Service ATA:20
	MOS/MSC	25-Sep-07	N/A					SYSTEM		PKG:6016
	HRS	0								
	AFL	0								
	PROC. REF: AMM 05-40-02									
20-00-00-140-004-A00	RESTORE (CLEANING) CENTER FUSELAGE IV UPPER AND LATERAL SIDE INCLUDING ELT UNIT (ZONES: 262, 263, 264).NOTE: EWIS (L650 ONLY)									Service ATA:20
	MOS/MSC	25-Sep-07	N/A					SYSTEM		PKG:6016
	HRS	0								
	AFL	0								
	PROC. REF: AMM 05-40-03									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 20 - STANDARD PRACTICES - AIRFRAME										
20-00-00-140-005-A00	RESTORE (CLEANING) REAR FUSELAGE I LOWER SIDE, INCLUDING WIRING AND LINES (ZONES: 171, 172).NOTE: EWIS (L650 ONLY)									Service ATA:20
	MOS/MSC	25-Sep-07	N/A					SYSTEM		
	HRS	0								
	AFL	0								
					PROC. REF: AMM 05-40-04					PKG:6016
20-00-00-140-006-A00	RESTORE (CLEANING) REAR FUSELAGE I LATERAL SIDE, INCLUDING ELECTRONIC REAR COMPARTMENT WIRING (ZONES: 271, 272).NOTE: EWIS.(L650 ONLY)									Service ATA:20
	MOS/MSC	25-Sep-07	N/A					SYSTEM		
	HRS	0								
	AFL	0								
					PROC. REF: AMM 05-40-05					PKG:6016
20-00-00-140-007-A00	RESTORE (CLEANING) CENTER FUSELAGE II LOWER SIDE INCLUDING WIRING, LINES AND OMEGA BEAMS (ZONES: 141, 142). NOTE: EWIS (L650 ONLY)									Service ATA:20
	MOS/MSC	25-Sep-07	N/A					SYSTEM		
	HRS	0								
	AFL	0								
					PROC. REF: AMM 05-40-10					PKG:6016
20-00-00-140-008-A00	RESTORE (CLEANING) CENTER FUSELAGE I LOWER SIDE INCLUDING WIRING, LINES AND OMEGA BEAMS (ZONES: 131, 132). NOTE: EWIS (L650 ONLY)									Service ATA:20
	MOS/MSC	25-Sep-07	N/A					SYSTEM		
	HRS	0								
	AFL	0								
					PROC. REF: AMM 05-40-14					PKG:6016
20-00-00-140-009-A00	RESTORE (CLEANING) NLG & FWD ELECTRONIC COMPARTMENTS, FWDPRESSURE BULKHEAD UPPER SIDE (ZONES: 113, 114,213, 214, 215, 216).NOTE: EWIS.(L650 ONLY)									Service ATA:20
	MOS/MSC	25-Sep-07	N/A					SYSTEM		
	HRS	0								
	AFL	0								
					PROC. REF: AMM 05-40-11					PKG:6032
20-00-00-140-010-A00	RESTORE (CLEANING) COCKPIT LATERAL SIDE AND FWD PRESSURE BULKHEAD UPPER SIDE (ZONES: 221, 222, 223, 224). NOTE: EWIS (L650 ONLY)									Service ATA:20
	MOS/MSC	25-Sep-07	N/A					SYSTEM		
	HRS	0								
	AFL	0								
					PROC. REF: AMM 05-40-13					PKG:6016

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 20 - STANDARD PRACTICES - AIRFRAME										
20-00-00-140-011-A00	RESTORE (CLEANING) COCKPIT LOWER SIDE AND FWD PRESSURE BULKHEAD LOWER SIDE (ZONES: 121, 122, 123, 124) NOTE: EWIS (L650 ONLY)									Service ATA:20
	MOS/MSC	25-Sep-07	N/A					SYSTEM		
	HRS	0								
	AFL	0								
PROC. REF: AMM 05-40-12										PKG:6016
20-00-00-212-002-A00	INSPECT (GENERAL VISUAL) CENTER FUSELAGE III LOWER SIDE - EWIS COMPONENTS OF APU AND ENGINES GENERATORS POWER CABLES, HYDRAULIC PUMPS POWER CABLES AND WIRING BUNDLES (ZONES: 151, 152, 153,154, 155, 156, 157).NOTE: EWIS (L650 ONLY)									Service ATA:20
	MOS/MSC	25-Sep-07	N/A					SYSTEM		
	HRS	0								
	AFL	0								
PROC. REF: AMM 05-40-01										PKG:6016
20-00-00-212-003-A00	INSPECT (GENERAL VISUAL) CENTER FUSELAGE IV LOWER SIDE - EWIS COMPONENTS OF APU AND ENGINES GENERATORS POWER CABLES, HYDRAULIC PUMPS POWER CABLES AND WIRING BUNDLES (ZONES: 161, 162). NOTE: EWIS (L650 ONLY)									Service ATA:20
	MOS/MSC	25-Sep-07	N/A					SYSTEM		
	HRS	0								
	AFL	0								
PROC. REF: AMM 05-40-02										PKG:6016
20-00-00-212-007-A00	INSPECT (GENERAL VISUAL) REAR FUSELAGE I, PRESSURE BULKHEAD PRESSURIZED AREA SIDE - EWIS COMPONENTS OF APU POWER CABLES AND WIRING BUNDLES (ZONES: 275, 276NOTE: EWIS ).(L650 ONLY)									Service ATA:20
	MOS/MSC	25-Sep-07	N/A					SYSTEM		
	HRS	0								
	AFL	0								
PROC. REF: AMM 05-40-07										PKG:6016
20-00-00-212-008-A00	INSPECT (GENERAL VISUAL) REAR FUSELAGE II, STRUCTURAL AREA AFT OF REAR PRESSURE BULKHEAD - EWIS COMPONENTS OF POWER CABLES AND WIRING BUNDLES (ZONES: 311, 312).NOTE: EWIS (L650 ONLY)									Service ATA:20
	MOS/MSC	25-Sep-07	N/A					SYSTEM		
	HRS	0								
	AFL	0								
PROC. REF: AMM 05-40-08										PKG:6016
20-00-00-212-011-A00	INSPECT (GENERAL VISUAL) FWD AUXILIARY FUEL TANK FAIRINGS, VENTRAL FUEL TANK FAIRINGS AND WING-TO- FUSELAGE ATTACHMENT FAIRINGS - EWIS COMPONENTS OF WIRING BUNDLES (ZONES: 191, 193, 194, 195, 196,1924 AND 1932)NOTE: EWIS (L650 ONLY)									Service ATA:20
	MOS/MSC	25-Sep-07	N/A					SYSTEM		
	HRS	0								
	AFL	0								
PROC. REF: AMM 05-40-09										PKG:6016

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 20 - STANDARD PRACTICES - AIRFRAME										
20-00-00-212-012-A00	INSPECT (GENERAL VISUAL) NLG ELECTRONIC COMPARTMENT - EWIS COMPONENTS OF WIRING BUNDLES (ZONES: 113, 114).NOTE: EWIS.(L650 ONLY)									Service ATA:20
	MOS/MSC	25-Sep-07	N/A					SYSTEM		
	HRS	0								
	AFL	0								
	PROC. REF: AMM 05-40-11									PKG:6032
20-00-00-212-013-A00	INSPECT (GENERAL VISUAL) ENGINE PYLON - EWIS COMPONENTS OF ENGINES GENERATORS POWER CABLES AND WIRING BUNDLES (ZONES: 414, 424). NOTE: EWIS (L650 ONLY)									Service ATA:20
	MOS/MSC	25-Sep-07	N/A					SYSTEM		
	HRS	0								
	AFL	0								
	PROC. REF: AMM 05-40-15									
20-00-00-212-014-A00	INSPECT (GENERAL VISUAL) ENGINES - EWIS COMPONENTS OF ENGINES GENERATORS POWER CABLES (ZONES: 415, 425).NOTE: EWIS (L650 ONLY)									Service ATA:20
	MOS/MSC	25-Sep-07	N/A					SYSTEM		
	HRS	0								
	AFL	0								
	PROC. REF: AMM 05-40-18									
20-00-00-212-015-A00	INSPECT (GENERAL VISUAL) WING LEADING EDGE - EWIS COMPONENTS OF WIRING BUNDLES (ZONES: 511, 512,513, 611, 612, 613).NOTE: EWIS (L650 ONLY)									Service ATA:20
	MOS/MSC	25-Sep-07	N/A					SYSTEM		
	HRS	0								
	AFL	0								
	PROC. REF: AMM 24-00-02									PKG:6016
20-00-00-212-016-A00	INSPECT (GENERAL VISUAL) EWIS COMPONENTS OFTRAILING EDGE HARNESS (ZONES: 532, 5711, 5721,5731, 5732, 632, 6711, 6721, 6731, 6732).NOTE: EWIS (L650 ONLY)									Service ATA:20
	MOS/MSC	25-Sep-07	N/A					SYSTEM		
	HRS	0								
	AFL	0								
	PROC. REF: AMM 24-00-03									
20-00-00-212-017-A00	INSPECT (GENERAL VISUAL) WING STUB HARNESS - EWIS COMPONENTS OF WIRING BUNDLES (ZONE 192).NOTE: EWIS (L650 ONLY)									Service ATA:20
	MOS/MSC	25-Sep-07	N/A					SYSTEM		
	HRS	0								
	AFL	0								
	PROC. REF: AMM 24-00-04									PKG:6016

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 20 - STANDARD PRACTICES - AIRFRAME										
20-00-00-212-018-A00	INSPECT (GENERAL VISUAL) REAR FUSELAGE I LOWER SIDE- EWIS COMPONENTS OF APU AND ENGINES GENERATORS POWER CABLES, HYDRAULIC PUMPS POWER CABLES AND WIRING BUNDLES (ZONES: 171, 172). NOTE: EWIS (L650 ONLY)									Service ATA:20
	MOS/MSC	25-Sep-07	N/A					SYSTEM		
	HRS	0								
	AFL	0								
					PROC. REF: AMM 05-40-04					PKG:6016
20-00-00-212-019-A00	INSPECT (GENERAL VISUAL) REAR FUSELAGE I LATERAL SIDE- EWIS COMPONENTS OF ENGINES GENERATORS POWER CABLES AND WIRING BUNDLES (ZONES: 271, 272). NOTE: EWIS (L650 ONLY)									Service ATA:20
	MOS/MSC	25-Sep-07	N/A					SYSTEM		
	HRS	0								
	AFL	0								
					PROC. REF: AMM 05-40-05					PKG:6016
20-00-00-220-001-A00	INSPECT (DETAILED INSPECTION) EWIS COMPONENTS OF WING TANK UNIT HARNESS (ZONES: 155, 156, 157, 531, 631, 541, 641).NOTE: EWIS (L650 ONLY)									Service ATA:20
	MOS/MSC	25-Sep-07	N/A					SYSTEM		
	HRS	0								
	AFL	0								
					PROC. REF: AMM 28-41-03					PKG:6016
20-00-00-220-003-A00	INSPECT (DETAILED INSPECTION) ELECTRIC FUEL PUMP CONNECTOR (ZONES: 155, 156, 157, 531, 631).NOTE: EWIS (L650 ONLY)									Service ATA:20
	MOS/MSC	25-Sep-07	N/A					SYSTEM		
	HRS	0								
	AFL	0								
					PROC. REF: AMM 28-21-01					PKG:6016
20-00-00-220-006-A00	INSPECT (DETAILED INSPECTION) VENTRAL FUEL TANK - EWIS COMPONENTS OF VENTRAL TANK UNIT HARNESS (ZONE: 1972).NOTE: (L650 ONLY)									Service ATA:20
	MOS/MSC	25-Sep-07	N/A					SYSTEM		
	HRS	0								
	AFL	0								
					PROC. REF: AMM 28-41-06					PKG:6016
20-00-00-220-008-A00	INSPECT (DETAILED INSPECTION) WING MIDDLE SECTION - EWIS COMPONENTS OF VENT VALVE HARNESS INSIDE THE CONDUIT (ZONES: 541, 641).NOTE: EWIS (L650 ONLY)									Service ATA:20
	MOS/MSC	25-Sep-07	N/A					SYSTEM		
	HRS	0								
	AFL	0								
					PROC. REF: AMM 28-23-04					PKG:6016

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 20 - STANDARD PRACTICES - AIRFRAME										
20-00-00-220-009-A00	INSPECT (DETAILED INSPECTION) FWD ELECTRONIC COMPARTMENT/ FWD PRESSURE BULKHEAD UPPER SIDE - EWIS COMPONENTS OF WIRING BUNDLES (ZONES: 213,214, 215, 216).NOTE: EWIS.(L650 ONLY)									Service ATA:20
	MOS/MSC	25-Sep-07	N/A					SYSTEM		
	HRS	0								
	AFL	0								
PROC. REF: AMM 05-40-11, AMM 05-40-11										PKG:6032
20-00-00-220-010-A00	INSPECT (DETAILED INSPECTION) COCKPIT LOWER SIDE - EWIS COMPONENTS OF POWER CABLES AND WIRING BUNDLES (ZONES: 123, 124).NOTE: EWIS (L650 ONLY)									Service ATA:20
	MOS/MSC	25-Sep-07	N/A					SYSTEM		
	HRS	0								
	AFL	0								
PROC. REF: AMM 05-40-12										PKG:6016
20-00-00-220-011-A00	INSPECT (DETAILED INSPECTION) COCKPIT LATERAL SIDE - EWIS COMPONENTS OF POWER CABLES AND BACK SIDE OF THE RELAY SUPPORT PANEL (ZONES: 223, 224), (ZONES: 223, 224).NOTE: EWIS (L650 ONLY)									Service ATA:20
	MOS/MSC	25-Sep-07	N/A					SYSTEM		
	HRS	0								
	AFL	0								
PROC. REF: AMM 05-40-13										PKG:6016
20-00-00-220-012-A00	INSPECT (DETAILED INSPECTION) CENTER FUSELAGE I LOWER SIDE - EWIS COMPONENTS OF APU AND ENGINES GENERATORS POWER CABLES, HYDRAULIC PUMPS POWER CABLES AND WIRING BUNDLES (ZONES: 131, 132). NOTE: EWIS (L650 ONLY)									Service ATA:20
	MOS/MSC	25-Sep-07	N/A					SYSTEM		
	HRS	0								
	AFL	0								
PROC. REF: AMM 05-40-14										PKG:6016
20-00-00-220-013-A00	INSPECT (DETAILED INSPECTION) CENTER FUSELAGE II LOWER SIDE - EWIS COMPONENTS OF APU AND ENGINES GENERATORS POWER CABLES, HYDRAULIC PUMPS POWER CABLES AND WIRING BUNDLES (ZONES: 141, 142). NOTE: EWIS (L650 ONLY)									Service ATA:20
	MOS/MSC	25-Sep-07	N/A					SYSTEM		
	HRS	0								
	AFL	0								
PROC. REF: AMM 05-40-10										PKG:6016
20-00-00-220-014-A00	INSPECT (DETAILED INSPECTION) AFT FUEL TANK - EWIS COMPONENTS OF AFT FUEL TANK UNITS HARNESS (ZONES271, 272)NOTE: EWIS (L650 ONLY)									Service ATA:20
	MOS/MSC	25-Sep-07	N/A					SYSTEM		
	HRS	0								
	AFL	0								
PROC. REF: AMM 28-46-02										PKG:6016

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 20 - STANDARD PRACTICES - AIRFRAME										
20-00-00-220-015-A00 INSPECT (DETAILED INSPECTION) FUEL PUMP ELECTRICALHARNES (ZONES 155, 156, 157).NOTE: EWIS (L650 ONLY) Service ATA:20										
	MOS/MSC	25-Sep-07	N/A					SYSTEM		
	HRS	0								
	AFL	0								
PROC. REF: AMM 28-21-01										PKG:6016
20-00-00-220-017-A00 INSPECT (DETAILED INSPECTION) EWIS COMPONENTS OFFWD FUEL TANK UNIT HARNES (ZONE 197).NOTE: EWIS (L650 ONLY) Service ATA:20										
	MOS/MSC	25-Sep-07	N/A					SYSTEM		
	HRS	0								
	AFL	0								
PROC. REF: AMM 28-46-04										PKG:6016
20-00-00-220-019-A00 INSPECT (DETAILED INSPECTION) EWIS COMPONENTS OFW1642 INTRINSICALLY SAFE HARNES (ZONES 123, 124,131, 132, 141, 142, 151, 152, 153, 154, 161, 162,171, 172, 271).NOTE: EWIS (L650 ONLY) Service ATA:20										
	MOS/MSC	25-Sep-07	N/A					SYSTEM		
	HRS	0								
	AFL	0								
PROC. REF: AMM 28-41-00										PKG:6016
ATA 21 - AIR CONDITIONING										
21-20-00-710-001-A00 <sup>S</sup> OPERATIONALLY CHECK CONDITIONED AIR DISTRIBUTION SYSTEM Service ATA:21										
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
PROC. REF: AMM 21-20-00										PKG:5016,6032
21-21-00-720-001-A00 <sup>S</sup> FUNCTIONALLY CHECK DISPLAY VENTILATION SYSTEM Service ATA:21										
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: AMM 21-21-00										PKG:5008,6016
21-25-01-211-001-A00 <sup>S</sup> VISUALLY CHECK FLAP OF RAM AIR VALVE Service ATA:21										
	MOS	29-Jun-23	24 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	1000 (+20/-20)							
	AFL	5401								
PROC. REF: AMM 21-25-01										PKG:5004

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 21 - AIR CONDITIONING</b>										
21-25-01-710-001-A00 <sup>S</sup>	OPERATIONALLY CHECK RAM AIR VALVE									Service ATA:21
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: AMM 21-25-01					PKG:5008,6016
21-26-00-710-001-A00 <sup>S</sup>	OPERATIONALLY CHECK ELECTRONIC COMPARTMENT VENTILATION SYSTEM									Service ATA:21
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: AMM 21-26-00					PKG:5008,6016
21-26-08-960-001-A01	DISCARD EXHAUST HOSES OF THE ELECTRONIC BAY COMPARTMENT									Service ATA:21
	MOS	15-Aug-13	180 (+30d/-30d)		15-Aug-28	14-Sep-28	1646 d (+30)	SYSTEM		
	HRS	6643.4								
	AFL	3572								
					PROC. REF: AMM 21-26-08					
21-27-00-710-001-A00 <sup>S</sup>	OPERATIONAL CHECK BAGGAGE COMPARTMENT VENTILATION SYSTEM (INCLUDING HIGH AND LOW SPEED OF FAN)									Service ATA:21
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: AMM 21-27-00					PKG:5008
21-27-02-640-001-A00 <sup>S</sup>	LUBRICATE BAGGAGE COMPARTMENT CHECK VALVES									Service ATA:21
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: AMM 21-27-02					PKG:5008,6016
21-27-02-710-001-A00 <sup>S</sup>	OPERATIONALLY CHECK BAGGAGE COMPARTMENT CHECK VALVE (MANUAL CHECK FOR FREE MOVEMENT AND CORRECTED SEATING)									Service ATA:21
	MOS	29-Jun-23	24 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	1000 (+20/-20)							
	AFL	5401								
					PROC. REF: AMM 21-27-02					PKG:5004
21-31-00-710-001-A00 <sup>S</sup>	OPERATIONALLY CHECK PRESSURIZATION CONTROL SYSTEM IN MANUAL MODE									Service ATA:21
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
					PROC. REF: AMM 21-31-00					PKG:5016,6032

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 21 - AIR CONDITIONING</b>										
21-31-00-720-002-A00 <sup>S</sup>	FUNCTIONALLY CHECK OUTFLOW VALVES PRESSURE RELIEF DEVICES									Service ATA:21
	MOS	06-Jul-19	144 (+15d/-15d)					LOW UTILIZATION		
	HRS	9057.4	6000 (+20/-20)							
	AFL	4853	3000 (+20/-20)							
	PROC. REF: AMM 21-31-00, AMM 21-31-00									PKG:5024,6020
21-31-00-720-005-A00 <sup>S</sup>	FUNCTIONALLY CHECK LINE FOR LEAKAGE									Service ATA:21
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
	PROC. REF: AMM 21-31-00									PKG:5016,6032
21-31-03-140-001-A00 <sup>S</sup>	RESTORE (CLEANING) ELECTROPNEUMATIC OUTFLOW VALVE (NON-SMOKING FLIGHTS)									Service ATA:21
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
	PROC. REF: AMM 21-31-03									PKG:5008
21-31-03-140-001-A01 <sup>S</sup>	RESTORE (CLEANING) ELECTROPNEUMATIC OUTFLOW VALVE (SMOKING FLIGHTS)									Service ATA:21
	MOS	29-Jun-23	24 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	1000 (+20/-20)							
	AFL	5401								
	PROC. REF: AMM 21-31-03									PKG:5004
21-31-04-140-001-A00 <sup>S</sup>	RESTORE (CLEANING) PNEUMATIC OUTFLOW VALVE (NON-SMOKING FLIGHTS)									Service ATA:21
	MOS	29-Jun-23	24 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	1000 (+20/-20)							
	AFL	5401								
	PROC. REF: AMM 21-31-04									PKG:5004
21-31-04-140-001-A01	RESTORE (CLEANING) PNEUMATIC OUTFLOW VALVE (SMOKING FLIGHTS)									Service ATA:21
	MOS/MS	18-Aug-18	N/A							
	HRS	8725.1								
	AFL	4681								
	PROC. REF: AMM 21-31-04									
21-31-08-960-001-A00	DISCARD AIR FILTER ELEMENT (NON-SMOKING FLIGHTS)									Service ATA:21
	MOS	17-Mar-22						SYSTEM		
	HRS	9824.2	3200		13024.2		2622.1			
	AFL	5235								
	PROC. REF: AMM 21-31-08									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 21 - AIR CONDITIONING										
21-31-08-960-001-A01	DISCARD AIR FILTER ELEMENT (SMOKING FLIGHTS)									Service ATA:21
	MOS/MSC	27-Aug-07	N/A							
	HRS	0								
	AFL	0								
PROC. REF: AMM 21-31-08										
21-32-01-720-001-A00	FUNCTIONALLY CHECK CABIN PRESSURE ACQUISITION MODULE (CPAM) POST-MOD. S.B.145LEG-00-0007 OR WITH AN EQUIVALENT MODIFICATION FACTORY-INCORPORATED									Service ATA:21
	MOS/MSC	19-Aug-15	N/A					SYSTEM		
	HRS	7460.3								
	AFL	3992								
PROC. REF: AMM 21-32-01										
21-51-00-710-001-A00 <sup>S</sup>	OPERATIONALLY CHECK COOLING PACK SYSTEM TO VERIFY ECS OFF SIGNAL									Service ATA:21
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: AMM 21-51-00										
21-51-00-720-001-A00 <sup>S</sup>	FUNCTIONALLY CHECK COOLING PACK SYSTEM									Service ATA:21
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
PROC. REF: AMM 21-51-00, AMM 21-51-00										
21-51-00-720-003-A00 <sup>S</sup>	FUNCTIONALLY CHECK PACK DUCT OVERTEMPERATURE PROTECTION									Service ATA:21
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: AMM 21-51-09										
21-51-01-130-001-A00 <sup>S</sup>	RESTORE (CLEANING) PACK VALVE FILTER USING ULTRASONIC METHOD									Service ATA:21
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: AMM 21-51-01										
21-51-02-170-001-A00 <sup>S</sup>	RESTORE (CLEANING) DUAL HEAT EXCHANGER AND VISUALLY CHECK CONDITION OF CORE.									Service ATA:21
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
PROC. REF: AMM 21-51-02										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 21 - AIR CONDITIONING</b>										
<b>21-51-02-170-002-A00<sup>S</sup> RESTORE (CLEANING) DUAL HEAT EXCHANGER - ON THE AIRCRAFT</b>										
	MOS	29-Jun-23	24 (+15d/-15d)					LOW UTILIZATION		Service ATA:21
	HRS	10161.5	1000 (+20/-20)							
	AFL	5401								
PROC. REF: AMM 21-51-02										PKG:5004
<b>21-51-10-710-001-A00<sup>S</sup> OPERATIONALLY CHECK PACK LEAK SWITCH</b>										
	MOS	06-Jul-19	72 (+15d/-15d)					LOW UTILIZATION		Service ATA:21
	HRS	9057.4	3000 (+20/-20)							
	AFL	4853	1500 (+20/-20)							
PROC. REF: AMM 21-51-10										PKG:5012,6020
<b>21-51-13-211-001-A00<sup>S</sup> VISUALLY CHECK WATER SPRAY NOZZLES NOTE: EMB-RECOMM</b>										
	MOS	29-Jun-23	12 (+15d/-15d)					LOW UTILIZATION		Service ATA:21
	HRS	10161.5	500 (+20/-20)							
	AFL	5401								
PROC. REF: AMM 21-51-13										PKG:5002
<b>21-60-00-710-001-A00<sup>S</sup> OPERATIONALLY CHECK TEMPERATURE CONTROL</b>										
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		Service ATA:21
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
PROC. REF: AMM 21-60-00										PKG:5016,6032
<b>21-60-08-960-001-A00<sup>S</sup> DISCARD TORQUE-MOTOR DUAL-VALVE FILTER</b>										
	MOS	14-Jul-15	192 (+15d/-15d)					LOW UTILIZATION		Service ATA:21
	HRS	7460.3	8000 (+20/-20)							
	AFL	3992	4000 (+20/-20)							
PROC. REF: AMM 21-60-08										PKG:5032,6032
<b>21-71-01-900-001-A00<sup>S</sup> RESTORE (CLEANING) NO. 1 OZONE/OXYGEN CONVERTER - BLEED SYSTEM</b>										
PN:60A523-101	MOS	06-Jul-19	144 (+15d/-15d)					LOW UTILIZATION		Service ATA:21
SN:0306-1352	HRS	9057.4	6000 (+20/-20)							
	AFL	4853	3000 (+20/-20)							
PROC. REF: AMM 21-70-01										PKG:5024,6020
<b>21-71-01-900-001-A00<sup>S</sup> RESTORE (CLEANING) NO. 2 OZONE/OXYGEN CONVERTER - BLEED SYSTEM</b>										
PN:60A523-101	MOS	06-Jul-19	144 (+15d/-15d)					LOW UTILIZATION		Service ATA:21
SN:011/0338	HRS	9057.4	6000 (+20/-20)							
	AFL	4853	3000 (+20/-20)							
PROC. REF: AMM 21-70-01										PKG:5024,6020

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 21 - AIR CONDITIONING</b>										
<b>212104-0101 GASPER ASSY-GASPER,AIR CONDITIONING SYS VALVE</b> <span style="float:right">Component ATA:21</span>										
PN:145-22301-401	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:0000141365	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 21-23-01										
<b>212104-0102 LEFT ASSY-GASPER,AIR CONDITIONING SYS VALVE</b> <span style="float:right">Component ATA:21</span>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 21-23-01										
<b>212104-0103 RIGHT ASSY-GASPER,AIR CONDITIONING SYS VALVE</b> <span style="float:right">Component ATA:21</span>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 21-23-01										
<b>212200-0101 FWD VALVE -DISTRIBUTION,AIR COND SYS,PAX CABIN ASSEMBLY</b> <span style="float:right">Component ATA:21</span>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 21-22-01										
<b>212200-0102 AFT VALVE -DISTRIBUTION,AIR COND SYS,PAX CABIN ASSEMBLY</b> <span style="float:right">Component ATA:21</span>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 21-22-01										
<b>212200-0201 C FLOOR VALVE ASSY</b> <span style="float:right">Component ATA:21</span>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>212201-0101 C FLOOR VALVE ASSY</b> <span style="float:right">Component ATA:21</span>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 21 - AIR CONDITIONING</b>										
<b>212300-0101 LEFT RECIRCULATION &amp; GASPER FAN</b> <span style="float:right">Component ATA:21</span>										
PN:AE1115A00	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:05148	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: AMM 21-23-03, AMM 21-24-01										
<b>212300-0102 GASPER RECIRCULATION &amp; GASPER FAN</b> <span style="float:right">Component ATA:21</span>										
PN:AE1115A00	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:05220	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: AMM 21-23-03, AMM 21-24-01										
<b>212300-0103 RIGHT RECIRCULATION &amp; GASPER FAN</b> <span style="float:right">Component ATA:21</span>										
PN:AE1115A00	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:05222	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: AMM 21-23-03, AMM 21-24-01										
<b>212401-0101 LH RECIRCULATION FAN AFT MUFFLER</b> <span style="float:right">Component ATA:21</span>										
PN:PN	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:UNKNOWN	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: AMM 21-24-02										
<b>212401-0102 RH RECIRCULATION FAN AFT MUFFLER</b> <span style="float:right">Component ATA:21</span>										
PN:PN	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:UNKNOWN	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: AMM 21-24-02										
<b>212500-0101 LEFT ELECTROMECHANICAL LINEAR-FLAPPER VALVE,APU ACTUATOR</b> <span style="float:right">Component ATA:21</span>										
PN:SYLC51836-1	MOS/MSC		06-Jul-19	O/C	TSR 3					
SN:060506	HRS		9057.4		TSN 4240, TSR 0					
	AFL		4853		TSN 2002, TSR 0					
PROC. REF: AMM 21-25-03										
<b>212500-0102 RIGHT ELECTROMECHANICAL LINEAR-FLAPPER VALVE,APU ACTUATOR</b> <span style="float:right">Component ATA:21</span>										
PN:PN	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:UNKNOWN	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: AMM 21-25-03										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 21 - AIR CONDITIONING</b>										
<b>212600-0101 LEFT ACTUATOR LINEAR -ELECTROMECHANICAL,CONTROL GUST LOCK ASSEMBLY</b> Component ATA:21										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 21-26-09										
<b>212600-0102 RIGHT ACTUATOR LINEAR -ELECTROMECHANICAL,CONTROL GUST LOCK ASSEMBLY</b> Component ATA:21										
PN:SYLC53229-3	MOS/MSC	10-Jan-12	O/C							
SN:051101	HRS	5287.4								
	AFL	2805								
PROC. REF: AMM 21-26-09										
<b>212600-0103 LH FWR ELECTRONIC COMPARTMENT FAN</b> Component ATA:21										
PN:526484	MOS/MSC	26-Jan-15	O/C	TSO 0						
SN:107181667	HRS	7281.6		TSO 0						
	AFL	3897		TSO 0						
PROC. REF: AMM 21-26-02										
<b>212600-0104 RH FWR ELECTRONIC COMPARTMENT FAN</b> Component ATA:21										
PN:526484	MOS/MSC	26-Jan-15	O/C	TSO 0						
SN:198289255	HRS	7281.6		TSO 0						
	AFL	3897		TSO 0						
PROC. REF: AMM 21-26-02										
<b>212600-0201 LH REAR ELECTRONIC COMPARTMENT FAN</b> Component ATA:21										
PN:526484	MOS/MSC	27-Jan-13	O/C	TSO 9						
SN:101101819	HRS	6442.2		TSO 0						
	AFL	3468		TSO 0						
PROC. REF: AMM 21-26-02										
<b>212600-0202 RH REAR ELECTRONIC COMPARTMENT FAN</b> Component ATA:21										
PN:526484	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:106442692	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 21-26-02										
<b>212603-0101 NO. 1 NOSE 28 VDC/12 VDC,FAN,ELECTRONIC EQUIPMENT EQUIPMENT,FWD FUSLIG INVERTER</b> Component ATA:21										
PN:524864	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:E07018279	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 21-26-03										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 21 - AIR CONDITIONING</b>											
212603-0102		NO. 2 NOSE 28 VDC/12 VDC,FAN,ELECTRONIC EQUIPMENT EQUIPMENT,FWD FUSLG INVERTER							Component	ATA:21	
PN:524864	MOS/MSC	26-Jan-15	O/C	TSN 0							
SN:E11467053	HRS	7281.6	TSN 0								
	AFL	3897	TSN 0								
PROC. REF: AMM 21-26-03											
212603-0103		NO. 3 NOSE 28 VDC/12 VDC,FAN,ELECTRONIC EQUIPMENT EQUIPMENT,FWD FUSLG INVERTER							Component	ATA:21	
PN:524864	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:E07018281	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 21-26-03											
212603-0104		NOSE 28 VDC/12 VDC,FAN,ELECTRONIC EQUIPMENT EQUIPMENT,FWD FUSLG INVERTER							Component	ATA:21	
PN:524864	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:E07018282	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 21-26-03											
212603-0201		FWD COMPARTMENT EXT POWER SUPPLY SUPPLY							Component	ATA:21	
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: GENERIC NO REF											
212701-0101		CLASS C, BAGGAGE COMPARTMENT FAN							Component	ATA:21	
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 21-27-01											
212703-0101		CARGO CP PRESSURIZATION EQUILIZATION VALVE ASSEMBLY							Component	ATA:21	
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 21-27-03											
213000-0201		LEFT REGULATING-PRESSURE/DEICING,PNEUMATIC SYS VALVE							Component	ATA:21	
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: GENERIC NO REF											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 21 - AIR CONDITIONING</b>											
213000-0202		RIGHT REGULATING-PRESSURE/DEICING,PNEUMATIC SYS VALVE							Component	ATA:21	
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: GENERIC NO REF											
213100-0101		PRESS SYS - REAR FUSLG 1,41 KFT PNEUMATIC VALVE							Component	ATA:21	
PN:2113A020101	MOS/MSC	17-Feb-22	O/C	TSR 10							
SN:05045	HRS	9806.1		TSR 0							
	AFL	5216		TSR 0							
PROC. REF: AMM 21-31-04											
213100-0102		PRESS SYS - REAR FUSLG 1,41 KFT, 10V ELECTRO PNEUMATIC VALVE							Component	ATA:21	
PN:2112A010101	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:05066	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 21-31-04											
213101-0101		CSL CENT DIGITAL CONTROLLER-PRESSURIZATION,COCKPIT UNIT							Component	ATA:21	
PN:91132A010101	MOS/MSC	28-Jul-21	O/C	TSN 0							
SN:05162	HRS	9631.4		TSN 0							
	AFL	5130		TSN 0							
PROC. REF: AMM 21-31-01											
213102-0101		CSL CENT CONTROL-MANUAL PRESSURE REGULATOR 41 KFT,CTL CSL,COCKPIT UNLT							Component	ATA:21	
PN:2114A010101	MOS/MSC	19-Feb-21	O/C	TSN 0							
SN:05302	HRS	9508.9		TSN 0							
	AFL	5061		TSN 0							
PROC. REF: AMM 21-31-02											
213107-0201		LH REAR STATIC-HEATED,PRESSURIZATION SYS,28VDC PORT							Component	ATA:21	
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 21-31-07											
213107-0202		RH REAR STATIC-HEATED,PRESSURIZATION SYS,28VDC PORT							Component	ATA:21	
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 21-31-07											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 21 - AIR CONDITIONING</b>											
213201-0101		CABIN PRESSURE - RH LATERAL CONSOLE, DATA ACQUISITION MODULE							Component	ATA:21	
PN:2014AB1	MOS/MSC	21-Jan-22	O/C	TSR 2							
SN:1406	HRS	9789.3		TSR 0							
	AFL	5205		TSR 0							
PROC. REF: AMM 21-32-01											
215100-0101		LH PACK ENVIRONMENTAL CONTROL UNIT							Component	ATA:21	
PN:816626-2	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:2007030073	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: GENERIC NO REF											
215100-0102		RH PACK ENVIRONMENTAL CONTROL- ECU, AIR CONDITIONING SYS UNIT							Component	ATA:21	
PN:816636-2	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:2007020129	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: GENERIC NO REF											
215101-0101		LH PIL CHECK-BLEED SYS,REAR FUSLG I/II VALVE							Component	ATA:21	
PN:816604-2	MOS/MSC	05-Mar-18	O/C	TSR 0							
SN:2006100487	HRS	8509.4		TSR 0							
	AFL	4566		TSR 0							
PROC. REF: AMM 21-51-01											
215101-0102		RH PIL CHECK-BLEED SYS,REAR FUSLG I/II VALVE							Component	ATA:21	
PN:816604-2	MOS/MSC	05-Mar-18	O/C	TSR 18							
SN:2008020786	HRS	8509.4		TSR 537.8							
	AFL	4566		TSR 287							
PROC. REF: AMM 21-51-01											
215102-0101		LH HEAT EXCHANGER UNIT							Component	ATA:21	
PN:816630-1	MOS/MSC	29-Jun-23	O/C	TSO 0							
SN:2011031697	HRS	10161.5		TSO 0							
	AFL	5401		TSO 0							
PROC. REF: AMM 21-51-02											
215102-0102		RH HEAT EXCHANGER UNIT							Component	ATA:21	
PN:816630-2	MOS/MSC	29-Jun-23	O/C	TSO 0							
SN:2011120010	HRS	10161.5		TSO 0							
	AFL	5401		TSO 0							
PROC. REF: AMM 21-51-02											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 21 - AIR CONDITIONING</b>										
<b>215106-0201 LH ENG PACK,AIR CONDITIONING SYS - OVERPRESSURE SWITCH</b> <span style="float:right">Component ATA:21</span>										
PN:782100-11	MOS/MSC	16-Jun-12	O/C	TSN 0						
SN:3171	HRS	5893.2		TSN 0						
	AFL	3135		TSN 0						
PROC. REF: AMM 21-51-06										
<b>215106-0202 RH ENG PACK, AIR CONDITIONING SYS - OVERPRESSURE SWITCH</b> <span style="float:right">Component ATA:21</span>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 21-51-06										
<b>216001-7000<sup>U</sup> RH DUAL TEMP CONTROL VALVE</b> <span style="float:right">Component ATA:21</span>										
PN:C143123-6	MOS/MSC	09-Apr-13	O/C					CUSTOMER CODE		
SN:01022238	HRS	6519.2		TSN 14949.8, TSO 36.93, TSR 0						
	AFL	3507		TSN 13415, TSR 0						
<b>216002-0101 PAX AMBIENT TEMPERATURE,ECU,A/C SYS SENSOR</b> <span style="float:right">Component ATA:21</span>										
PN:815289-2	MOS/MSC	31-Aug-18	O/C	TSN 3						
SN:21035	HRS	8737.9		TSN 0						
	AFL	4686		TSN 0						
PROC. REF: AMM 21-60-02										
<b>216002-0102 CREW CAB AMBIENT TEMPERATURE,ECU,A/C SYS SENSOR</b> <span style="float:right">Component ATA:21</span>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 21-60-02										
<b>216004-0101 LEFT TEMPERATURE ASSY-DIGITAL,AIR CONDITIONING SYS CONTROLLER</b> <span style="float:right">Component ATA:21</span>										
PN:C142398-4-006	MOS/MSC	04-Aug-10	O/C	TSN 0						
SN:07043238	HRS	3628.6		TSN 0						
	AFL	1907		TSN 0						
PROC. REF: AMM 21-60-04										
<b>216004-0102 RIGHT TEMPERATURE ASSY-DIGITAL,AIR CONDITIONING SYS CONTROLLER</b> <span style="float:right">Component ATA:21</span>										
PN:C142398-4-006	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:07023204	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 21-60-04										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 21 - AIR CONDITIONING</b>											
216005-0101		MANUAL, AIR COND SYS, RH CONSOLE, TEMPERATURE CONTROL MODULE							Component	ATA:21	
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 21-60-05											
216006-0101		BOX - PAX TEMPERATURE CONTROLLER,MM SYS ASSEMBLY							Component	ATA:21	
PN:990-8000-004	MOS/MSC	12-Sep-18	O/C	TSN 1							
SN:11040062146	HRS	8754.1		TSN 0							
	AFL	4698		TSN 0							
PROC. REF: AMM 21-60-06											
217001-0101		NO. 1 OZONE/OXYGEN CONVERTER - BLEED SYSTEM							Component	ATA:21	
PN:60A523-101	MOS/MSC	27-Jun-19	O/C	TSR 0							
SN:0306-1352	HRS	9057.4		TSR 0							
	AFL	4853		TSR 0							
PROC. REF: AMM 21-70-01											
217001-0102		NO. 2 OZONE/OXYGEN CONVERTER - BLEED SYSTEM							Component	ATA:21	
PN:60A523-101	MOS/MSC	27-Jun-19	O/C	TSR 0							
SN:011/0338	HRS	9057.4		TSR 0							
	AFL	4853		TSR 0							
PROC. REF: AMM 21-70-01											
<b>ATA 22 - AUTO FLIGHT</b>											
22-11-00-720-003-A00		FUNCTIONALLY CHECK CATEGORY II MONITORING FUNCTION NOTE: ONLY FOR CAT II OPERATION							Service	ATA:22	
	MOS/MSC	01-Sep-17	O/C								
	HRS	8284.1									
	AFL	4446									
PROC. REF: AMM 22-11-00											
22-11-00-720-004-A00 <sup>S</sup>		FUNCTIONALLY CHECK AFCS ALTITUDE HOLD MODE AND ALTITUDE PRE-SELECT MODE NOTE: ONLY FOR RVSM OPERATION							Service	ATA:22	
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
PROC. REF: AMM 22-11-00											
PKG:5008,6016											
221001-0101		CSL CENT AUTOPILOT PC400, INSTRUMENT PANEL CONTROLLER UNIT							Component	ATA:22	
PN:7003897-925	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:07013614	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 22-11-02											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 22 - AUTO FLIGHT</b>										
<b>221002-0101 CSL CENT GC 550, GUIDANCE AUTOPILOT SYS, GLARESHIELD CONTROL PANEL Component ATA:22</b>										
PN:7021170-953	MOS/MSC	14-Oct-15	O/C							
SN:09051964	HRS	7523.8								
	AFL	4025								
PROC. REF: AMM 22-11-01										
<b>221003-0101 FORWARD FUSELAGE,AUTO PILOT, AILERON SERVO Component ATA:22</b>										
PN:145-20449-407	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 22-11-03										
<b>221003-0201 RUDDER ELECTROMECHANICAL ASSY-FLIGHT CONTROL,AUTO PILOT ACTUATOR Component ATA:22</b>										
PN:4006719-906 MOD N	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:0612H515	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 22-11-05										
<b>221003-0202 ELEVATOR ELECTROMECHANICAL ASSY-FLIGHT CONTROL,AUTO PILOT ACTUATOR Component ATA:22</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 22-11-04										
<b>221003-0203 AILERON ELECTROMECHANICAL ASSY-FLIGHT CONTROL,AUTO PILOT ACTUATOR Component ATA:22</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 22-11-03										
<b>221004-0101 FORWARD ASSY-ELEVATOR, AUTO PILOT, HORIZONTAL TAIL SERVO Component ATA:22</b>										
PN:145-20454-409	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 22-11-04										
<b>221005-0101 REAR ASSY-RUDDER, AUTO PILOT, VERTICAL TAIL SERVO Component ATA:22</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 22-11-05										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 23 - COMMUNICATIONS										
23-15-03-212-001-A00 INSPECT (GENERAL VISUAL) OF SATCOM ANTENNA PART NUMBER 10101-00 NOTE: EMB RECOMM Service ATA:23										
	MOS/MSC	03-Jul-15	N/A							
	HRS	7460.3								
	AFL	3992								
PROC. REF: AMM 23-15-03										
23-35-21-710-001-A00 <sup>S</sup> OPERATIONALLY CHECK ENTERTAINMENT CABINET FANS Service ATA:23										
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: AMM 23-35-21										
PKG:5008,6016										
23-60-00-720-001-A00 <sup>S</sup> FUNCTIONALLY CHECK STATIC DISCHARGER Service ATA:23										
	MOS	06-Jul-19	72 (+15d/-15d)					LOW UTILIZATION		
	HRS	9057.4	3000 (+20/-20)							
	AFL	4853	1500 (+20/-20)							
PROC. REF: AMM 23-60-00										
PKG:5012,6020										
23-71-00-710-001-A00 OPERATIONALLY CHECK VOICE RECORDER 4 CHANNELS AND AREA MICROPHONE Service ATA:23										
	MOS	29-Jun-23	48 (+30d/-30d)	Adj 7d	06-Jul-27	05-Aug-27	1240 d (+30)	SYSTEM		
	HRS	10161.5	4000		14161.5		3759.4			
	AFL	5401								
PROC. REF: AMM 23-71-00										
23-71-02-960-001-A00 DISCARD CVR UNDERWATER LOCATOR BEACON BATTERY NOTE: ULB BATTERY CHANGE IN ACCORDANCE WITH MANUFACTURER'S DATAPLATE EXPIRATION DATE Service ATA:23										
PN:PN	MOS/MSC	01-Jun-22	DUE		31-Mar-29 (M)		1874 d	SYSTEM		
SN:UNKNOWN	HRS	9892.8								
	AFL	5264								
PROC. REF: AMM 23-71-02										
230000-0702 <sup>U</sup> CONFIGURATION MODULE AIRCELL Component ATA:23										
PN:PI4126	MOS/MSC	19-Sep-13	O/C					CUSTOMER CODE		
SN:1412612592	HRS									
	AFL									
230190-701 <sup>U</sup> XM RADIO ANTENNA Component ATA:23										
PN:C1420-1	MOS/MSC	01-Mar-19	O/C	TSN 0						
SN:109639	HRS	8966		TSN 0						
	AFL	4791		TSN 0						

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 23 - COMMUNICATIONS										
231102-0101 REAR I KRX1053 HF COMM W/SELCAL COMPATIBILITY TRANSCEIVER Component ATA:23										
PN:064-01073-0102	MOS/MSC	31-Aug-17	O/C	TSN 21						
SN:KRX1053-5635	HRS	8284.1		TSN 0						
	AFL	4446		TSN 0						
PROC. REF: AMM 23-11-02										
231102-0102 REAR I KRX1053 HF COMM W/SELCAL COMPATIBILITY TRANSCEIVER Component ATA:23										
PN:064-01073-0101	MOS/MSC	16-Mar-08	O/C	TSN 0						
SN:2528	HRS	694		TSN 0						
	AFL	358		TSN 0						
PROC. REF: AMM 23-11-02										
231103-0101 NO. 1 REAR POWER- KPA 1052 AMPLIFIER Component ATA:23										
PN:064-01072-0101	MOS/MSC		O/C							
SN:2125	HRS									
	AFL	0								
PROC. REF: AMM 23-11-03										
231103-0102 NO. 2 REAR I POWER- KPA 1052 AMPLIFIER Component ATA:23										
PN:064-01072-0101	MOS/MSC		O/C							
SN:2142	HRS									
	AFL	0								
PROC. REF: AMM 23-11-03										
231104-0101 NO. 1 REAR I HF ANTENNA COUPLER - KAC1052, KHF1050 SYSTEM Component ATA:23										
PN:064-01074-0101	MOS/MSC	01-Oct-08	O/C							
SN:1720	HRS	1356.7								
	AFL	721								
PROC. REF: AMM 23-11-04										
231104-0102 NO. 2 REAR I HF ANTENNA COUPLER - KAC1052, KHF1050 SYSTEM Component ATA:23										
PN:064-01074-0101	MOS/MSC		O/C							
SN:2177	HRS									
	AFL	0								
PROC. REF: AMM 23-11-04										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 23 - COMMUNICATIONS</b>										
<b>231111-0101 REAR COMPARTMENT BRIDGING AMPLIFIER - KA 158 AMPLIFIER</b> Component ATA:23										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 23-11-11										
<b>231112-0101 REAR COMPARTMENT KA 594 BUS ADAPTER, HF SYSTEM ADAPTER</b> Component ATA:23										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 23-11-12										
<b>231113-0101 REAR COMPARTMENT CAPACITOR,DUAL-EXTERNAL,KA 162,HN CONNECTOR,HF RADIO SYSTEM CAPACITOR</b> Component ATA:23										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 23-11-13										
<b>231114-0101 PILOT MODULE -KHF1 SYSTEM,MAIN PANEL,COCKPIT ASSEMBLY</b> Component ATA:23										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 31-11-01										
<b>231114-0102 COPILOT MODULE -KHF1 SYSTEM,MAIN PANEL,COCKPIT ASSEMBLY</b> Component ATA:23										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 31-11-01										
<b>231201-0101 NO.1 NOSE VHF-COMM RCZ833K,RADIO NAV/COMM SYS ACCESSORIES UNIT</b> Component ATA:23										
PN:7510733-666	MOS/MSC	19-Aug-15	O/C							
SN:0608A868	HRS	7460.3								
	AFL	3992								
PROC. REF: AMM 23-00-01										
<b>231201-0101A<sup>U</sup> RECERTIFY NO.1 NOSE VHF-COMM RCZ833K,RADIO NAV/COMM SYS ACCESSORIES UNIT PER FAR 91.413</b> Service ATA:23										
PN:7510733-666	MOS	29-Jun-23	24 (+30d/-30d)		29-Jun-25	29-Jul-25	503 d (+30)	FAR		
SN:0608A868	HRS	10161.5								
	AFL	5401								
PROC. REF: FAR FAR 91.413										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 23 - COMMUNICATIONS</b>										
<b>231201-0102 NO.2 NOSE VHF-COMM RCZ833K,RADIO NAV/COMM SYS ACCESSORIES UNIT Component ATA:23</b>										
PN:7510733-666	MOS/MSC	19-Aug-15	O/C	TSR 34						
SN:0812C389	HRS	7460.3		TSR 1018.1						
	AFL	3992		TSR 524						
PROC. REF: AMM 23-00-01										
<b>231201-0102A<sup>U</sup> RECERTIFY NO.2 NOSE VHF-COMM RCZ833K,RADIO NAV/COMM SYS ACCESSORIES UNIT PER FAR 91.413 Service ATA:23</b>										
PN:7510733-666	MOS	29-Jun-23	24 (+30d/-30d)		29-Jun-25			503 d (+30)	FAR	
SN:0812C389	HRS	10161.5								
	AFL	5401								
PROC. REF: FAR FAR 91.413										
<b>231201-0201 NOSE VHF-COMMUNICATION UNIT,RADIO NAV/COMM SYS BOX Component ATA:23</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 23-00-01										
<b>231204-0201 VHF 1 VHF ANTENNA Component ATA:23</b>										
PN:16-21B MOD.1	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 23-12-04										
<b>231204-0202 VHF 2 VHF ANTENNA Component ATA:23</b>										
PN:16-21B MOD.1	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 23-12-04										
<b>231204-0203 VHF 3 VHF ANTENNA Component ATA:23</b>										
PN:S65-8280-41	MOS/MSC	20-Feb-20	O/C	TSN 0						
SN:322-6611	HRS	9313.5		TSN 0						
	AFL	4970		TSN 0						
PROC. REF: AMM 23-12-04										
<b>231501-0101 REAR FUS UNIT,TRANSCPTOR-IRIDIUM TELEPHONE SYSTEM Component ATA:23</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 23 - COMMUNICATIONS											
231501-0102		REAR FUS UNIT, TRANSCEPTOR-IRIDIUM TELEPHONE SYSTEM								Component	ATA:23
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: GENERIC NO REF											
231503-0101		FLITEPHONE, SATELLITE COMMUNICATION SYS ANTENNA								Component	ATA:23
PN:015-10306-001	MOS/MSC	14-Oct-15	O/C	TSN 2							
SN:11775	HRS	7523.8	TSN 0								
	AFL	4025	TSN 0								
PROC. REF: AMM 23-15-03											
231503-0102		FLITEPHONE, SATELLITE COMMUNICATION SYS ANTENNA								Component	ATA:23
PN:015-10306-001	MOS/MSC	14-Oct-15	O/C	TSN 2							
SN:8391	HRS	7523.8	TSN 0								
	AFL	4025	TSN 0								
PROC. REF: AMM 23-15-03											
231505-0101		INMARSAT/IRIDIUM COSITE INTERFERENCE UNIT								Component	ATA:23
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: GENERIC NO REF											
231507-0101		IRIDIUM FILTER UNIT								Component	ATA:23
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: GENERIC NO REF											
231510-0101		TRANSCEIVER, PAX BOARD TELEPHONE MANAGEMENT, AEROCON UNIT								Component	ATA:23
PN:P12023 REV.U	MOS/MSC	04-Dec-13	O/C	TSR 0							
SN:1202312020	HRS			TSR 0							
	AFL			TSR 0							
PROC. REF: AMM 23-15-10											
231521-0101		SATCOM DATA SDU-7300/SATCOM SYS UNIT								Component	ATA:23
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 23-15-21											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of:  
29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 23 - COMMUNICATIONS</b>										
<b>231521-0201 REAR COMPARTMENT HIGH SPEED DATA TERMINAL, INTERNET, TERMINAL</b> Component ATA:23										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 23-15-21										
<b>231522-0101 HIGH POWER AMPLIFIER-AERO HPA-7400/SATCOM SYS UNIT</b> Component ATA:23										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 23-15-22										
<b>231523-0101 REAR FUS ACCESS POINT-WASP,WIRELESS,HSD SYS UNIT</b> Component ATA:23										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 23-15-23										
<b>231524-0101 REAR DIPLEXER/AMPLIFIER- DAU 7050 SYS HSD IRIDIUM UNIT</b> Component ATA:23										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 23-15-24										
<b>231525-0101 HIGH GAIN-HGA 7000,SATCOM SYS ANTENNA</b> Component ATA:23										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 23-15-26										
<b>231525-0102 BAGGAGE COMPARTMENT CAP ANTENNA, BI ANTENNA</b> Component ATA:23										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 23-15-25										
<b>231528-0101 BOARD TELEPHONE UNIT MANAGEMENT,ICS UNIT</b> Component ATA:23										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 23 - COMMUNICATIONS										
232101-0101	HHCSL DECODER, SELECTIVE CALLING SYS, RADIOCOMM UNIT									Component ATA:23
PN:2800-0012-102	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:7015001	HRS	0	TSN 0							
	AFL	0	TSN 0							
PROC. REF: AMM 23-21-01										
232102-0101	CREW CAB SELCAL HF+VHF 2 MODULE									Component ATA:23
PN:145-46569-405	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:0000159263	HRS	0	TSN 0							
	AFL	0	TSN 0							
PROC. REF: AMM 23-21-02										
232401-0101	NOSE CMU950, ARINC SYS, MANAGEMENT CONTROL UNIT									Component ATA:23
PN:965-0758-006	MOS/MSC	20-Feb-20	O/C	TSN 0						
SN:CMUMK2-08202	HRS	9313.5	TSN 0							
	AFL	4970	TSN 0							
PROC. REF: AMM 23-24-01										
232401-0201	CMU BATTERY									Component ATA:23
PN:PN-UNKNOWN	MOS/MSC	28-Jan-19	O/C	TSN 0						
SN:UNKNOWN	HRS	8932.1	TSN 0							
	AFL	4776	TSN 0							
PROC. REF: AMM 23-24-01										
232403-0101	NOSE IM 950,5V,CMU SYS,FWD ELEK COMPT, AIRCRAFT PERSONALITY MODULE									Component ATA:23
PN:964-0465-001	MOS/MSC	20-Feb-20	O/C	TSN 0						
SN:APM-01883	HRS	9313.5	TSN 0							
	AFL	4970	TSN 0							
PROC. REF: AMM 23-24-03										
233000-0904 <sup>U</sup>	1 TERRESTRIAL MODEM ANTENNA									Component ATA:23
PN:P18350-001	MOS/MSC	19-Feb-20	O/C	TSN 0						
SN:1835005874	HRS	9310.8	TSN 0							
	AFL	4969	TSN 0							
CUSTOMER CODE										
233000-0904 <sup>U</sup>	2 TERRESTRIAL MODEM ANTENNA									Component ATA:23
PN:P18350-001	MOS/MSC	19-Feb-20	O/C	TSN 0						
SN:1835005828	HRS	9310.8	TSN 0							
	AFL	4969	TSN 0							
CUSTOMER CODE										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 23 - COMMUNICATIONS</b>											
233000-0905 <sup>U</sup>		AXXESS CABIN ROUTER								Component	ATA:23
PN:PN	MOS/MSC	19-Feb-20	O/C								
SN:NOT INSTALLED	HRS	9310.8									
	AFL	4969									
233000-0906 <sup>U</sup>		GOGO BIZ 4G TRANSCEIVER								Component	ATA:23
PN:P34110-002	MOS/MSC	20-May-21	O/C		TSR 0						
SN:3411000201428	HRS	9572			TSR 0						
	AFL	5100			TSR 0						
233000-0907 <sup>U</sup>		AXXESS CONFIGURATION MODULE								Component	ATA:23
PN:P14126	MOS/MSC	19-Feb-20	O/C		TSN 0						
SN:1412625133	HRS	9310.8			TSN 0						
	AFL	4969			TSN 0						
233000-0908 <sup>U</sup>		NO. 1 4G ANTENNA								Component	ATA:23
PN:P35500	MOS/MSC	19-Feb-20	O/C		TSN 0						
SN:3550002857	HRS	9310.8			TSN 0						
	AFL	4969			TSN 0						
233000-0908 <sup>U</sup>		NO. 2 4G ANTENNA								Component	ATA:23
PN:P35500	MOS/MSC	19-Feb-20	O/C		TSN 0						
SN:3550002858	HRS	9310.8			TSN 0						
	AFL	4969			TSN 0						
233000-0909 <sup>U</sup>		NO. 1 REMOTE ANTENNA								Component	ATA:23
PN:P16917-001	MOS/MSC	19-Feb-20	O/C		TSN 0						
SN:1691700111200 3	HRS	9310.8			TSN 0						
	AFL	4969			TSN 0						
233000-0909 <sup>U</sup>		NO. 2 REMOTE ANTENNA								Component	ATA:23
PN:P16917-001	MOS/MSC	19-Feb-20	O/C		TSN 0						
SN:1691700111991	HRS	9310.8			TSN 0						
	AFL	4969			TSN 0						
233000-0909 <sup>U</sup>		NO. 3 REMOTE ANTENNA								Component	ATA:23
PN:P16917-001	MOS/MSC	19-Feb-20	O/C		TSN 0						
SN:1691700111988	HRS	9310.8			TSN 0						
	AFL	4969			TSN 0						

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of:  
29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 23 - COMMUNICATIONS</b>											
233000-0909 <sup>U</sup>		NO. 4 REMOTE ANTENNA								Component	ATA:23
PN:P16917-001	MOS/MSC	19-Feb-20	O/C	TSN 0							
SN:1691700111984	HRS	9310.8		TSN 0							
	AFL	4969		TSN 0							
233000-0909 <sup>U</sup>		NO. 5 REMOTE ANTENNA								Component	ATA:23
PN:P16917-001	MOS/MSC	19-Feb-20	O/C	TSN 0							
SN:1691700111992	HRS	9310.8		TSN 0							
	AFL	4969		TSN 0							
233000-0909 <sup>U</sup>		NO. 6 REMOTE ANTENNA								Component	ATA:23
PN:P16917-001	MOS/MSC	19-Feb-20	O/C	TSN 0							
SN:1691700111989	HRS	9310.8		TSN 0							
	AFL	4969		TSN 0							
233000-0910 <sup>U</sup>		AUDIO STORAGE UNIT								Component	ATA:23
PN:630A-000	MOS/MSC	20-Feb-20	O/C	TSN 0							
SN:P200400	HRS	9313.5		TSN 0							
	AFL	4970		TSN 0							
233000-0911 <sup>U</sup>		SATELLITE DATA UNIT								Component	ATA:23
PN:DL-150-00	MOS/MSC	20-Feb-20	O/C	TSN 0							
SN:60155	HRS	9313.5		TSN 0							
	AFL	4970		TSN 0							
233000-0912 <sup>U</sup>		IRIDIUM ANTENNA								Component	ATA:23
PN:S67-1575-409	MOS/MSC	20-Feb-20	O/C	TSN 0							
SN:904-2378	HRS	9313.5		TSN 0							
	AFL	4970		TSN 0							
233000-0913 <sup>U</sup>		VDR ASSEMBLY (TR-866B) MODULE								Component	ATA:23
PN:7026201-815	MOS/MSC	20-Feb-20	O/C	TSN 0							
SN:1912G649	HRS	9313.5		TSN 0							
	AFL	4970		TSN 0							
233101-0101		PASSENGER WARNING SYSTEM AMPLIFIER								Component	ATA:23
PN:5482-1	MOS/MSC	15-Nov-17	O/C	TSR 10							
SN:1265	HRS	8381.4		TSR 0							
	AFL	4500		TSR 0							
PROC. REF: AMM 23-31-01											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 23 - COMMUNICATIONS											
233102-0101		OVERH P MODULE -ICU ASSEMBLY								Component	ATA:23
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 23-31-02											
233104-0101		ELECTRICAL COMPARTMENT SERVICE PANEL, AFT LH, CEILING SPEAKER								Component	ATA:23
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: GENERIC NO REF											
233104-0102		ELECTRICAL COMPARTMENT SERVICE PANEL, AFT LH, CEILING SPEAKER								Component	ATA:23
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: GENERIC NO REF											
233104-0103		ELECTRICAL COMPARTMENT SERVICE PANEL, AFT LH, CEILING SPEAKER								Component	ATA:23
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: GENERIC NO REF											
233104-0104		ELECTRICAL COMPARTMENT SERVICE PANEL, AFT LH, CEILING SPEAKER								Component	ATA:23
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: GENERIC NO REF											
233104-0105		ELECTRICAL COMPARTMENT SERVICE PANEL, AFT LH, CEILING SPEAKER								Component	ATA:23
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: GENERIC NO REF											
233104-0106		ELECTRICAL COMPARTMENT SERVICE PANEL, AFT LH, CEILING SPEAKER								Component	ATA:23
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: GENERIC NO REF											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 23 - COMMUNICATIONS											
233501-0101		DIGITAL INTERFACE-ENTERTAINMENT,AIRSHOW,PAX CABIN UNIT								Component	ATA:23
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 23-35-01											
233504-0101		AUDIO/VIDEO SYS, PAX ENTERTAINMENT CABINET VIDEO CASSETTE PLAYER								Component	ATA:23
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 23-35-04											
233505-0101		DIGITAL VIDEO DISC -AUDIO/VIDEO SYS, PAX ENTERTAINMENT CABINET ASSEMBLY								Component	ATA:23
PN:996-4720-001	MOS/MSC	01-Sep-17	O/C	TSR 0							
SN:11090063542	HRS	8284.1		TSR 0							
	AFL	4446		TSR 0							
PROC. REF: AMM 23-35-05											
233505-0102		DIGITAL VIDEO DISC -AUDIO/VIDEO SYS,PAX ENTERTAINMENT CABINET ASSEMBLY								Component	ATA:23
PN:996-4718-001	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:07030037332	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 23-35-05											
233506-0101		BASE, RECEPTACLE - HORIZONTAL UNIT								Component	ATA:23
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 24-40-01											
233506-0102		BASE, RECEPTACLE - HORIZONTAL UNIT								Component	ATA:23
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 24-40-01											
233506-0103		BASE, RECEPTACLE - HORIZONTAL UNIT								Component	ATA:23
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 24-40-01											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 23 - COMMUNICATIONS										
233506-0104	BASE, RECEPTACLE - HORIZONTAL UNIT									Component ATA:23
PN:PN	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:UNKNOWN	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: AMM 24-40-01										
233506-0105	BASE, RECEPTACLE - HORIZONTAL UNIT									Component ATA:23
PN:PN	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:UNKNOWN	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: AMM 24-40-01										
233506-0106	BASE, RECEPTACLE - HORIZONTAL UNIT									Component ATA:23
PN:PN	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:UNKNOWN	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: AMM 24-40-01										
233506-0107	BASE, RECEPTACLE - HORIZONTAL UNIT									Component ATA:23
PN:PN	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:UNKNOWN	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: AMM 24-40-01										
233506-0108	BASE, RECEPTACLE - HORIZONTAL UNIT									Component ATA:23
PN:PN	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:UNKNOWN	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: AMM 24-40-01										
233513-0101	AUDIO,AMPLIFIER-IFE/PA,DC,DA-420PDC UNIT									Component ATA:23
PN:PN	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:UNKNOWN	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: AMM 23-35-13										
233515-0101	FORWARD AUDIO ASSY-M1021,AIRSHOW SYS AMPLIFIER									Component ATA:23
PN:990-4132-002	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:06050027269	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: AMM 23-35-13										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 23 - COMMUNICATIONS</b>										
<b>233515-0102 FORWARD AUDIO ASSY-M1021,AIRSHOW SYS AMPLIFIER</b> Component ATA:23										
PN:990-4132-002	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:06100032705	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 23-35-13										
<b>233531-0101 MEDIA, INTERFACE UNIT</b> Component ATA:23										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 23-35-31										
<b>233532-0101 JETMAP COCKPIT CONTROL PANEL</b> Component ATA:23										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>233601-0101 UTILITY I/O - CABIN, CONTROLLER UNIT</b> Component ATA:23										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 23-36-01										
<b>233602-0101 CABIN, INTERFACE UNIT</b> Component ATA:23										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 23-36-02										
<b>233602-0102 CABIN, INTERFACE UNIT</b> Component ATA:23										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 23-36-02										
<b>233603-0101 UNIT,ACCESS POINT - WIRELESS, AVCMS UNIT</b> Component ATA:23										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 23-36-03										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of:  
29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 23 - COMMUNICATIONS										
233604-0101 TOUCHSCREEN,PANEL-GALLEY,8.9" UNIT Component ATA:23										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 23-36-04										
233605-0101 SELECT 100, PASSENGER, CONTROL UNIT Component ATA:23										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 23-36-05										
233607-0101 SELECT200, PASSENGER, CONTROL UNIT Component ATA:23										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 23-36-05										
233607-0102 SELECT200, PASSENGER, CONTROL UNIT Component ATA:23										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 23-36-05										
233607-0103 SELECT200, PASSENGER, CONTROL UNIT Component ATA:23										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 23-36-05										
233607-0104 SELECT200, PASSENGER, CONTROL UNIT Component ATA:23										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 23-36-05										
233607-0105 SELECT200, PASSENGER, CONTROL UNIT Component ATA:23										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 23-36-05										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 23 - COMMUNICATIONS										
233607-0106 SELECT200, PASSENGER, CONTROL UNIT Component ATA:23										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 23-36-05										
233607-0107 SELECT200, PASSENGER, CONTROL UNIT Component ATA:23										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 23-36-05										
233607-0108 SELECT200, PASSENGER, CONTROL UNIT Component ATA:23										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 23-36-05										
233607-0109 SELECT200, PASSENGER, CONTROL UNIT Component ATA:23										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 23-36-05										
233607-0110 SELECT200, PASSENGER, CONTROL UNIT Component ATA:23										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 23-36-05										
233609-0101 PERSONAL MONITOR, VIDEO, 9 INCHES D UNIT Component ATA:23										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: GENERIC NO REF										
233609-0102 PERSONAL MONITOR, VIDEO, 9 INCHES D UNIT Component ATA:23										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of:  
29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 23 - COMMUNICATIONS										
233609-0103	PERSONAL MONITOR, VIDEO, 9 INCHES D UNIT									Component ATA:23
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: GENERIC NO REF										
233609-0104	PERSONAL MONITOR, VIDEO, 9 INCHES D UNIT									Component ATA:23
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: GENERIC NO REF										
233609-0105	PERSONAL MONITOR, VIDEO, 9 INCHES D UNIT									Component ATA:23
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: GENERIC NO REF										
233609-0106	PERSONAL MONITOR, VIDEO, 9 INCHES D UNIT									Component ATA:23
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: GENERIC NO REF										
233609-0107	PERSONAL MONITOR, VIDEO, 9 INCHES D UNIT									Component ATA:23
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: GENERIC NO REF										
233609-0108	PERSONAL MONITOR, VIDEO, 9 INCHES D UNIT									Component ATA:23
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: GENERIC NO REF										
233801-0101	BLU-RAY,PLAYER UNIT									Component ATA:23
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 23-38-01										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 23 - COMMUNICATIONS</b>											
233801-0102		BLU-RAY,PLAYER UNIT								Component	ATA:23
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 23-38-01											
233802-0101		HIGH DEFINITION, AUDIO/VIDEO, INPUT UNIT								Component	ATA:23
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 23-38-02											
233802-0102		HIGH DEFINITION, AUDIO/VIDEO, INPUT UNIT								Component	ATA:23
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 23-38-02											
233803-0101		IPOD,DOCKING,STATION-PAX,CABIN UNIT								Component	ATA:23
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 23-38-03											
233803-0102		IPOD,DOCKING,STATION-PAX,CABIN UNIT								Component	ATA:23
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 23-38-03											
233804-0101		AUX. PANELS (1 USB, RCA, HDMI, RJ45 UNIT								Component	ATA:23
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 23-38-04											
233804-0102		AUX. PANELS (1 USB, RCA, HDMI, RJ45 UNIT								Component	ATA:23
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 23-38-04											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of:  
29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 23 - COMMUNICATIONS										
233805-0101	SCALAR BOX - HIGH DEFINITION VIDEO UNIT									Component ATA:23
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: GENERIC NO REF										
233806-0101	HD 24" WIDESCREEN MONITOR UNIT									Component ATA:23
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: GENERIC NO REF										
234101-0101	ATTEND 1 INTERPHONE-FLIGHT ATTENDANT/PAX CABIN UNIT									Component ATA:23
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: GENERIC NO REF										
235101-0101	NO.1 CREW CAB AUDIO -AV-850 PANEL									Component ATA:23
PN:7511001-975	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:0702B797	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 23-51-01										
235101-0102	NO. 2 CREW CAB AUDIO -AV-850 PANEL									Component ATA:23
PN:7511001-975	MOS/MSC	11-Sep-19	O/C	TSR 0						
SN:0608B230	HRS	9134.8		TSR 0						
	AFL	4897		TSR 0						
PROC. REF: AMM 23-51-01										
235101-0103	NO. 3 CREW CAB AUDIO -AV-850 PANEL									Component ATA:23
PN:7511001-975	MOS/MSC	17-Aug-15	O/C	TSR 7						
SN:0809D201	HRS	7460.3		TSN 1080.53, TSR 0						
	AFL	3992		TSN 741, TSR 0						
PROC. REF: AMM 23-51-01										
235103-0201	PILOT DYNAMIC-COCKPIT MICROPHONE									Component ATA:23
PN:602-3375	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:0701010	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 23-51-03										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 23 - COMMUNICATIONS											
235103-0202		COPILOT DYNAMIC-COCKPIT MICROPHONE								Component	ATA:23
PN:602-3375	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:0701995	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 23-51-03											
235107-0101		CREW CAB MODULE -OBSERVER JACKS PANEL ASSEMBLY								Component	ATA:23
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 23-51-06											
237101-0101		SSCVR, RADIO/NAV SYS, COCKPIT VOICE RECORDER								Component	ATA:23
PN:1606-00-01	MOS/MSC	28-Apr-20	O/C	TSN 0							
SN:1279	HRS	9356.2	TSN 0								
	AFL	4984	TSN 0								
PROC. REF: AMM 23-71-01											
237101-0201		CVR UNDERWATER LOCATOR BEACON								Component	ATA:23
PN:DK120/90	MOS/MSC	01-Jun-22	O/C	TSN 5							
SN:AT176706	HRS	9892.8	TSN 0								
	AFL	5264	TSN 0								
PROC. REF: AMM 23-71-02											
237101-0301		COCKPIT VOICE RECORDER (CVR) UNDERWATER LOCATOR BEACON (ULB) BATTERY								Component	ATA:23
PN:PN	MOS/MSC	01-Jun-22	H/T	TSN 5							
SN:UNKNOWN	HRS	9892.8	TSN 0								
	AFL	5264	TSN 0								
PROC. REF: GENERIC NO REF											
237102-0101		OVERH P RADIO/NAVIGATION SYS, CVR CONTROL PANEL								Component	ATA:23
PN:1641-110-01	MOS/MSC	20-Feb-20	O/C	TSN 0							
SN:0924	HRS	9313.5	TSN 0								
	AFL	4970	TSN 0								
PROC. REF: AMM 23-71-02											
237103-0101		CREW CAB CVR,RADIO/NAV SYS MICROPHONE								Component	ATA:23
PN:16301-01	MOS/MSC	20-Feb-20	O/C	TSN 0							
SN:6750	HRS	9313.5	TSN 0								
	AFL	4970	TSN 0								
PROC. REF: AMM 23-71-03											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 23 - COMMUNICATIONS</b>										
<b>237104-0101 REAR IMPACT SWITCH Component ATA:23</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 23-71-04										
<b>237104-0102 REAR IMPACT SWITCH Component ATA:23</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 23-71-04										
<b>237106-0101 RECORDER INDEPENDENT POWER SUPPLY Component ATA:23</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 23-71-06										
<b>238101-0101 CSL CENT RADIO MANAGEMENT RM-855, COMM SYS, W/HF CONTROL UNIT Component ATA:23</b>										
PN:7013270-977	MOS/MSC	24-Feb-16	O/C							
SN:09127222	HRS	7661.9								
	AFL	4095								
PROC. REF: AMM 23-81-01										
<b>238101-0102 CSL CENT RADIO MANAGEMENT RM-855, COMM SYS, W/HF CONTROL UNIT Component ATA:23</b>										
PN:7013270-977	MOS/MSC	04-Jan-23	O/C	TSR 8						
SN:98081160	HRS	10066.9		TSR 0						
	AFL	5346		TSR 0						
PROC. REF: AMM 23-81-01										
<b>239101-0101 BASE STATION - CORDLESS HANDSET UNIT Component ATA:23</b>										
PN:P12857-101	MOS/MSC	01-Sep-17	O/C	TSN 0						
SN:1285740347	HRS	8284.1		TSN 0						
	AFL	4446		TSN 0						
PROC. REF: GENERIC NO REF										
<b>ATA 24 - ELECTRICAL POWER</b>										
<b>24-31-00-710-001-A00<sup>S</sup> OPERATIONALLY CHECK MAIN GENERATION SWITCHING CIRCUIT Service ATA:24</b>										
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
PROC. REF: AMM 24-31-00										
PKG:5016,6016										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 24 - ELECTRICAL POWER										
24-31-00-710-002-A00 <sup>S</sup> OPERATIONALLY CHECK MAIN GENERATION OVERCURRENT PROTECTION CIRCUIT Service ATA:24										
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
PROC. REF: AMM 24-31-00										PKG:5016,6016
24-31-01-900-001-A00 RESTORE (OVERHAUL) LH INBOARD (NO.3) MAIN GENERATOR PART NUMBER 30086-010 NOTE: FROM THE MANUFACTURE DATE OR LAST RESTORATION. NOTE: IF INSTALLED Service ATA:24										
PN:30086-011	MOS/MSC		N/A							
SN:P2610	HRS									
	AFL									
PROC. REF: AMM 24-31-01										
24-31-01-900-001-A00 RESTORE (OVERHAUL) LH OUTBOARD (NO.1) MAIN GENERATOR PART NUMBER 30086-010 NOTE: FROM THE MANUFACTURE DATE OR LAST RESTORATION. NOTE: IF INSTALLED Service ATA:24										
PN:30086-011	MOS/MSC		N/A							
SN:Y10441	HRS									
	AFL									
PROC. REF: AMM 24-31-01										
24-31-01-900-001-A00 RESTORE (OVERHAUL) RH INBOARD (NO.2) MAIN GENERATOR PART NUMBER 30086-010 NOTE: FROM THE MANUFACTURE DATE OR LAST RESTORATION. NOTE: IF INSTALLED Service ATA:24										
PN:30086-011	MOS/MSC		N/A							
SN:97210	HRS									
	AFL									
PROC. REF: AMM 24-31-01										
24-31-01-900-001-A00 RESTORE (OVERHAUL) RH OUTBOARD (NO.4) MAIN GENERATOR PART NUMBER 30086-010 NOTE: FROM THE MANUFACTURE DATE OR LAST RESTORATION. NOTE: IF INSTALLED Service ATA:24										
PN:30086-011	MOS/MSC		N/A							
SN:P2313	HRS									
	AFL									
PROC. REF: AMM 24-31-01										
24-31-01-900-001-A01 RESTORE (OVERHAUL) LH INBOARD (NO.3) MAIN GENERATOR PART NUMBER 30086-011 NOTE: FROM THE MANUFACTURE DATE OR LAST RESTORATION. NOTE: IF INSTALLED. Service ATA:24										
PN:30086-011	MOS	08-Feb-23	60		08-Feb-28		1457 d	SYSTEM		
SN:P2610	HRS	10071.3	3600		13671.3		3269.2			
	AFL	5350								
PROC. REF: AMM 24-31-01										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 24 - ELECTRICAL POWER										
24-31-01-900-001-A01 RESTORE (OVERHAUL) RH INBOARD (NO.2) MAIN GENERATOR PART NUMBER 30086-011 NOTE: FROM THE MANUFACTURE DATE OR LAST RESTORATION. NOTE: IF INSTALLED. Service ATA:24										
PN:30086-011	MOS	06-Jul-19	60		06-Jul-24		145 d	SYSTEM		
SN:97210	HRS	9057.4	3600		12657.4		2255.3			
	AFL	4853								
PROC. REF: AMM 24-31-01										
24-31-01-900-001-A01 RESTORE (OVERHAUL) LH OUTBOARD (NO.1) MAIN GENERATOR PART NUMBER 30086-011 NOTE: FROM THE MANUFACTURE DATE OR LAST RESTORATION. NOTE: IF INSTALLED. Service ATA:24										
PN:30086-011	MOS	14-Jun-21	60		14-Jun-26		853 d	SYSTEM		
SN:Y10441	HRS	9586.9	3600		13186.9		2784.8			
	AFL	5110								
PROC. REF: AMM 24-31-01										
24-31-01-900-001-A01 RESTORE (OVERHAUL) RH OUTBOARD (NO.4) MAIN GENERATOR PART NUMBER 30086-011 NOTE: FROM THE MANUFACTURE DATE OR LAST RESTORATION. NOTE: IF INSTALLED. Service ATA:24										
PN:30086-011	MOS	06-Jul-19	60		06-Jul-24		145 d	SYSTEM		
SN:P2313	HRS	9057.4	3600		12657.4		2255.3			
	AFL	4853								
PROC. REF: AMM 24-31-01										
24-34-01-220-001-A00 INSPECT (DETAILED INSPECTION) APU STARTER/GENERATOR BRUSHES Service ATA:24										
PN:23080-013A	MOS	24-Apr-23						SYSTEM		
SN:P1172	HRS	10116.1								
	AFL	5380								
	APH	5298	400		5698		93			
PROC. REF: AMM 24-34-01										
24-34-01-900-001-A00 APU - RESTORE (OVERHAUL) APU STARTER/GENERATOR Service ATA:24										
	MOS	19-May-22	48		19-May-26		827 d			
	HRS	4938	1200		6138		533			
	APUS	4287								
PROC. REF: AMM 24-34-01										
24-34-01-900-001-A00 RESTORE (OVERHAUL) APU STARTER/GENERATOR Service ATA:24										
PN:23080-013A	MOS	19-May-22	48		19-May-26		827 d	SYSTEM		
SN:P1172	HRS	9875.7								
	AFL	5259								
	APH	4938	1200		6138		533			
PROC. REF: AMM 24-34-01										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 24 - ELECTRICAL POWER										
24-34-01-960-001-A00	APU - DISCARD APU STARTER/GENERATOR BRUSHES									Service ATA:24
	MOS/MSC	11-Mar-17	N/A							
	HRS	2952.1								
	APUS	2686								
PROC. REF: AMM 24-34-01										
24-35-01-720-001-A00	NOSE EMERGENCY-ELECTRICAL EQUIPMENT, BACK-UP BATTERY FUNCTIONALLY CHECK NOSE EMERGENCY-ELECTRICAL EQUIPMENT, BACK-UP BATTERY NOTE: FROM THE MANUFACTURE DATE OR LAST TASK ACCOMPLISHMENT									Service ATA:24
PN:501-1228-04	MOS	10-Jan-24	6 (+15d/-15d)	Adj 1d	11-Jul-24	26-Jul-24	150 d (+15)			
SN:80329	HRS	10396.8								
	AFL	5532								
PROC. REF: AMM 24-35-01										
24-35-01-900-001-A00	RESTORE (REPLACEMENT) OF NOSE EMERGENCY-ELECTRICAL EQUIPMENT, BACK-UP BATTERY									Service ATA:24
PN:501-1228-04	MOS	10-Jan-24	12	10-Jan-25			333 d	SYSTEM		
SN:80329	HRS									
	AFL									
PROC. REF: AMM 24-35-01										
24-36-01-610-001-A00	SERVICE (REPLENISH) NO.1 NOSE MARATHON MAIN BATTERYNOTE: IF INSTALLED									Service ATA:24
PN:442CH1	MOS/MSC	N/A								
SN:A03650	HRS									
	AFL									
PROC. REF: AMM 24-36-01										
24-36-01-610-001-A00	SERVICE (REPLENISH) NO.2 NOSE MARATHON MAIN BATTERYNOTE: IF INSTALLED									Service ATA:24
PN:442CH1	MOS/MSC	N/A								
SN:T06718	HRS									
	AFL									
PROC. REF: AMM 24-36-01										
24-36-01-900-001-A00	SERVICE (OVERHAUL) NO.1 NOSE SAFT MAIN BATTERYNOTE: IF INSTALLED									Service ATA:24
PN:442CH1	MOS	29-Jun-23	12	29-Jun-24			138 d	RESTORE		
SN:A03650	HRS	10161.5	1000	11161.5			759.4			
	AFL	5401								
PROC. REF: AMM 24-36-01										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 24 - ELECTRICAL POWER</b>										
24-36-01-900-001-A00 SERVICE (OVERHAUL) NO.2 NOSE SAFT MAIN BATTERYNOTE: IF INSTALLED Service ATA:24										
PN:442CH1	MOS	29-Jun-23	12		29-Jun-24		138 d	RESTORE		
SN:T06718	HRS	10161.5	1000		11161.5		759.4			
	AFL	5401								
PROC. REF: AMM 24-36-01										
24-60-00-710-001-A00 <sup>S</sup> OPERATIONALLY CHECK ELECTRICAL EMERGENCY TRANSFER CIRCUIT Service ATA:24										
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
PROC. REF: AMM 24-60-00										
24-60-00-710-002-A00 <sup>S</sup> OPERATIONALLY CHECK ELECTRICAL EMERGENCY ABNORMAL ALARM Service ATA:24										
	MOS	29-Jun-23	12 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	500 (+20/-20)							
	AFL	5401								
PROC. REF: AMM 24-60-00										
240000-0101 OVERH P MODULE -CONTROL,ELECTRIC SYS,OVER HEAD PANEL ASSEMBLY Component ATA:24										
PN:135-14918-401	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:0000147353	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 24-00-01										
242103-0101 PAX STATIC ASSY, FUSLG CTL I INVERTER Component ATA:24										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: GENERIC NO REF										
242104-0101 OVERH P MODULE -ILLUMINATED PANEL,IFE/PC POWER,COCKPIT ASSEMBLY Component ATA:24										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: GENERIC NO REF										
243101-0201 LH OUTBOARD (NO.1) GENERATOR POWER UNIT Component ATA:24										
PN:30086-011	MOS/MSC	14-Jun-21	O/C	TSO 9						
SN:Y10441	HRS	9586.9		TSO 0						
	AFL	5110		TSO 0						
PROC. REF: AMM 24-31-01										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 24 - ELECTRICAL POWER</b>										
<b>243101-0202 LH INBOARD (NO.3) GENERATOR POWER UNIT</b> Component ATA:24										
PN:30086-011	MOS/MSC	08-Feb-23	O/C	TSO 1						
SN:P2610	HRS	10071.3		TSO 0						
	AFL	5350		TSO 0						
PROC. REF: AMM 24-31-01										
<b>243101-0203 RH INBOARD (NO.2) GENERATOR POWER UNIT</b> Component ATA:24										
PN:30086-011	MOS/MSC	06-Jul-19	O/C	TSO 0						
SN:97210	HRS	9057.4		TSO 0						
	AFL	4853		TSO 0						
PROC. REF: AMM 24-31-01										
<b>243101-0204 RH OUTBOARD (NO.4) GENERATOR POWER UNIT</b> Component ATA:24										
PN:30086-011	MOS/MSC	06-Jul-19	O/C	TSO 0						
SN:P2313	HRS	9057.4		TSO 0						
	AFL	4853		TSO 0						
PROC. REF: AMM 24-31-01										
<b>243102-0201 LH CSL (GCU 1) GENERATOR CONTROL-ELECTRICAL EQUIPMENT,CONSOLE,COCKPIT UNIT</b> Component ATA:24										
PN:51545-002A	MOS/MSC	26-Jan-23	O/C							
SN:P1747	HRS	10069.5								
	AFL	5348								
PROC. REF: AMM 24-31-02										
<b>243102-0202 LH CSL (GCU 3) GENERATOR CONTROL-ELECTRICAL EQUIPMENT,CONSOLE,COCKPIT UNIT</b> Component ATA:24										
PN:51545-002A	MOS/MSC	26-Jan-23	O/C							
SN:P1766	HRS	10069.5								
	AFL	5348								
PROC. REF: AMM 24-31-02										
<b>243102-0203 RH CSL (GCU 2) GENERATOR CONTROL-ELECTRICAL EQUIPMENT,CONSOLE,COCKPIT UNIT</b> Component ATA:24										
PN:51545-002A	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 24-31-02										
<b>243102-0204 RH CSL (GCU 4) GENERATOR CONTROL-ELECTRICAL EQUIPMENT,CONSOLE,COCKPIT UNIT</b> Component ATA:24										
PN:51545-002A	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 24-31-02										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 24 - ELECTRICAL POWER</b>										
<b>243401-0101 APU STARTER GENERATOR-400A/28VDC,APU UNIT Component ATA:24</b>										
PN:23080-013A	MOS/MSC	19-May-22	O/C	TSO 0						
SN:P1172	HRS	9875.7		TSO 0						
	AFL	5259		TSO 0						
PROC. REF: AMM 24-34-01, AMM 24-34-01										
<b>243402-0101 CREW CAB GCU - GENERATOR CONTROL UNIT Component ATA:24</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 24-34-02										
<b>243501-0101 NOSE EMERGENCY-ELECTRICAL EQUIPMENT, BACK-UP BATTERY Component ATA:24</b>										
PN:501-1228-04	MOS/MSC	11-Jan-23	O/C	TSR 0						
SN:80329	HRS	10066.9		TSR 0						
	AFL	5346		TSR 0						
PROC. REF: AMM 24-35-01										
<b>243502-0101 NOSE MODULE -RELAY BOX,BATTERY BACKUP,ELECTRONIC COMPARTMENT ASSEMBLY Component ATA:24</b>										
PN:135-08601-401	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:0000139930	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 24-35-02										
<b>243601-0101 NO.1 NOSE 44AH, NI-CD BATTERY Component ATA:24</b>										
PN:442CH1	MOS/MSC	29-Jun-23	O/C	TSO 0						
SN:A03650	HRS	10161.5		TSO 0						
	AFL	5401		TSO 0						
PROC. REF: GENERIC NO REF										
<b>243601-0102 NO.2 NOSE 44AH, NI-CD BATTERY Component ATA:24</b>										
PN:442CH1	MOS/MSC	29-Jun-23	O/C	TSO 0						
SN:T06718	HRS	10161.5		TSO 0						
	AFL	5401		TSO 0						
PROC. REF: AMM 24-36-01										
<b>243602-0101 NOSE BATTERY 1 RELAY BOX- ASSEMBLY Component ATA:24</b>										
PN:145-31116-405	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:0000146833	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 24-36-02										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 24 - ELECTRICAL POWER</b>											
243602-0102		NOSE BATTERY 2 RELAY BOX- ASSEMBLY							Component	ATA:24	
PN:145-31118-407	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:0000138185	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 24-36-03											
246005-0101		LEFT DC DISTRIBUTION BOX							Component	ATA:24	
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 24-65-00											
246005-0102		RIGHT DC DISTRIBUTION BOX							Component	ATA:24	
PN:135-18756-403	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:0000173484	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 24-65-01											
<b>ATA 25 - EQUIPMENT/FURNISHINGS</b>											
25-11-01-140-001-A00 <sup>S</sup>		RESTORE (CLEANING) FLIGHT CREW SEATS LOCKING SYSTEM							Service	ATA:25	
	MOS	29-Jun-23	12 (+15d/-15d)			LOW UTILIZATION					
	HRS	10161.5	500 (+20/-20)								
	AFL	5401									
PROC. REF: AMM 25-11-01											
25-11-01-220-001-A00 <sup>S</sup>		INSPECT (DETAILED INSPECTION) COCKPIT SEATS FOR SECURITY OF ATTACHMENT TO THE TRACK, INCLUDING RESTRAINT SYSTEM (SEAT BELT).							Service	ATA:25	
	MOS	29-Jun-23	48 (+15d/-15d)			LOW UTILIZATION					
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
PROC. REF: AMM 25-11-01											
25-21-00-212-001-A00 <sup>S</sup>		INSPECT (GENERAL VISUAL) PASSENGER CABIN SEATS (FABRIC, COVER, SAFETY BELT, SEAT MOVEMENT AND ATTACHMENTS TO TRACK)							Service	ATA:25	
	MOS	29-Jun-23	48 (+15d/-15d)			LOW UTILIZATION					
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
PROC. REF: AMM 25-21-05											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 25 - EQUIPMENT/FURNISHINGS										
25-21-00-220-002-A00 <sup>S</sup>	INSPECT (DETAILED INSPECTION) FLIGHT ATTENDANT SEATS HARNESS, INERTIAL REEL FOR CONDITION AND THE SEAT BOTTOM FOR FREEDOM OF MOVEMENT AND RETURNING BACK TO UPRIGHT POSITION. (NOTE: IF INSTALLED)								Service	ATA:25
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
	PROC. REF: AMM 25-21-02									PKG:5008,6016
25-26-00-212-001-A00 <sup>S</sup>	INSPECT (GENERAL VISUAL) CREDENZA, CLOSETS AND ENTERTAINMENT CABINET FOR INTEGRITY AND SECURITY.								Service	ATA:25
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
	PROC. REF: AMM 25-26-00									PKG:5008,6016
25-27-02-211-001-A00 <sup>S</sup>	VISUALLY CHECK LAVATORY/BAGGAGE DOOR SEALING FOR CONDITION, INTEGRITY AND SECURITY.								Service	ATA:25
	MOS	29-Jun-23	12 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	500 (+20/-20)							
	AFL	5401								
	PROC. REF: AMM 25-27-02									PKG:5002
25-30-06-212-001-A00 <sup>S</sup>	INSPECT (GENERAL VISUAL) FORWARD GALLEY STRUCTURE LOWER ATTACHMENT POINTS (ON THE TRACKS).								Service	ATA:25
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
	PROC. REF: AMM 25-30-01									PKG:5008,6016
25-40-04-212-001-A00 <sup>S</sup>	INSPECT (GENERAL VISUAL) LAVATORY STRUCTURE LOWER ATTACHMENT POINTS.								Service	ATA:25
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
	PROC. REF: AMM 25-40-01									PKG:5008,6016
25-60-01-212-001-A00	INSPECT (GENERAL VISUAL) FIRST AID KIT FOR CONDITION AND VALIDATION.								Service	ATA:25
PN:AFAK 1.0 RX	MOS/MSC	29-Jun-23	DUE		01-Jun-24 (M)		110 d	SYSTEM		
SN:121807017	HRS	10161.5								
	AFL	5401								
	PROC. REF: AMM 25-60-01									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 25 - EQUIPMENT/FURNISHINGS										
25-60-02-900-001-ALL RESTORE ATTEND 1 EMERGENCY EQUIPMENT LIFE JACKET (25-60-02-900-001-A00/A01/A02/A03/A04/A05) Service ATA:25										
PN:P01074-201	MOS/MSC	31-Oct-20	DUE		01-Aug-30 (M)		2362 d	VENDOR RECOMMENDATION		
SN:20080790056	HRS	9463.7								
	AFL	5043								
PROC. REF: GENERIC NO REF										
25-60-02-900-001-ALL RESTORE COPILOT EMERGENCY EQUIPMENT LIFE JACKET (25-60-02-900-001-A00/A01/A02/A03/A04/A05) Service ATA:25										
PN:P01074-201	MOS/MSC	31-Oct-20	DUE		01-Aug-30 (M)		2362 d	VENDOR RECOMMENDATION		
SN:20080790054	HRS	9463.7								
	AFL	5043								
PROC. REF: GENERIC NO REF										
25-60-02-900-001-ALL RESTORE OBSERVER EMERGENCY EQUIPMENT LIFE JACKET (25-60-02-900-001-A00/A01/A02/A03/A04/A05) Service ATA:25										
PN:P01074-201	MOS/MSC	31-Oct-20	DUE		01-Aug-30 (M)		2362 d	VENDOR RECOMMENDATION		
SN:20080790055	HRS	9463.7								
	AFL	5043								
PROC. REF: GENERIC NO REF										
25-60-02-900-001-ALL RESTORE PAX 1 EMERGENCY EQUIPMENT LIFE JACKET (25-60-02-900-001-A00/A01/A02/A03/A04/A05) Service ATA:25										
PN:P01074-201	MOS/MSC	31-Oct-20	DUE		01-Aug-30 (M)		2362 d	VENDOR RECOMMENDATION		
SN:20080790057	HRS	9463.7								
	AFL	5043								
PROC. REF: GENERIC NO REF										
25-60-02-900-001-ALL RESTORE PAX 10 EMERGENCY EQUIPMENT LIFE JACKET (25-60-02-900-001-A00/A01/A02/A03/A04/A05) Service ATA:25										
PN:P01074-201	MOS/MSC	31-Oct-20	DUE		01-Aug-30 (M)		2362 d	VENDOR RECOMMENDATION		
SN:20080790107	HRS	9463.7								
	AFL	5043								
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 25 - EQUIPMENT/FURNISHINGS										
25-60-02-900-001-ALL RESTORE PAX 11 EMERGENCY EQUIPMENT LIFE JACKET (25-60-02-900-001-A00/A01/A02/A03/A04/A05) Service ATA:25										
PN:63600-105	MOS/MSC	09-Jun-17	DUE		09-Jun-27 (M)		1213 d	VENDOR RECOMMENDATION		
SN:L2190735	HRS									
	AFL									
PROC. REF: GENERIC NO REF										
25-60-02-900-001-ALL RESTORE PAX 12 EMERGENCY EQUIPMENT LIFE JACKET (25-60-02-900-001-A00/A01/A02/A03/A04/A05) Service ATA:25										
PN:63600-105	MOS/MSC	09-Jun-17	DUE		09-Jun-27 (M)		1213 d	VENDOR RECOMMENDATION		
SN:L2190733	HRS									
	AFL									
PROC. REF: GENERIC NO REF										
25-60-02-900-001-ALL RESTORE PAX 13 EMERGENCY EQUIPMENT LIFE JACKET (25-60-02-900-001-A00/A01/A02/A03/A04/A05) Service ATA:25										
PN:63600-105	MOS/MSC	13-Feb-20	DUE		30-Nov-29 (M)		2118 d	VENDOR RECOMMENDATION		
SN:L4939550	HRS	9310.8								
	AFL	4969								
PROC. REF: GENERIC NO REF										
25-60-02-900-001-ALL RESTORE PAX 2 EMERGENCY EQUIPMENT LIFE JACKET (25-60-02-900-001-A00/A01/A02/A03/A04/A05) Service ATA:25										
PN:P01074-201	MOS/MSC	31-Oct-20	DUE		01-Aug-30 (M)		2362 d	VENDOR RECOMMENDATION		
SN:20080790058	HRS	9463.7								
	AFL	5043								
PROC. REF: GENERIC NO REF										
25-60-02-900-001-ALL RESTORE PAX 3 EMERGENCY EQUIPMENT LIFE JACKET (25-60-02-900-001-A00/A01/A02/A03/A04/A05) Service ATA:25										
PN:P01074-201	MOS/MSC	31-Oct-20	DUE		01-Aug-30 (M)		2362 d	VENDOR RECOMMENDATION		
SN:20080790059	HRS	9463.7								
	AFL	5043								
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 25 - EQUIPMENT/FURNISHINGS										
25-60-02-900-001-ALL RESTORE PAX 4 EMERGENCY EQUIPMENT LIFE JACKET (25-60-02-900-001-A00/A01/A02/A03/A04/A05) Service ATA:25										
PN:P01074-201	MOS/MSC	31-Oct-20	DUE		01-Aug-30 (M)		2362 d	VENDOR RECOMMENDATION		
SN:20080790101	HRS	9463.7								
	AFL	5043								
PROC. REF: GENERIC NO REF										
25-60-02-900-001-ALL RESTORE PAX 5 EMERGENCY EQUIPMENT LIFE JACKET (25-60-02-900-001-A00/A01/A02/A03/A04/A05) Service ATA:25										
PN:P01074-201	MOS/MSC	31-Oct-20	DUE		01-Aug-30 (M)		2362 d	VENDOR RECOMMENDATION		
SN:20080790102	HRS	9463.7								
	AFL	5043								
PROC. REF: GENERIC NO REF										
25-60-02-900-001-ALL RESTORE PAX 6 EMERGENCY EQUIPMENT LIFE JACKET (25-60-02-900-001-A00/A01/A02/A03/A04/A05) Service ATA:25										
PN:P01074-201	MOS/MSC	31-Oct-20	DUE		01-Aug-30 (M)		2362 d	VENDOR RECOMMENDATION		
SN:20080790103	HRS	9463.7								
	AFL	5043								
PROC. REF: GENERIC NO REF										
25-60-02-900-001-ALL RESTORE PAX 7 EMERGENCY EQUIPMENT LIFE JACKET (25-60-02-900-001-A00/A01/A02/A03/A04/A05) Service ATA:25										
PN:P01074-201	MOS/MSC	31-Oct-20	DUE		01-Aug-30 (M)		2362 d	VENDOR RECOMMENDATION		
SN:20080790104	HRS	9463.7								
	AFL	5043								
PROC. REF: GENERIC NO REF										
25-60-02-900-001-ALL RESTORE PAX 8 EMERGENCY EQUIPMENT LIFE JACKET (25-60-02-900-001-A00/A01/A02/A03/A04/A05) Service ATA:25										
PN:P01074-201	MOS/MSC	31-Oct-20	DUE		01-Aug-30 (M)		2362 d	VENDOR RECOMMENDATION		
SN:20080790105	HRS	9463.7								
	AFL	5043								
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 25 - EQUIPMENT/FURNISHINGS										
25-60-02-900-001-ALL RESTORE PAX 9 EMERGENCY EQUIPMENT LIFE JACKET (25-60-02-900-001-A00/A01/A02/A03/A04/A05) Service ATA:25										
PN:P01074-201	MOS/MSC	31-Oct-20	DUE		01-Aug-30 (M)		2362 d	VENDOR RECOMMENDATION		
SN:20080790106	HRS	9463.7								
	AFL	5043								
PROC. REF: GENERIC NO REF										
25-60-02-900-001-ALL RESTORE PILOT EMERGENCY EQUIPMENT LIFE JACKET (25-60-02-900-001-A00/A01/A02/A03/A04/A05) Service ATA:25										
PN:P01074-201	MOS/MSC	31-Oct-20	DUE		01-Aug-30 (M)		2362 d	VENDOR RECOMMENDATION		
SN:20080790053	HRS	9463.7								
	AFL	5043								
PROC. REF: GENERIC NO REF										
25-60-04-212-001-A00 <sup>S</sup> INSPECT (GENERAL VISUAL) COCKPIT ESCAPE ROPE(ZONES 225/226) Service ATA:25										
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: AMM 25-60-07										
25-60-05-212-001-A00 <sup>S</sup> INSPECT (GENERAL VISUAL) OF LIFELINE FOR INTEGRITY AND GENERAL CONDITIONS (ZONE 252) (IF INSTALLED) Service ATA:25										
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: AMM 25-60-03										
25-61-00-212-001-A00 INSPECT (GENERAL VISUAL) EMERGENCY LOCATOR TRANSMITTER FOR CONDITION PROPER INSTALLATION BATTERY CORROSION AND LEAKAGE Service ATA:25										
	MOS	29-Jun-23	12 (+15d/-15d)		29-Jun-24	14-Jul-24	138 d (+15)	SYSTEM		
	HRS	10161.5								
	AFL	5401								
PROC. REF: AMM 25-61-00, FAR FAR 91.207										
25-61-00-710-001-A00 OPERATIONAL CHECK EMERGENCY LOCATOR TRANSMITTER SYSTEM - PROPER OPERATION- CRASH SWITCH OPERATION Service ATA:25										
	MOS	29-Jun-23	12 (+15d/-15d)	Adj 7d	06-Jul-24	21-Jul-24	145 d (+15)	SYSTEM		
	HRS	10161.5								
	AFL	5401								
PROC. REF: AMM 25-61-00, AMM 25-61-00, AMM 25-61-00, FAR FAR 91.207										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 25 - EQUIPMENT/FURNISHINGS										
25-62-03-701 <sup>U</sup> RENEW NO. 1 LIFE RAFT EMERGENCY LOCATOR TRANSMITTER (ELT) BEACON REGISTRATION Service ATA:25										
	MOS	08-Feb-23	24		08-Feb-25		362 d			
	HRS	10071.3								
	AFL	5350								
25-62-03-702 <sup>U</sup> RENEW NO. 2 LIFE RAFT EMERGENCY LOCATOR TRANSMITTER (ELT) BEACON REGISTRATION Service ATA:25										
	MOS	08-Feb-23	24		08-Feb-25		362 d			
	HRS	10071.3								
	AFL	5350								
25-62-03-801 <sup>U</sup> DISCARD NO. 1 LIFE RAFT EMERGENCY LOCATOR TRANSMITTER (ELT) BEACON BATTERY Service ATA:25										
PN:K2-01-0003-001	MOS/MSC	30-Mar-22	DUE		01-Jan-28 (M)		1419 d			
SN:UNKNOWN	HRS	9837								
	AFL	5241								
25-62-03-802 <sup>U</sup> DISCARD NO. 2 LIFE RAFT EMERGENCY LOCATOR TRANSMITTER (ELT) BEACON BATTERY Service ATA:25										
PN:PN	MOS/MSC	10-Jan-24	DUE		31-Jan-25 (M)		354 d			
SN:UNKNOWN	HRS	10396.8								
	AFL	5532								
25-63-00-710-001-A00 OPERATIONALLY CHECK PORTABLE EMERGENCY LOCATOR TRANSMITTER SYSTEM NOTE: IF INSTALLED Service ATA:25										
	MOS/MSC	30-Aug-12	N/A							
	HRS	6158.5								
	AFL	3279								
PROC. REF: AMM 25-63-02										
25-63-01-900-001-A01 RESTORE (OVERHAUL) WINSLOW (VACUUM PACKED) NO.2 LIFE RAFT ASSEMBLYNOTE: FROM THE MANUFACTURE DATE OR LAST RESTORATION.NOTE: IF INSTALLED. Service ATA:25										
PN:R0103A105	MOS	10-Jan-24	36		10-Jan-27		1063 d	SYSTEM		
SN:TQ09158	HRS	10396.8								
	AFL	5532								
PROC. REF: AMM 25-60-02, AMM 25-60-05										
25-63-01-900-001-A01 RESTORE (OVERHAUL) WINSLOW (VACUUM PACKED) NO.1 LIFE RAFT ASSEMBLYNOTE: FROM THE MANUFACTURE DATE OR LAST RESTORATION.NOTE: IF INSTALLED. Service ATA:25										
PN:69FASA-631-1-702	MOS	30-Mar-22	36		30-Mar-25		412 d	SYSTEM		
SN:64L-01766	HRS	9837								
	AFL	5241								
PROC. REF: AMM 25-60-02, AMM 25-60-05										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 25 - EQUIPMENT/FURNISHINGS										
25-63-02-960-001-A00	DISCARD PORTABLE ELT BATTERY ELTA PN: 05N62123 NOTE: PORTABLE ELT BATTERY CHANGE IN ACCORDANCE WITH MANUFACTURER'S DATA PLATE EXPIRATION DATE OR IN ACCORDANCE WITH LOCAL REGULATORY AUTHORITY REQUIREMENTS								Service	ATA:25
	MOS/MSC	30-Aug-12	O/C							
	HRS	6158.5								
	AFL	3279								
PROC. REF: AMM 25-63-03										
251101-0101	PILOT ASSY-PILOT SEAT								Component	ATA:25
PN:1471611-05	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:06T2116	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 25-11-01										
251101-0102	COPILOT ASSY-CO-PILOT SEAT								Component	ATA:25
PN:1471610-05	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:06T3595	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 25-11-01										
251102-0101	OBSERVER ASSEMBLY SEAT								Component	ATA:25
PN:7222001-101	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:104607	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 25-11-02										
252102-0101	FLIGHT ATTENDANT SEAT ASSY								Component	ATA:25
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 25-21-02										
253103-0101	GALLEY CABINET ELECTRICAL OVEN								Component	ATA:25
PN:400-1191-01-R	MOS/MSC	24-Feb-16	O/C	TSR 0						
SN:05-08-37415	HRS	7661.9		TSR 0						
	AFL	4095		TSR 0						
PROC. REF: AMM 25-31-03										
253104-0101	GALLEY CABINET MICROWAVE OVEN								Component	ATA:25
PN:400-1860-01	MOS/MSC	22-Jan-14	O/C	TSR 5						
SN:06-11-39938	HRS	6836.5		TSR 0						
	AFL	3679		TSR 0						
PROC. REF: AMM 25-31-04										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 25 - EQUIPMENT/FURNISHINGS</b>											
<b>253105-0101</b>		<b>GALLEY ELECTRICAL COFFEE MAKER</b>								<b>Component</b>	<b>ATA:25</b>
PN:400-1749-10	MOS/MSC	01-Sep-17	O/C	TSR 0							
SN:07-03-40593	HRS	8284.1		TSR 0							
	AFL	4446		TSR 0							
PROC. REF: AMM 25-31-05											
<b>253109-0101</b>		<b>GALLEY UNIT, REFRIGERATOR UNIT</b>								<b>Component</b>	<b>ATA:25</b>
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM NO REF											
<b>253110-0701<sup>U</sup></b>		<b>GALLEY SWITCHING PANEL</b>								<b>Component</b>	<b>ATA:25</b>
PN:990-9105-015	MOS/MSC	25-Apr-17	O/C	TSR 1							
SN:06070030259	HRS	8136.8		TSR 0							
	AFL	4367		TSR 0							
<b>253205-0101</b>		<b>OVEN REAR CABINET ,GALLEY CONTROL PANEL</b>								<b>Component</b>	<b>ATA:25</b>
PN:400-1377-01	MOS/MSC	19-Sep-13	O/C	TSN 0							
SN:07-04-40940	HRS	6680.2		TSN 0							
	AFL	3597		TSN 0							
PROC. REF: AMM 25-31-03											
<b>255006-0101</b>		<b>BAGGAGE COMPARTMENT REAR BULKHEAD PANEL ASSY</b>								<b>Component</b>	<b>ATA:25</b>
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: GENERIC NO REF											
<b>256001-0101</b>		<b>FIRST AID KIT</b>								<b>Component</b>	<b>ATA:25</b>
PN:AFAK 1.0 RX	MOS/MSC	29-Jun-23	O/C								
SN:121807017	HRS	10161.5									
	AFL	5401									
PROC. REF: GENERIC NO REF											
<b>256001-0701<sup>U</sup></b>		<b>DEFIBRILLATOR AND AED PREP KIT</b>								<b>Component</b>	<b>ATA:25</b>
PN:AED FRX	MOS/MSC	26-Jan-23	DUE	TSN 53, TSR 0	31-Jan-25 (M)		354 d				
SN:B12K-00297	HRS	10069.5		TSN 1331.6, TSR 0							
	AFL	5348		TSN 662, TSR 0							
Expiry Date: : 31-Jan-25											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of:  
29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 25 - EQUIPMENT/FURNISHINGS</b>											
256002-0101		PILOT EMERGENCY EQUIPMENT LIFE JACKET							Component	ATA:25	
PN:P01074-201	MOS/MSC	31-Oct-20	O/C	TSN 0							
SN:20080790053	HRS	9463.7	TSN 0								
	AFL	5043	TSN 0								
PROC. REF: GENERIC NO REF											
256002-0102		COPILOT EMERGENCY EQUIPMENT LIFE JACKET							Component	ATA:25	
PN:P01074-201	MOS/MSC	31-Oct-20	O/C	TSN 0							
SN:20080790054	HRS	9463.7	TSN 0								
	AFL	5043	TSN 0								
PROC. REF: GENERIC NO REF											
256002-0103		OBSERVER EMERGENCY EQUIPMENT LIFE JACKET							Component	ATA:25	
PN:P01074-201	MOS/MSC	31-Oct-20	O/C	TSN 0							
SN:20080790055	HRS	9463.7	TSN 0								
	AFL	5043	TSN 0								
PROC. REF: GENERIC NO REF											
256002-0104		ATTEND 1 EMERGENCY EQUIPMENT LIFE JACKET							Component	ATA:25	
PN:P01074-201	MOS/MSC	31-Oct-20	O/C	TSN 0							
SN:20080790056	HRS	9463.7	TSN 0								
	AFL	5043	TSN 0								
PROC. REF: GENERIC NO REF											
256002-7101		PAX 1 EMERGENCY EQUIPMENT LIFE JACKET							Component	ATA:25	
PN:P01074-201	MOS/MSC	31-Oct-20	O/C	TSN 0							
SN:20080790057	HRS	9463.7	TSN 0								
	AFL	5043	TSN 0								
PROC. REF: GENERIC NO REF											
256002-7102		PAX 2 EMERGENCY EQUIPMENT LIFE JACKET							Component	ATA:25	
PN:P01074-201	MOS/MSC	31-Oct-20	O/C	TSN 0							
SN:20080790058	HRS	9463.7	TSN 0								
	AFL	5043	TSN 0								
PROC. REF: GENERIC NO REF											
256002-7103		PAX 3 EMERGENCY EQUIPMENT LIFE JACKET							Component	ATA:25	
PN:P01074-201	MOS/MSC	31-Oct-20	O/C	TSN 0							
SN:20080790059	HRS	9463.7	TSN 0								
	AFL	5043	TSN 0								
PROC. REF: GENERIC NO REF											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of:  
29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 25 - EQUIPMENT/FURNISHINGS</b>											
256002-7104		PAX 4 EMERGENCY EQUIPMENT LIFE JACKET								Component	ATA:25
PN:P01074-201	MOS/MSC	31-Oct-20	O/C	TSN 0							
SN:20080790101	HRS	9463.7		TSN 0							
	AFL	5043		TSN 0							
PROC. REF: GENERIC NO REF											
256002-7105		PAX 5 EMERGENCY EQUIPMENT LIFE JACKET								Component	ATA:25
PN:P01074-201	MOS/MSC	31-Oct-20	O/C	TSN 0							
SN:20080790102	HRS	9463.7		TSN 0							
	AFL	5043		TSN 0							
PROC. REF: GENERIC NO REF											
256002-7106		PAX 6 EMERGENCY EQUIPMENT LIFE JACKET								Component	ATA:25
PN:P01074-201	MOS/MSC	31-Oct-20	O/C	TSN 0							
SN:20080790103	HRS	9463.7		TSN 0							
	AFL	5043		TSN 0							
PROC. REF: GENERIC NO REF											
256002-7107		PAX 7 EMERGENCY EQUIPMENT LIFE JACKET								Component	ATA:25
PN:P01074-201	MOS/MSC	31-Oct-20	O/C	TSN 0							
SN:20080790104	HRS	9463.7		TSN 0							
	AFL	5043		TSN 0							
PROC. REF: GENERIC NO REF											
256002-7108		PAX 8 EMERGENCY EQUIPMENT LIFE JACKET								Component	ATA:25
PN:P01074-201	MOS/MSC	31-Oct-20	O/C	TSN 0							
SN:20080790105	HRS	9463.7		TSN 0							
	AFL	5043		TSN 0							
PROC. REF: GENERIC NO REF											
256002-7109		PAX 9 EMERGENCY EQUIPMENT LIFE JACKET								Component	ATA:25
PN:P01074-201	MOS/MSC	31-Oct-20	O/C	TSN 0							
SN:20080790106	HRS	9463.7		TSN 0							
	AFL	5043		TSN 0							
PROC. REF: GENERIC NO REF											
256002-7110		PAX 10 EMERGENCY EQUIPMENT LIFE JACKET								Component	ATA:25
PN:P01074-201	MOS/MSC	31-Oct-20	O/C	TSN 0							
SN:20080790107	HRS	9463.7		TSN 0							
	AFL	5043		TSN 0							
PROC. REF: GENERIC NO REF											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 25 - EQUIPMENT/FURNISHINGS</b>											
256002-7111		PAX 11 EMERGENCY EQUIPMENT LIFE JACKET								Component	ATA:25
PN:63600-105	MOS/MSC	04-Jan-19	O/C								
SN:L2190735	HRS	8912.5									
	AFL	4764									
PROC. REF: GENERIC NO REF											
256002-7112		PAX 12 EMERGENCY EQUIPMENT LIFE JACKET								Component	ATA:25
PN:63600-105	MOS/MSC	04-Jan-19	O/C								
SN:L2190733	HRS	8912.5									
	AFL	4764									
PROC. REF: GENERIC NO REF											
256002-7113		PAX 13 EMERGENCY EQUIPMENT LIFE JACKET								Component	ATA:25
PN:63600-105	MOS/MSC	13-Feb-20	O/C	TSN 3							
SN:L4939550	HRS	9310.8		TSN 0							
	AFL	4969		TSN 0							
PROC. REF: GENERIC NO REF											
256003-7101		NO. 1 LIFE RAFT								Component	ATA:25
PN:69FASA-631-1-702	MOS/MSC	30-Mar-22	O/C	TSO 0							
SN:64L-01766	HRS	9837		TSO 0							
	AFL	5241		TSO 0							
PROC. REF: GENERIC NO REF											
256003-7102		NO. 2 LIFE RAFT								Component	ATA:25
PN:R0103A105	MOS/MSC	10-Jan-24	O/C								
SN:TQ09158	HRS	10396.8									
	AFL	5532									
PROC. REF: GENERIC NO REF											
256100-0101		CREW CAB MODULE -ELT ASSEMBLY								Component	ATA:25
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 25-61-01											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 25 - EQUIPMENT/FURNISHINGS										
256104-0101	ELT - RADIO/NAVIGATION SYS, EMERGENCY LOCATOR TRANSMITTER									Component ATA:25
PN:ELT97A256000000	MOS/MSC	18-Jan-21	O/C	TSN 211						
SN:3582	HRS	9506.9								
	AFL	5061								
PROC. REF: AMM 25-61-01										
256104-0101D	DISCARD EMERGENCY LOCATOR TRANSMITTER (ELT) BATTERY (NOTE: IN ACCORDANCE WITH MANUFACTURERS DATAPLATE EXPIRATION DATE OR LOCAL REGULATORY AUTHORITY REQUIREMENTS).									Service ATA:25
PN:PN-UNKNOWN	MOS/MSC	18-Jan-21	DUE		01-Nov-24 (M)		263 d	SYSTEM		
SN:UNKNOWN	HRS	9508.9								
	AFL	5061								
PROC. REF: GENERIC NO REF										
256104-0102	EMERGENCY LOCATOR TRANSMITTER (ELT) BATTERY									Component ATA:25
PN:PN-UNKNOWN	MOS/MSC	18-Jan-21	C/C							
SN:UNKNOWN	HRS	9506.9								
	AFL	5061								
PROC. REF: GENERIC NO REF										
256203-0701 <sup>U</sup>	NO. 1 LIFE RAFT EMERGENCY LOCATOR TRANSMITTER (ELT) BEACON									Component ATA:25
PN:P3-03-0041-101	MOS/MSC	19-Feb-21	O/C							
SN:141467	HRS	9508.9								
	AFL	5061								
256203-0702 <sup>U</sup>	NO. 2 LIFE RAFT EMERGENCY LOCATOR TRANSMITTER (ELT) BEACON									Component ATA:25
PN:PN	MOS/MSC	10-Jan-24	O/C							
SN:UNKNOWN	HRS	10396.8								
	AFL	5532								
256203-0801 <sup>U</sup>	NO. 1 LIFE RAFT EMERGENCY LOCATOR TRANSMITTER (ELT) BEACON BATTERY									Component ATA:25
PN:K2-01-0003-001	MOS/MSC	30-Mar-22	H/T	TSN 0						
SN:UNKNOWN	HRS	9837		TSN 0						
	AFL	5241		TSN 0						
256203-0802 <sup>U</sup>	NO. 2 LIFE RAFT EMERGENCY LOCATOR TRANSMITTER (ELT) BEACON BATTERY									Component ATA:25
PN:PN	MOS/MSC	19-Feb-21	H/T	TSN 0						
SN:UNKNOWN	HRS	9508.9		TSN 0						
	AFL	5061		TSN 0						

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of:  
29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 25 - EQUIPMENT/FURNISHINGS										
259001-0101	COCKPIT TOUCH SCREEN, REMOTE - TSU9600 UNIT									Component ATA:25
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	AFL	0	TSN 0							
PROC. REF: GENERIC NO REF										
259500-0201	REAR ELT ANTENNA									Component ATA:25
PN:S65-1231	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:160-1046	HRS	0	TSN 0							
	AFL	0	TSN 0							
PROC. REF: AMM 25-61-03										
259502-7302	ASSY- AFT DIVAN SEAT									Component ATA:25
PN:2523.714.01-13	MOS/MSC	14-Aug-13	O/C	TSN 0						
SN:070322-11	HRS	6643.4	TSN 0							
	AFL	3572	TSN 0							
PROC. REF: GENERIC NO REF										
259502-7304	NO.1 DOUBLE, SERIES 200 SEAT									Component ATA:25
PN:2524.551.01-501A	MOS/MSC	14-Aug-13	O/C	TSN 0						
SN:070322-07	HRS	6643.4	TSN 0							
	AFL	3572	TSN 0							
PROC. REF: GENERIC NO REF										
259502-7305	NO. 2 DOUBLE, SERIES 200 SEAT									Component ATA:25
PN:2524.551.01-505B	MOS/MSC	14-Aug-13	O/C	TSN 0						
SN:070322-08	HRS	6643.4	TSN 0							
	AFL	3572	TSN 0							
PROC. REF: GENERIC NO REF										
259502-7306	FWD DIVAN SEAT									Component ATA:25
PN:2523.714.01-11	MOS/MSC	14-Aug-13	O/C	TSN 0						
SN:070322-09	HRS	6643.4	TSN 0							
	AFL	3572	TSN 0							
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of:  
29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 25 - EQUIPMENT/FURNISHINGS										
259502-7307	MID DIVAN SEAT									Component ATA:25
PN:2523.714.01-12	MOS/MSC	14-Aug-13	O/C							
SN:070322-10	HRS	6643.4								
	AFL	3572								
PROC. REF: GENERIC NO REF										
259502-7308	SINGLE SERIES 200 SEAT									Component ATA:25
PN:2524.550.01-501A	MOS/MSC	14-Aug-13	O/C							
SN:070322-01	HRS	6643.4								
	AFL	3572								
PROC. REF: GENERIC NO REF										
259502-7309	SINGLE SERIES 200 SEAT									Component ATA:25
PN:2524.550.01-509B	MOS/MSC	14-Aug-13	O/C							
SN:070322-03	HRS	6643.4								
	AFL	3572								
PROC. REF: GENERIC NO REF										
259502-7310	SINGLE SERIES 200 SEAT									Component ATA:25
PN:2524.550.01-502B	MOS/MSC	14-Aug-13	O/C							
SN:070322-02	HRS	6643.4								
	AFL	3572								
PROC. REF: GENERIC NO REF										
259502-7311	SINGLE SERIES 200 SEAT									Component ATA:25
PN:2524.550.01-515A	MOS/MSC	14-Aug-13	O/C							
SN:070322-04	HRS	6643.4								
	AFL	3572								
PROC. REF: GENERIC NO REF										
259502-7312	SINGLE SERIES 200 SEAT									Component ATA:25
PN:2524.550.01-503A	MOS/MSC	14-Aug-13	O/C							
SN:070322-05	HRS	6643.4								
	AFL	3572								
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 25 - EQUIPMENT/FURNISHINGS</b>										
259502-7313 SINGLE SERIES 200 SEAT										Component ATA:25
PN:2524.550.01-501B	MOS/MSC		14-Aug-13	O/C						
SN:070322-06	HRS		6643.4							
	AFL		3572							
PROC. REF: GENERIC NO REF										
261401-0101 LAVATORY SMOKE DETECTOR										Component ATA:25
PN:PN	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:UNKNOWN	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: AMM 26-14-01										
<b>ATA 26 - FIRE PROTECTION</b>										
26-14-00-710-001-A00 <sup>S</sup> OPERATIONALLY CHECK LAVATORY SMOKE DETECTOR (ACTUATING THE SMOKE SENSOR WITH SMOKE) NOTE: IF INSTALLED										Service ATA:26
	MOS		29-Jun-23	96 (+15d/-15d)				LOW UTILIZATION		
	HRS		10161.5	4000 (+20/-20)						
	AFL		5401	2000 (+20/-20)						
PROC. REF: AMM 26-14-01										
26-14-01-960-001-A00 DISCARD JAMCO LAVATORY SMOKE DETECTOR (IF INSTALLED)										Service ATA:26
	MOS/MSC		25-Sep-07	N/A						
	HRS		0							
	AFL		0							
PROC. REF: AMM 26-14-01										
26-15-01-140-001-A00 <sup>S</sup> RESTORE (CLEANING) BAGGAGE SMOKE DETECTOR CLEANING OF BAGGAGE SMOKE DETECTORS										Service ATA:26
	MOS		29-Jun-23	48 (+15d/-15d)				LOW UTILIZATION		
	HRS		10161.5	2000 (+20/-20)						
	AFL		5401	1000 (+20/-20)						
PROC. REF: AMM 26-15-01										
26-21-00-720-001-A00 FUNCTIONALLY CHECK ENGINE FIRE EXTINGUISHING SYSTEM										Service ATA:26
	MOS		14-Jul-22	36	14-Jul-25		518 d	SYSTEM		
	HRS		9915.8							
	AFL		5271							
PROC. REF: AMM 26-21-00										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 26 - FIRE PROTECTION</b>										
<b>26-21-02-720-001-A00 FUNCTIONALLY CHECK (HYDROSTATIC TEST) LH ENGINE FIRE EXTINGUISHER BOTTLE</b>										
PN:33600057-5	MOS/MSC	06-Jul-22	O/C							Service ATA:26
SN:57143D1	HRS									
	AFL									
PROC. REF: AMM 26-21-02										
<b>26-21-02-720-001-A00 FUNCTIONALLY CHECK (HYDROSTATIC TEST) RH ENGINE FIRE EXTINGUISHER BOTTLE</b>										
PN:33600057-5	MOS/MSC	16-Jun-21	O/C							Service ATA:26
SN:74313D1	HRS									
	AFL									
PROC. REF: AMM 26-21-02										
<b>26-21-03-720-001-A00 FUNCTIONALLY CHECK L/H ENGINE FIRE EXTINGUISHING BOTTLE PRESSURE SWITCH-NOTE: IF INSTALLED.</b>										
	MOS	14-Jul-22	60		14-Jul-27		1248 d	SYSTEM		Service ATA:26
	HRS	9915.8								
	AFL	5271								
PROC. REF: AMM 26-21-03										
<b>26-21-03-720-001-A00 FUNCTIONALLY CHECK R/H ENGINE FIRE EXTINGUISHING BOTTLE PRESSURE SWITCH -NOTE: IF INSTALLED.</b>										
	MOS	29-Jul-21	60		29-Jul-26		898 d	SYSTEM		Service ATA:26
	HRS	9631.4								
	AFL	5130								
PROC. REF: AMM 26-21-03										
<b>26-21-04-960-001-A00 DISCARD (SERVICE LIFE) NO. 1 LH ENGINE FIRE EXTINGUISHER BOTTLE (A) CARTRIDGE</b>										
PN:M30903920	MOS	06-Jul-22	72		06-Jul-28		1606 d	SERVICE LIFE LIMIT		Service ATA:26
SN:08165	HRS									
	AFL									
PROC. REF: AMM 26-21-04										
<b>26-21-04-960-001-A00 DISCARD (SERVICE LIFE) NO. 1 RH ENGINE FIRE EXTINGUISHER BOTTLE (B) CARTRIDGE</b>										
PN:30903920	MOS	18-Jul-21	72		18-Jul-27		1252 d	SERVICE LIFE LIMIT		Service ATA:26
SN:ESD20H218-001	HRS									
	AFL									
PROC. REF: AMM 26-21-04										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of:  
29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 26 - FIRE PROTECTION</b>										
<b>26-21-04-960-001-A00 DISCARD (SERVICE LIFE) NO. 2 LH ENGINE FIRE EXTINGUISHER BOTTLE (A) CARTRIDGE Service ATA:26</b>										
PN:M30903920	MOS	06-Jul-22	72		06-Jul-28		1606 d	SERVICE LIFE LIMIT		
SN:08093	HRS									
	AFL									
PROC. REF: AMM 26-21-04										
<b>26-21-04-960-001-A00 DISCARD (SERVICE LIFE) NO. 2 RH ENGINE FIRE EXTINGUISHER BOTTLE (B) CARTRIDGE Service ATA:26</b>										
PN:30903920	MOS	18-Jul-21	72		18-Jul-27		1252 d	SERVICE LIFE LIMIT		
SN:ESD20H218-001	HRS									
	AFL									
PROC. REF: AMM 26-21-04										
<b>26-21-04-960-001-A00-M DISCARD (LIFE LIMIT) NO. 1 LH ENGINE FIRE EXTINGUISHER BOTTLE (A) CARTRIDGE Service ATA:26</b>										
PN:M30903920	MOS	01-Feb-22	108		01-Feb-31		2546 d	LIFE LIMIT		
SN:08165	HRS									
	AFL									
PROC. REF: AMM 26-21-04										
<b>26-21-04-960-001-A00-M DISCARD (LIFE LIMIT) NO. 1 RH ENGINE FIRE EXTINGUISHER BOTTLE (B) CARTRIDGE Service ATA:26</b>										
PN:30903920	MOS	01-Jun-21	108		01-Jun-30		2301 d	LIFE LIMIT		
SN:ESD20H218-001	HRS									
	AFL									
PROC. REF: AMM 26-21-04										
<b>26-21-04-960-001-A00-M DISCARD (LIFE LIMIT) NO. 2 LH ENGINE FIRE EXTINGUISHER BOTTLE (A) CARTRIDGE Service ATA:26</b>										
PN:M30903920	MOS	01-Feb-22	108		01-Feb-31		2546 d	LIFE LIMIT		
SN:08093	HRS									
	AFL									
PROC. REF: AMM 26-21-04										
<b>26-21-04-960-001-A00-M DISCARD (LIFE LIMIT) NO. 2 RH ENGINE FIRE EXTINGUISHER BOTTLE (B) CARTRIDGE Service ATA:26</b>										
PN:30903920	MOS	01-Jun-21	108		01-Jun-30		2301 d	LIFE LIMIT		
SN:ESD20H218-001	HRS									
	AFL									
PROC. REF: AMM 26-21-04										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 26 - FIRE PROTECTION</b>										
<b>26-21-05-720-001-A00 FUNCTIONALLY CHECK ENGINE FIRE EXTINGUISHING TWO-WAY "TEE" CHECK VALVES</b>										
	MOS	18-Aug-18	72		18-Aug-24		188 d	SYSTEM		Service ATA:26
	HRS	8725.1	8000		16725.1		6323			
	AFL	4681								
PROC. REF: AMM 26-21-05										
<b>26-22-00-720-001-A00 FUNCTIONALLY CHECK APU FIRE-EXTINGUISHING SYSTEM (BETWEEN SWITCH AND BOTTLE CONNECTOR) AND VERIFY APU ISOLATION BY APU FUEL SHUTOFF VALVE ACTUATION.</b>										
	MOS	14-Jul-22	36		14-Jul-25		518 d	SYSTEM		Service ATA:26
	HRS	9915.8								
	AFL	5271								
PROC. REF: AMM 26-22-00										
<b>26-22-01-720-001-A00 FUNCTIONALLY CHECK (HYDROSTATIC TEST) APU FIRE EXTINGUISHER,REAR APU BOTTLE</b>										
PN:30100050-5	MOS/MSC	01-Apr-20	O/C							Service ATA:26
SN:95144A1	HRS									
	AFL									
PROC. REF: AMM 26-22-01										
<b>26-22-02-720-001-A00 FUNCTIONALLY CHECK APU FIRE EXTINGUISHING BOTTLE PRESSURE SWITCH</b>										
	MOS	29-Jul-21	60		29-Jul-26		898 d	SYSTEM		Service ATA:26
	HRS	9631.4								
	AFL	5130								
PROC. REF: AMM 26-22-02										
<b>26-22-03-960-001-A00 DISCARD APU FIRE EXTINGUISHING BOTTLE CARTRIDGE (SERVICE LIFE)</b>										
PN:30903920	MOS	23-Jul-21	72		23-Jul-27		1257 d	SERVICE LIFE LIMIT		Service ATA:26
SN:ESD19D208-001	HRS									
	AFL									
PROC. REF: AMM 26-22-03										
<b>26-22-03-960-001-A00-M DISCARD APU FIRE EXTINGUISHING BOTTLE CARTRIDGE (LIFE LIMIT)</b>										
PN:30903920	MOS	01-Jul-20	108		01-Jul-29		1966 d	LIFE LIMIT		Service ATA:26
SN:ESD19D208-001	HRS									
	AFL									
PROC. REF: AMM 26-22-03										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 26 - FIRE PROTECTION</b>											
26-23-00-720-001-A00 <sup>S</sup>		FUNCTIONALLY CHECK BAGGAGE-COMPARTMENT FIRE EXTINGUISHING SYSTEM (COVERING THE PRESSURE SWITCH, CARTRIDGE, BAGG FIRE EXTING.SWITCH AND ELECTRICAL HARDWARE).							Service	ATA:26	
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
PROC. REF: AMM 26-23-00										PKG:5008,6016	
26-23-01-720-001-A00		FUNCTIONALLY CHECK (HYDROSTATIC TEST) OF NO.1 BAGGAGE FIRE EXTINGUISHING BOTTLES (HIGH RATE)							Service	ATA:26	
PN:33700027-1	MOS/MSC	24-Jan-20	O/C		01-Jan-25 (M)		324 d				
SN:64533D1	HRS										
	AFL										
PROC. REF: AMM 26-23-01											
26-23-01-720-001-A00		FUNCTIONALLY CHECK (HYDROSTATIC TEST) OF NO.2 BAGGAGE FIRE EXTINGUISHING BOTTLES (METERING)							Service	ATA:26	
PN:34600073-3	MOS/MSC	01-Dec-16	O/C								
SN:27095F1	HRS										
	AFL										
PROC. REF: AMM 26-23-01											
26-23-01-720-002-A00		FUNCTIONALLY CHECK NO. 1 BAGGAGE COMPARTMENT FIREEXTINGUISHING BOTTLE (HIGH RATE) FOR WEIGHT NOTE: FROM THE MANUFACTURE DATE OR LAST TASK ACCOMPLISHMENT							Service	ATA:26	
PN:33700027-1	MOS	15-Jan-20	60 (+30d/-30d)		15-Jan-25	14-Feb-25	338 d (+30)	SYSTEM			
SN:64533D1	HRS										
	AFL										
PROC. REF: AMM 26-23-01											
26-23-01-720-002-A00		FUNCTIONALLY CHECK NO. 2 BAGGAGE COMPARTMENT FIREEXTINGUISHING BOTTLE (METERING) FOR WEIGHT							Service	ATA:26	
PN:34600073-3	MOS	10-Jan-23	60 (+30d/-30d)		10-Jan-28	09-Feb-28	1428 d (+30)	SYSTEM			
SN:27095F1	HRS										
	AFL										
PROC. REF: AMM 26-23-01											
26-23-02-960-001-A00		DISCARD BAGGAGE COMPARTMENT HIGH RATE FIRE EXTINGUISHER BOTTLE CARTRIDGE (SERVICE LIFE) NOTE: 180 MO FROM DATE OFMANUFACTURING OR 120 MO FROM DATE OF INSTALLATION, WHICHEVER OCCURS FIRST.							Service	ATA:26	
PN:M30903870	MOS	24-Jan-20	120		24-Jan-30		2173 d	SERVICE LIFE LIMIT			
SN:11860	HRS										
	AFL										
PROC. REF: AMM 26-23-02											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 26 - FIRE PROTECTION</b>											
26-23-02-960-001-A00		DISCARD BAGGAGE COMPARTMENT METERING FIRE EXTINGUISHER BOTTLE CARTRIDGE (SERVICE LIFE) NOTE: 180 MO FROM DATE OF MANUFACTURING OR 120 MO FROM DATE OF INSTALLATION, WHICHEVER OCCURS FIRST.							Service	ATA:26	
PN:30903870	MOS	24-Jul-21	120		24-Jul-31		2719 d	SERVICE LIFE LIMIT			
SN:1342AJ	HRS										
	AFL										
PROC. REF: AMM 26-23-02											
26-23-02-960-001-A00-M		DISCARD BAGGAGE COMPARTMENT HIGH RATE FIRE EXTINGUISHER BOTTLE CARTRIDGE (LIFE LIMIT)							Service	ATA:26	
PN:M30903870	MOS	31-Jul-15	180		31-Jul-30		2361 d	LIFE LIMIT			
SN:11860	HRS	7460									
	AFL	3992									
PROC. REF: AMM 26-23-02											
26-23-02-960-001-A00-M		DISCARD BAGGAGE COMPARTMENT METERING FIRE EXTINGUISHER BOTTLE CARTRIDGE (LIFE LIMIT)							Service	ATA:26	
PN:30903870	MOS	17-Jan-17	180		17-Jan-32		2896 d	LIFE LIMIT			
SN:1342AJ	HRS	8039.6									
	AFL	4314									
PROC. REF: AMM 26-23-02											
26-23-04-720-001-A00 <sup>S</sup>		FUNCTIONALLY CHECK BAGGAGE FIRE EXTINGUISHING TWO-WAY "TEE" CHECK VALVE							Service	ATA:26	
	MOS	06-Jul-19	72 (+15d/-15d)					LOW UTILIZATION			
	HRS	9057.4	3000 (+20/-20)								
	AFL	4853	1500 (+20/-20)								
PROC. REF: AMM 26-23-04											
26-23-05-212-001-A00 <sup>S</sup>		INSPECT (GENERAL VISUAL) DISCHARGE PIPING FOR CRACKS, BENT AND LOOSE FITTINGS, AND NOZZLES FOR DAMAGE. INSPECT (GENERAL VISUAL) DISCHARGE PIPING FOR CRACKS, BENT AND LOOSE FITTINGS, AND NOZZLES FOR DAMAGE.							Service	ATA:26	
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
PROC. REF: AMM 05-20-44											
26-24-00-720-001-A00		FUNCTIONALLY CHECK OF COCKPIT PORTABLE FIRE EXTINGUISHING BOTTLE FOR WEIGHT (SEE PLACARD ATTACHED TO THE BOTTLE) NOTE: FROM THE MANUFACTURE DATE OR LAST TASK ACCOMPLISHMENT.							Service	ATA:26	
PN:RT-A1200	MOS	29-Jun-23	12		29-Jun-24		138 d	SYSTEM			
SN:Y-502093	HRS	10161.5									
	AFL	5401									
PROC. REF: AMM 26-24-00											

PKG:5012,6020

PKG:5016,6032

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 26 - FIRE PROTECTION</b>											
26-24-00-720-001-A00		FUNCTIONALLY CHECK OF FORWARD PORTABLE FIRE EXTINGUISHING BOTTLE FOR WEIGHT (SEE PLACARD ATTACHED TO THE BOTTLE) NOTE: FROM THE MANUFACTURE DATE OR LAST TASK ACCOMPLISHMENT.							Service	ATA:26	
PN:BA21741SR-5	MOS	29-Jun-23	12		29-Jun-24		138 d	SYSTEM			
SN:104464	HRS	10161.5									
	AFL	5401									
PROC. REF: AMM 26-24-00											
26-24-00-960-001-A00		DISCARD FORWARD PORTABLE FIRE EXTINGUISHER P/N BA21741 SERIESNOTE: FROM THE MANUFACTURE DATE							Service	ATA:26	
	MOS		120		01-Jul-27 (M)		1235 d	LIFE LIMIT			
	HRS										
	AFL										
PROC. REF: AMM 26-24-01											
26-24-00-960-001-A01		DISCARD COCKPIT PORTABLE FIRE EXTINGUISHER P/N RT A1200 OR P3APP003000-SERIES.NOTE: FROM THE MANUFACTURE DATENOTE: IF INSTALLED							Service	ATA:26	
PN:RT-A1200	MOS	06-Jul-19	144		01-Mar-31 (M)		2574 d	LIFE LIMIT			
SN:Y-502093	HRS	9057.4									
	AFL	4853									
PROC. REF: AMM 26-24-01											
26-24-CUS-0101 <sup>U</sup>		VISUAL INSPECTION COCKPIT PORTABLE FIRE EXTINGUISHER BOTTLE							Service	ATA:26	
PN:RT-A1200	MOS	26-Jan-24	1		26-Feb-24		14 d	CUSTOMER CODE			
SN:Y-502093	HRS	10402.1									
	AFL	5534									
26-24-CUS-0102 <sup>U</sup>		VISUAL INSPECTION FORWARD PORTABLE FIRE EXTINGUISHER (PAX CABIN) BOTTLE							Service	ATA:26	
PN:BA21741SR-5	MOS	26-Jan-24	1		26-Feb-24		14 d	CUSTOMER CODE			
SN:104464	HRS	10402.1									
	AFL	5534									
26-25-01-720-001-A00		FUNCTIONALLY CHECK GALLEY FIRE EXTINGUISHING BOTTLE FOR WEIGHT P/N BA22557-1/ BA22653-1							Service	ATA:26	
PN:BA24320F-1	MOS/MSC	30-May-19	N/A								
SN:58391	HRS										
	AFL										
PROC. REF: AMM 26-25-01											
26-25-01-720-001-A00		FUNCTIONALLY CHECK LAVATORY FIRE EXTINGUISHING BOTTLE FOR WEIGHT P/N BA22557-1/ BA22653-1							Service	ATA:26	
PN:BA22557-1	MOS	29-Jun-23	12		29-Jun-24		138 d	SYSTEM			
SN:69193	HRS										
	AFL										
PROC. REF: AMM 26-25-01											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 26 - FIRE PROTECTION</b>											
26-25-01-720-001-A01		FUNCTIONALLY CHECK GALLEY FIRE EXTINGUISHING BOTTLE FOR WEIGHT P/N BA24320F-1 / BA24320H-1NOTE: FROM THE MANUFACTURE DATE OR LAST TASK ACCOMPLISHMENT.							Service	ATA:26	
PN:BA24320F-1	MOS	06-Feb-20	60		06-Feb-25		360 d				
SN:58391	HRS										
	AFL										
PROC. REF: AMM 26-25-01											
26-25-01-720-001-A01		FUNCTIONALLY CHECK LAVATORY FIRE EXTINGUISHING BOTTLE FOR WEIGHT P/N BA24320F-1 / BA24320H-1NOTE: FROM THE MANUFACTURE DATE OR LAST TASK ACCOMPLISHMENT.							Service	ATA:26	
	MOS/MSC	27-Aug-07	N/A								
	HRS	0									
	AFL	0									
PROC. REF: AMM 26-25-01											
260000-0101		OVERH P FIRE EXTINGUISHING APU/BAGG MODULE							Component	ATA:26	
PN:145-34156-401	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:0000122878	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: GENERIC NO REF											
261101-0101		LH ENGINE ACC FIRE DETECTOR							Component	ATA:26	
PN:3601-133-500/230C-9.0M	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:236171	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 26-11-01											
261101-0102		RH ENGINE ACC FIRE DETECTOR							Component	ATA:26	
PN:3601-133-500/230C-9.0M	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:236183	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 26-11-01											
261102-0101		LH ENGINE PYLON FIRE DETECTOR							Component	ATA:26	
PN:3601-134-480/220C-2.7M	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:235805	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 26-11-02											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 26 - FIRE PROTECTION</b>											
261102-0102		<b>RH ENGINE PYLON FIRE DETECTOR</b>								Component	ATA:26
PN:3601-134-480/220C-2.7M	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:235807	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 26-11-02											
261103-0101		<b>LH CSL CONTROL-FIRE PROTECTION SYS, CONSOLE, COCKPIT MODULE</b>								Component	ATA:26
PN:902081	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 26-11-03											
261103-0102		<b>RH CSL CONTROL-FIRE PROTECTION SYS, CONSOLE, COCKPIT MODULE</b>								Component	ATA:26
PN:902081	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 26-11-03											
261103-0103		<b>LH CSL CONTROL-FIRE PROTECTION SYS, CONSOLE, COCKPIT MODULE</b>								Component	ATA:26
PN:902081	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 26-11-03											
261201-0101		<b>APU APU FIRE DETECTOR</b>								Component	ATA:26
PN:3601-135-470/200C-3.5M	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:235600	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 26-12-01											
261500-0101		<b>BAGGAGE COMPARTMENT CEILING SMOKE DETECTOR</b>								Component	ATA:26
PN:473597-13	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 26-15-01											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 26 - FIRE PROTECTION</b>											
261500-0102		<b>BAGGAGE BULKHEAD SMOKE DETECTOR</b>								Component	ATA:26
PN:473597-13	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 26-15-01											
262101-0101		<b>PILOT FIRE EXTINGUISHING,ENGINE OVERHEAD PANEL,PAX CABIN HANDLE</b>								Component	ATA:26
PN:1-7054-3	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:1656	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 26-21-01											
262101-0102		<b>COPILOT FIRE EXTINGUISHING,ENGINE 2-OVERHEAD PANEL HANDLE</b>								Component	ATA:26
PN:2-7054-3	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:1674	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 26-21-01											
262102-0101		<b>LH ENGINE FIRE EXTINGUISHER BOTTLE (A)</b>								Component	ATA:26
PN:33600057-5	MOS/MSC	14-Jul-22	O/C	TSO 0							
SN:57143D1	HRS	9915.8	TSO 0								
	AFL	5271	TSO 0								
PROC. REF: AMM 26-21-02											
262102-0102		<b>RH ENGINE FIRE EXTINGUISHER BOTTLE (B)</b>								Component	ATA:26
PN:33600057-5	MOS/MSC	20-Jul-21	O/C	TSN 122, TSO 1							
SN:74313D1	HRS	9631.4	TSO 0								
	AFL	5130	TSO 0								
PROC. REF: AMM 26-21-02											
262104-0101		<b>NO. 1 LH ENGINE FIRE EXTINGUISHER BOTTLE (A) CARTRIDGE</b>								Component	ATA:26
PN:M30903920	MOS/MSC	14-Jul-22	H/T	TSN 0							
SN:08165	HRS	9915.8	TSN 0								
	AFL	5271	TSN 0								
Manufacture Date:: 01-Feb-22				PROC. REF: AMM 26-21-04							
262104-0102		<b>NO. 2 LH ENGINE FIRE EXTINGUISHER BOTTLE (A) CARTRIDGE</b>								Component	ATA:26
PN:M30903920	MOS/MSC	14-Jul-22	H/T	TSN 0							
SN:08093	HRS	9915.8	TSN 0								
	AFL	5271	TSN 0								
Manufacture Date:: 01-Feb-22				PROC. REF: AMM 26-21-04							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 26 - FIRE PROTECTION</b>											
262104-0201		<b>NO. 1 RH ENGINE FIRE EXTINGUISHER BOTTLE (B) CARTRIDGE</b>							Component	ATA:26	
PN:30903920	MOS/MSC	18-Jul-21	H/T	TSN 1							
SN:ESD20H218-001	HRS	9631.4		TSN 0							
	AFL	5130		TSN 0							
			Manufacture Date:: 01-Jun-21		PROC. REF: AMM 26-21-04						
262104-0202		<b>NO. 2 RH ENGINE FIRE EXTINGUISHER BOTTLE (B) CARTRIDGE</b>							Component	ATA:26	
PN:30903920	MOS/MSC	18-Jul-21	H/T	TSN 1							
SN:ESD20H218-001	HRS	9631.4		TSN 0							
	AFL	5130		TSN 0							
			Manufacture Date:: 01-Jun-21		PROC. REF: AMM 26-21-04						
262201-0101		<b>APU FIRE EXTINGUISHER,REAR APU BOTTLE</b>							Component	ATA:26	
PN:30100050-5	MOS/MSC	23-Jul-21	O/C	TSN 1							
SN:95144A1	HRS	9631.4		TSN 0							
	AFL	5130		TSN 0							
					PROC. REF: AMM 26-22-01						
262202-0201		<b>APU FIRE EXTINGUISHER BOTTLE CARTRIDGE</b>							Component	ATA:26	
PN:30903920	MOS/MSC	23-Jul-21	H/T	TSN 12							
SN:ESD19D208-001	HRS	9631.4		TSN 0							
	AFL	5130		TSN 0							
			Manufacture Date:: 01-Jul-20		PROC. REF: AMM 26-22-03						
262301-0101		<b>NO.1 BAGGAGE COMPARTMENT HIGH RATE FIRE EXTINGUISHER BOTTLE</b>							Component	ATA:26	
PN:33700027-1	MOS/MSC	13-Feb-20	O/C	TSN 136, TSO 1							
SN:64533D1	HRS	9310.8		TSO 0							
	AFL	4969		TSO 0							
					PROC. REF: AMM 26-23-01						
262301-0102		<b>NO.2 BAGGAGE COMPARTMENT METERING FIRE EXTINGUISHER BOTTLE</b>							Component	ATA:26	
PN:34600073-3	MOS/MSC	10-Jan-23	O/C	TSN 203, TSO 72							
SN:27095F1	HRS	10066.9		TSO 2027.3							
	AFL	5346		TSO 1032							
					PROC. REF: AMM 26-23-01						

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 26 - FIRE PROTECTION</b>											
262302-0201		BAGGAGE COMPARTMENT HIGH RATE FIRE EXTINGUISHER BOTTLE CARTRIDGE							Component	ATA:26	
PN:M30903870	MOS/MSC	13-Feb-20	H/T	TSN 0							
SN:11860	HRS	9310.8									
	AFL	4969									
PROC. REF: AMM 26-23-02											
262302-0202		BAGGAGE COMPARTMENT METERING FIRE EXTINGUISHER BOTTLE CARTRIDGE							Component	ATA:26	
PN:30903870	MOS/MSC	26-Jul-21	H/T	TSN 10							
SN:1342AJ	HRS	9631.4		TSN 0							
	AFL	5130		TSN 0							
PROC. REF: AMM 26-23-02											
262400-0101		COCKPIT PORTABLE FIRE EXTINGUISHER BOTTLE							Component	ATA:26	
PN:RT-A1200	MOS/MSC	06-Jul-19	H/T	TSN 1							
SN:Y-502093	HRS	9057.4		TSN 0							
	AFL	4853		TSN 0							
PROC. REF: AMM 26-24-01											
262400-0102		FORWARD PORTABLE FIRE EXTINGUISHER (PAX CABIN) BOTTLE							Component	ATA:26	
PN:BA21741SR-5	MOS/MSC	01-Sep-17	H/T	TSN 2							
SN:104464	HRS	8284.1		TSN 0							
	AFL	4446		TSN 0							
PROC. REF: AMM 26-24-01											
262500-0101		LAVATORY FIRE EXTINGUISHER WASTE DISPOSAL ASSEMBLY							Component	ATA:26	
PN:BA22557-1	MOS/MSC	22-Jul-15	O/C	TSN 1							
SN:69193	HRS	7460.3		TSN 0							
	AFL	3992		TSN 0							
PROC. REF: AMM 26-25-01											
262500-0102		GALLEY FIRE EXTINGUISHER WASTE DISPOSAL ASSEMBLY							Component	ATA:26	
PN:BA24320F-1	MOS/MSC	01-Jul-14	O/C								
SN:58391	HRS	7031.5									
	AFL	3775									
PROC. REF: AMM 26-25-01											
264100-0101		LH WING FUEL QUANTITY TRANSMITTER							Component	ATA:26	
PN:028-936-003	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:2348B	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: GENERIC NO REF											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 27 - FLIGHT CONTROLS										
27-11-00-220-001-A00 <sup>S</sup>	INSPECT (DETAILED INSPECTION) AILERON PRIMARY MECHANICAL CONTROL FROM CONTROL WHEEL TO AILERON PCAS, CHECKING CABLES, PULLEYS, NRUS, QUADRANTS, DISCONNECT SYSTEM, AND MECHANICAL LINKS								Service	ATA:27
MOS	29-Jun-23		48 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		2000 (+20/-20)							
AFL	5401		1000 (+20/-20)							
PROC. REF: AMM 27-11-00										PKG:5008,6016
27-11-00-640-001-A00 <sup>S</sup>	LUBRICATE CONTROL WHEEL CHAIN								Service	ATA:27
MOS	29-Jun-23		48 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		2000 (+20/-20)							
AFL	5401		1000 (+20/-20)							
PROC. REF: AMM 27-11-00										PKG:5008,6016
27-11-00-720-001-A00 <sup>S</sup>	FUNCTIONALLY CHECK AILERON PRIMARY MECHANICAL CONTROL BACKLASH								Service	ATA:27
MOS	29-Jun-23		48 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		2000 (+20/-20)							
AFL	5401		1000 (+20/-20)							
PROC. REF: AMM 27-11-00										PKG:5009
27-11-01-720-001-A00	FUNCTIONALLY CHECK TENSION OF AILERON CONTROL CABLES								Service	ATA:27
MOS	26-Jan-24		48 (+30d/-30d)	Adj 18d	13-Feb-28	14-Mar-28	1462 d (+30)	LOW UTILIZATION		
HRS	10402.1		2000		12402.1		2000			
AFL	5534		1000		6534		1000			
PROC. REF: AMM 27-11-01										
27-12-00-720-001-A00 <sup>S</sup>	FUNCTIONALLY CHECK AILERON HYDRAULIC ACTUATION								Service	ATA:27
MOS	29-Jun-23		96 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		4000 (+20/-20)							
AFL	5401		2000 (+20/-20)							
PROC. REF: AMM 27-12-00										PKG:5016,6032
27-12-00-720-003-A01 <sup>S</sup>	FUNCTIONALLY CHECK EXTERNAL LEAKAGE OF AILERON HYDRAULIC ACTUATOR (CMR)								Service	ATA:27
MOS	29-Jun-23		24 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		1000 (+20/-20)							
AFL	5401									
PROC. REF: AMM 27-12-00										PKG:5004

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 27 - FLIGHT CONTROLS										
27-12-00-720-003-A02	FUNCTIONALLY CHECK EXTERNAL LEAKAGE OF AILERON HYDRAULIC ACTUATOR (CMR)								Service	ATA:27
	MOS/MSC	27-Aug-07	N/A							
	HRS	0								
	AFL	0								
PROC. REF: AMM 27-12-00										
27-12-01-212-001-A00 <sup>S</sup>	INSPECT (GENERAL VISUAL) AILERON PCA HOSES								Service	ATA:27
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: AMM 27-12-01										
27-12-01-212-002-A01 <sup>S</sup>	INSPECT (GENERAL VISUAL) AILERON PCA ROD ENDS/FITTING LUGS FOR INTEGRITY AND GENERAL CONDITION (CMR)								Service	ATA:27
	MOS	29-Jun-23	24 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	1000 (+20/-20)							
	AFL	5401								
PROC. REF: AMM 27-12-01										
27-12-01-212-002-A02	INSPECT (GENERAL VISUAL) AILERON PCA ROD ENDS/FITTING LUGS FOR INTEGRITY AND GENERAL CONDITION (CMR)								Service	ATA:27
	MOS/MSC	27-Aug-07	N/A							
	HRS	0								
	AFL	0								
PROC. REF: AMM 27-12-01										
27-12-01-720-001-A01 <sup>S</sup>	FUNCTIONALLY CHECK AILERON-ACTUATOR DAMPING COMPONENTS AND MONITORING DEVICES (CMR)								Service	ATA:27
	MOS	29-Jun-23	12 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	500 (+20/-20)							
	AFL	5401								
PROC. REF: AMM 27-12-01										
27-12-01-720-001-A02	FUNCTIONALLY CHECK AILERON-ACTUATOR DAMPING COMPONENTS AND MONITORING DEVICES (CMR)								Service	ATA:27
	MOS/MSC	27-Aug-07	N/A							
	HRS	0								
	AFL	0								
PROC. REF: AMM 27-12-01										
27-12-01-720-002-A00	FUNCTIONALLY CHECK AILERON ACTUATOR FORCE FIGHT (CMR)								Service	ATA:27
	MOS/MSC	27-Aug-07	N/A							
	HRS	0								
	AFL	0								
PROC. REF: AMM 27-12-01										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 27 - FLIGHT CONTROLS										
27-12-01-720-002-A01 <sup>S</sup>	FUNCTIONALLY CHECK AILERON ACTUATOR FORCE FIGHT (FOR AIRCRAFT UNDER ANAC/FAA CERTIFICATIONS)									Service ATA:27
	MOS	29-Jun-23	24 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	1000 (+20/-20)							
	AFL	5401								
					PROC. REF: AMM 27-12-01					PKG:5004
27-12-03-212-001-A00 <sup>S</sup>	VISUALLY CHECK AILERON DAMPER ROD ENDS/FITTING LUGS FOR INTEGRITY AND GENERAL CONDITION (CMR)									Service ATA:27
	MOS	29-Jun-23	12 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	500 (+20/-20)							
	AFL	5401								
					PROC. REF: AMM 27-12-03					PKG:5002
27-12-03-720-001-A00 <sup>S</sup>	FUNCTIONALLY CHECK AILERON DAMPER DAMPING FORCE (CMR)									Service ATA:27
	MOS	29-Jun-23	24 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	1000 (+20/-20)							
	AFL	5401								
					PROC. REF: AMM 27-12-03					PKG:5004
27-12-03-720-002-A00 <sup>S</sup>	FUNCTIONALLY CHECK EXTERNAL LEAKAGE OF AILERON DAMPER (CMR)									Service ATA:27
	MOS	29-Jun-23	24 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	1000 (+20/-20)							
	AFL	5401								
					PROC. REF: AMM 27-12-03					PKG:5004
27-13-00-710-001-A00 <sup>S</sup>	OPERATIONALLY CHECK AILERON SOLENOID-MANIFOLD-SHUTOFF FUNCTION									Service ATA:27
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: AMM 27-13-00					PKG:5008,6016
27-14-00-720-001-A00 <sup>S</sup>	FUNCTIONALLY CHECK ROLL TRIM									Service ATA:27
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: AMM 27-14-00					PKG:5008,6016
27-15-00-710-001-A00 <sup>S</sup>	OPERATIONALLY CHECK AILERON DISCONNECT SYSTEM									Service ATA:27
	MOS	29-Jun-23	24 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	1000 (+20/-20)							
	AFL	5401								
					PROC. REF: AMM 27-15-00					PKG:5004

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 27 - FLIGHT CONTROLS</b>										
27-15-02-640-001-A00 <sup>S</sup>	LUBRICATE AILERON DISCONNECT SYSTEM (NOTE: THE PLATE MECHANISM IS BENCH LUBRICATED)									Service ATA:27
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
	PROC. REF: AMM 27-15-02									PKG:5016,6032
27-21-00-710-001-A00	OPERATIONALLY CHECK RUDDER MOVABLE PRIMARY STOP MECHANISM									Service ATA:27
	MOS/MSC	27-Aug-07	N/A							
	HRS	0								
	AFL	0								
	PROC. REF: AMM 27-21-00									PKG:6016
27-21-01-220-001-A00 <sup>S</sup>	INSPECT (DETAILED INSPECTION) RUDDER PRIMARY MECHANICAL CONTROL CHECKING CABLES, PULLEYS AND QUADRANTS									Service ATA:27
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
	PROC. REF: AMM 27-21-01									PKG:5008,6016
27-21-01-720-001-A00	FUNCTIONALLY CHECK TENSION OF RUDDER CONTROL CABLES									Service ATA:27
	MOS	26-Jan-24	48 (+30d/-30d)	Adj 18d	13-Feb-28	14-Mar-28	1462 d (+30)	LOW UTILIZATION		
	HRS	10402.1	2000		12402.1		2000			
	AFL	5534	1000		6534		1000			
	PROC. REF: AMM 27-21-01									
27-21-02-220-001-A00 <sup>S</sup>	INSPECT (DETAILED INSPECTION) RUDDER MAIN CONTROL FEEDBACK PATH, PCU LINKAGE AND MOUNTING POINTS, RUDDER ACTUATOR ATTACHMENTS, HINGES AND CONNECTING RODS									Service ATA:27
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
	PROC. REF: AMM 27-21-02									PKG:5008,6016
27-22-00-720-001-A00 <sup>S</sup>	FUNCTIONALLY CHECK RUDDER BACKLASH									Service ATA:27
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
	PROC. REF: AMM 27-22-00									PKG:5008,6016

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 27 - FLIGHT CONTROLS										
27-22-00-720-002-A00 FUNCTIONALLY CHECK RUDDER HYDRAULIC DAMPING Service ATA:27										
	MOS/MSC	19-Aug-15	N/A							
	HRS	7460.3								
	AFL	3992								
PROC. REF: AMM 27-22-00										
27-22-01-720-001-A00 <sup>S</sup> FUNCTIONALLY CHECK RUDDER POWER CONTROL UNIT/ACTUATORS DIFFERENTIAL PRESSURE Service ATA:27										
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: AMM 27-22-01										
PKG:5008,6016										
27-22-02-212-001-A00 <sup>S</sup> INSPECT (GENERAL VISUAL) RUDDER ACTUATORS Service ATA:27										
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: AMM 27-22-02										
PKG:5008,6016										
27-23-00-710-002-A00 OPERATIONALLY CHECK ALERTING LIGHT OF THE RUDDER MOVABLE PRIMARY STOP Service ATA:27										
	MOS/MSC	23-Jul-15	N/A							
	HRS	7460.3								
	AFL	3992								
PROC. REF: AMM 27-23-00										
27-25-00-710-001-A00 <sup>S</sup> OPERATIONALLY CHECK RUDDER PEDALS AUTO SHUTOFF AND RUDDER MANUAL SHUTOFF FUNCTIONS (CMR) Service ATA:27										
	MOS	29-Jun-23	24 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	1000 (+20/-20)							
	AFL	5401								
PROC. REF: AMM 27-25-00										
PKG:5004										
27-31-00-720-001-A00 <sup>S</sup> FUNCTIONALLY CHECK ELEVATOR PRIMARY MECHANICAL CONTROL BACKLASH Service ATA:27										
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: AMM 27-31-00										
PKG:5008,6016										
27-31-01-220-001-A00 <sup>S</sup> INSPECT (DETAILED INSPECTION) ELEVATOR CONTROL CABLES Service ATA:27										
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: AMM 27-31-01										
PKG:5008,6016										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 27 - FLIGHT CONTROLS										
27-31-01-720-001-A00	FUNCTIONALLY CHECK TENSION OF THE ELEVATOR CONTROL CABLES									Service ATA:27
MOS	26-Jan-24		48 (+30d/-30d)	Adj 18d	13-Feb-28	14-Mar-28	1462 d (+30)	LOW UTILIZATION		
HRS	10402.1		2000		12402.1		2000			
AFL	5534		1000		6534		1000			
PROC. REF: AMM 27-31-01										
27-31-04-710-001-A00 <sup>S</sup>	OPERATIONALLY CHECK SPRING AND SERVO TABS									Service ATA:27
MOS	29-Jun-23		12 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		500 (+20/-20)							
AFL	5401									
PROC. REF: AMM 27-31-04										
27-31-05-220-001-A00 <sup>S</sup>	INSPECT (DETAILED INSPECTION) SERVO TAB FAIL-SAFE ACTUATION LINK (CMR)									Service ATA:27
MOS	29-Jun-23		48 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		2000 (+20/-20)							
AFL	5401		1000 (+20/-20)							
PROC. REF: AMM 27-31-05										
27-31-05-220-002-A00 <sup>S</sup>	INSPECT (DETAILED INSPECTION) SPRING TAB ATTACHMENT LINK									Service ATA:27
MOS	29-Jun-23		48 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		2000 (+20/-20)							
AFL	5401		1000 (+20/-20)							
PROC. REF: AMM 27-31-05										
27-35-00-640-001-A00 <sup>S</sup>	LUBRICATE ELEVATOR DISCONNECT SYSTEM (NOTE: THE PLATE MECHANISM IS BENCH LUBRICATED).									Service ATA:27
MOS	29-Jun-23		96 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		4000 (+20/-20)							
AFL	5401		2000 (+20/-20)							
PROC. REF: AMM 27-35-00										
27-35-00-710-001-A00 <sup>S</sup>	OPERATIONALLY CHECK ELEVATOR DISCONNECT SYSTEM									Service ATA:27
MOS	29-Jun-23		24 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		1000 (+20/-20)							
AFL	5401									
PROC. REF: AMM 27-35-00										
27-36-00-710-001-A00 <sup>S</sup>	OPERATIONALLY CHECK STALL PROTECTION SYSTEM									Service ATA:27
MOS	29-Jun-23		12 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		500 (+20/-20)							
AFL	5401									
PROC. REF: AMM 27-36-00										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 27 - FLIGHT CONTROLS</b>											
27-36-00-720-001-A00 <sup>S</sup>	FUNCTIONALLY CHECK ICE/SPS SPEEDS INTERFACE CIRCUIT								Service	ATA:27	
	MOS	29-Jun-23	12 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	500 (+20/-20)								
	AFL	5401									
					PROC. REF: AMM 27-36-00					PKG:5002	
27-40-00-710-002-A00 <sup>S</sup>	OPERATIONALLY CHECK BACKUP SYS CUTOUT PUSHBUTTON, MAIN SYS CUTOUT SWITCH, AND QUICK DISCONNECT SWITCH								Service	ATA:27	
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
					PROC. REF: AMM 27-40-00					PKG:5008,6016	
27-40-00-710-003-A00 <sup>S</sup>	OPERATIONALLY CHECK LOCKOUT LOGIC OF HORIZONTAL STABILIZER CONTROL UNIT POST-MOD SB 145LEG-27-0016 OR WITH AN EQUIVALENT MODIFICATION FACTORY-INCORPORATED.								Service	ATA:27	
	MOS	29-Jun-23	12 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	500 (+20/-20)								
	AFL	5401									
					PROC. REF: AMM 27-40-00					PKG:5002	
27-40-00-720-001-A00 <sup>S</sup>	FUNCTIONALLY CHECK HORIZONTAL STABILIZER BACKLASH								Service	ATA:27	
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
					PROC. REF: AMM 27-40-00					PKG:5008,6016	
27-40-02-220-001-A00 <sup>S</sup>	INSPECT (DETAILED INSPECTION) HORIZONTAL STABILIZER ACTUATOR INTEGRITY AND ATTACHMENTS								Service	ATA:27	
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
					PROC. REF: AMM 27-40-02					PKG:5008,6016	
27-40-02-610-001-A00 <sup>S</sup>	SERVICE (REPLENISH) HORIZONTAL STABILIZER ACTUATOR AND CHECK FOR LEAKAGE.								Service	ATA:27	
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
					PROC. REF: AMM 27-40-02					PKG:5008	
27-51-00-212-001-A00 <sup>S</sup>	INSPECT (GENERAL VISUAL) FLAP MECHANICAL LINE								Service	ATA:27	
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
					PROC. REF: AMM 27-51-00					PKG:5008,6016	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 27 - FLIGHT CONTROLS</b>										
27-51-00-220-001-A00 <sup>S</sup>	INSPECT (DETAILED INSPECTION) FLAP FLEXIBLE SHAFT									Service ATA:27
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
	PROC. REF: AMM 27-51-00									PKG:5008,6016
27-51-00-610-001-A00	SERVICE (LUBRICATE) FLAP SCREWJACK ACTUATORS GEARBOX (PRE-MOD SB 145LEG-27-0026) (L600 ONLY)									Service ATA:27
	MOS/MSC	15-Aug-13	N/A	Adj 12d						
	HRS	6643.4								
	AFL	3572								
	PROC. REF: AMM 27-51-00									PKG:6016
27-51-00-610-001-A01 <sup>S</sup>	SERVICE (LUBRICATE) FLAP SCREWJACK ACTUATORS GEARBOX (POST-MOD SB 145LEG-27-0026 OR WITH AN EQUIVALENT MODIFICATION FACTORY INCORPORATED)									Service ATA:27
	MOS	06-Jul-19	72 (+15d/-15d)					LOW UTILIZATION		
	HRS	9057.4	3000 (+20/-20)							
	AFL	4853	1500 (+20/-20)							
	PROC. REF: AMM 27-51-00									PKG:5012,6020
27-51-00-640-001-A00 <sup>S</sup>	SERVICE (LUBRICATE) FLAP SCREWJACK ACTUATOR (FSAS)									Service ATA:27
	MOS	29-Jun-23	12 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	500 (+20/-20)							
	AFL	5401								
	PROC. REF: AMM 27-51-00									PKG:5002
27-51-01-720-001-A00 <sup>S</sup>	FUNCTIONALLY CHECK FLAP TRANSMISSION BRAKE HOLDING CAPABILITY									Service ATA:27
	MOS	29-Jun-23	24 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	1000 (+20/-20)							
	AFL	5401								
	PROC. REF: AMM 27-51-01									PKG:5004
27-51-15-220-001-A00 <sup>S</sup>	INSPECT (DETAILED INSPECTION) FLAP ROLLERS FOR STRUCTURAL INTEGRITY									Service ATA:27
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
	PROC. REF: AMM 27-51-15									PKG:5016,6032
27-51-17-720-001-A00 <sup>S</sup>	FUNCTIONAL CHECK MTB FLAP DRIVE MOTOR UNIT(FDMU) HOLDING CAPABILITY									Service ATA:27
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
	PROC. REF: AMM 27-51-17									PKG:5008,6016

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 27 - FLIGHT CONTROLS</b>										
<b>27-53-00-710-001-A00<sup>S</sup> OPERATIONALLY CHECK FLAP FAIL MESSAGE</b>										
	MOS	29-Jun-23	12 (+15d/-15d)					LOW UTILIZATION		Service ATA:27
	HRS	10161.5	500 (+20/-20)							
	AFL	5401								
PROC. REF: AMM 27-53-00										PKG:5002
<b>27-53-00-710-002-A00<sup>S</sup> OPERATIONALLY CHECK "TAKEOFF FLAPS" AURAL WARNING AND NO TAKEOFF CONFIGURATION VISUAL WARNING</b>										
	MOS	29-Jun-23	12 (+15d/-15d)					LOW UTILIZATION		Service ATA:27
	HRS	10161.5	500 (+20/-20)							
	AFL	5401								
PROC. REF: AMM 27-53-00										PKG:5002
<b>27-62-00-720-001-A00<sup>S</sup> FUNCTIONALLY CHECK GROUND SPOILER/SPEED BRAKE VALVES, CONTROL CIRCUIT, AND RELATED MESSAGES (CMR)</b>										
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		Service ATA:27
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
PROC. REF: AMM 27-62-00										PKG:5016,6032
<b>27-63-01-710-001-A00<sup>S</sup> OPERATIONALLY CHECK SPOILER SYSTEM</b>										
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		Service ATA:27
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: AMM 27-63-01										PKG:5008,6016
<b>27-71-00-220-001-A00<sup>S</sup> INSPECT (DETAILED INSPECTION) ELECTROMECHANICAL GUST LOCK MECHANISM</b>										
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		Service ATA:27
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: AMM 27-71-00										PKG:5008,6016
<b>27-71-00-710-004-A00<sup>S</sup> OPERATIONALLY CHECK ELECTROMECHANICAL GUST LOCK SOLENOID FUNCTION</b>										
	MOS	29-Jun-23	12 (+15d/-15d)					LOW UTILIZATION		Service ATA:27
	HRS	10161.5	500 (+20/-20)							
	AFL	5401								
PROC. REF: AMM 27-71-00										PKG:5002
<b>270000-0101 CENTRAL CONSOLE, TRIM CONTROL MODULE</b>										
PN:145-34177-407	MOS/MSC	27-Aug-07	O/C		TSN 0					Component ATA:27
SN:0000143331	HRS	0			TSN 0					
	AFL	0			TSN 0					
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 27 - FLIGHT CONTROLS</b>										
<b>270000-0201 OVERHEAD PANEL, FLIGHT CONTROL MODULE</b> Component ATA:27										
PN:145-21333-403	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:0000140025	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>270101-0101 RUDDER VII BALANCING ASSEMBLY</b> Component ATA:27										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>271100-0101 DISCONNECTION ASSY - AILERON, FUSELAGE FORWARD DEVICE</b> Component ATA:27										
PN:145-37755-409	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:0000133996	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-15-00										
<b>271100-0201 FWD FUS TUBE,TORQUE ASSY ASSEMBLY</b> Component ATA:27										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>271100-0202 FWD FUS TORQUE TUBE ASSY ASSEMBLY</b> Component ATA:27										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>271102-0301 LH WING AILERON ASSEMBLY</b> Component ATA:27										
PN:135-03290-407	MOS/MSC	06-Jul-19	O/C	TSR 0						
SN:0000127949	HRS	9057.4		TSR 0						
	AFL	4853		TSR 0						
PROC. REF: AMM 27-10-00										
<b>271102-0302 RH WING AILERON ASSEMBLY</b> Component ATA:27										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-10-00										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 27 - FLIGHT CONTROLS</b>											
271103-0201		LEFT AILERON CONTROL CABLE ASSY								Component	ATA:27
PN:PN	MOS/MSC	06-Jul-19	O/C	TSN 0							
SN:UNKNOWN	HRS	9057.4	TSN 0								
	AFL	4853	TSN 0								
PROC. REF: AMM 27-11-01											
271103-0202		RIGHT AILERON CONTROL CABLE ASSY								Component	ATA:27
PN:PN	MOS/MSC	06-Jul-19	O/C	TSN 0							
SN:UNKNOWN	HRS	9057.4	TSN 0								
	AFL	4853	TSN 0								
PROC. REF: AMM 27-11-01											
271103-0301		LH PIL AILERON FORCE,COCKPIT SENSOR								Component	ATA:27
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: GENERIC NO REF											
271103-0302		LH COPIL AILERON FORCE,COCKPIT SENSOR								Component	ATA:27
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: GENERIC NO REF											
271103-0303		RH PIL AILERON FORCE,COCKPIT SENSOR								Component	ATA:27
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: GENERIC NO REF											
271103-0304		RH COPIL AILERON FORCE,COCKPIT SENSOR								Component	ATA:27
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: GENERIC NO REF											
271200-0101		LH WING NEUTRAL RECOVERY-AILERON CONTROL UNIT								Component	ATA:27
PN:373600-1001	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:2052	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 27-11-07											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 27 - FLIGHT CONTROLS</b>										
<b>271200-0102 RH WING NEUTRAL RECOVERY-AILERON CONTROL UNIT Component ATA:27</b>										
PN:373600-1001	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:1993	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-11-07										
<b>271200-0301 LH REAR MANIFOLD -HYDRAULIC, AILERON SOLENOID ASSEMBLY Component ATA:27</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-12-02										
<b>271200-0302 RH REAR MANIFOLD -HYDRAULIC, AILERON SOLENOID ASSEMBLY Component ATA:27</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-12-02										
<b>271200-0401 LH WING DAMPER ASSEMBLY Component ATA:27</b>										
PN:41012130-104	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:1299	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>271200-0402 RH WING DAMPER ASSEMBLY Component ATA:27</b>										
PN:41012130-104	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:1298	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>271200-0501 LH WING HYDRAULIC-AILERON ACTUATOR Component ATA:27</b>										
PN:418800-1007	MOS/MSC	27-Aug-14	O/C	TSR 0						
SN:2483AB	HRS	7112.9		TSR 0						
	AFL	3811		TSR 0						
PROC. REF: AMM 27-12-01, AMM 27-12-04										
<b>271200-0502 RH WING HYDRAULIC-AILERON ACTUATOR Component ATA:27</b>										
PN:418800-1007	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:2488A	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-12-01, AMM 27-12-04										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 27 - FLIGHT CONTROLS</b>											
271400-0101		<b>FORWARD ELECTROMECHANICAL ACTUATOR</b>								Component	ATA:27
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 27-71-01											
271400-0102		<b>RUDDER ELECTROMECHANICAL ACTUATOR</b>								Component	ATA:27
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 27-71-01											
271400-0201		<b>FORWARD FEEL-POSITION, AILERON TRIM TAB UNIT</b>								Component	ATA:27
PN:367000-1005	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:1045	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 27-14-00											
271500-0101		<b>CREW CAB MODULE -AILERON DISCONNECTION,CENTRAL CONSOLE ASSEMBLY</b>								Component	ATA:27
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 27-15-00											
272100-0201		<b>ASSY ACTUATOR</b>								Component	ATA:27
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: GENERIC NO REF											
272100-0202		<b>ASSY ACTUATOR</b>								Component	ATA:27
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: GENERIC NO REF											
272100-0301		<b>PROF COP ELEVATOR/RUDDER FORCE,COCKPIT SENSOR</b>								Component	ATA:27
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: GENERIC NO REF											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 27 - FLIGHT CONTROLS</b>										
<b>272100-0302 PROF PIL ELEVATOR/RUDDER FORCE,COCKPIT SENSOR Component ATA:27</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>272100-0303 RUD COP ELEVATOR/RUDDER FORCE,COCKPIT SENSOR Component ATA:27</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>272100-0304 RUD PIL ELEVATOR/RUDDER FORCE,COCKPIT SENSOR Component ATA:27</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>272100-0401 ROD ASSEMBLY Component ATA:27</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-21-08										
<b>272100-0402 ROD ASSEMBLY Component ATA:27</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-21-08										
<b>272100-0501 PILOT PEDAL ASSEMBLY Component ATA:27</b>										
PN:145-27402-405	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:0000131839	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-21-07										
<b>272100-0502 COPILOT PEDAL ASSEMBLY Component ATA:27</b>										
PN:145-27402-407	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:0000131840	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-21-07										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 27 - FLIGHT CONTROLS</b>										
<b>272101-0101 LH PIL ACTUATOR LINEAR -ROTARY ELECTROMECHANICAL, CONTROL RUDDER ASSEMBLY Component ATA:27</b>										
PN:6203	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:2936	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-21-01										
<b>272101-0102 RH COPIL ACTUATOR LINEAR -ROTARY ELECTROMECHANICAL, CONTROL RUDDER ASSEMBLY Component ATA:27</b>										
PN:6203	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:2935	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-21-01										
<b>272101-0201 RUDDER CONTROL CABLE ASSEMBLY Component ATA:27</b>										
PN:PN	MOS/MSC	06-Jul-19	O/C	TSN 0						
SN:UNKNOWN	HRS	9057.4		TSN 0						
	AFL	4853		TSN 0						
PROC. REF: AMM 27-21-01										
<b>272102-0101 RUDDER II -PIN ASSEMBLY Component ATA:27</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-20-02										
<b>272103-0101 STRUCTURE ASSY ASSEMBLY Component ATA:27</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>272200-0101 RUDDER SYS - POWER CONTROL UNIT ASSEMBLY Component ATA:27</b>										
PN:360300-1001	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:1047	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-22-03										
<b>272200-0201 HYDRAULIC SYS, FIN RUDDER HYDROMECHANIC ACTUATOR ASSEMBLY Component ATA:27</b>										
PN:360340-1005	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-22-02										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 27 - FLIGHT CONTROLS</b>										
<b>272200-0202 HYDRAULIC SYS, FIN RUDDER HYDROMECHANIC ACTUATOR ASSEMBLY Component ATA:27</b>										
PN:360340-1005	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-22-02										
<b>272200-0301 UPPER FORWARD TAIL HYDRAULIC SYS BLEED VALVE Component ATA:27</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-22-07										
<b>272200-0302 UPPER AFT TAIL HYDRAULIC SYS BLEED VALVE Component ATA:27</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-22-07										
<b>272200-0303 LOWER FORWARD TAIL HYDRAULIC SYS BLEED VALVE Component ATA:27</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-22-07										
<b>272200-0304 LOWER AFT TAIL HYDRAULIC SYS BLEED VALVE Component ATA:27</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-22-07										
<b>272200-0401 MID PAX DOOR SYS, THREE WAY/TWO POSITIONS, SOLENOID VALVE Component ATA:27</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-22-05										
<b>272200-0402 PAX DOOR SYS, THREE WAY/TWO POSITIONS, SOLENOID VALVE Component ATA:27</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-22-05										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 27 - FLIGHT CONTROLS</b>										
<b>272200-0403 PAX DOOR SYS, THREE WAY/TWO POSITIONS, SOLENOID VALVE</b> <span style="float:right">Component ATA:27</span>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-22-05										
<b>272300-0101 SERVO CONTROL, RUDDER PRESSURE SENSOR UNIT</b> <span style="float:right">Component ATA:27</span>										
PN:15H0048PH	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:0827	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-23-04										
<b>272300-0102 SERVO CONTROL, RUDDER PRESSURE SENSOR UNIT</b> <span style="float:right">Component ATA:27</span>										
PN:15H0048PH	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:0825	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-23-04										
<b>273100-0101 ELEVATOR CONTROL, FUSELAGE FWD, DISCONNECTION ASSY DEVICE</b> <span style="float:right">Component ATA:27</span>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-35-00										
<b>273100-0201 PILOT YOKE EQUIPPED CONTROLLER</b> <span style="float:right">Component ATA:27</span>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-11-08										
<b>273100-0202 COPILOT YOKE EQUIPPED CONTROLLER</b> <span style="float:right">Component ATA:27</span>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-11-08										
<b>273100-0301 ROD ASSEMBLY</b> <span style="float:right">Component ATA:27</span>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 27 - FLIGHT CONTROLS</b>											
273100-0302		ROD ASSEMBLY								Component	ATA:27
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: GENERIC NO REF											
273100-0401		C FLOOR TUBE ASSY								Component	ATA:27
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: GENERIC NO REF											
273100-0402		C FLOOR TUBE ASSY								Component	ATA:27
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: GENERIC NO REF											
273101-0101		ELEVATOR CONTROL CABLE ASSEMBLY								Component	ATA:27
PN:PN	MOS/MSC	06-Jul-19	O/C	TSN 0							
SN:UNKNOWN	HRS	9057.4	TSN 0								
	AFL	4853	TSN 0								
PROC. REF: AMM 27-31-01											
273102-0101		LEFT ELEVATOR -HORIZONTAL TAIL ASSEMBLY								Component	ATA:27
PN:145-50845-423	MOS/MSC	13-May-14	O/C	TSN 0							
SN:0000809800	HRS	6988.9	TSN 0								
	AFL	3750	TSN 0								
PROC. REF: GENERIC NO REF											
273102-0102		RIGHT ELEVATOR -HORIZONTAL TAIL ASSEMBLY								Component	ATA:27
PN:145-50845-416	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:0000133435	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: GENERIC NO REF											
273103-0101		LEFT ELEVATOR CABLE TENSION REGULATOR								Component	ATA:27
PN:0501020-03	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:1175	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 27-31-01											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 27 - FLIGHT CONTROLS</b>										
<b>273103-0102 RIGHT ELEVATOR CABLE TENSION REGULATOR Component ATA:27</b>										
PN:0501020-01	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:1174	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: AMM 27-31-01										
<b>273500-0101 CREW CAB MODULE -ELEVATOR DISCONNECTION,CENTRAL CONSOLE ASSEMBLY Component ATA:27</b>										
PN:145-22175-401	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:0000137134	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: AMM 27-35-00										
<b>273601-0101 LEFT ANGLE OF ATTACK SENSOR Component ATA:27</b>										
PN:PN	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:UNKNOWN	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: AMM 27-36-01										
<b>273601-0102 RIGHT ANGLE OF ATTACK SENSOR Component ATA:27</b>										
PN:PN	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:UNKNOWN	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: AMM 27-36-01										
<b>273602-0201 PILOT STICK SHAKER ACTUATOR Component ATA:27</b>										
PN:0050N1	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:2901	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: AMM 27-36-03										
<b>273602-0202 COPILOT STICK SHAKER ACTUATOR Component ATA:27</b>										
PN:0050N1	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:2915	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: AMM 27-36-03										
<b>273603-0101 C FLOOR DATA PROCESSING-STALL PROTECTION CONTROL SYS COMPUTER Component ATA:27</b>										
PN:0020BN7	MOS/MSC		10-Feb-10	O/C						
SN:1207	HRS		2977.3							
	AFL		1557							
PROC. REF: AMM 27-36-05										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 27 - FLIGHT CONTROLS</b>										
<b>273604-0101 FORWARD LINEAR ASSY-ELECTROMECHANICAL, STICK PUSHER ACTUATOR</b> <span style="float:right">Component ATA:27</span>										
PN:6235-1	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:1880	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-36-04										
<b>273605-0101 CSL CENT MODULE -STALL PROTECTION/FMS ASSEMBLY</b> <span style="float:right">Component ATA:27</span>										
PN:145-34172-407	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:0000139918	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-36-05										
<b>274000-0101 STABILIZER -HORIZONTAL EMPENAGE ASSEMBLY</b> <span style="float:right">Component ATA:27</span>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-40-02										
<b>274100-0101 ACTUATOR, ELECTROMECHANICAL -HORIZONTAL STABILIZER ASSEMBLY</b> <span style="float:right">Component ATA:27</span>										
PN:362200-1015	MOS/MSC	15-Aug-13	O/C							
SN:0614	HRS	6643.4								
	AFL	3572								
PROC. REF: AMM 27-40-02										
<b>274302-0101 REAR CONTROL HORIZONTAL STABILIZER UNIT</b> <span style="float:right">Component ATA:27</span>										
PN:362100-1013	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:4742	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-40-01										
<b>275000-0101 L/H WING FLAP I ASSY,LEFT,SEALING ASSEMBLY</b> <span style="float:right">Component ATA:27</span>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>275000-0102 R/H WING FLAP I ASSY,RIGHT,SEALING ASSEMBLY</b> <span style="float:right">Component ATA:27</span>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 27 - FLIGHT CONTROLS</b>										
<b>275000-0103 L/H WING FLAP II ASSY,LEFT,SEALING ASSEMBLY Component ATA:27</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>275000-0104 R/H WING FLAP II ASSY,RIGHT,SEALING ASSEMBLY Component ATA:27</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>275100-0102 LH WING FLEXIBLE ASSY-SEGMENT 2, FLAP CONTROL SHAFT Component ATA:27</b>										
PN:363400-1021	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:03194	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-51-05										
<b>275100-0103 RH WING FLEXIBLE ASSY-SEGMENT 2, FLAP CONTROL SHAFT Component ATA:27</b>										
PN:363400-1021	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-51-05										
<b>275100-0106 INBOARD FLAP ASSY ASSEMBLY Component ATA:27</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-50-00										
<b>275100-0107 INBOARD FLAP ASSY ASSEMBLY Component ATA:27</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-50-00										
<b>275100-0108 OUTBOARD FLAP ASSY ASSEMBLY Component ATA:27</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-50-00										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 27 - FLIGHT CONTROLS</b>										
<b>275100-0109 OUTBOARD FLAP ASSY ASSEMBLY Component ATA:27</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-50-00										
<b>275100-0409 RH WING FLAP SCREWJACK ACTUATOR Component ATA:27</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-51-09, AMM 27-51-10										
<b>275100-0410 RH WING FLAP SCREWJACK ACTUATOR Component ATA:27</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-51-09, AMM 27-51-10										
<b>275100-0411 RH WING FLAP SCREWJACK ACTUATOR Component ATA:27</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-51-09, AMM 27-51-10										
<b>275100-0412 RH WING FLAP SCREWJACK ACTUATOR Component ATA:27</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-51-09, AMM 27-51-10										
<b>275100-0413 LH WING FLAP SCREWJACK ACTUATOR Component ATA:27</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-51-09, AMM 27-51-10										
<b>275100-0414 LH WING FLAP SCREWJACK ACTUATOR Component ATA:27</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-51-09, AMM 27-51-10										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 27 - FLIGHT CONTROLS</b>										
<b>275100-0415 LH WING FLAP SCREWJACK ACTUATOR Component ATA:27</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-51-09, AMM 27-51-10										
<b>275100-0416 LH WING FLAP SCREWJACK ACTUATOR Component ATA:27</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-51-09, AMM 27-51-10										
<b>275100-0503 LH WING BRAKE TRANSMISSION FLAP Component ATA:27</b>										
PN:363500-1003	MOS/MSC	05-Aug-15	O/C							
SN:LA-628	HRS	7460.3		TSN 32934.97						
	AFL	3992		TSN 30844						
PROC. REF: AMM 27-51-01										
<b>275100-0504 RH WING BRAKE TRANSMISSION FLAP Component ATA:27</b>										
PN:363500-1003	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:03198	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-51-01										
<b>275100-0701 LH WING FLAP FLEXIBLE 4 E 5 SHAFT Component ATA:27</b>										
PN:363400-1025	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:05824	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-51-07, AMM 27-51-08										
<b>275100-0702 RH WING FLAP FLEXIBLE 4 E 5 SHAFT Component ATA:27</b>										
PN:363400-1025	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-51-07, AMM 27-51-08										
<b>275100-0703 LH WING FLAP FLEXIBLE 4 E 5 SHAFT Component ATA:27</b>										
PN:363400-1025	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-51-07, AMM 27-51-08										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 27 - FLIGHT CONTROLS</b>										
<b>275100-0704 RH WING FLAP FLEXIBLE 4 E 5 SHAFT Component ATA:27</b>										
PN:363400-1025	MOS/MSC		27-Jul-15	O/C						
SN:07353	HRS		7460.3							
	AFL		3992							
PROC. REF: AMM 27-51-07, AMM 27-51-08										
<b>275100-0705 LH WING FLAP FLEXIBLE 3 SHAFT Component ATA:27</b>										
PN:363400-1023	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:03199	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: AMM 27-51-06										
<b>275100-0706 RH WING FLAP FLEXIBLE 3 SHAFT Component ATA:27</b>										
PN:363400-1023	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:UNKNOWN	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: AMM 27-51-06										
<b>275100-0801 LH WING ANGLE-ACTUATOR, INTERNAL CENTRAL FLAP ROOT, WING ADAPTER Component ATA:27</b>										
PN:PN	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:UNKNOWN	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: GENERIC NO REF										
<b>275100-0802 RH WING ANGLE-ACTUATOR, INTERNAL CENTRAL FLAP ROOT, WING ADAPTER Component ATA:27</b>										
PN:PN	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:UNKNOWN	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: GENERIC NO REF										
<b>275100-0803 LH WING ANGLE-ACTUATOR, EXTERNAL FLAP ROOT, WING ADAPTER Component ATA:27</b>										
PN:PN	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:UNKNOWN	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: GENERIC NO REF										
<b>275100-0804 RH WING ANGLE-ACTUATOR, EXTERNAL FLAP ROOT, WING ADAPTER Component ATA:27</b>										
PN:PN	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:UNKNOWN	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 27 - FLIGHT CONTROLS</b>										
<b>275100-0901 LH WING SENSOR -VELOCITY, FLAP ASSEMBLY Component ATA:27</b>										
PN:363350-1003	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:05950	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-51-12										
<b>275100-0902 RH WING SENSOR -VELOCITY, FLAP ASSEMBLY Component ATA:27</b>										
PN:363350-1003	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:05915	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-51-12										
<b>275100-1001 LH WING ASSY, FLAP CONTROL ACTUATOR Component ATA:27</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-51-09, AMM 27-51-10, AMM 27-51-09, AMM 27-51-10										
<b>275100-1002 RH WING ASSY, FLAP CONTROL ACTUATOR Component ATA:27</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-51-09, AMM 27-51-10, AMM 27-51-09, AMM 27-51-10										
<b>275100-1003 LH WING ASSY, FLAP CONTROL ACTUATOR Component ATA:27</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-51-09, AMM 27-51-10, AMM 27-51-09, AMM 27-51-10										
<b>275100-1004 RH WING ASSY, FLAP CONTROL ACTUATOR Component ATA:27</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-51-09, AMM 27-51-10, AMM 27-51-09, AMM 27-51-10										
<b>275100-1005 LH WING ASSY, FLAP CONTROL ACTUATOR Component ATA:27</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-51-09, AMM 27-51-10, AMM 27-51-09, AMM 27-51-10										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 27 - FLIGHT CONTROLS</b>											
275100-1006		RH WING ASSY, FLAP CONTROL ACTUATOR							Component	ATA:27	
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 27-51-09, AMM 27-51-10, AMM 27-51-09, AMM 27-51-10											
275100-1007		LH WING ASSY, FLAP CONTROL ACTUATOR							Component	ATA:27	
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 27-51-09, AMM 27-51-10, AMM 27-51-09, AMM 27-51-10											
275100-1008		RH WING ASSY, FLAP CONTROL ACTUATOR							Component	ATA:27	
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 27-51-09, AMM 27-51-10, AMM 27-51-09, AMM 27-51-10											
275100-1101		LH FLAP - INBOARD, WING HALF ASSEMBLY							Component	ATA:27	
PN:135-03288-403	MOS/MSC	19-Aug-15	O/C	TSN 96							
SN:0000137761	HRS	7460.3		TSN 7460.3							
	AFL	3992		TSN 3992							
PROC. REF: AMM 27-50-00											
275100-1102		RH FLAP - INBOARD, WING HALF ASSEMBLY							Component	ATA:27	
PN:135-03288-404	MOS/MSC	19-Aug-15	O/C	TSR 0							
SN:0000137750	HRS	7460.3		TSR 0							
	AFL	3992		TSR 0							
PROC. REF: AMM 27-50-00											
275100-1103		LH FLAP - OUTBOARD, WING HALF ASSEMBLY							Component	ATA:27	
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 27-50-00											
275100-1104		RH FLAP - OUTBOARD, WING HALF ASSEMBLY							Component	ATA:27	
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 27-50-00											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 27 - FLIGHT CONTROLS</b>										
<b>275300-0101 W STUB POWER-DRIVE, FLAP ACTUATOR UNIT Component ATA:27</b>										
PN:363200-1003	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:01249	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-53-04										
<b>275300-0201 LH WING FLAP FLEXIBLE 1 SHAFT Component ATA:27</b>										
PN:363400-1019	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:03050	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-51-04										
<b>275300-0202 RH WING FLAP FLEXIBLE 1 SHAFT Component ATA:27</b>										
PN:363400-1019	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-51-04										
<b>275302-0101 WING/FUSLG FAIRING, FLAP CONTROL UNIT Component ATA:27</b>										
PN:363100-1011	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:5378	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-53-02										
<b>275303-0101 FLAP SYS, CSL CENT, SELECTOR LEVER Component ATA:27</b>										
PN:363110-1009	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:1142	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-53-03										
<b>276000-0101 LH WING GROUND SPOILER PANEL ASSEMBLY Component ATA:27</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-62-05										
<b>276000-0102 RH WING GROUND SPOILER PANEL ASSEMBLY Component ATA:27</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-62-05										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of:  
29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 27 - FLIGHT CONTROLS</b>											
276000-0201		LH WING SPEED BRAKE PANEL							Component	ATA:27	
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 27-62-06											
276000-0202		RH WING SPEED BRAKE PANEL							Component	ATA:27	
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 27-62-06											
276201-0101		LH WING GROUND SPOILER, HYDROMECHANICAL ACTUATOR ASSEMBLY							Component	ATA:27	
PN:360440-1011	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 27-62-01											
276201-0102		RH WING GROUND SPOILER, HYDROMECHANICAL ACTUATOR ASSEMBLY							Component	ATA:27	
PN:360440-1011	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 27-62-01											
276201-0201		W STUB ELECTROVALVE-SPOILER, HYDRAULIC SYSTEM							Component	ATA:27	
PN:360450-1001	MOS/MSC	01-Sep-17	O/C	TSN 0							
SN:1136	HRS	8284.1	TSN 0								
	AFL	4446	TSN 0								
PROC. REF: AMM 27-62-03											
276201-0301		W STUB RESTRICTOR, HYDRAULIC SYS, SSTEEL VALVE							Component	ATA:27	
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 27-22-06											
276203-0101		LH WING HYDROMECHANICAL SPEED BRAKE ACTUATOR							Component	ATA:27	
PN:360540-1011	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 27-62-02											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 27 - FLIGHT CONTROLS</b>										
<b>276203-0102 RH WING HYDROMECHANICAL SPEED BRAKE ACTUATOR Component ATA:27</b>										
PN:360540-1011	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-62-02										
<b>276203-0201 W STUB BRAKE AERODYNAMIC VALVE Component ATA:27</b>										
PN:360550-1003	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:1088	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>276207-0101 MID PRESSURE REDUCER, HYDRAULIC SYS, WING STUB VALVE Component ATA:27</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-62-07										
<b>276301-0101 LH WING SPOILER INBOARD PROXIMITY SWITCH Component ATA:27</b>										
PN:80-057-01	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-63-04										
<b>276301-0102 RH WING SPOILER INBOARD PROXIMITY SWITCH Component ATA:27</b>										
PN:8-527-01	MOS/MSC	09-Feb-11	O/C	TSN 0						
SN:18077	HRS	4234		TSN 0						
	AFL	2237		TSN 0						
PROC. REF: AMM 27-63-04										
<b>276301-0103 LH WING SPOILER OUTBOARD PROXIMITY SWITCH Component ATA:27</b>										
PN:80-057-01	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-63-04										
<b>276301-0104 RH WING SPOILER OUTBOARD PROXIMITY SWITCH Component ATA:27</b>										
PN:80-057-01	MOS/MSC	26-Dec-10	O/C							
SN:26368	HRS	4048.8								
	AFL	2138								
PROC. REF: AMM 27-63-04										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 27 - FLIGHT CONTROLS</b>											
276301-0105		LH WING SPOILER CENTER PROXIMITY SWITCH							Component	ATA:27	
PN:80-057-01	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 27-63-04											
276302-0101		SPEED BRAKE CONTROL, CENTRAL CONSOLE, LEVER ASSEMBLY							Component	ATA:27	
PN:999-1003	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:1086	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 27-63-03											
276303-0101		CSL CENT SPOILER CONTROL, EQUIPPED UNIT							Component	ATA:27	
PN:145-33022-411	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:124793	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 27-63-02											
277100-0101		ELECTROMECHANICAL,CONTROLS LOCKING ACTUATOR ASSEMBLY							Component	ATA:27	
PN:SYLC-53058	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:070316	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 27-71-01											
277100-0201		LEFT CARTRIDGE ASSY-GUST LOCK SYS SPRING							Component	ATA:27	
PN:KPD4235	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:KC2261	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 27-71-03											
277100-0202		RIGHT CARTRIDGE ASSY-GUST LOCK SYS SPRING							Component	ATA:27	
PN:KPD4235	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:KC2227	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 27-71-03											
<b>ATA 28 - FUEL</b>											
28-10-00-220-001-A00		INSPECT (DETAILED INSPECTION) OF FUEL TANKS (WINGS AND WING STUB) FOR PRESENCE OF MICROORGANISM (L600 ONLY) NOTE 1:IF MODERATE OR HEAVY CONTAMINATION IS FOUND, FWD AND AFT FUEL TANKS MUST BE INSPECTED.NOTE 2: IF ENGINE FUEL FILTER ELEMENT HAS BEEN REPLACED THE TASK 73-1100-960-001-A00 MUST BE SIGNED OFF NOTE 3: EMB-RECOMMENDED							Service	ATA:28	
	MOS	29-Jun-23	12 (+15d/-15d)	Adj 15d	14-Jul-24		29-Jul-24	153 d (+15)			
	HRS	10161.5									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 28 - FUEL										
	AFL	5401	PROC. REF: AMM 28-11-00							
28-10-00-220-001-A01	INSPECT (DETAILED INSPECTION) OF FUEL TANKS (WINGS, WING STUB AND VENTRAL) FOR PRESENCE OF MICROORGANISM (L650 ONLY) NOTE 1: IF MODERATE OR HEAVY CONTAMINATION IS FOUND, FWD AND AFT FUEL TANKS MUST BE INSPECTED.NOTE 2: IF ENGINE FUEL FILTER ELEMENT HAS BEEN REPLACED, THE TASK 73-11-00-960-001-A00 MUST BE SIGNED OFFNOTE 3: EMB-RECOMMENDED								Service	ATA:28
	MOS/MSC	27-Aug-07	N/A							
	HRS	0								
	AFL	0								
PROC. REF: AMM 28-11-00										
28-11-00-280-001-A00	INSPECT (SPECIAL INSPECTION) FOR PRESENCE OF MICRO ORGANISMS IN THE FUEL TANKS. NOTE: THIS TASK IS NOT APPLICABLE IF THE OPERATOR DECIDES TO COMPLY WITH TASK 28-11-00-280-001-A01. NOTE: EMB-RECOMMENDED								Service	ATA:28
	MOS	15-Nov-23	6 (+15d/-15d)	Adj 11d	26-May-24	10-Jun-24	104 d (+15)			
	HRS	10297.6								
	AFL	5484								
PROC. REF: AMM 28-11-00										
28-11-00-280-001-A01	INSPECT (SPECIAL INSPECTION) FOR PRESENCE OF MICRO ORGANISMS IN THE FUEL TANKS NOTE1: THIS TASK IS NOT APPLICABLE IF THE OPERATOR DECIDES TO COMPLY WITH TASK 28-11-00-280-001-A00								Service	ATA:28
	MOS	29-Jun-23	12 (+15d/-15d)	Adj 15d	14-Jul-24	29-Jul-24	153 d (+15)			
	HRS	10161.5								
	AFL	5401								
PROC. REF: AMM 28-11-00										
28-11-00-720-001-A00 <sup>S</sup>	FUNCTIONALLY CHECK CRITICAL BONDING INTEGRITY OF SELECTED CONDUITS INSIDE THE WING TANK, FUEL PUMP AND FOIS CONNECTORS AT TANK WALL BY CONDUCTIVITY MEASUREMENTS. (L600 ONLY)								Service	ATA:28
	MOS	27-Aug-07	288 (+15d/-15d)	LOW UTILIZATION						
	HRS	0	12000 (+20/-20)							
	AFL	0	6000 (+20/-20)							
PROC. REF: AMM 28-11-00										
28-11-00-720-002-A01	FUNCTIONALLY CHECK CRITICAL BONDING INTEGRITY OF SELECTED CONDUITS INSIDE THE WING TANK, FUEL PUMP CONNECTORS AT TANK WALL BY CONDUCTIVITY MEASUREMENTS. NOTE: APPLICABLE TO FUEL PUMPS WITH TANK WALL HERMETIC CONNECTOR (L650 ONLY)								Service	ATA:28
	MOS/MSC	27-Aug-07	N/A							
	HRS	0								
	AFL	0								
PROC. REF: AMM 28-11-00										

PKG:5140

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 28 - FUEL										
28-11-00-720-003-A01	FUNCTIONALLY CHECK CRITICAL BONDING INTEGRITY OF SELECTED CONDUITS INSIDE THE WING TANK, FQIS CONNECTORS AT TANK WALL BY CONDUCTIVITY MEASUREMENTS (L650 ONLY)								Service	ATA:28
	MOS/MSC	27-Aug-07	N/A							
	HRS	0								
	AFL	0								
PROC. REF: AMM 28-11-00										
28-11-04-710-001-A00 <sup>S</sup>	OPERATIONALLY CHECK FLAP VALVES (RIBS 1 AND 7) (MANUAL CHECK FOR FREE MOVEMENT AND SEALING CONDITION) NOTE: CHECK DURING INTERNAL TANK INSPECTION.								Service	ATA:28
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
PROC. REF: AMM 28-11-04										PKG:5016,6032
28-12-01-710-001-A00 <sup>S</sup>	OPERATIONAL CHECK VENT FLOAT VALVES (MANUAL CHECK) (NOTE: CHECK DURING INTERNAL TANK INSPECTION).								Service	ATA:28
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
PROC. REF: AMM 28-12-01										PKG:5016,6032
28-12-04-710-001-A00 <sup>S</sup>	OPERATIONALLY CHECK FLAP VALVES (MANUAL CHECK FOR FREE MOVEMENT AND SEALING CONDITION). NOTE: CHECK DURING INTERNAL TANK INSPECTION.								Service	ATA:28
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
PROC. REF: AMM 28-12-04										PKG:5016,6032
28-12-05-211-001-A00 <sup>S</sup>	VISUALLY CHECK FLAME ARRESTOR FOR HONEY COMB CLOGGING, AND ATTACHING PARTS FOR SECURITY.								Service	ATA:28
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: AMM 28-12-05										PKG:5008,6016
28-12-05-710-001-A00 <sup>S</sup>	OPERATIONAL CHECK FLAME ARRESTOR IN/OUT FLOW VALVES FOR FREEDOM MOVEMENT.								Service	ATA:28
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: AMM 28-12-05										PKG:5008,6016

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 28 - FUEL										
28-13-00-220-001-A00 <sup>S</sup>	INSPECT (DETAILED INSPECTION) OF AFT FUEL TANKS									Service ATA:28
	MOS	29-Jun-23	24 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	1000 (+20/-20)							
	AFL	5401								
					PROC. REF: AMM 28-13-02					PKG:5007,6008
28-13-01-720-001-A00 <sup>S</sup>	FUNCTIONALLY CHECK AFT FUEL TANKS									Service ATA:28
	MOS	29-Jun-23	24 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	1000 (+20/-20)							
	AFL	5401								
					PROC. REF: AMM 28-13-01					PKG:5007
28-13-01-720-002-A00 <sup>S</sup>	FUNCTIONALLY CHECK AFT FUEL TANK CRITICAL BONDING INTEGRITY OF FUEL PUMP, FQGS AND LOW LEVEL SW CONNECTORS AT TANK WALL BY CONDUCTIVITY MEASUREMENTS.(L600 ONLY)									Service ATA:28
	MOS	27-Aug-07	288 (+15d/-15d)					LOW UTILIZATION		
	HRS	0	12000 (+20/-20)							
	AFL	0	6000 (+20/-20)							
					PROC. REF: AMM 28-13-01					PKG:5140
28-13-01-720-003-A01	FUNCTIONALLY CHECK AFT FUEL TANK CRITICAL BONDING INTEGRITY OF FUEL PUMP CONNECTORS AT TANK WALL BY CONDUCTIVITY MEASUREMENTS(NOTE: APPLICABLE TO FUEL PUMPS WITH TANK WALL HERMETIC CONNECTOR) (L650 ONLY)									Service ATA:28
	MOS/MSC	27-Aug-07	N/A							
	HRS	0								
	AFL	0								
					PROC. REF: AMM 28-13-01					
28-13-01-720-004-A01	FUNCTIONALLY CHECK AFT FUEL TANK CRITICAL BONDING INTEGRITY OF FQGS CONNECTORS AT TANK WALL BY CONDUCTIVITY MEASUREMENTS(L650 ONLY)									Service ATA:28
	MOS/MSC	27-Aug-07	N/A							
	HRS	0								
	AFL	0								
					PROC. REF: AMM 28-13-01					
28-14-00-710-001-A00 <sup>S</sup>	OPERATIONALLY CHECK AFT FUEL TANK POSITIVE RELIEF SYSTEM									Service ATA:28
	MOS	29-Jun-23	12 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	500 (+20/-20)							
	AFL	5401								
					PROC. REF: AMM 28-14-00					PKG:5002

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 28 - FUEL										
28-14-01-710-001-A00 <sup>S</sup>	OPERATIONAL CHECK AFT FUEL TANK FLOAT VENT VALVES PRE-MOD SB 145LEG-28-0019.(L600 ONLY)									Service ATA:28
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
					PROC. REF: AMM 28-14-10					PKG:5016,6032
28-14-04-720-001-A00 <sup>S</sup>	FUNCTIONALLY CHECK AFT FUEL TANKS POSITIVE RELIEF VALVE									Service ATA:28
	MOS	29-Jun-23	24 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	1000 (+20/-20)							
	AFL	5401								
					PROC. REF: AMM 28-14-13					PKG:5004
28-14-05-720-001-A00 <sup>S</sup>	FUNCTIONALLY CHECK AFT FUEL TANKS NEGATIVE RELIEF VALVE									Service ATA:28
	MOS	29-Jun-23	24 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	1000 (+20/-20)							
	AFL	5401								
					PROC. REF: AMM 28-14-14					PKG:5004
28-14-06-960-001-A00 <sup>S</sup>	DISCARD AFT-FUEL-TANK AIR FILTER									Service ATA:28
	MOS	29-Jun-23	12 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	500 (+20/-20)							
	AFL	5401								
					PROC. REF: AMM 28-14-15					PKG:5002
28-14-07-220-001-A00 <sup>S</sup>	INSPECT (DETAILED INSPECTION) OF AFT FUEL TANKS FLAME ARRESTORS. NOTE: FLAME ARRESTORS INSTALLED IN THE SKIN OF THE FUSELAGE AND FLAME ARRESTORS INSTALLED CLOSE TO CONTAINER BOX, IF INSTALLED.									Service ATA:28
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: AMM 28-14-09					PKG:5008,6016
28-14-08-710-001-A00	OPERATIONALLY CHECK 3/4 ZERO LEAKAGE CHECK VALVES. NOTE: CMR/ANAC-FAA-EASA. (CMR)									Service ATA:28
	MOS	14-Jul-22	48 (+15d/-15d)		14-Jul-26	29-Jul-26	883 d (+15)	LOW UTILIZATION		
	HRS	9915.8	1000		10915.8		513.7			
	AFL	5271								
					PROC. REF: AMM 28-14-17					PKG:6003
28-14-09-710-001-A00 <sup>S</sup>	OPERATIONALLY CHECK 3/8 ZERO LEAKAGE CHECK VALVES. (CMR)									Service ATA:28
	MOS	29-Jun-23	12 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	500 (+20/-20)							
	AFL	5401								
					PROC. REF: AMM 28-14-17					PKG:5002

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 28 - FUEL										
28-14-10-710-001-A00 <sup>S</sup>	OPERATIONALLY CHECK AFT FUEL TANKS PRESSURIZATION VENT PLUMBING SHROUD (CMR)								Service	ATA:28
	MOS	29-Jun-23	24 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	1000 (+20/-20)							
	AFL	5401								
	PROC. REF: AMM 28-13-01, AMM 28-13-01									PKG:5004
28-15-03-710-001-A00 <sup>S</sup>	OPERATIONALLY CHECK FORWARD FUEL TANKS FLAP VALVES								Service	ATA:28
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
	PROC. REF: AMM 28-15-03									PKG:5016,6032
28-15-04-720-001-A00 <sup>S</sup>	FUNCTIONALLY CHECK FWD FUEL TANK CRITICAL BONDING INTEGRITY OF FUEL PUMP, FQGS AND LOW LEVEL SW CONNECTORS AT TANK WALL BY CONDUCTIVITY MEASUREMENTS.(L600 ONLY)								Service	ATA:28
	MOS	27-Aug-07	288 (+15d/-15d)					LOW UTILIZATION		
	HRS	0	12000 (+20/-20)							
	AFL	0	6000 (+20/-20)							
	PROC. REF: AMM 28-15-04									PKG:5140
28-15-04-720-002-A01	FUNCTIONALLY CHECK FWD FUEL TANK CRITICAL BONDING INTEGRITY OF FUEL PUMPCONNECTORS AT TANK WALL BY CONDUCTIVITY MEASUREMENTS(NOTE: APPLICABLE TO FUEL PUMPS WITH TANK WALL HERMETIC CONNECTOR)(L650 ONLY)								Service	ATA:28
	MOS/MSC	27-Aug-07	N/A							
	HRS	0								
	AFL	0								
	PROC. REF: AMM 28-15-04									
28-15-04-720-003-A01	FUNCTIONALLY CHECK FWD FUEL TANK CRITICAL BONDING INTEGRITY OF FQGS CONNECTORS AT TANK WALL BY CONDUCTIVITY MEASUREMENTS(L650 ONLY)								Service	ATA:28
	MOS/MSC	27-Aug-07	N/A							
	HRS	0								
	AFL	0								
	PROC. REF: AMM 28-15-04									
28-16-00-710-001-A00 <sup>S</sup>	OPERATIONALLY CHECK FUEL TANKS VENT OPEN CAUTION SYSTEM.								Service	ATA:28
	MOS	29-Jun-23	12 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	500 (+20/-20)							
	AFL	5401								
	PROC. REF: AMM 28-16-00									PKG:5002

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 28 - FUEL										
28-16-01-710-001-A00 <sup>S</sup>	OPERATIONALLY CHECK FORWARD FUEL TANKS FLOAT VALVES (MANUALLY CHECKED).								Service	ATA:28
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
	PROC. REF: AMM 28-16-01									PKG:5016,6032
28-16-04-710-001-A00 <sup>S</sup>	OPERATIONALLY CHECK FORWARD FUEL TANKS AUTOMATIC FLOAT DRAIN VALVES.								Service	ATA:28
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
	PROC. REF: AMM 28-16-04									PKG:5016,6032
28-16-05-220-001-A00 <sup>S</sup>	INSPECT (DETAILED INSPECTION) OF FORWARD FUEL TANK FLAME ARRESTORS.NOTE: FLAME ARRESTORS INSTALLED ON NACA AIR DUCT AND FLAME ARRESTORS INSTALLED ON REFUEL/OVERFILL VENTILATION LINE, IF INSTALLED.								Service	ATA:28
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
	PROC. REF: AMM 28-16-05									PKG:5008,6016
28-17-01-720-002-A01	FUNCTIONALLY CHECK VENTRAL TANK CRITICAL BONDING INTEGRITY OF FUEL PUMP CONNECTORS AT TANK WALL BY CONDUCTIVITY MEASUREMENTS NOTE: APPLICABLE TO FUEL PUMPS WITH TANK WALL HERMETIC CONNECTOR (L650 ONLY)								Service	ATA:28
	MOS/MSC	27-Aug-07	N/A							
	HRS	0								
	AFL	0								
	PROC. REF: AMM 28-17-01									
28-17-01-720-003-A01	FUNCTIONALLY CHECK VENTRAL TANK CRITICAL BONDING INTEGRITY OF FOGS CONNECTORS AT TANK WALL BY CONDUCTIVITY MEASUREMENTS (L650 ONLY)								Service	ATA:28
	MOS/MSC	27-Aug-07	N/A							
	HRS	0								
	AFL	0								
	PROC. REF: AMM 28-17-01									
28-17-03-710-001-A00	OPERATIONALLY CHECK VENTRAL FUEL TANK FLAP VALVES (L650 ONLY)								Service	ATA:28
	MOS/MSC	27-Aug-07	N/A							
	HRS	0								
	AFL	0								
	PROC. REF: AMM 28-17-05									PKG:6032

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 28 - FUEL										
28-17-04-710-001-A00	OPERATIONALLY CHECK VENTRAL FUEL TANK BAFFLE VALVES (L650 ONLY)									Service ATA:28
	MOS/MSC	27-Aug-07	N/A							
	HRS	0								
	AFL	0								
					PROC. REF: AMM 28-17-05					PKG:6032
28-18-01-710-001-A00	OPERATIONALLY CHECK VENTRAL FUEL TANK FLOAT VENT VALVES (L650 ONLY)									Service ATA:28
	MOS/MSC	27-Aug-07	N/A							
	HRS	0								
	AFL	0								
					PROC. REF: AMM 28-18-01					PKG:6032
28-18-03-710-001-A00	OPERATIONALLY CHECK VENTRAL FUEL TANK FLOAT ACTUATED DRAIN VALVE (L650 ONLY)									Service ATA:28
	MOS/MSC	27-Aug-07	N/A							
	HRS	0								
	AFL	0								
					PROC. REF: AMM 28-18-04					PKG:6032
28-21-01-220-001-A00 <sup>S</sup>	INSPECT (DETAILED INSPECTION) WING ELECTRIC FUEL PUMP CONNECTOR									Service ATA:28
	MOS	10-Jul-15	192 (+15d/-15d)					LOW UTILIZATION		
	HRS	7460.3	8000 (+20/-20)							
	AFL	3992	4000 (+20/-20)							
					PROC. REF: AMM 28-21-01					PKG:5032,6032
28-21-03-720-001-A00 <sup>S</sup>	FUNCTIONALLY CHECK RELIEF VALVE NOTE: BENCH TEST									Service ATA:28
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
					PROC. REF: AMM 28-21-03					PKG:5016,6032
28-21-04-710-001-A00 <sup>S</sup>	OPERATIONALLY CHECK FUEL CROSSFEED VALVE									Service ATA:28
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: AMM 28-21-04					PKG:5008,6016
28-21-10-710-001-A00 <sup>S</sup>	OPERATIONALLY CHECK FUEL FEED LINE SHROUD									Service ATA:28
	MOS	06-Jul-19	72 (+15d/-15d)					LOW UTILIZATION		
	HRS	9057.4	3000 (+20/-20)							
	AFL	4853	1500 (+20/-20)							
					PROC. REF: AMM 28-21-10					PKG:5012,6020

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 28 - FUEL										
28-22-03-710-001-A00 <sup>S</sup> OPERATIONALLY CHECK APU FUEL FEED LINE SHROUD Service ATA:28										
	MOS	06-Jul-19	72 (+15d/-15d)					LOW UTILIZATION		
	HRS	9057.4	3000 (+20/-20)							
	AFL	4853	1500 (+20/-20)							
PROC. REF: AMM 28-22-03										PKG:5012,6020
28-23-03-220-001-A00 <sup>S</sup> INSPECT (DETAILED INSPECTION) PILOT VALVE HARNESS INSIDE THE CONDUIT.(L600 ONLY) Service ATA:28										
	MOS	27-Aug-07	288 (+15d/-15d)					LOW UTILIZATION		
	HRS	0	12000 (+20/-20)							
	AFL	0	6000 (+20/-20)							
PROC. REF: AMM 28-23-03										PKG:5140
28-23-04-220-001-A00 <sup>S</sup> INSPECT (DETAILED INSPECTION) VENT VALVE HARNESS INSIDE THE CONDUIT (L600 ONLY) Service ATA:28										
	MOS	27-Aug-07	288 (+15d/-15d)					LOW UTILIZATION		
	HRS	0	12000 (+20/-20)							
	AFL	0	6000 (+20/-20)							
PROC. REF: AMM 28-23-04										PKG:5140
28-23-04-220-001-A01 INSPECT (DETAILED INSPECTION) VENT VALVE HARNESS INSIDE THE CONDUIT (L650 ONLY) Service ATA:28										
	MOS/MSC	27-Aug-07	N/A							
	HRS	0								
	AFL	0								
PROC. REF: AMM 28-23-04										PKG:6032
28-26-00-710-001-A00 <sup>S</sup> OPERATIONALLY CHECK OF FWD PUMP AND CIRCUITRY Service ATA:28										
	MOS	29-Jun-23	24 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	1000 (+20/-20)							
	AFL	5401								
PROC. REF: AMM 28-26-00										PKG:5004
28-26-00-720-001-A00 <sup>S</sup> FUNCTIONALLY CHECK AFT/FWD TRANSFER FUEL TANKS TRANSFER CHECK RELIEF VALVES Service ATA:28										
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
PROC. REF: AMM 28-26-00										PKG:5016,6032
28-26-16-710-001-A00 <sup>S</sup> OPERATIONALLY CHECK FUEL TRANSFER LINE SHROUD. Service ATA:28										
	MOS	06-Jul-19	72 (+15d/-15d)					LOW UTILIZATION		
	HRS	9057.4	3000 (+20/-20)							
	AFL	4853	1500 (+20/-20)							
PROC. REF: AMM 28-13-01										PKG:5012,6020

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 28 - FUEL										
28-26-18-710-001-A00 <sup>S</sup>	OPERATIONALLY CHECK AFT TANK ELECTRICAL ISOLATING SHUT-OFF VALVE AND CIRCUITRY									Service ATA:28
	MOS	29-Jun-23	12 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	500 (+20/-20)							
	AFL	5401								
					PROC. REF: AMM 28-26-18					PKG:5002
28-26-21-710-001-A00 <sup>S</sup>	OPERATIONALLY CHECK FORWARD TANKS LOW LEVEL SWITCH (L600 ONLY)									Service ATA:28
	MOS	29-Jun-23	24 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	1000 (+20/-20)							
	AFL	5401								
					PROC. REF: AMM 28-26-21					PKG:5004
28-26-21-710-001-A01	OPERATIONALLY CHECK FORWARD TANKS LOW LEVEL SENSOR (L650 ONLY)									Service ATA:28
	MOS/MSC	25-Sep-07	N/A					SYSTEM		
	HRS	0								
	AFL	0								
					PROC. REF: AMM 28-26-21					
28-26-22-710-001-A00 <sup>S</sup>	OPERATIONALLY CHECK AFT TANKS LOW LEVEL SWITCH (L600 ONLY)									Service ATA:28
	MOS	29-Jun-23	24 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	1000 (+20/-20)							
	AFL	5401								
					PROC. REF: AMM 28-26-22					PKG:5004
28-26-22-710-001-A01	OPERATIONALLY CHECK AFT TANKS LOW LEVEL SENSOR (L650 ONLY)									Service ATA:28
	MOS/MSC	25-Sep-07	N/A					SYSTEM		
	HRS	0								
	AFL	0								
					PROC. REF: AMM 28-26-22					
28-26-24-710-001-A00 <sup>S</sup>	OPERATIONALLY CHECK AFT TANKS TRANSFER CHECK VALVE									Service ATA:28
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
					PROC. REF: AMM 28-26-23					PKG:5016,6032
28-41-00-220-001-A01	INSPECT (DETAILED INSPECTION) W1642 INTRINSICALLY SAFE HARNESSSES FOR SLEEVE INTEGRITY(L650 ONLY)									Service ATA:28
	MOS/MSC	27-Aug-07	N/A							
	HRS	0								
	AFL	0								
					PROC. REF: AMM 28-41-00					PKG:6016

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 28 - FUEL										
28-41-00-710-001-A00 <sup>S</sup>	OPERATIONALLY CHECK ELECTRICAL FUEL QUANTITY INDICATING SYSTEM (FUEL LOW LEVEL LOGIC) (L600 ONLY)								Service	ATA:28
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: AMM 28-41-00					PKG:5008,6016
28-41-01-720-001-A01 <sup>S</sup>	FUNCTIONALLY CHECK THE SAFE LIFE FEATURES OF THE FUEL CONDITIONING UNIT (FCU). - INITIAL FUNCTIONAL CHECK, - EXTERNAL VISUAL INSPECTION, - INTERNAL VISUAL INSPECTION, -FUNCTIONAL CHECK OF THE SAFE LIFE FEATURE, - FINAL FUNCTIONAL CHECK. (L600 ONLY)								Service	ATA:28
	MOS	06-Jul-15	192 (+15d/-15d)					LOW UTILIZATION		
	HRS	7460.3	8000 (+20/-20)							
	AFL	3992	4000 (+20/-20)							
					PROC. REF: AMM 28-41-01					PKG:5032,6032
28-41-03-220-001-A00 <sup>S</sup>	INSPECT (DETAILED INSPECTION) FQIS HARNESS FOR CLAMP AND WIRE JACKET INTEGRITY (L600 ONLY)								Service	ATA:28
	MOS	27-Aug-07	288 (+15d/-15d)					LOW UTILIZATION		
	HRS	0	12000 (+20/-20)							
	AFL	0	6000 (+20/-20)							
					PROC. REF: AMM 28-41-03					PKG:5140
28-41-03-220-001-A01	INSPECT (DETAILED INSPECTION) FQIS HARNESS FOR CLAMP AND WIRE JACKET INTEGRITY. (L650 ONLY)								Service	ATA:28
	MOS/MSC	27-Aug-07	N/A							
	HRS	0								
	AFL	0								
					PROC. REF: AMM 28-41-03					PKG:6032
28-41-07-220-001-A01	INSPECT (DETAILED INSPECTION) VENTRAL TANK INTERNAL INSPECTION: FQIS HARNESS FOR CLAMP AND WIRE JACKET INTEGRITY. (L650 ONLY)								Service	ATA:28
	MOS/MSC	27-Aug-07	N/A							
	HRS	0								
	AFL	0								
					PROC. REF: AMM 28-41-06					PKG:6032
28-43-00-720-001-A00 <sup>S</sup>	FUNCTIONALLY CHECK FUEL TEMPERATURE INDICATION SYSTEM								Service	ATA:28
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
					PROC. REF: AMM 28-43-00					PKG:5016,6032

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 28 - FUEL										
28-44-00-720-001-A00 <sup>S</sup>	FUNCTIONALLY CHECK FUEL LOW LEVEL WARNING SYSTEM NOTE: CHECK DURING INTERNAL TANK INSPECTION								Service	ATA:28
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
					PROC. REF: AMM 28-44-00					PKG:5016,6032
28-45-00-710-001-A00 <sup>S</sup>	OPERATIONALLY CHECK FUEL LOW PRESSURE WARNING SYSTEM								Service	ATA:28
	MOS	29-Jun-23	24 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	1000 (+20/-20)							
	AFL	5401								
					PROC. REF: AMM 28-45-00					PKG:5004
28-46-00-710-001-A00 <sup>S</sup>	OPERATIONAL CHECK "FUSELAGE FUEL IMB" WARNING SYSTEM (L600 ONLY)								Service	ATA:28
	MOS	29-Jun-23	12 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	500 (+20/-20)							
	AFL	5401								
					PROC. REF: AMM 28-46-00					PKG:5002
28-46-00-710-001-A01	OPERATIONALLY CHECK "FUSELAGE FUEL IMB" AND "FUEL XFER CRITICAL" CAUTION SYSTEM (L650 ONLY)								Service	ATA:28
	MOS/MSC	25-Sep-07	N/A					SYSTEM		
	HRS	0								
	AFL	0								
					PROC. REF: AMM 28-46-00					
28-46-00-720-001-A00 <sup>S</sup>	FUNCTIONALLY CHECK "CHECK ACFT LOAD OR FUEL XFER CRITICAL" WARNING SYSTEM (L600 ONLY)								Service	ATA:28
	MOS	29-Jun-23	24 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	1000 (+20/-20)							
	AFL	5401								
					PROC. REF: AMM 28-46-00					PKG:5004
28-46-00-720-002-A00 <sup>S</sup>	FUNCTIONALLY CHECK OF AUXILIARY TANKS PROBES AND FCU								Service	ATA:28
	MOS	29-Jun-23	24 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	1000 (+20/-20)							
	AFL	5401								
					PROC. REF: AMM 28-46-00					PKG:5004
28-46-02-220-001-A00 <sup>S</sup>	INSPECT (DETAILED INSPECTION) AFT FUEL TANK INTERNAL INSPECTION: FQGS HARNESS AND LOW LEVEL SW HARNESS FOR CLAMP AND WIRE JACKET INTEGRITY.(L600 ONLY)								Service	ATA:28
	MOS	27-Aug-07	288 (+15d/-15d)					LOW UTILIZATION		
	HRS	0	12000 (+20/-20)							
	AFL	0	6000 (+20/-20)							
					PROC. REF: AMM 28-46-02					PKG:5140

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 28 - FUEL											
28-46-02-220-001-A01			INSPECT (DETAILED INSPECTION) AFT FUEL TANK: FQGS HARNESS FOR CLAMP AND WIRE JACKET INTEGRITY.(L650 ONLY)						Service	ATA:28	
	MOS/MSC	27-Aug-07	N/A								
	HRS	0									
	AFL	0									
					PROC. REF: AMM 28-46-02					PKG:6032	
28-46-04-220-001-A00 <sup>S</sup>			INSPECT (DETAILED INSPECTION) FWD FUEL TANK INTERNAL INSPECTION: FQGS HARNESS AND LOW LEVEL SW HARNESS FOR CLAMP AND WIRE JACKET INTEGRITY.(L600 ONLY)						Service	ATA:28	
	MOS	27-Aug-07	288 (+15d/-15d)					LOW UTILIZATION			
	HRS	0	12000 (+20/-20)								
	AFL	0	6000 (+20/-20)								
					PROC. REF: AMM 28-46-04					PKG:5140	
28-46-04-220-001-A01			INSPECT (DETAILED INSPECTION) FWD FUEL TANK INTERNAL INSPECTION: FQGS HARNESS FOR CLAMP AND WIRE JACKET INTEGRITY. (L650 ONLY)						Service	ATA:28	
	MOS/MSC	27-Aug-07	N/A								
	HRS	0									
	AFL	0									
					PROC. REF: AMM 28-46-04					PKG:6032	
28-46-05-720-001-A01 <sup>S</sup>			FUNCTIONALLY CHECK THE SAFE LIFE FEATURES OF THE AUXILIARY FUEL CONDITIONING UNIT (AFCU). - INITIAL FUNCTIONAL CHECK, - EXTERNAL VISUAL INSPECTION, - INTERNAL VISUAL INSPECTION, -FUNCTIONAL CHECK OF THE SAFE LIFE FEATURE, - FINAL FUNCTIONAL CHECK (L600 ONLY)						Service	ATA:28	
	MOS	06-Jul-15	192 (+15d/-15d)					LOW UTILIZATION			
	HRS	7460.3	8000 (+20/-20)								
	AFL	3992	4000 (+20/-20)								
					PROC. REF: AMM 28-46-05					PKG:5032,6032	
28-50-01-220-001-A00 <sup>S</sup>			INSPECT (DETAILED INSPECTION) FUEL PUMP ELECTRICAL HARNESS NOTE: THIS TASK COMPLIES WITH FUEL TANK IGNITION SOURCES PREVENTION (SFAR-88)(L600 ONLY)						Service	ATA:28	
	MOS	31-Jul-15	192 (+15d/-15d)					LOW UTILIZATION			
	HRS	7460.3	8000 (+20/-20)								
	AFL	3992	4000 (+20/-20)								
					PROC. REF: AMM 28-21-01, AMM 28-26-08					PKG:5032,6032	
28-50-01-220-001-A01			DETAILED INSPECTION FUEL PUMP ELECTRICAL HARNESS AND CONNECTORS NOTE: APPLICABLE TO FUEL PUMPS WITH TANK WALL HERMETIC CONNECTOR (L650 ONLY)						Service	ATA:28	
	MOS/MSC	27-Aug-07	N/A								
	HRS	0									
	AFL	0									
					PROC. REF: AMM 28-21-01, AMM 28-26-08, AMM 28-26-01					PKG:6016	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 28 - FUEL										
28-50-01-220-001-A02	INSPECT (DETAILED INSPECTION) FUEL PUMP ELECTRICAL HARNESS CHA (CABLE HARNESS ASSEMBLY) END FITTING (L650 ONLY)									Service ATA:28
	MOS/MSC	27-Aug-07	N/A							
	HRS	0								
	AFL	0								
PROC. REF: AMM 28-21-01										PKG:6016
28-50-01-720-001-A00	FUNCTIONALLY CHECK FUEL PUMP ELECTRICAL HARNESS FOR LEAKAGE NOTE: APPLICABLE TO AIRCRAFT WITH FUEL PUMP HARNESSWITH CORRUGATED CONDUIT.ZONE: 155/156 157/197 271/272 1972 (L650 ONLY)									Service ATA:28
	MOS/MSC	27-Aug-07	N/A							
	HRS	0								
	AFL	0								
PROC. REF: AMM 28-21-01										PKG:6032
28-50-02-220-001-A00 <sup>S</sup>	INSPECT (DETAILED INSPECTION) WING FUEL TANK UNIT NOTE: THIS TASK COMPLIES WITH FUEL TANK IGNITION SOURCES PREVENTION (SFAR-88).(L600 ONLY)									Service ATA:28
	MOS	10-Jul-15	192 (+15d/-15d)	LOW UTILIZATION						
	HRS	7460.3	8000 (+20/-20)							
	AFL	3992	4000 (+20/-20)							
PROC. REF: AMM 28-41-02										PKG:5032,6032
28-50-02-220-001-A01	INSPECT (DETAILED INSPECTION) WING FUEL TANK UNITS (L650 ONLY)									Service ATA:28
	MOS/MSC	27-Aug-07	N/A							
	HRS	0								
	AFL	0								
PROC. REF: AMM 28-41-02										PKG:6016
28-50-03-220-002-A00 <sup>S</sup>	INSPECT (DETAILED INSPECTION) FWD FUEL TANK UNIT NOTE: THIS TASK COMPLIES WITH FUEL TANK IGNITION SOURCES PREVENTION (SFAR-88) (L600 ONLY)									Service ATA:28
	MOS	10-Jul-15	192 (+15d/-15d)	LOW UTILIZATION						
	HRS	7460.3	8000 (+20/-20)							
	AFL	3992	4000 (+20/-20)							
PROC. REF: AMM 28-46-03										PKG:5032,6032
28-50-03-220-002-A01	INSPECT (DETAILED INSPECTION) FWD FUEL TANK UNITS (L650 ONLY)									Service ATA:28
	MOS/MSC	27-Aug-07	N/A							
	HRS	0								
	AFL	0								
PROC. REF: AMM 28-46-03										PKG:6016

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 28 - FUEL										
28-50-04-212-001-A00 <sup>S</sup>	INSPECT (GENERAL VISUAL) WING STUB HARNESS NOTE: THIS TASK COMPLIES WITH FUEL TANK IGNITION SOURCES PREVENTION (SFAR-88) (L600 ONLY)								Service	ATA:28
MOS	10-Jul-15		192 (+15d/-15d)					LOW UTILIZATION		
HRS	7460.3		8000 (+20/-20)							
AFL	3992		4000 (+20/-20)							
PROC. REF: AMM 24-00-04										PKG:5032.6032
28-50-04-212-001-A01	INSPECT (GENERAL VISUAL) WING STUB HARNESS (L650 ONLY)								Service	ATA:28
MOS/MSC	27-Aug-07		N/A							
HRS	0									
AFL	0									
PROC. REF: AMM 24-00-04										PKG:6016
28-50-05-212-001-A00 <sup>S</sup>	INSPECT (GENERAL VISUAL) TRAILING EDGE HARNESS NOTE: THIS TASK COMPLIES WITH FUEL TANK IGNITION SOURCES PREVENTION (SFAR-88) (L600 ONLY)								Service	ATA:28
MOS	10-Jul-15		192 (+15d/-15d)					LOW UTILIZATION		
HRS	7460.3		8000 (+20/-20)							
AFL	3992		4000 (+20/-20)							
PROC. REF: AMM 24-00-03										PKG:5032.6032
28-50-05-212-001-A01	INSPECT (GENERAL VISUAL) TRAILING EDGE HARNESS (L650 ONLY)								Service	ATA:28
MOS/MSC	27-Aug-07		N/A							
HRS	0									
AFL	0									
PROC. REF: AMM 24-00-03										PKG:6016
28-50-06-212-001-A00 <sup>S</sup>	INSPECT (GENERAL VISUAL) LEADING EDGE HARNESS NOTE: THIS TASK COMPLIES WITH FUEL TANK IGNITION SOURCES PREVENTION (SFAR-88) (L600 ONLY)								Service	ATA:28
MOS	10-Jul-15		192 (+15d/-15d)					LOW UTILIZATION		
HRS	7460.3		8000 (+20/-20)							
AFL	3992		4000 (+20/-20)							
PROC. REF: AMM 24-00-02										PKG:5032.6032
28-50-06-212-001-A01	INSPECT (GENERAL VISUAL) LEADING EDGE HARNESS (L650 ONLY)								Service	ATA:28
MOS/MSC	27-Aug-07		N/A							
HRS	0									
AFL	0									
PROC. REF: AMM 24-00-02										PKG:6016

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 28 - FUEL										
28-50-07-220-001-A00 <sup>S</sup>	INSPECT (DETAILED INSPECTION) AFT FUEL TANK UNITS NOTE: THIS TASK COMPLIES WITH FUEL TANK IGNITION SOURCES PREVENTION (SFAR-88) (L600 ONLY)								Service	ATA:28
MOS	31-Jul-15		192 (+15d/-15d)					LOW UTILIZATION		
HRS	7460.3		8000 (+20/-20)							
AFL	3992		4000 (+20/-20)							
						PROC. REF: AMM 28-46-01				
										PKG:5032.6032
28-50-07-220-001-A01	INSPECT (DETAILED INSPECTION) AFT FUEL TANK UNITS (L650 ONLY)								Service	ATA:28
MOS/MSC	27-Aug-07		N/A							
HRS	0									
AFL	0									
						PROC. REF: AMM 28-46-01				
										PKG:6016
28-50-08-212-001-A00	INSPECT (GENERAL VISUAL) VENTRAL FUEL TANK EXTERNAL HARNESS(L650 ONLY)								Service	ATA:28
MOS/MSC	27-Aug-07		N/A							
HRS	0									
AFL	0									
						PROC. REF: AMM 28-27-01				
										PKG:6016
28-50-08-220-001-A00	INSPECT (DETAILED INSPECTION) VENTRAL FUEL TANK UNITS (L650 ONLY)								Service	ATA:28
MOS/MSC	27-Aug-07		N/A							
HRS	0									
AFL	0									
						PROC. REF: AMM 28-41-05				
										PKG:6016
28-50-09-212-001-A00	INSPECT (GENERAL VISUAL) FWD FUEL TANK EXTERNAL HARNESS(L650 ONLY)								Service	ATA:28
MOS/MSC	27-Aug-07		N/A							
HRS	0									
AFL	0									
						PROC. REF: AMM 28-26-01				
										PKG:6016
28-50-10-212-001-A00	INSPECT (GENERAL VISUAL) AFT FUEL TANK EXTERNAL HARNESS(L650 ONLY)								Service	ATA:28
MOS/MSC	27-Aug-07		N/A							
HRS	0									
AFL	0									
						PROC. REF: AMM 28-26-08				
										PKG:6016
281200-0101	LH WING FLOAT VENT VALVE								Component	ATA:28
PN:2930015-102	MOS/MSC	27-Aug-07	O/C		TSN 0					
SN:UNKNOWN	HRS	0			TSN 0					
	AFL	0			TSN 0					
						PROC. REF: AMM 28-12-01				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of:  
29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 28 - FUEL											
281200-0102		LH WING FLOAT VENT VALVE							Component	ATA:28	
PN:2930015-102	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 28-12-01											
281200-0103		RH WING FLOAT VENT VALVE							Component	ATA:28	
PN:2930015-102	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 28-12-01											
281200-0104		RH WING FLOAT VENT VALVE							Component	ATA:28	
PN:2930015-102	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 28-12-01											
281200-0105		FWR TK FLOAT VENT VALVE							Component	ATA:28	
PN:2930015-102	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 28-12-01											
281200-0106		FWR TK FLOAT VENT VALVE							Component	ATA:28	
PN:2930015-102	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 28-12-01											
281200-0107		FWR TK FLOAT VENT VALVE							Component	ATA:28	
PN:2930015-102	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 28-12-01											
281200-0108		FWR TK FLOAT VENT VALVE							Component	ATA:28	
PN:2930015-102	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 28-12-01											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 28 - FUEL</b>										
<b>281205-0201 LH WING FLAME ARRESTOR</b>										Component ATA:28
PN:130-0045-01	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:2358	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 28-12-05										
<b>281205-0202 RH WING FLAME ARRESTOR</b>										Component ATA:28
PN:130-0045-01	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:2359	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 28-12-05										
<b>281300-0101 LH REAR FUEL TANK ASSEMBLY</b>										Component ATA:28
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 28-13-01										
<b>281300-0102 RH REAR FUEL TANK ASSEMBLY</b>										Component ATA:28
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 28-13-01										
<b>281300-0103 FORWARD FUEL TANK ASSEMBLY</b>										Component ATA:28
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 28-15-04										
<b>281301-0101 REAR LH ALL RUBBER FUEL TANK</b>										Component ATA:28
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 28-13-01										
<b>281301-0102 REAR RH ALL RUBBER FUEL TANK</b>										Component ATA:28
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 28-13-01										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of:  
29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 28 - FUEL											
281302-0701 <sup>U</sup>		LH AFT FUEL TANK BLADDER VALVE								Component	ATA:28
PN:RAHE40371	MOS/MSC	19-Aug-16	O/C	TSN 0							
SN:384	HRS	7460.3		TSN 0							
	AFL	3992		TSN 0							
281302-0702 <sup>U</sup>		RH AFT FUEL TANK BLADDER VALVE								Component	ATA:28
PN:RAHE40371	MOS/MSC	19-Aug-16	O/C	TSN 0							
SN:393	HRS	7460.3		TSN 0							
	AFL	3992		TSN 0							
281400-0101		REAR TK CHECK-TYPE BUTTERFLY,INTERNAL TANK,FUEL SYSTEM VALVE								Component	ATA:28
PN:2000034-102	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
281400-0102		REAR TK CHECK-TYPE BUTTERFLY,INTERNAL TANK,FUEL SYSTEM VALVE								Component	ATA:28
PN:2000034-102	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 28-21-03											
281400-0103		REAR TK CHECK-TYPE BUTTERFLY,INTERNAL TANK,FUEL SYSTEM VALVE								Component	ATA:28
PN:2000034-102	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 28-21-03											
281400-0104		REAR TK CHECK-TYPE BUTTERFLY,INTERNAL TANK,FUEL SYSTEM VALVE								Component	ATA:28
PN:2000034-102	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 28-21-03											
281400-0105		REAR TK CHECK-TYPE BUTTERFLY,INTERNAL TANK,FUEL SYSTEM VALVE								Component	ATA:28
PN:2000034-102	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 28-21-03											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 28 - FUEL											
281400-0106		REAR TK CHECK-TYPE BUTTERFLY,INTERNAL TANK,FUEL SYSTEM VALVE							Component	ATA:28	
PN:2000034-102	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 28-21-03											
281400-0201		REAR TK VALVE CHECK-FUEL TANK, FUSELAGE ASSEMBLY							Component	ATA:28	
PN:869A-12BT	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: GENERIC NO REF											
281400-0202		REAR TK VALVE CHECK-FUEL TANK, FUSELAGE ASSEMBLY							Component	ATA:28	
PN:869A-12BT	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: GENERIC NO REF											
281400-0203		REAR TK VALVE CHECK-FUEL TANK, FUSELAGE ASSEMBLY							Component	ATA:28	
PN:869A-12BT	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: GENERIC NO REF											
281400-0204		REAR TK VALVE CHECK-FUEL TANK, FUSELAGE ASSEMBLY							Component	ATA:28	
PN:869A-12BT	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: GENERIC NO REF											
281400-0301		REAR SEAT SHUTOFF ASSY-FUEL SYS VALVE							Component	ATA:28	
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 28-23-02											
281400-0302		FWDSEAT SHUTOFF ASSY-FUEL SYS VALVE							Component	ATA:28	
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 28-23-02											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 28 - FUEL</b>										
<b>281400-0303 X FEED SHUTOFF ASSY-FUEL SYS VALVE Component ATA:28</b>										
PN:2930003-103	MOS/MSC		11-Dec-12	O/C	TSO 0					
SN:6301	HRS		6440.4		TSO 0					
	AFL		3467		TSO 0					
PROC. REF: AMM 28-23-02										
<b>281400-0304 REAR TK CROSSFEED SHUTOFF ASSY-FUEL SYS VALVE Component ATA:28</b>										
PN:PN	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:UNKNOWN	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: AMM 28-21-04										
<b>281400-0305 FWRTK SHUTOFF ASSY-FUEL SYS VALVE Component ATA:28</b>										
PN:2930003-104	MOS/MSC		15-Aug-13	O/C						
SN:4641	HRS		6643.4							
	AFL		3572							
PROC. REF: AMM 28-23-02										
<b>281400-0306 W STUB SHUTOFF ASSY-FUEL SYS VALVE Component ATA:28</b>										
PN:2930003-103	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:6833	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: AMM 28-23-02										
<b>281400-0307 STUB SHUTOFF ASSY-FUEL SYS VALVE Component ATA:28</b>										
PN:PN	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:UNKNOWN	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: AMM 28-23-02										
<b>281400-0308 APU SHUTOFF ASSY-FUEL SYS VALVE Component ATA:28</b>										
PN:293003-105	MOS/MSC		06-Jul-19	O/C	TSR 0					
SN:7335M	HRS		9057.4		TSR 0					
	AFL		4853		TSR 0					
PROC. REF: AMM 28-23-02										
<b>281400-0309 LH ENG SHUTOFF ASSY-FUEL SYS VALVE Component ATA:28</b>										
PN:2930003-104	MOS/MSC		12-Dec-12	O/C						
SN:6291	HRS		6440.4							
	AFL		3467							
PROC. REF: AMM 28-23-02										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 28 - FUEL											
281400-0310		RH ENG SHUTOFF ASSY-FUEL SYS VALVE								Component	ATA:28
PN:2930003-104	MOS/MSC	19-Aug-15	O/C	TSR 0							
SN:6584	HRS	7460.3		TSR 0							
	AFL	3992		TSR 0							
PROC. REF: AMM 28-23-02											
281400-0311		LEFT REAR TK ENGINE SHUTOFF ASSY-FUEL SYS VALVE								Component	ATA:28
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 28-21-05											
281400-0312		RIGHT REAR TK ENGINE SHUTOFF ASSY-FUEL SYS VALVE								Component	ATA:28
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 28-21-05											
281400-0313		FWR TK SHUTOFF ASSY-FUEL SYS VALVE								Component	ATA:28
PN:2930003-104	MOS/MSC	15-Aug-13	O/C								
SN:6995	HRS	6643.4									
	AFL	3572									
PROC. REF: AMM 28-23-02											
281400-0314		REAR TK SHUTOFF VALVE ASSY								Component	ATA:28
PN:2930003-104	MOS/MSC	15-Aug-13	O/C								
SN:4283	HRS	6643.4									
	AFL	3572									
PROC. REF: AMM 28-23-02											
281400-0316		STUB SHUTOFF ASSY-FUEL SYS VALVE								Component	ATA:28
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 28-23-02											
281400-0401		REAR TK ASSY,RELIEF LINE-INT TNK,AL SENSOR								Component	ATA:28
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: GENERIC NO REF											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 28 - FUEL										
281400-0402	REAR TK ASSY,RELIEF LINE-INT TNK,AL SENSOR									Component ATA:28
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: GENERIC NO REF										
281400-0501	FWR TK DRAIN-FUEL SYS VALVE									Component ATA:28
PN:2990076-102	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 28-11-02										
281400-0502	FWR TK DRAIN-FUEL SYS VALVE									Component ATA:28
PN:2990076-102	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 28-11-02										
281400-0503	REAR TK DRAIN-FUEL SYS VALVE									Component ATA:28
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 28-11-02										
281400-0504	REAR TK DRAIN-FUEL SYS VALVE									Component ATA:28
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 28-11-02										
281400-0505	LEFT FUSELAGE TANK DRAIN-FUEL SYS VALVE									Component ATA:28
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 28-11-02										
281400-0506	RIGHT FUSELAGE TANK DRAIN-FUEL SYS VALVE									Component ATA:28
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 28-11-02										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 28 - FUEL										
281400-0507	VENTRAL TANK NO.1 DRAIN-FUEL SYS VALVE									Component ATA:28
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 28-11-02										
281400-0508	VENTRAL TANK NO.2 DRAIN-FUEL SYS VALVE									Component ATA:28
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 28-11-02										
281400-0509	VENTRAL TANK NO.3 VENTRAL TANK VALVE									Component ATA:28
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: GENERIC NO REF										
281400-0601	REAR TK RELIEF-INTERNAL TANK,FUEL SYSTEM VALVE									Component ATA:28
PN:2000062-103	MOS/MSC	25-Jun-19	O/C	TSN 32						
SN:2367	HRS	9057.4		TSN 773.3						
	AFL	4853		TSN 407						
PROC. REF: AMM 28-14-13, AMM 28-14-14										
281400-0602	REAR TK RELIEF-INTERNAL TANK,FUEL SYSTEM VALVE									Component ATA:28
PN:2000062-103	MOS/MSC	25-Jun-19	O/C	TSN 32						
SN:2355	HRS	9057.4		TSN 773.3						
	AFL	4853		TSN 407						
PROC. REF: AMM 28-14-13, AMM 28-14-14										
281400-0603	L/H AFT TANK DIFFERENTIAL PRESSURE SWITCH									Component ATA:28
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 28-21-03										
281400-0604	R/H AFT TANK DIFFERENTIAL PRESSURE SWITCH									Component ATA:28
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 28 - FUEL</b>										
<b>281400-0701 LH REAR FUEL TANK RELIEF VALVE Component ATA:28</b>										
PN:2000031-102	MOS/MSC		29-Jun-23	O/C						
SN:0567	HRS		10161.5							
	AFL		5401							
PROC. REF: AMM 28-14-13, AMM 28-14-14										
<b>281400-0702 RH REAR FUEL TANK RELIEF VALVE Component ATA:28</b>										
PN:2000031-102	MOS/MSC		29-Jun-23	O/C						
SN:0568	HRS		10161.5							
	AFL		5401							
PROC. REF: AMM 28-14-13, AMM 28-14-14										
<b>281400-0801 FWR TK ARRESTOR-FLAME,VENT LINE Component ATA:28</b>										
PN:PN	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:UNKNOWN	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: AMM 28-16-05										
<b>281400-0802 FWR TK ARRESTOR-FLAME,VENT LINE Component ATA:28</b>										
PN:PN	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:UNKNOWN	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: AMM 28-16-05										
<b>281400-0803 REAR TK ARRESTOR-FLAME,VENT LINE Component ATA:28</b>										
PN:PN	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:UNKNOWN	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: AMM 28-16-05										
<b>281400-0804 REAR TK ARRESTOR-FLAME,VENT LINE Component ATA:28</b>										
PN:PN	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:UNKNOWN	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: AMM 28-16-05										
<b>281400-0901 LH WING CHECK-TYPE BUTTERFLY,INTERNAL TANK,FUEL SYSTEM VALVE Component ATA:28</b>										
PN:2000034-102	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:UNKNOWN	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of:  
29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 28 - FUEL											
281400-0902		RH WING CHECK-TYPE BUTTERFLY,INTERNAL TANK,FUEL SYSTEM VALVE							Component	ATA:28	
PN:2000034-102	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: GENERIC NO REF											
281400-0903		LH WING CHECK-TYPE BUTTERFLY,INTERNAL TANK,FUEL SYSTEM VALVE							Component	ATA:28	
PN:2000034-102	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 28-21-03											
281400-0904		RH WING CHECK-TYPE BUTTERFLY,INTERNAL TANK,FUEL SYSTEM VALVE							Component	ATA:28	
PN:2000034-102	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 28-21-03											
281501-0101		REAR TK ELECTRICAL-FUEL SYSTEM, INTERNAL PUMP							Component	ATA:28	
PN:1C7-25	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 28-21-01											
281501-0102		REAR TK ELECTRICAL-FUEL SYSTEM, INTERNAL PUMP							Component	ATA:28	
PN:1C7-25	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 28-21-01											
281501-0103		FWR TK ELECTRICAL-FUEL SYSTEM, INTERNAL PUMP							Component	ATA:28	
PN:1C7-25	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 28-21-01											
281501-0104		FWR TK ELECTRICAL-FUEL SYSTEM,INTERNAL PUMP							Component	ATA:28	
PN:1C7-25	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 28-21-01											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 28 - FUEL										
281501-0105	FWR TK ELECTRICAL-FUEL SYSTEM,INTERNAL PUMP									Component ATA:28
PN:1C7-25	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 28-21-01										
281501-0106	FWR TK ELECTRICAL-FUEL SYSTEM,INTERNAL PUMP									Component ATA:28
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 28-21-01										
281501-0107	LEFT VENTRAL TANK ELECTRICAL PUMP									Component ATA:28
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 28-24-12										
281501-0108	RIGHT VENTRAL TANK ELECTRICAL PUMP									Component ATA:28
PN:1C7-25	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 28-24-12										
281501-0201	FWR TK PRESSURE SWITCH									Component ATA:28
PN:F7-337-2	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 28-23-05										
281501-0202	FWR TK PRESSURE SWITCH									Component ATA:28
PN:F7-337-2	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 28-23-05										
281501-0203	FWR TK PRESSURE SWITCH									Component ATA:28
PN:F7-337-2	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 28-23-05										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 28 - FUEL											
281501-0204		FWR TK PRESSURE SWITCH								Component	ATA:28
PN:F7-337-2	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 28-23-05											
281501-0205		REAR TK PRESSURE SWITCH								Component	ATA:28
PN:F7-337-2	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 28-23-05											
281501-0206		REAR TK PRESSURE SWITCH								Component	ATA:28
PN:F7-337-2	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 28-23-05											
281501-0301		FWR TK INTERNAL, SOLENOID ASSY-REFUELLING VALVE								Component	ATA:28
PN:2990059-102	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 28-24-10											
281501-0302		FWR TK INTERNAL, SOLENOID ASSY-REFUELLING VALVE								Component	ATA:28
PN:2990059-102	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 28-24-10											
281501-0303		FWR TK INTERNAL, SOLENOID ASSY-REFUELLING VALVE								Component	ATA:28
PN:2990059-102	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 28-24-10											
281501-0304		FWR TK INTERNAL, SOLENOID ASSY-REFUELLING VALVE								Component	ATA:28
PN:2990059-102	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 28-24-10											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 28 - FUEL											
281501-0305		REAR TK INTERNAL, SOLENOID ASSY-REFUELLING VALVE								Component	ATA:28
PN:2990059-102	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 28-24-10											
281501-0306		REAR TK INTERNAL, SOLENOID ASSY-REFUELLING VALVE								Component	ATA:28
PN:2990059-102	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 28-24-10											
281501-0307		REAR TK INTERNAL, SOLENOID ASSY-REFUELLING VALVE								Component	ATA:28
PN:2990059-102	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 28-24-10											
281501-0308		REAR TK INTERNAL, SOLENOID ASSY-REFUELLING VALVE								Component	ATA:28
PN:2990059-102	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 28-24-10											
281501-0401		FWR TK FUEL SYS - SHUTOFF VALVE								Component	ATA:28
PN:2000038-102	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 28-23-02											
281501-0402		FWR TK FUEL SYS - SHUTOFF VALVE								Component	ATA:28
PN:2000038-102	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 28-23-02											
281501-0403		REAR TK FUEL SYS - SHUTOFF VALVE								Component	ATA:28
PN:2000038-102	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 28-23-02											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 28 - FUEL											
281501-0404		REAR TK FUEL SYS - SHUTOFF VALVE								Component	ATA:28
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 28-23-02											
281501-0501		FWR TK RELIEF-INTERNAL TANK,FUEL SYSTEM VALVE								Component	ATA:28
PN:2000062-101	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: GENERIC NO REF											
281501-0502		FWR TK RELIEF-INTERNAL TANK,FUEL SYSTEM VALVE								Component	ATA:28
PN:2000062-101	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: GENERIC NO REF											
281501-0503		LEFT RELIEF-INTERNAL TANK,FUEL SYSTEM VALVE								Component	ATA:28
PN:2000062-101	MOS/MSC	06-Jul-15	O/C	TSN 0							
SN:0581	HRS	7460.3	TSN 0								
	AFL	3992	TSN 0								
PROC. REF: GENERIC NO REF											
281501-0504		RIGHT RELIEF-INTERNAL TANK,FUEL SYSTEM VALVE								Component	ATA:28
PN:2000062-101	MOS/MSC	06-Jul-15	O/C	TSN 0							
SN:0928	HRS	7460.3	TSN 0								
	AFL	3992	TSN 0								
PROC. REF: GENERIC NO REF											
281501-0505		MID RELIEF-INTERNAL TANK,FUEL SYSTEM VALVE								Component	ATA:28
PN:2000062-101	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: GENERIC NO REF											
281501-0601		FWR TK CHECK-TYPE THERMOSTATIC EXPANSION,TANK,FUEL SYS VALVE								Component	ATA:28
PN:2020035-101	MOS/MSC	29-Jun-23	O/C	TSN 0							
SN:0296	HRS	10161.5	TSN 0								
	AFL	5401	TSN 0								
PROC. REF: GENERIC NO REF											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 28 - FUEL											
281501-0602		FWR TK CHECK-TYPE THERMOSTATIC EXPANSION,TANK,FUEL SYS VALVE							Component	ATA:28	
PN:2020035-101	MOS/MSC	29-Jun-23	O/C								
SN:0318	HRS	10161.5									
	AFL	5401									
PROC. REF: GENERIC NO REF											
281501-0603		FWR TK CHECK-TYPE THERMOSTATIC EXPANSION,TANK,FUEL SYS VALVE							Component	ATA:28	
PN:2020035-101	MOS/MSC	29-Jun-23	O/C	TSN 0							
SN:1668	HRS	10161.5		TSN 0							
	AFL	5401		TSN 0							
PROC. REF: GENERIC NO REF											
281501-0604		FWR TK CHECK-TYPE THERMOSTATIC EXPANSION,TANK,FUEL SYS VALVE							Component	ATA:28	
PN:2020035-101	MOS/MSC	29-Jun-23	O/C								
SN:0675	HRS	10161.5									
	AFL	5401									
PROC. REF: GENERIC NO REF											
281501-0701		F UND TK EQUIPPED FORWARD UNDERBELLY TANK TANK							Component	ATA:28	
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: GENERIC NO REF											
281701-0101		VENT TK EQUIPPED VENTRAL TANK TANK							Component	ATA:28	
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM NO REF											
281701-0102		VENT TK EQUIPPED VENTRAL TANK TANK							Component	ATA:28	
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM NO REF											
281801-0101		FORWARD LEFT VENTRAL TANK FLOAT VENT VALVE							Component	ATA:28	
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM NO REF											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 28 - FUEL										
281801-0102 FORWARD RIGHT VENTRAL TANK FLOAT VENT VALVE Component ATA:28										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM NO REF										
281801-0103 AFT LEFT VENTRAL TANK FLOAT VENT VALVE Component ATA:28										
PN:2930015-102	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM NO REF										
281801-0104 AFT RIGHT VENTRAL TANK FLOAT VENT VALVE Component ATA:28										
PN:2930015-102	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM NO REF										
281805-0101 LEFT FLAME ARRESTOR Component ATA:28										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 28-12-05										
281805-0102 RIGHT FLAME ARRESTOR Component ATA:28										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 28-12-05										
282004-0101 MODULE ASSY MODULE Component ATA:28										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: GENERIC NO REF										
282100-0101 REAR TK BALL-FUEL SYS VALVE Component ATA:28										
PN:869A-12TT	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:07-0320603	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 28 - FUEL</b>										
<b>282100-0102 REAR TK BALL-FUEL SYS VALVE</b>										Component ATA:28
PN:869A-12TT	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:07-0320592	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>282100-0201 LH WING EJECTOR-FUEL SYSTEM,COMPLETION PUMP</b>										Component ATA:28
PN:2010031-101	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:0375	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 28-21-02										
<b>282100-0202 RH WING EJECTOR-FUEL SYSTEM,COMPLETION PUMP</b>										Component ATA:28
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 28-21-02										
<b>282100-0301 LH WING ELECTRICAL-FUEL SYSTEM,TANK,REAR FUSELAGE PUMP</b>										Component ATA:28
PN:2C7-4	MOS/MSC	19-Oct-11	O/C	TSN 0						
SN:6BF26	HRS	4959.3		TSN 0						
	AFL	2629		TSN 0						
PROC. REF: AMM 28-21-01										
<b>282100-0302 LH WING ELECTRICAL-FUEL SYSTEM,TANK,REAR FUSELAGE PUMP</b>										Component ATA:28
PN:2C7-4	MOS/MSC	25-Oct-23	O/C	TSO 0						
SN:4AP102	HRS	10280.2		TSO 0						
	AFL	5473		TSO 0						
PROC. REF: AMM 28-21-01										
<b>282100-0303 LH WING ELECTRICAL-FUEL SYSTEM,TANK,REAR FUSELAGE PUMP</b>										Component ATA:28
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 28-21-01										
<b>282100-0304 RH WING ELECTRICAL-FUEL SYSTEM,TANK,REAR FUSELAGE PUMP</b>										Component ATA:28
PN:2C7-4	MOS/MSC	29-Jul-21	O/C	TSR 9						
SN:10AY472	HRS	9631.4		TSN 5922, TSR 0						
	AFL	5130		TSN 2307, TSR 0						
PROC. REF: AMM 28-21-01										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 28 - FUEL											
282100-0305		RH WING ELECTRICAL-FUEL SYSTEM,TANK,REAR FUSELAGE PUMP							Component	ATA:28	
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 28-21-01											
282100-0306		RH WING ELECTRICAL-FUEL SYSTEM,TANK,REAR FUSELAGE PUMP							Component	ATA:28	
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 28-21-01											
282100-0401		W STUB FUEL SYSTEM CHECK VALVE							Component	ATA:28	
PN:2930006-101	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:2110	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: GENERIC NO REF											
282100-0402		W STUB FUEL SYSTEM CHECK VALVE							Component	ATA:28	
PN:2930006-101	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:2177	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: GENERIC NO REF											
282100-0501		LH STUB POPPET-RELIEF, FUEL SYS, WING STUB JUNCTION VALVE							Component	ATA:28	
PN:2930005-102	MOS/MSC	29-Jun-23	O/C								
SN:3665	HRS	10161.5									
	AFL	5401									
PROC. REF: GENERIC NO REF											
282100-0502		RH STUB POPPET-RELIEF, FUEL SYS, WING STUB JUNCTION VALVE							Component	ATA:28	
PN:2930005-102	MOS/MSC	29-Jun-23	O/C								
SN:3673	HRS	10161.5									
	AFL	5401									
PROC. REF: GENERIC NO REF											
282100-0503		REAR TK POPPET-RELIEF, FUEL SYS, WING STUB JUNCTION VALVE							Component	ATA:28	
PN:2930005-102	MOS/MSC	29-Jun-23	O/C								
SN:2306	HRS	10161.5									
	AFL	5401									
PROC. REF: GENERIC NO REF											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 28 - FUEL										
282100-0504	REAR TK POPPET-RELIEF, FUEL SYS, WING STUB JUNCTION VALVE									Component ATA:28
PN:2930005-102	MOS/MSC		29-Jun-23	O/C						
SN:3666	HRS		10161.5							
	AFL		5401							
PROC. REF: GENERIC NO REF										
282100-0601	REAR TK PRESSURE,28VDC/25AMPS,ENGINE FUEL SYS SWITCH									Component ATA:28
PN:21117-1	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:UNKNOWN	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: GENERIC NO REF										
282100-0602	REAR TK PRESSURE,28VDC/25AMPS,ENGINE FUEL SYS SWITCH									Component ATA:28
PN:21117-1	MOS/MSC		27-Mar-18	O/C	TSN 9					
SN:5821	HRS		8539		TSN 0					
	AFL		4583		TSN 0					
PROC. REF: GENERIC NO REF										
282100-0703	APU PRESSURE-FUEL SYS,STEEL SWITCH									Component ATA:28
PN:PN	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:UNKNOWN	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: AMM 28-45-02										
282100-0801	LH WING BALL-FUEL SYS VALVE									Component ATA:28
PN:869A-12TT	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:07-0320596	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: GENERIC NO REF										
282100-0802	RH WING BALL-FUEL SYS VALVE									Component ATA:28
PN:869A-12TT	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:04-0911258	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: GENERIC NO REF										
282100-0901	LH ENG PRESSURE-FUEL SYS,STEEL SWITCH									Component ATA:28
PN:PN	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:UNKNOWN	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: AMM 28-45-01										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 28 - FUEL</b>										
<b>282100-0902 RH ENG PRESSURE-FUEL SYS,STEEL SWITCH Component ATA:28</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 28-45-01										
<b>282102-0101 OVERH P MODULE -FUEL CONTROL PANEL ASSEMBLY Component ATA:28</b>										
PN:135-05400-403	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:124562	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 28-20-04										
<b>282103-0101 AUXILIARY FUEL SYS RELAY BOX Component ATA:28</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 28-20-02										
<b>282103-0201 MODULE 6, W7000 FUEL CTL IV MODULE Component ATA:28</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>282201-0101 APU FUEL SYS - SHUTOFF VALVE Component ATA:28</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 28-23-02										
<b>282300-0101 PRESS FUELLING,PRESSURE,AL ADAPTER Component ATA:28</b>										
PN:2820052-102	MOS/MSC	10-Aug-16	O/C	TSR 16						
SN:1643	HRS	7841.1		TSR 0						
	AFL	4202		TSR 0						
PROC. REF: AMM 28-23-01										
<b>282300-0201 LH WING FUEL TANK SHUTOFF VALVE Component ATA:28</b>										
PN:2810049-101	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:3001	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 28-23-02										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 28 - FUEL											
282300-0202		RH WING FUEL TANK SHUTOFF VALVE								Component	ATA:28
PN:2810049-101	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:3000	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 28-23-02											
282300-0301		REAR TK PRESSURE SWITCH								Component	ATA:28
PN:F7-330-2	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 28-23-05											
282300-0302		REAR TK PRESSURE SWITCH								Component	ATA:28
PN:F7-330-2	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 28-23-05											
282300-0305		FWR TK PRESSURE SWITCH								Component	ATA:28
PN:F7-330-2	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 28-23-05											
282300-0306		FWR TK PRESSURE SWITCH								Component	ATA:28
PN:F7-330-2	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 28-23-05											
282300-0307		LH PRESSURE SWITCH								Component	ATA:28
PN:211C119-168	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 28-23-05											
282300-0308		RH PRESSURE SWITCH								Component	ATA:28
PN:211C119-168	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 28-23-05											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 28 - FUEL</b>											
<b>282300-0501</b>		<b>LH WING FUEL TANK RELIEF VALVE</b>								<b>Component</b>	<b>ATA:28</b>
PN:2810050-102	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:3043	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 28-21-03											
<b>282300-0502</b>		<b>RH WING FUEL TANK RELIEF VALVE</b>								<b>Component</b>	<b>ATA:28</b>
PN:2810050-102	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:3040	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 28-21-03											
<b>282300-0601</b>		<b>FUEL REPEATER INDICATOR</b>								<b>Component</b>	<b>ATA:28</b>
PN:366-927-001	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 28-23-08											
<b>282300-0701</b>		<b>LH WING PRESSURE SWITCH</b>								<b>Component</b>	<b>ATA:28</b>
PN:F7-330-2	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 28-23-05											
<b>282300-0702</b>		<b>RH WING PRESSURE SWITCH</b>								<b>Component</b>	<b>ATA:28</b>
PN:F7-330-2	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 28-23-05											
<b>282300-0801</b>		<b>LH WING VALVE VENT -RELIEF,FUEL TANK ASSEMBLY</b>								<b>Component</b>	<b>ATA:28</b>
PN:2810051-104	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:4252AA	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 28-23-04											
<b>282300-0802</b>		<b>RH WING VALVE VENT -RELIEF,FUEL TANK ASSEMBLY</b>								<b>Component</b>	<b>ATA:28</b>
PN:2810051-104	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:4161AA	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 28-23-04											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 28 - FUEL											
282300-0901		FORWARD RH WING/FUSLG FAIRING - REFUEL/DEFUEL CTRL PANEL ASSEMBLY							Component	ATA:28	
PN:135-04756-403	MOS/MSC		27-Aug-07	O/C	TSN 0						
SN:143475	HRS		0		TSN 0						
	AFL		0		TSN 0						
PROC. REF: AMM 28-23-09											
282301-0101		REAR TK VALVE -RELIEF, FUEL TANK, WING ASSEMBLY							Component	ATA:28	
PN:2990074-102	MOS/MSC		27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS		0		TSN 0						
	AFL		0		TSN 0						
PROC. REF: AMM 28-21-03											
282301-0102		REAR TK VALVE -RELIEF, FUEL TANK, WING ASSEMBLY							Component	ATA:28	
PN:2990074-102	MOS/MSC		27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS		0		TSN 0						
	AFL		0		TSN 0						
PROC. REF: AMM 28-21-03											
282301-0103		FWR TK VALVE -RELIEF, FUEL TANK, WING ASSEMBLY							Component	ATA:28	
PN:2990074-102	MOS/MSC		27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS		0		TSN 0						
	AFL		0		TSN 0						
PROC. REF: AMM 28-21-03											
282301-0104		FWR TK VALVE -RELIEF, FUEL TANK, WING ASSEMBLY							Component	ATA:28	
PN:2990074-102	MOS/MSC		27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS		0		TSN 0						
	AFL		0		TSN 0						
PROC. REF: AMM 28-21-03											
282302-0101		REAR TK REFUEL SHUTOFF VALVE							Component	ATA:28	
PN:2990078-102	MOS/MSC		28-Aug-16	O/C							
SN:1208	HRS		7864.3								
	AFL		4220								
PROC. REF: AMM 28-24-11											
282302-0102		REAR TK REFUEL SHUTOFF VALVE							Component	ATA:28	
PN:2990078-102	MOS/MSC		06-Oct-16	O/C							
SN:0334	HRS		7915.2								
	AFL		4246								
PROC. REF: AMM 28-24-11											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 28 - FUEL											
282302-0103		FWR TK REFUEL SHUTOFF VALVE							Component	ATA:28	
PN:2990078-102	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 28-24-11											
282302-0104		FWR TK REFUEL SHUTOFF VALVE							Component	ATA:28	
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 28-24-11											
282302-0105		LEFT UNDERBELLY TANK SHUTOFF ASSY-FUEL SYS VALVE							Component	ATA:28	
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: GENERIC NO REF											
282302-0106		RIGHT UNDERBELLY TANK SHUTOFF ASSY-FUEL SYS VALVE							Component	ATA:28	
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: GENERIC NO REF											
282302-0107		STUB - FUEL SYSTEM - SHUTOFF VALVE ASSEMBLY							Component	ATA:28	
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 28-23-02											
282302-0108		STUB - FUEL SYSTEM - SHUTOFF VALVE ASSEMBLY							Component	ATA:28	
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 28-23-02											
282302-0109		STUB - FUEL SYSTEM - SHUTOFF VALVE ASSEMBLY							Component	ATA:28	
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 28-23-02											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 28 - FUEL										
282304-0101	REAR TK LEVEL, FLOAT TYPE, FUEL SYS,WING SENSOR									Component ATA:28
PN:005-023-001	MOS/MSC		O/C							
SN:UNKNOWN	HRS									
	AFL	0								
PROC. REF: GENERIC NO REF										
282304-0102	REAR TK LEVEL, FLOAT TYPE, FUEL SYS,WING SENSOR									Component ATA:28
PN:005-023-001	MOS/MSC		O/C							
SN:UNKNOWN	HRS									
	AFL	0								
PROC. REF: GENERIC NO REF										
282304-0103	FWRTK LEVEL, FLOAT TYPE, FUEL SYS,WING SENSOR									Component ATA:28
PN:005-023-001	MOS/MSC		O/C							
SN:UNKNOWN	HRS									
	AFL	0								
PROC. REF: GENERIC NO REF										
282304-0104	FWRTK LEVEL, FLOAT TYPE, FUEL SYS,WING SENSOR									Component ATA:28
PN:005-023-001	MOS/MSC	02-Feb-12	O/C	TSN 0						
SN:1844	HRS	5374		TSN 0						
	AFL	2843		TSN 0						
PROC. REF: GENERIC NO REF										
282304-0105	LH WING FLOAT TYPE, FUEL SYS LEVEL SENSOR									Component ATA:28
PN:005-023-001	MOS/MSC		O/C							
SN:UNKNOWN	HRS									
	AFL	0								
PROC. REF: GENERIC NO REF										
282304-0106	RH WING FLOAT TYPE, FUEL SYS LEVEL SENSOR									Component ATA:28
PN:005-023-001	MOS/MSC		O/C							
SN:UNKNOWN	HRS									
	AFL	0								
PROC. REF: GENERIC NO REF										
282307-0101	DEFUELING SHUTOFF ASSY-FUEL SYS VALVE									Component ATA:28
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 28-23-07										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 28 - FUEL										
282309-0101	MODULE ASSY MODULE									Component ATA:28
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: GENERIC NO REF										
282311-0101	VENTRAL TANK REFUELING SHUTOFF ASSY-FUEL SYS VALVE									Component ATA:28
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM NO REF										
282313-0101	VENTRAL TANK FUEL SYS - SHUTOFF VALVE									Component ATA:28
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM NO REF										
282318-0101	LH WING HIGH LEVEL FUEL SENSOR									Component ATA:28
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: GENERIC NO REF										
282318-0102	RH WING HIGH LEVEL FUEL SENSOR									Component ATA:28
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: GENERIC NO REF										
282320-0101	VENTRAL HIGH LEVEL FUEL SENSOR									Component ATA:28
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM NO REF										
282411-0101	LH FWD REFUELING SHUTOFF ASSY-FUEL SYS VALVE									Component ATA:28
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 28-24-11										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 28 - FUEL										
282411-0102	RH FWD REFUELING SHUTOFF ASSY-FUEL SYS VALVE									Component ATA:28
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	AFL	0	TSN 0							
PROC. REF: AMM 28-24-11										
282411-0103	LH AFT REFUELING SHUTOFF ASSY-FUEL SYS VALVE									Component ATA:28
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	AFL	0	TSN 0							
PROC. REF: AMM 28-24-11										
282411-0104	RH AFT REFUELING SHUTOFF ASSY-FUEL SYS VALVE									Component ATA:28
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	AFL	0	TSN 0							
PROC. REF: AMM 28-24-11										
282412-0101	LEFT FORWARD TANK FUEL SYS - SHUTOFF VALVE									Component ATA:28
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	AFL	0	TSN 0							
PROC. REF: AMM 28-24-11										
282412-0102	RIGHT FORWARD TANK FUEL SYS - SHUTOFF VALVE									Component ATA:28
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	AFL	0	TSN 0							
PROC. REF: AMM 28-24-11										
282412-0103	AFT TANK FUEL SYS - SHUTOFF VALVE									Component ATA:28
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	AFL	0	TSN 0							
PROC. REF: AMM 28-24-11										
282412-0104	FORWARD TANK FUEL SYS SHUTOFF VALVE									Component ATA:28
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	AFL	0	TSN 0							
PROC. REF: AMM 28-23-02										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 28 - FUEL										
282414-0101 LEFT FORWARD TANK HIGH LEVEL FUEL SENSOR Component ATA:28										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: GENERIC NO REF										
282414-0102 RIGHT FORWARD TANK HIGH LEVEL FUEL SENSOR Component ATA:28										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: GENERIC NO REF										
282600-0101 REAR FUEL SYS, INTERNAL TANK PRESSURE SWITCH Component ATA:28										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: GENERIC NO REF										
282600-0102 REAR FUEL SYS, INTERNAL TANK PRESSURE SWITCH Component ATA:28										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: GENERIC NO REF										
282604-0101 LEFT FORWARD TANK TRANSFER SHUTOFF ASSY-FUEL SYS VALVE Component ATA:28										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 28-26-04										
282604-0102 RIGHT FORWARD TANK TRANSFER SHUTOFF ASSY-FUEL SYS VALVE Component ATA:28										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 28-26-04										
282610-0101 LEFT AFT TANK TRANSFER SHUTOFF ASSY-FUEL SYS VALVE Component ATA:28										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 28-26-10										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 28 - FUEL										
282610-0102	RIGHT AFT TANK TRANSFER SHUTOFF ASSY-FUEL SYS VALVE									Component ATA:28
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	AFL	0	TSN 0							
PROC. REF: AMM 28-26-10										
282615-0101	CROSS TRANSFER FUEL SYS - SHUTOFF VALVE									Component ATA:28
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	AFL	0	TSN 0							
PROC. REF: AMM 28-26-15										
282618-0101	LEFT AFT TANK FUEL ISOLATION ELECTRICAL FUEL SYS - SHUTOFF VALVE									Component ATA:28
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	AFL	0	TSN 0							
PROC. REF: AMM 28-26-18										
282618-0102	RIGHT AFT TANK FUEL ISOLATION ELECTRICAL FUEL SYS - SHUTOFF VALVE									Component ATA:28
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	AFL	0	TSN 0							
PROC. REF: AMM 28-26-18										
282621-0101	LEFT FORWARD TANK LOW LEVEL FUEL SENSOR									Component ATA:28
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	AFL	0	TSN 0							
PROC. REF: AMM 28-26-21										
282621-0102	RIGHT FORWARD TANK LOW LEVEL FUEL SENSOR									Component ATA:28
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	AFL	0	TSN 0							
PROC. REF: AMM 28-26-21										
282622-0101	LEFT UPPER AFT TANK LOW LEVEL FUEL SENSOR									Component ATA:28
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	AFL	0	TSN 0							
PROC. REF: AMM 28-26-22										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 28 - FUEL										
282622-0102 LEFT LOWER AFT TANK LOW LEVEL FUEL SENSOR Component ATA:28										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 28-26-22										
282622-0103 RIGHT UPPER AFT TANK LOW LEVEL FUEL SENSOR Component ATA:28										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 28-26-22										
282622-0104 RIGHT LOWER AFT TANK LOW LEVEL FUEL SENSOR Component ATA:28										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 28-26-22										
282702-0101 VENTRAL TANK - TRANSFER PUMP CHECK VALVE Component ATA:28										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM NO REF										
282702-0102 VENTRAL TANK - TRANSFER PUMP CHECK VALVE Component ATA:28										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM NO REF										
282704-0101 VENTRAL TANK TRANSFER SHUTOFF ASSY-FUEL SYS VALVE Component ATA:28										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM NO REF										
284100-0201 LH WING FUEL TANK UNIT Component ATA:28										
PN:028-936-002	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:2382B	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 28-41-02										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 28 - FUEL</b>											
284100-0202		RH WING FUEL TANK UNIT								Component	ATA:28
PN:028-936-002	MOS/MSC		27-Aug-07	O/C	TSN 0						
SN:2381B	HRS		0		TSN 0						
	AFL		0		TSN 0						
PROC. REF: AMM 28-41-02											
284100-0203		LH WING FUEL TANK UNIT								Component	ATA:28
PN:028-936-005	MOS/MSC		27-Aug-07	O/C	TSN 0						
SN:2318B	HRS		0		TSN 0						
	AFL		0		TSN 0						
PROC. REF: AMM 28-41-02											
284100-0204		RH WING FUEL TANK UNIT								Component	ATA:28
PN:028-936-005	MOS/MSC		13-Dec-19	O/C	TSR 8						
SN:1494B	HRS		9243.4		TSR 0						
	AFL		4944		TSR 0						
PROC. REF: AMM 28-41-02											
284100-0205		LH WING STUB TANK #1B UNIT								Component	ATA:28
PN:028-936-008	MOS/MSC		27-Aug-07	O/C	TSN 0						
SN:1797B	HRS		0		TSN 0						
	AFL		0		TSN 0						
PROC. REF: AMM 28-41-02											
284100-0206		RH WING STUB TANK #1B UNIT								Component	ATA:28
PN:028-936-008	MOS/MSC		27-Aug-07	O/C	TSN 0						
SN:1796B	HRS		0		TSN 0						
	AFL		0		TSN 0						
PROC. REF: AMM 28-41-02											
284100-0301		LH WING FUEL QUANTITY TRANSMITTER								Component	ATA:28
PN:028-936-004	MOS/MSC		27-Aug-07	O/C	TSN 0						
SN:2320B	HRS		0		TSN 0						
	AFL		0		TSN 0						
PROC. REF: GENERIC NO REF											
284100-0302		RH WING FUEL QUANTITY TRANSMITTER								Component	ATA:28
PN:028-936-004	MOS/MSC		27-Aug-07	O/C	TSN 0						
SN:2318B	HRS		0		TSN 0						
	AFL		0		TSN 0						
PROC. REF: GENERIC NO REF											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 28 - FUEL</b>										
<b>284100-0303 LH WING TANK FUEL QUANTITY TRANSMITTER Component ATA:28</b>										
PN:028-936-006	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:2418B	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: GENERIC NO REF										
<b>284100-0304 RH WING TANK FUEL QUANTITY TRANSMITTER Component ATA:28</b>										
PN:028-936-006	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:2415B	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: GENERIC NO REF										
<b>284100-0305 RH WING FUEL QUANTITY TRANSMITTER Component ATA:28</b>										
PN:028-936-003	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:2347B	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: GENERIC NO REF										
<b>284100-0401 LH WING FUEL TANK,WING STUB PROBE Component ATA:28</b>										
PN:028-936-007	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:1691B	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: GENERIC NO REF										
<b>284100-0402 RH WING FUEL TANK,WING STUB PROBE Component ATA:28</b>										
PN:028-936-007	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:1697B	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: GENERIC NO REF										
<b>284100-0501 LH WING LOW LEVEL FUEL TANK SENSOR Component ATA:28</b>										
PN:057-905-001	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:2510B	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: AMM 28-44-01										
<b>284100-0502 RH WING LOW LEVEL, FUEL TANK SENSOR Component ATA:28</b>										
PN:057-905-001	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:2512B	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: AMM 28-44-01										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of:  
29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 28 - FUEL											
284100-0601		CREW CAB SIGNAL CONDITIONING-LEVEL, FUEL SYS UNIT								Component	ATA:28
PN:367-934-002	MOS/MSC	21-Jan-22	O/C	TSR 4							
SN:606	HRS	9789.3		TSN 14438.1, TSR 0							
	AFL	5205		TSR 0							
PROC. REF: AMM 28-41-01											
284100-0602		CSL CENT SIGNAL CONDITIONING-LEVEL, FUEL SYS UNIT								Component	ATA:28
PN:367-934-006	MOS/MSC	07-Feb-12	O/C								
SN:1362	HRS	5380.8									
	AFL	2849									
PROC. REF: AMM 28-41-01											
284100-0603		CSL CENT SIGNAL CONDITIONING-LEVEL, FUEL SYS UNIT								Component	ATA:28
PN:367-934-006	MOS/MSC	06-Jul-15	O/C	TSR 9							
SN:1321	HRS	7460.3		TSN 1334, TSR 0							
	AFL	3992		TSN 500, TSR 0							
PROC. REF: AMM 28-41-01											
284101-0101		FWR TK FUEL INDICATOR PROBE								Component	ATA:28
PN:028-065-002	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: GENERIC NO REF											
284101-0102		FWR TK FUEL INDICATOR PROBE								Component	ATA:28
PN:028-065-002	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: GENERIC NO REF											
284101-0103		FWR TK FUEL INDICATOR PROBE								Component	ATA:28
PN:028-065-002	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: GENERIC NO REF											
284101-0104		FWR TK FUEL INDICATOR PROBE								Component	ATA:28
PN:028-065-002	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: GENERIC NO REF											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 28 - FUEL											
284101-0105		FWR TK FUEL INDICATOR PROBE								Component	ATA:28
PN:028-065-001	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: GENERIC NO REF											
284101-0106		FWR TK FUEL INDICATOR PROBE								Component	ATA:28
PN:028-065-001	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: GENERIC NO REF											
284101-0107		FWR TK FUEL INDICATOR PROBE								Component	ATA:28
PN:028-065-001	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: GENERIC NO REF											
284101-0108		FWR TK FUEL INDICATOR PROBE								Component	ATA:28
PN:028-065-001	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: GENERIC NO REF											
284101-0201		FWR TK HARNESS FORWARD AUXILIARY TANK ASSEMBLY								Component	ATA:28
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 28-46-04											
284101-0202		FWR TK HARNESS FORWARD AUXILIARY TANK ASSEMBLY								Component	ATA:28
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 28-46-04											
284102-0301		FORWARD CONTROL-LEVEL SWITCH, FUEL SYS UNIT								Component	ATA:28
PN:367-340-001	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: GENERIC NO REF											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 28 - FUEL											
284102-0302		FORWARD CONTROL-LEVEL SWITCH, FUEL SYS UNIT							Component	ATA:28	
PN:367-340-001	MOS/MSC	21-Aug-09	O/C	TSR 0							
SN:1401	HRS	2411.7		TSR 0							
	AFL	1277		TSR 0							
PROC. REF: NDT GENERIC											
284102-0401		LH WING WING TANK FUEL QUANTITY SENSOR							Component	ATA:28	
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: NDT GENERIC											
284102-0402		RH WING WING TANK FUEL QUANTITY SENSOR							Component	ATA:28	
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: NDT GENERIC											
284102-0403		LH WING WING TANK FUEL QUANTITY SENSOR							Component	ATA:28	
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: NDT GENERIC											
284102-0404		RH WING WING TANK FUEL QUANTITY SENSOR							Component	ATA:28	
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: NDT GENERIC											
284102-0405		LH WING WING TANK FUEL QUANTITY SENSOR							Component	ATA:28	
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: NDT GENERIC											
284102-0406		RH WING WING TANK FUEL QUANTITY SENSOR							Component	ATA:28	
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: NDT GENERIC											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 28 - FUEL										
284102-0407	LH WING WING TANK FUEL QUANTITY SENSOR									Component ATA:28
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										
284102-0408	RH WING WING TANK FUEL QUANTITY SENSOR									Component ATA:28
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										
284102-0409	LH WING WING TANK FUEL QUANTITY SENSOR									Component ATA:28
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										
284102-0410	RH WING WING TANK FUEL QUANTITY SENSOR									Component ATA:28
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										
284102-0411	LH WING WING TANK FUEL QUANTITY SENSOR									Component ATA:28
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										
284102-0412	RH WING WING TANK FUEL QUANTITY SENSOR									Component ATA:28
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										
284103-0101	TANK UNIT HARNESS ASSEMBLY									Component ATA:28
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 28-41-03										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of:  
29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 28 - FUEL										
284103-0102	RH WING TANK UNIT HARNESS ASSEMBLY									Component ATA:28
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	AFL	0	TSN 0							
PROC. REF: AMM 28-41-03										
284105-0101	LEFT VENTRAL TANL UNIT SENSOR									Component ATA:28
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	AFL	0	TSN 0							
PROC. REF: NDT GENERIC										
284105-0102	RIGHT VENTRAL TANL UNIT SENSOR									Component ATA:28
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	AFL	0	TSN 0							
PROC. REF: NDT GENERIC										
284105-0103	VENTRAL TANL UNIT SENSOR									Component ATA:28
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	AFL	0	TSN 0							
PROC. REF: NDT GENERIC										
284105-0104	VENTRAL TANL UNIT SENSOR									Component ATA:28
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	AFL	0	TSN 0							
PROC. REF: NDT GENERIC										
284105-0105	VENTRAL TANL UNIT SENSOR									Component ATA:28
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	AFL	0	TSN 0							
PROC. REF: NDT GENERIC										
284105-0106	VENTRAL TANL UNIT FUEL QUANTITY SENSOR									Component ATA:28
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	AFL	0	TSN 0							
PROC. REF: NDT GENERIC										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 28 - FUEL											
284212-0105		F UND T - FUEL SYSTEM - SHUTOFF VALVE ASSEMBLY								Component	ATA:28
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 28-24-11											
284212-0106		F UND T - FUEL SYSTEM - SHUTOFF VALVE ASSEMBLY								Component	ATA:28
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 28-24-11											
284401-0101		FWR TK LEVEL, FLOAT TYPE, FUEL SYS, WING SENSOR								Component	ATA:28
PN:005-022-001	MOS/MSC	O/C									
SN:UNKNOWN	HRS										
	AFL	0									
PROC. REF: NDT GENERIC											
284401-0102		FWR TK LEVEL, FLOAT TYPE, FUEL SYS, WING SENSOR								Component	ATA:28
PN:005-022-001	MOS/MSC	O/C									
SN:UNKNOWN	HRS										
	AFL	0									
PROC. REF: NDT GENERIC											
284600-0101		LEFT LOWER AUX TANK PRIMARY (TANK UNIT) PROBE								Component	ATA:28
PN:028-065-003	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: NDT GENERIC											
284600-0102		LEFT LOWER AUX TANK MONITOR (TANK UNIT) PROBE								Component	ATA:28
PN:028-065-003	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: NDT GENERIC											
284600-0103		RIGHT LOWER AUX TANK PRIMARY (TANK UNIT) PROBE								Component	ATA:28
PN:028-065-003	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: NDT GENERIC											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 28 - FUEL										
284600-0104 RIGHT LOWER AUX TANK MONITOR (TANK UNIT) PROBE										Component ATA:28
PN:028-065-003	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:UNKNOWN	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: NDT GENERIC										
284600-0201 LEFT UPPER AUX TANK PRIMARY (TANK UNIT) PROBE										Component ATA:28
PN:028-065-004	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:UNKNOWN	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: NDT GENERIC										
284600-0202 LEFT UPPER AUX TANK MONITOR (TANK UNIT) PROBE										Component ATA:28
PN:028-065-004	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:UNKNOWN	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: NDT GENERIC										
284600-0203 RIGHT UPPER AUX TANK PRIMARY (TANK UNIT) PROBE										Component ATA:28
PN:028-065-004	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:UNKNOWN	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: NDT GENERIC										
284600-0204 RIGHT UPPER AUX TANK MONITOR (TANK UNIT) PROBE										Component ATA:28
PN:028-065-004	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:UNKNOWN	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: NDT GENERIC										
284601-0101 LEFT INBOARD AFT TANK UNIT FUEL QUANTITY SENSOR										Component ATA:28
PN:PN	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:UNKNOWN	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: NDT GENERIC										
284601-0102 LEFT OUTBOARD AFT TANK UNIT FUEL QUANTITY SENSOR										Component ATA:28
PN:PN	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:UNKNOWN	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: NDT GENERIC										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 28 - FUEL										
284601-0103 RIGHT INBOARD AFT TANK UNIT FUEL QUANTITY SENSOR Component ATA:28										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										
284601-0104 RIGHT OUTBOARD AFT TANK UNIT FUEL QUANTITY SENSOR Component ATA:28										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										
284603-0101 LEFT FORWARD FUEL QUANTITY - FORWARD TANK SENSOR Component ATA:28										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										
284603-0102 LEFT AFT FUEL QUANTITY - FORWARD TANK SENSOR Component ATA:28										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										
284603-0103 RIGHT FORWARD FUEL QUANTITY - FORWARD TANK SENSOR Component ATA:28										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										
284603-0104 RIGHT AFT FUEL QUANTITY - FORWARD TANK SENSOR Component ATA:28										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										
284700-0101 REAR TK LEVEL, FLOAT TYPE, FUEL SYS, WING SENSOR Component ATA:28										
PN:005-022-002	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 28 - FUEL</b>										
284701-0101	REAR TK LEVEL, FLOAT TYPE, FUEL SYS, WING SENSOR								Component	ATA:28
PN:005-022-002	MOS/MSC		O/C							
SN:UNKNOWN	HRS									
	AFL	0								
PROC. REF: NDT GENERIC										
<b>ATA 29 - HYDRAULIC POWER</b>										
29-10-00-280-001-A00 <sup>S</sup>	INSPECT (SPECIAL INSPECTION) HYDRAULIC FLUID - ANALYSIS								Service	ATA:29
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: AMM 29-10-00										
PKG:5008,6016										
29-10-00-710-001-A00 <sup>S</sup>	OPERATIONALLY CHECK ELECTRIC MOTOR-DRIVEN PUMP INPUT SIGNALS								Service	ATA:29
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: AMM 29-10-00										
PKG:5008,6016										
29-10-00-790-001-A00 <sup>S</sup>	FUNCTIONALLY CHECK INTERNAL LEAKAGE OF HYDRAULIC POWER SYSTEM								Service	ATA:29
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
PROC. REF: AMM 29-10-00										
PKG:5016,6032										
29-10-01-710-001-A00 <sup>S</sup>	OPERATIONALLY CHECK SHUTOFF VALVE BY MEANS OF THE HYDRAULIC PANEL SWITCH								Service	ATA:29
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: AMM 29-10-01										
PKG:5008,6016										
29-10-04-900-001-A00	DISCARD LH RACK DC ELECTRIC MOTOR DRIVEN HYDRAULIC PUMP EMDP BRUSHES								Service	ATA:29
PN:971533	MOS	05-Jul-12						SYSTEM		
SN:MX757308	HRS	5975.6	6000		11975.6		1573.5			
	AFL	3181								
PROC. REF: AMM 29-10-04										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 29 - HYDRAULIC POWER										
29-10-04-900-001-A00 DISCARD RH RACK DC ELECTRIC MOTOR DRIVEN HYDRAULIC PUMP EMPD BRUSHES Service ATA:29										
PN:971533	MOS	05-Jul-12						SYSTEM		
SN:MX673042	HRS	5975.6	6000		11975.6		1573.5			
	AFL	3181								
PROC. REF: AMM 29-10-04										
29-10-08-211-001-A00 <sup>S</sup> VISUALLY CHECK DIFFERENTIAL PRESSURE INDICATOR FOR RED PINS POPPED OUT. Service ATA:29										
	MOS	29-Jun-23	12 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	500 (+20/-20)							
	AFL	5401								
PROC. REF: AMM 29-10-08										
29-10-10-720-001-A00 <sup>S</sup> FUNCTIONALLY CHECK RETURN FILTER BY-PASS VALVE Service ATA:29										
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: AMM 29-10-10										
29-10-13-720-001-A00 <sup>S</sup> FUNCTIONALLY CHECK PRIORITY VALVE Service ATA:29										
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: AMM 29-10-13										
29-30-03-720-001-A00 <sup>S</sup> FUNCTIONALLY CHECK HYDRAULIC FILTERS DIFFERENTIAL PRESSURE INDICATORS Service ATA:29										
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: AMM 29-10-10										
29-30-05-710-001-A00 <sup>S</sup> OPERATIONALLY CHECK HYD SYS OVHT MESSAGE Service ATA:29										
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
PROC. REF: AMM 29-30-05										
291000-0101 RH RACK GENERATOR ASSY ASSEMBLY Component ATA:29										
PN:PN	MOS/MSC	27-Aug-07	O/C		TSN 0					
SN:UNKNOWN	HRS	0			TSN 0					
	AFL	0			TSN 0					
PROC. REF: NDT GENERIC										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of:  
29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 29 - HYDRAULIC POWER</b>											
291001-0101		LH ENG SHUTOFF VALVE								Component	ATA:29
PN:2940003-102	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:2130	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 29-10-01											
291001-0102		RH ENG SHUTOFF VALVE								Component	ATA:29
PN:2940003-102	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:2133	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 29-10-01											
291003-0101		LH ENGINE DRIVEN HYDRAULIC PUMP								Component	ATA:29
PN:971808 MOD A	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 29-10-03											
291003-0102		RH ENGINE DRIVEN HYDRAULIC PUMP								Component	ATA:29
PN:971808 MOD B	MOS/MSC	15-Nov-13	O/C	TSN 0							
SN:MX773200	HRS	6756.1	TSN 0								
	AFL	3630	TSN 0								
PROC. REF: AMM 29-10-03											
291004-0201		LH RACK DC ELECTRIC MOTOR DRIVEN HYDRAULIC PUMP								Component	ATA:29
PN:971533	MOS/MSC	05-Jul-12	O/C	TSN 0							
SN:MX757308	HRS	5975.6	TSN 0								
	AFL	3181	TSN 0								
PROC. REF: AMM 29-10-04											
291004-0202		RH RACK DC ELECTRIC MOTOR DRIVEN HYDRAULIC PUMP								Component	ATA:29
PN:971533	MOS/MSC	05-Jul-12	O/C	TSN 0							
SN:MX673042	HRS	5975.6	TSN 0								
	AFL	3181	TSN 0								
PROC. REF: AMM 29-10-04											
291005-0101		LH RACK HYDRAULIC, GENERATOR UNIT RESERVOIR								Component	ATA:29
PN:368900-1003	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:2057	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 29-10-05											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 29 - HYDRAULIC POWER</b>										
<b>291005-0102 RH RACK HYDRAULIC, GENERATOR UNIT RESERVOIR Component ATA:29</b>										
PN:368900-1003	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:2056	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: AMM 29-10-05										
<b>291007-0101 LH RACK FILTER -MANIFOLD, HYDRAULIC SYS ASSEMBLY Component ATA:29</b>										
PN:368100-1007	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:2041	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: AMM 29-10-07										
<b>291007-0102 RH RACK FILTER -MANIFOLD, HYDRAULIC SYS ASSEMBLY Component ATA:29</b>										
PN:368100-1007	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:2038	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: AMM 29-10-07										
<b>291013-0101 W STUB ASSY-PRIORITY, SHUT OFF, HYDRAULIC SYS, LANDING GEAR VALVE Component ATA:29</b>										
PN:2226-0001-401	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:01150	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: AMM 29-10-13										
<b>291014-0101 LH RACK CHECK-TYPE RETAINER HYDRAULIC SYSTEM, POWER UNIT VALVE Component ATA:29</b>										
PN:CV26-63	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:07-0424175	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: NDT GENERIC										
<b>291014-0102 RH RACK CHECK-TYPE RETAINER HYDRAULIC SYSTEM, POWER UNIT VALVE Component ATA:29</b>										
PN:CV26-63	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:07-0424177	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: NDT GENERIC										
<b>291015-0101 LEFT CHECK-TYPE RETAINER, ELECTRICAL PUMP, POWER UNIT VALVE Component ATA:29</b>										
PN:2662A-4EE	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:UNKNOWN	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: NDT GENERIC										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 29 - HYDRAULIC POWER</b>										
<b>291015-0102 LEFT CHECK-TYPE RETAINER, ELECTRICAL PUMP, POWER UNIT VALVE Component ATA:29</b>										
PN:2662A-4EE	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										
<b>291015-0103 RIGHT CHECK-TYPE RETAINER, ELECTRICAL PUMP, POWER UNIT VALVE Component ATA:29</b>										
PN:2662A-4EE	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										
<b>291015-0104 RIGHT CHECK-TYPE RETAINER, ELECTRICAL PUMP, POWER UNIT VALVE Component ATA:29</b>										
PN:2662A-4EE	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										
<b>291016-0101 LEFT CHECK-TYPE RETAINER, HYDRAULIC SYSTEM VALVE Component ATA:29</b>										
PN:2662T-6EE	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:07-021317	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										
<b>291016-0102 MID CHECK-TYPE RETAINER, HYDRAULIC SYSTEM VALVE Component ATA:29</b>										
PN:1C5444-1	MOS/MSC	07-Feb-08	O/C	TSN 0						
SN:0757	HRS	557.2		TSN 0						
	AFL	275		TSN 0						
PROC. REF: NDT GENERIC										
<b>291016-0103 RIGHT CHECK-TYPE RETAINER, HYDRAULIC SYSTEM VALVE Component ATA:29</b>										
PN:2662T-6EE	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:06-1025308	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										
<b>291016-0104 LH RACK VALVE, CHECK, -6, CRES VALVE Component ATA:29</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 29 - HYDRAULIC POWER</b>										
<b>291016-0105 RH RACK CRES -6 CHECK VALVE Component ATA:29</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										
<b>291016-0106 FWD FUS CRES -6 CHECK VALVE Component ATA:29</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										
<b>291020-0101 L/H ENG. HYDRAULIC PULSATION DAMPENER Component ATA:29</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 29-10-20										
<b>291020-0102 R/H ENG. HYDRAULIC PULSATION DAMPENER Component ATA:29</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 29-10-20										
<b>291300-0101 FUS WING GENERATOR ASSY GENERATOR Component ATA:29</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										
<b>293000-0101 OVERH P MODULE -HYDRAULIC POWER CONTROL ASSEMBLY Component ATA:29</b>										
PN:145-29739-403	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:0000147594	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										
<b>293002-0201 LH RACK PRESSURE-HYDRAULIC SYS TRANSMITTER Component ATA:29</b>										
PN:APTE-24-1000-5000A	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:7218-6-179	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 29-30-02										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 29 - HYDRAULIC POWER</b>											
293002-0202		RH RACK PRESSURE-HYDRAULIC SYS TRANSMITTER							Component	ATA:29	
PN:APTE-24-1000-5000A	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:7218-6-184	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 29-30-02											
299001-0101		LH RACK ELECTRIC PUMP ASSEMBLY							Component	ATA:29	
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: NDT GENERIC											
299001-0102		RH RACK ELECTRIC PUMP ASSEMBLY							Component	ATA:29	
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: NDT GENERIC											
<b>ATA 30 - ICE AND RAIN PROTECTION</b>											
30-00-00-710-001-A00		OPERATIONALLY CHECK ANTI-ICING SYSTEM MESSAGES							Service	ATA:30	
	MOS	10-Jan-24						SYSTEM			
	HRS	10396.8	100		10496.8		94.7				
	AFL	5532									
PROC. REF: AMM 30-00-00											
30-11-00-720-001-A00 <sup>S</sup>		FUNCTIONALLY CHECK PRESSURE SENSORS OF THE WING THERMAL ANTI-ICING SYSTEM (BENCH TEST). (CMR)							Service	ATA:30	
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
PROC. REF: AMM 30-11-00											
30-11-05-710-001-A00 <sup>S</sup>		OPERATIONALLY CHECK WING LEAK THERMOSTAT							Service	ATA:30	
	MOS	06-Jul-19	72 (+15d/-15d)					LOW UTILIZATION			
	HRS	9057.4	3000 (+20/-20)								
	AFL	4853	1500 (+20/-20)								
PROC. REF: AMM 30-11-05											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 30 - ICE AND RAIN PROTECTION</b>										
<b>30-12-00-710-001-A00<sup>S</sup> OPERATIONALLY CHECK ELECTRICAL HARDWARE OF THE HORIZONTAL STABILIZER THERMAL ANTI-ICING SYSTEM.</b>										
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		Service ATA:30
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: AMM 30-12-00					PKG:5008,6016
<b>30-12-00-720-001-A00<sup>S</sup> FUNCTIONALLY CHECK PRESSURE SENSORS OF THE HORIZONTAL STABILIZER THERMAL ANTI-ICING SYSTEM (BENCH TEST) (CMR)</b>										
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		Service ATA:30
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: AMM 30-12-00					PKG:5008,6016
<b>30-12-05-710-001-A00<sup>S</sup> OPERATIONALLY CHECK HORIZONTAL-STABILIZER LEAK THERMOSTAT</b>										
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		Service ATA:30
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
					PROC. REF: AMM 30-12-05					PKG:5016,6032
<b>30-20-00-220-001-A00<sup>S</sup> INSPECT (DETAILED INSPECTION) THERMAL ANTI-ICE (TAI) EXHAUST DUCT FOR CONDITION AND SECURITY OF INSTALLATION.</b>										
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		Service ATA:30
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: AMM 30-20-00					PKG:5008,6016
<b>30-20-01-720-001-A00<sup>S</sup> FUNCTIONALLY CHECK ENGINE THERMAL ANTI-ICE (TAI) INTERBULKHEAD ASSEMBLY FOR LEAKAGE</b>										
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		Service ATA:30
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: AMM 30-20-01					PKG:5008,6016
<b>30-21-00-720-001-A00<sup>S</sup> FUNCTIONALLY CHECK PRESSURE SENSORS OF THE ENGINE THERMAL ANTI-ICING SYSTEM (BENCH TEST) (CMR)</b>										
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		Service ATA:30
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: AMM 30-21-00					PKG:5008,6016
<b>30-31-00-710-001-A00<sup>S</sup> OPERATIONALLY CHECK PITOT, ANEMOMETRIC STATIC PORT HEATING</b>										
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		Service ATA:30
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
					PROC. REF: AMM 30-31-00, FAR FAR 43 APPENDIX E, FAR FAR 91.411 / 91.217					PKG:5016,6016

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 30 - ICE AND RAIN PROTECTION</b>										
<b>30-31-00-710-002-A00<sup>S</sup> OPERATIONALLY CHECK PRESSURIZATION STATIC PORT HEATING</b>										
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		Service ATA:30
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
					PROC. REF: AMM 30-31-00					PKG:5016,6016
<b>30-31-08-710-001-A00<sup>S</sup> OPERATIONALLY CHECK PITOT LINES HEATER NOTE: IF INSTALLED</b>										
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		Service ATA:30
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
					PROC. REF: AMM 30-31-03					PKG:5016,6032
<b>30-32-00-710-001-A00<sup>S</sup> OPERATIONALLY CHECK AOA SENSOR HEATING</b>										
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		Service ATA:30
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
					PROC. REF: AMM 30-32-00					PKG:5016,6016
<b>30-33-00-710-001-A00<sup>S</sup> OPERATIONALLY CHECK TAT SENSOR HEATING</b>										
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		Service ATA:30
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
					PROC. REF: AMM 30-33-00					PKG:5016,6016
<b>30-41-00-710-001-A00 OPERATIONALLY CHECK WINDSHIELD WIPER SYSTEM</b>										
	MOS/MSC	15-Aug-13	O/C							Service ATA:30
	HRS	6643.4								
	AFL	3572								
					PROC. REF: AMM 30-41-00					
<b>30-42-00-710-001-A00<sup>S</sup> OPERATIONALLY CHECK WINDSHIELD HEATING</b>										
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		Service ATA:30
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: AMM 30-42-00					PKG:5008,6016
<b>30-43-01-211-001-A00<sup>S</sup> VISUALLY CHECK RAIN REPELLENT COATING (RRC)</b>										
	MOS	29-Jun-23	24 (+15d/-15d)					LOW UTILIZATION		Service ATA:30
	HRS	10161.5	1000 (+20/-20)							
	AFL	5401								
					PROC. REF: AMM 30-41-04					PKG:5004

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 30 - ICE AND RAIN PROTECTION</b>										
<b>300000-0101 OVERH P ELECTRICAL SYS, ICE PROTECTION MODULE Component ATA:30</b>										
PN:145-31656-409	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:0000146548	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										
<b>301100-0101 W STUB ELECTRONIC, ANTI ICE SYS, WING PRESSURE SWITCH Component ATA:30</b>										
PN:APS-8-1000	MOS/MSC	10-Nov-11	O/C	TSN 0						
SN:7902-3-54	HRS	5047.1		TSN 0						
	AFL	2682		TSN 0						
PROC. REF: AMM 30-11-03										
<b>301100-0301 LH WING WING ANTI ICE PICCOLO BURST MONITORING PRESSURE TRANSDUCER Component ATA:30</b>										
PN:APS-6-1000	MOS/MSC	13-Jan-14	O/C	TSN 0						
SN:8094-7-1100	HRS	6811.6		TSN 0						
	AFL	3661		TSN 0						
PROC. REF: AMM 30-11-12										
<b>301100-0302 RH WING WING ANTI ICE PICCOLO BURST MONITORING PRESSURE TRANSDUCER Component ATA:30</b>										
PN:APS-6-1000	MOS/MSC	10-Nov-11	O/C	TSN 0						
SN:7720-7-312	HRS	5047.1		TSN 0						
	AFL	2682		TSN 0						
PROC. REF: AMM 30-11-12										
<b>301200-0101 AIRFRAME ANTI ICE SYSTEM OVERPRESSURE SWITCH Component ATA:30</b>										
PN:12949-4	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:2216	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 30-11-03										
<b>301200-0102 LH WING AIRFRAME ANTI ICE SYSTEM OVERPRESSURE SWITCH Component ATA:30</b>										
PN:12949-4	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:2221	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 30-11-03										
<b>301200-0103 RH WING AIRFRAME ANTI ICE SYSTEM OVERPRESSURE SWITCH Component ATA:30</b>										
PN:12949-4	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:2227	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 30-11-03										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 30 - ICE AND RAIN PROTECTION</b>										
<b>301200-0201 PRESSURE-ELECTRONIC, ANTI ICE SYS, WING/STABILIZER HORI SWITCH Component ATA:30</b>										
PN:APS-7-1000	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 30-12-03										
<b>301200-0202 LEFT PRESSURE-ELECTRONIC, ANTI ICE SYS, WING/STABILIZER HORI SWITCH Component ATA:30</b>										
PN:APS-7-1000	MOS/MSC	10-Nov-11	O/C	TSN 0						
SN:7816-7-295	HRS	5047.1		TSN 0						
	AFL	2682		TSN 0						
PROC. REF: AMM 30-12-03										
<b>301200-0203 PRESSURE-ELECTRONIC, ANTI ICE SYS, WING/STABILIZER HORI SWITCH Component ATA:30</b>										
PN:APS-7-1000	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 30-12-03										
<b>301200-0204 RIGHT PRESSURE-ELECTRONIC, ANTI ICE SYS, WING/STABILIZER HORI SWITCH Component ATA:30</b>										
PN:APS-7-1000	MOS/MSC	10-Nov-11	O/C	TSN 0						
SN:7816-7-210	HRS	5047.1		TSN 0						
	AFL	2682		TSN 0						
PROC. REF: AMM 30-12-03										
<b>301200-0301 REAR ANTI ICE, STABILIZER VALVE Component ATA:30</b>										
PN:1000649-2	MOS/MSC	11-Dec-23	O/C	TSO 0						
SN:9912325	HRS	10328.7		TSO 0						
	AFL	5502		TSO 0						
PROC. REF: AMM 30-12-01										
<b>301200-0401 TAIL HORIZONTAL STABILIZER PICCOLO BURST PRESSURE SWITCH Component ATA:30</b>										
PN:83536-2	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:0997	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 30-12-06										
<b>301300-0101 LH WING SHUTOFF/REGULATOR-AIR PRESSURE, ANTI ICE SYS, AIRFOILS VALVE Component ATA:30</b>										
PN:1000649-1	MOS/MSC	07-Apr-19	O/C	TSO 9						
SN:9910164	HRS	8973.5		TSN 4288, TSO 0						
	AFL	4805		TSO 0						
PROC. REF: AMM 30-11-01										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 30 - ICE AND RAIN PROTECTION</b>										
<b>301300-0102 RH WING SHUTOFF/REGULATOR-AIR PRESSURE, ANTI ICE SYS, AIRFOILS VALVE Component ATA:30</b>										
PN:1000649-1	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:2007040480	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 30-11-01										
<b>302000-0101 LH ENG PRESSURE-ELECTRONIC, ANTI ICE SYS TRANSDUCER Component ATA:30</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 30-21-06										
<b>302000-0102 RH ENG PRESSURE-ELECTRONIC, ANTI ICE SYS TRANSDUCER Component ATA:30</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 30-21-06										
<b>302000-0201 LH ENG ANTI ICE, AIR BLEED SYS VALVE Component ATA:30</b>										
PN:C146009-4	MOS/MSC	18-Jul-09	O/C	TSR 0						
SN:2740	HRS	2297.3		TSR 0						
	AFL	1211		TSR 0						
PROC. REF: AMM 30-21-01										
<b>302000-0202 RH ENG ANTI ICE, AIR BLEED SYS VALVE Component ATA:30</b>										
PN:C146009-4	MOS/MSC	01-Apr-11	O/C							
SN:2666	HRS	4453.2								
	AFL	2335								
PROC. REF: AMM 30-21-01										
<b>304201-0101 WINDSHIELD TEMPERATURE CONTROLLER Component ATA:30</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 30-42-01										
<b>304201-0102 WINDSHIELD TEMPERATURE CONTROLLER Component ATA:30</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 30-42-01										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 30 - ICE AND RAIN PROTECTION</b>											
<b>308000-0201</b>		<b>LH CSL ICE-FRONT FUSELAGE DETECTOR</b>								<b>Component</b>	<b>ATA:30</b>
PN:0871HT3-1A	MOS/MSC	04-Mar-15	O/C	TSN 28							
SN:02473	HRS	7330.8	TSN 899.7								
	AFL	3928	TSN 465								
PROC. REF: AMM 30-80-01											
<b>308000-0202</b>		<b>RH CSL ICE-FRONT FUSELAGE DETECTOR</b>								<b>Component</b>	<b>ATA:30</b>
PN:0871HT3-1A	MOS/MSC	03-Feb-16	O/C	TSN 0							
SN:03239	HRS	7639.1	TSN 0								
	AFL	4083	TSN 0								
PROC. REF: AMM 30-80-01											
<b>308002-0101</b>		<b>REAR PROCESSOR-DETECTION, CLEAR ICE, REAR FUSELAGE UNIT</b>								<b>Component</b>	<b>ATA:30</b>
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 30-80-02											
<b>308003-0101</b>		<b>LH WING ICE DETECTION SENSOR</b>								<b>Component</b>	<b>ATA:30</b>
PN:00870-0020-0002	MOS/MSC	01-Mar-17	O/C								
SN:2502	HRS	8086									
	AFL	4338									
PROC. REF: AMM 30-80-03											
<b>308003-0102</b>		<b>RH WING ICE DETECTION SENSOR</b>								<b>Component</b>	<b>ATA:30</b>
PN:00870-0020-0002	MOS/MSC	01-Mar-17	O/C								
SN:2522	HRS	8086									
	AFL	4338									
PROC. REF: AMM 30-80-03											
<b>308003-0201</b>		<b>RIGHT WING CABL 03, W603 CABLE</b>								<b>Component</b>	<b>ATA:30</b>
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: NDT GENERIC											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 30 - ICE AND RAIN PROTECTION</b>											
308003-0202		LEFT WING CABL 03, W603 CABLE								Component	ATA:30
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: NDT GENERIC											
<b>ATA 31 - INDICATING/RECORDING SYSTEMS</b>											
31-21-00-710-001-A00		OPERATIONALLY CHECK PILOT DIGITAL CLOCK INFORMATION NOTE: CHECK TOGETHER WITH TASK 31-31-00-720-001-A00.								Service	ATA:31
	MOS	14-Jul-22	48 (+30d/-30d)	14-Jul-26	13-Aug-26	883 d (+30)	SYSTEM				
	HRS	9904.2	4000	13904.2			3502.1				
	AFL	5268									
PROC. REF: AMM 31-21-00											
31-31-00-720-001-A00		FUNCTIONALLY CHECK REAR FLIGHT DATA SSFDR ELECTRONIC SYSTEM RECORDER								Service	ATA:31
PN:980-4700-042	MOS	11-Jan-21	48 (+30d/-30d)	11-Jan-25	10-Feb-25	334 d (+30)	SYSTEM				
SN:SSFDR-13164	HRS	9507.9	4000	13507.9			3105.8				
	AFL	5060									
PROC. REF: AMM 31-31-00, AMM 31-31-00, AMM 31-31-00, AMM 31-31-00											
31-31-02-960-001-A00		DISCARD FDR UNDERWATER LOCATOR BEACON (ULB) BATTERY NOTE: ULB BATTERY CHANGE IN ACCORDANCE WITH MANUFACTURER'S DATAPLATE EXPIRATION DATE								Service	ATA:31
	MOS/MSC	01-Sep-17	DUE	01-Aug-24 (M)			171 d	SYSTEM			
	HRS	8284.1									
	AFL	4446									
PROC. REF: AMM 31-31-02											
311300-0101		LH LIGHT PANEL MODULE								Component	ATA:31
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: NDT GENERIC											
311300-0102		RH LIGHT PANEL MODULE								Component	ATA:31
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: NDT GENERIC											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 31 - INDICATING/RECORDING SYSTEMS</b>											
<b>311700-0101</b>		<b>MODULE MAINTENANCE PANEL ASSEMBLY</b>								<b>Component</b>	<b>ATA:31</b>
PN:135-53624-405	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:0000146486	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 31-17-01											
<b>311803-0706<sup>U</sup></b>		<b>NO. 6 CABIN SEAT AUDIO CONTROLLER</b>								<b>Component</b>	<b>ATA:31</b>
PN:990-6107-162	MOS/MSC	29-Dec-17	O/C	TSR 0							
SN:06120034180	HRS	8436.1		TSR 0							
	AFL	4528		TSR 0							
<b>311803-0708<sup>U</sup></b>		<b>NO. 8 CABIN SEAT AUDIO CONTROLLER</b>								<b>Component</b>	<b>ATA:31</b>
PN:990-6107-163	MOS/MSC	29-Dec-17	O/C	TSR 0							
SN:06120034179	HRS	8436.1		TSR 0							
	AFL	4528		TSR 0							
<b>312102-0201</b>		<b>PILOT DIGITAL 2 POL CLOCK</b>								<b>Component</b>	<b>ATA:31</b>
PN:APE4190-040	MOS/MSC	19-Sep-13	O/C	TSN 0							
SN:163	HRS	6680.2		TSN 0							
	AFL	3597		TSN 0							
PROC. REF: AMM 31-21-01											
<b>312102-0202</b>		<b>COPILOT DIGITAL 2 POL CLOCK</b>								<b>Component</b>	<b>ATA:31</b>
PN:APE4190-040	MOS/MSC	19-Sep-13	O/C	TSN 0							
SN:164	HRS	6680.2		TSN 0							
	AFL	3597		TSN 0							
PROC. REF: AMM 31-21-01											
<b>313101-0101</b>		<b>REAR FLIGHT DATA SSFDR ELECTRONIC SYSTEM RECORDER</b>								<b>Component</b>	<b>ATA:31</b>
PN:980-4700-042	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:SSFDR-13164	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 31-31-01											
<b>313101-0201</b>		<b>FDR UNDERWATER LOCATOR BEACON</b>								<b>Component</b>	<b>ATA:31</b>
PN:DK120/90	MOS/MSC	01-Sep-17	O/C	TSN 3							
SN:AT67887	HRS	8284.1		TSN 0							
	AFL	4446		TSN 0							
PROC. REF: AMM 31-31-02											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of:  
29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 31 - INDICATING/RECORDING SYSTEMS										
313101-0301 FLIGHT DATA RECORDER (FDR) UNDERWATER LOCATOR BEACON (ULB) BATTERY Component ATA:31										
PN:PN	MOS/MSC	27-Aug-07	H/T	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										
313102-0101 REAR TRI AXIAL ACCELEROMETER Component ATA:31										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 31-31-03										
313106-0101 LH WING ROTARY-VARIABLE INDUCTIVE, 28VDC/50MA TRANSDUCER Component ATA:31										
PN:D370535	MOS/MSC	19-Jan-21	O/C							
SN:02J00161	HRS	9508.9								
	AFL	5061								
PROC. REF: AMM 31-31-06										
313106-0102 RH WING ROTARY-VARIABLE INDUCTIVE, 28VDC/50MA TRANSDUCER Component ATA:31										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 31-31-06										
313106-0103 ROTARY-VARIABLE INDUCTIVE, 28VDC/50MA TRANSDUCER Component ATA:31										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 31-31-06										
313106-0104 ROTARY-VARIABLE INDUCTIVE, 28VDC/50MA TRANSDUCER Component ATA:31										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 31-31-06										
313106-0105 TAIL ROTARY-VARIABLE INDUCTIVE, 28VDC/50MA TRANSDUCER Component ATA:31										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 31-31-06										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 31 - INDICATING/RECORDING SYSTEMS										
313107-0101 REAR FUS AFDAU - AUXILIARY FLIGHT DATA ACQUISITION UNIT Component ATA:31										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 31-31-07										
313108-0101 C FLOOR CONVERTER-ANALOGIC/DIGITAL,FLIGHT DATA RECORDING SYS UNIT Component ATA:31										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 31-31-08										
314101-0101 REAR I DATA ACQUISITION DA-800 PH, 9 UNIT Component ATA:31										
PN:7013348-948	MOS/MSC	30-Dec-22	O/C	TSN 184						
SN:07026460	HRS	10063.9		TSN 10063.9						
	AFL	5344		TSN 5344						
PROC. REF: AMM 31-41-01										
314101-0102 C FLOOR DATA ACQUISITION DA-800 PH, 10 UNIT Component ATA:31										
PN:7013348-948	MOS/MSC	30-Dec-22	O/C	TSN 184						
SN:06096358	HRS	10063.9		TSN 10063.9						
	AFL	5344		TSN 5344						
PROC. REF: AMM 31-41-01										
314102-0101 EICAS DISPLAY, EICAS/PFD/MFD SYS, MAIN PANEL UNIT Component ATA:31										
PN:7014300-901	MOS/MSC	24-Mar-23	O/C	TSN 187						
SN:0703G201	HRS	10087.9		TSN 10087.9						
	AFL	5364		TSN 5364						
PROC. REF: AMM 31-41-02										
314102-0201 CONTROL-EICAS SYS,MAIN PANEL Component ATA:31										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 31-41-02										
314102-0301 MFD 1 DISPLAY, EICAS/PFD/MFD SYS, MAIN PANEL UNIT Component ATA:31										
PN:7014300-901	MOS/MSC	28-Feb-09	O/C	TSN 0						
SN:0309C903	HRS	1849.1		TSN 0						
	AFL	966		TSN 0						
PROC. REF: AMM 31-41-02										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 31 - INDICATING/RECORDING SYSTEMS</b>											
314102-0302		MFD 2 DISPLAY, EICAS/PFD/MFD SYS, MAIN PANEL UNIT							Component	ATA:31	
PN:7014300-901	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:0703G202	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 31-41-02											
314102-0303		PFD 1 DISPLAY, EICAS/PFD/MFD SYS, MAIN PANEL UNIT							Component	ATA:31	
PN:7014300-901	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:96101681	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 31-41-02											
314102-0304		PFD 2 DISPLAY, EICAS/PFD/MFD SYS, MAIN PANEL UNIT							Component	ATA:31	
PN:7014300-901	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:0703G205	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 31-41-02											
314104-0101		CREW CAB CONTROL,EGPWS,NAVIGATION SYS,CTL CONSOLE,COCKPIT MODULE							Component	ATA:31	
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: NDT GENERIC											
314104-0102		CSL CENT MODULE MODULE							Component	ATA:31	
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: NDT GENERIC											
314201-0101		INTEGRATED COMPUTER IC-600 WITH AP CARD							Component	ATA:31	
PN:7017000-82414	MOS/MSC	19-Aug-15	O/C								
SN:1009A258	HRS	7460.3									
	AFL	3992									
PROC. REF: AMM 31-42-01											
314201-0102		INTEGRATED COMPUTER IC-600 WITHOUT AP CARD							Component	ATA:31	
PN:7017000-83414	MOS/MSC	19-Aug-15	O/C	TSN 96							
SN:06117836	HRS	7460.3		TSN 7460.3							
	AFL	3992		TSN 3992							
PROC. REF: AMM 31-42-01											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 31 - INDICATING/RECORDING SYSTEMS</b>											
314202-0101		LEFT CONFIGURATION-IC-600 INTEGRATED COMPUTER, COCKPIT MODULE								Component	ATA:31
PN:7025973-03000	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:07024539	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 31-42-02											
314202-0102		RIGHT CONFIGURATION-IC-600 INTEGRATED COMPUTER, COCKPIT MODULE								Component	ATA:31
PN:7025973-03000	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:07014519	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 31-42-02											
314301-0101		MHE, PAX ENTERTAINMENT SYSTEM, BOX ASSY CONTROLLER								Component	ATA:31
PN:990-6800-004	MOS/MSC	01-Sep-17	O/C								
SN:07100044474	HRS	8284.1									
	AFL	4446									
PROC. REF: AMM 31-43-01											
314302-0101		MHC25R, PAX CABIN CONTROLLER BOX ASSEMBLY								Component	ATA:31
PN:990-6812-001	MOS/MSC	23-May-14	O/C								
SN:05100022475	HRS	7003.7									
	AFL	3758									
PROC. REF: AMM 31-43-02											
314303-0101		LAPTOP INETRFACE, PAX MHE AIRSHOW SYS, CONTROL ASSY PANEL								Component	ATA:31
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 31-43-01											
314304-0101		MHR/IRS AIRSHOW,PAX ENTERTAINMENT CABINET RECEIVER								Component	ATA:31
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 31-43-04											
314305-0101		MHR INFRARED SENSOR CONTROL UNIT								Component	ATA:31
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: NDT GENERIC											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 31 - INDICATING/RECORDING SYSTEMS</b>											
314306-0101		MHI INTERFACE, ENT CABINET, CONTROL UNIT							Component	ATA:31	
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 31-43-06											
315101-0101		NOSE ALARM-AUDIO,ELECTRONIC EQUIPAMENT, FWD FUSLG UNIT							Component	ATA:31	
PN:80-0694-2-8	MOS/MSC	19-Aug-16	O/C								
SN:2190	HRS	7460.3									
	AFL	3992									
PROC. REF: AMM 31-51-01											
315102-0101		CREW CAB MODULE -CONSOLE,MAIN PANEL,COCKPIT ASSEMBLY							Component	ATA:31	
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: NDT GENERIC											
316101-0101		C FLOOR BOX -DIODES,AVIONICS POWER SUPPLY,FLOOR,COCKPIT ASSEMBLY							Component	ATA:31	
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 31-61-01											
<b>ATA 32 - LANDING GEAR</b>											
32-10-00-210-801-L00 <sup>S</sup>		GENERAL VISUAL INSPECTION EXTERNALLY INSPECT THE MAIN LANDING GEAR COMPONENTS- TRAILING ARM - MLG (SSI 32-10-03).							Service	ATA:32	
	MOS	29-Jun-23	96 (+15d/-15d)				LOW UTILIZATION				
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
PROC. REF: NDT 32-10-00											
32-10-00-210-C01-L00 <sup>S</sup>		GENERAL VISUAL INSPECTION EXTERNALLY INSPECT THE MAIN LANDING GEAR COMPONENTS- LEG STRUCTURE, EQUIPPED (LEFT) - MLG (SSI 32-10-01).- LEG STRUCTURE, EQUIPPED (RIGHT) - MLG (SSI 32-10-02).- UPPER SECONDARY BRACE STRUT ASSY - MLG (SSI 32-10-09).- LOWER SECONDARY BRACE STRUT ASSY - MLG (SSI 32-10-10).							Service	ATA:32	
	MOS	29-Jun-23	48 (+15d/-15d)				LOW UTILIZATION				
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
PROC. REF: CPM 32-10-00											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 32 - LANDING GEAR</b>											
32-10-00-210-C02-L00 <sup>S</sup>		GENERAL VISUAL INSPECTION EXTERNALLY INSPECT THE MAIN LANDING GEAR COMPONENTS- SHOCK ABSORBER PISTON TUBE ASSY - MLG (SSI 32-10-05).-SHOCK ABSORBER CYLINDER ASSY - MLG (SSI 32-10-06).							Service	ATA:32	
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
PROC. REF: CPM 32-10-00										PKG:5008,6016	
32-10-00-220-801-L00 <sup>S</sup>		DETAILED INSPECTION (EXTERNAL) OF THE MAIN LANDING GEAR COMPONENTS- WHEEL AXLE - MLG (SSI 32-10-04).							Service	ATA:32	
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
PROC. REF: NDT 32-10-00										PKG:5008	
32-10-01-900-001-A00		RESTORE (OVERHAUL) LH MLG LEG OLEO STRUT ASSEMBLY							Service	ATA:32	
PN:2309-3100-405	MOS	01-Jul-19	144 (+60d/-60d)		01-Jul-31	30-Aug-31	2696 d (+60)	SYSTEM			
SN:00080	HRS	9057.4									
	AFL	4853									
PROC. REF: AMM 32-10-01											
32-10-01-900-001-A00		RESTORE (OVERHAUL) RH MLG LEG OLEO STRUT ASSEMBLY							Service	ATA:32	
PN:2309-3100-406	MOS	01-Jul-19	144 (+60d/-60d)		01-Jul-31	30-Aug-31	2696 d (+60)	SYSTEM			
SN:00090	HRS	9057.4									
	AFL	4853									
PROC. REF: AMM 32-10-01											
32-10-01-900-002-A00		RESTORE (OVERHAUL) LH MLG TRAILING ARM ASSY							Service	ATA:32	
	MOS	01-Jul-19	144 (+60d/-60d)		01-Jul-31	30-Aug-31	2696 d (+60)	SYSTEM			
	HRS	9057.4									
	AFL	4853									
PROC. REF: AMM 32-10-01											
32-10-01-900-002-A00		RESTORE (OVERHAUL) RH MLG TRAILING ARM ASSY							Service	ATA:32	
	MOS	01-Jul-19	144 (+60d/-60d)		01-Jul-31	30-Aug-31	2696 d (+60)	SYSTEM			
	HRS	9057.4									
	AFL	4853									
PROC. REF: AMM 32-10-01											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 32 - LANDING GEAR										
32-10-02-610-001-A00 <sup>S</sup> SERVICE (REPLENISH) MLG SHOCK ABSORBER Service ATA:32										
	MOS	29-Jun-23	12 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	500 (+20/-20)							
	AFL	5401								
PROC. REF: AMM 32-10-02										PKG:5002
32-10-02-900-001-A00 RESTORE (OVERHAUL) LH MLG SHOCK ABSORBER ASSEMBLY Service ATA:32										
PN:2309-2005-007	MOS	01-Jul-19	144 (+60d/-60d)		01-Jul-31	30-Aug-31	2696 d (+60)	SYSTEM		
SN:10041	HRS	9057.4								
	AFL	4853								
PROC. REF: AMM 32-10-02										
32-10-02-900-001-A00 RESTORE (OVERHAUL) RH MLG SHOCK ABSORBER ASSEMBLY Service ATA:32										
PN:2309-2005-007	MOS	01-Jul-19	144 (+60d/-60d)		01-Jul-31	30-Aug-31	2696 d (+60)	SYSTEM		
SN:10004	HRS	9057.4								
	AFL	4853								
PROC. REF: AMM 32-10-02										
32-10-03-900-001-A00 RESTORE (OVERHAUL) LH MLG UPPER MAIN SIDE STRUT ASSEMBLY Service ATA:32										
PN:2309-2524-001	MOS	01-Jul-19	144 (+60d/-60d)		01-Jul-31	30-Aug-31	2696 d (+60)	SYSTEM		
SN:1143026/010	HRS	9057.4								
	AFL	4853								
PROC. REF: AMM 32-10-03										
32-10-03-900-001-A00 RESTORE (OVERHAUL) RH MLG UPPER MAIN SIDE STRUT ASSEMBLY Service ATA:32										
PN:2309-2524-001	MOS	01-Jul-19	144 (+60d/-60d)		01-Jul-31	30-Aug-31	2696 d (+60)	SYSTEM		
SN:1138062/005	HRS	9057.4								
	AFL	4853								
PROC. REF: AMM 32-10-03										
32-10-03-900-002-A00 RESTORE (OVERHAUL) LH MAIN SIDE ASSY (MLG) STRUT LOWER Service ATA:32										
PN:2309-3500-503	MOS	01-Jul-19	144 (+60d/-60d)		01-Jul-31	30-Aug-31	2696 d (+60)	SYSTEM		
SN:01528	HRS	9057.4								
	AFL	4853								
PROC. REF: AMM 32-10-03										
32-10-03-900-002-A00 RESTORE (OVERHAUL) RH MAIN SIDE ASSY (MLG) STRUT LOWER Service ATA:32										
PN:2309-3500-503	MOS	01-Jul-19	144 (+60d/-60d)		01-Jul-31	30-Aug-31	2696 d (+60)	SYSTEM		
SN:01491	HRS	9057.4								
	AFL	4853								
PROC. REF: AMM 32-10-03										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 32 - LANDING GEAR										
32-10-04-900-001-A00 RESTORE (OVERHAUL) LH MLG UPPER SECONDARY SIDE STRUT ASSEMBLY Service ATA:32										
PN:2309-2611-003	MOS	01-Jul-19	144 (+60d/-60d)		01-Jul-31	30-Aug-31	2696 d (+60)	SYSTEM		
SN:1156805/007	HRS	9057.4								
	AFL	4853								
PROC. REF: AMM 32-10-04										
32-10-04-900-001-A00 RESTORE (OVERHAUL) RH MLG UPPER SECONDARY SIDE STRUT ASSEMBLY Service ATA:32										
PN:2309-2611-003	MOS	01-Jul-19	144 (+60d/-60d)		01-Jul-31	30-Aug-31	2696 d (+60)	SYSTEM		
SN:1137253/001	HRS	9057.4								
	AFL	4853								
PROC. REF: AMM 32-10-04										
32-10-04-900-002-A00 RESTORE (OVERHAUL) LH MLG SECONDARY SIDE STRUT (LOWER) ASSEMBLY Service ATA:32										
PN:2309-2624-001	MOS	01-Jul-19	144 (+60d/-60d)		01-Jul-31	30-Aug-31	2696 d (+60)	SYSTEM		
SN:1162870/012	HRS	9057.4								
	AFL	4853								
PROC. REF: AMM 32-10-04										
32-10-04-900-002-A00 RESTORE (OVERHAUL) RH MLG SECONDARY SIDE STRUT (LOWER) ASSEMBLY Service ATA:32										
PN:2309-2624-001	MOS	01-Jul-19	144 (+60d/-60d)		01-Jul-31	30-Aug-31	2696 d (+60)	SYSTEM		
SN:1139184/009	HRS	9057.4								
	AFL	4853								
PROC. REF: AMM 32-10-04										
32-10-05-900-002-A00 RESTORE (OVERHAUL) LH MLG SECONDARY SIDE STRUT NO.1 SPRING CARTRIDGE ASSY Service ATA:32										
	MOS	01-Jul-19	144 (+60d/-60d)		01-Jul-31	30-Aug-31	2696 d (+60)	SYSTEM		
	HRS	9057.4								
	AFL	4853								
PROC. REF: AMM 32-10-05										
32-10-05-900-002-A00 RESTORE (OVERHAUL) LH MLG SECONDARY SIDE STRUT NO.2 SPRING CARTRIDGE ASSY Service ATA:32										
	MOS	01-Jul-19	144 (+60d/-60d)		01-Jul-31 (M)	30-Aug-31	2696 d (+60)	SYSTEM		
	HRS	9057.4								
	AFL	4853								
PROC. REF: AMM 32-10-05										
32-10-05-900-002-A00 RESTORE (OVERHAUL) RH MLG SECONDARY SIDE STRUT NO.1 SPRING CARTRIDGE ASSY Service ATA:32										
	MOS	01-Jul-19	144 (+60d/-60d)		01-Jul-31	30-Aug-31	2696 d (+60)	SYSTEM		
	HRS	9057.4								
	AFL	4853								
PROC. REF: AMM 32-10-05										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 32 - LANDING GEAR											
32-10-05-900-002-A00		RESTORE (OVERHAUL)	RH MLG SECONDARY SIDE STRUT NO.2 SPRING CARTRIDGE ASSY							Service	ATA:32
	MOS	01-Jul-19	144 (+60d/-60d)		01-Jul-31 (M)	30-Aug-31	2696 d (+60)	SYSTEM			
	HRS	9057.4									
	AFL	4853									
PROC. REF: AMM 32-10-05											
32-20-00-210-801-L00 <sup>S</sup>		GENERAL VISUAL INSPECTION EXTERNALLY INSPECT THE NOSE LANDING GEAR COMPONENTS - STRUT (MAIN FITTING) - NLG (SSI 32-20-12).- LOWER LOCKING STRUT (SSI 32-20-16).- UPPER DRAG STAY - NLG (SSI 32-20-13).- UPPER LOCKING STAY - NLG (SSI 32-20-15).- TORQUE LINKS - NLG (SSI 32-20-17).							Service	ATA:32	
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
PROC. REF: NDT 32-20-00											
PKG:5008,6016											
32-20-00-210-802-L00 <sup>S</sup>		GENERAL VISUAL INSPECTION (EXTERNAL) INSPECT THE NOSE LANDING GEAR COMPONENTS- SLIDING TUBE - NLG (SSI 32-20-18).							Service	ATA:32	
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
PROC. REF: NDT 32-20-00											
PKG:5008											
32-20-00-210-C01-L00 <sup>S</sup>		GENERAL VISUAL INSPECTION (EXTERNAL) INSPECT THE NOSE LANDING GEAR COMPONENTS- LOWER DRAG STAY - NLG (SSI 32-20-14).							Service	ATA:32	
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
PROC. REF: CPM 32-20-00											
PKG:5008,6016											
32-20-00-220-801-L00 <sup>S</sup>		DETAILED INSPECTION (EXTERNAL) INSPECT THE NOSE LANDING GEAR COMPONENTS- WHEEL AXLE (SSI 32-20-19).							Service	ATA:32	
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
PROC. REF: NDT 32-20-00											
PKG:5008											
32-20-01-610-001-A00 <sup>S</sup>		SERVICE (REPLENISH) NLG SHOCK ABSORBER							Service	ATA:32	
	MOS	29-Jun-23	12 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	500 (+20/-20)								
	AFL	5401									
PROC. REF: AMM 32-20-01											
PKG:5002											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 32 - LANDING GEAR										
32-20-01-720-001-A00 FUNCTIONALLY CHECK NLG LEG CENTERING CAM PLAY NOTE: PERFORM AT THE TIME OF NLG SLIDING TUBE ASSY RESTORATION Service ATA:32										
	MOS/MSC	01-Jul-19	O/C							
	HRS	9057.4								
	AFL	4853								
PROC. REF: AMM 32-20-01										
32-20-01-900-001-A00 RESTORE (OVERHAUL) NOSE LANDING GEAR (NLG) MAIN FITTING ASSY Service ATA:32										
	MOS	01-Jul-19	144 (+60d/-60d)		01-Jul-31		30-Aug-31	2696 d (+60)	SYSTEM	
	HRS	9057.4								
	AFL	4853								
PROC. REF: AMM 32-20-01										
32-20-01-900-002-A00 RESTORE (OVERHAUL) NLG LEG STRUT SLIDING TUBE Service ATA:32										
PN:2233-0201	MOS	01-Jul-19	144 (+60d/-60d)		01-Jul-31		30-Aug-31	2696 d (+60)	SYSTEM	
SN:1379	HRS	9057.4								
	AFL	4853								
PROC. REF: AMM 32-20-01										
32-20-01-900-003-A00 RESTORE (OVERHAUL) NLG LEG STRUT STEERING CUFF Service ATA:32										
PN:1170-2301	MOS	01-Jul-19	144 (+60d/-60d)		01-Jul-31		30-Aug-31	2696 d (+60)	SYSTEM	
SN:L1578	HRS	9057.4								
	AFL	4853								
PROC. REF: AMM 32-20-01										
32-20-01-900-004-A00 RESTORE (OVERHAUL) NO.1 NLG LEG STRUT TORQUE LINK Service ATA:32										
PN:1170-0301	MOS	01-Jul-19	144 (+60d/-60d)		01-Jul-31		30-Aug-31	2696 d (+60)	SYSTEM	
SN:L2583	HRS	9057.4								
	AFL	4853								
PROC. REF: AMM 32-20-01										
32-20-01-900-004-A00 RESTORE (OVERHAUL) NO.2 NLG LEG STRUT TORQUE LINK Service ATA:32										
PN:1170-0301	MOS	01-Jul-19	144 (+60d/-60d)		01-Jul-31		30-Aug-31	2696 d (+60)	SYSTEM	
SN:L2584	HRS	9057.4								
	AFL	4853								
PROC. REF: AMM 32-20-01										
32-20-02-900-001-A00 RESTORE (OVERHAUL) TOP NLG MAIN DRAG STRUT STAY Service ATA:32										
PN:1172A0600-01	MOS	01-Jul-19	144 (+60d/-60d)		01-Jul-31		30-Aug-31	2696 d (+60)	SYSTEM	
SN:HM1431	HRS	9057.4								
	AFL	4853								
PROC. REF: AMM 32-20-02										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 32 - LANDING GEAR</b>										
<b>32-20-02-900-002-A00 RESTORE (OVERHAUL) BOTTOM NLG MAIN DRAG STRUT STAY</b>										
PN:1172A0200-01	MOS	01-Jul-19	144 (+60d/-60d)		01-Jul-31	30-Aug-31	2696 d (+60)	SYSTEM		Service ATA:32
SN:HM39	HRS	9057.4								
	AFL	4853								
PROC. REF: AMM 32-20-02										
<b>32-20-03-900-001-A00 RESTORE (OVERHAUL) NLG AUXILIARY DRAG STRUT (UPPER) ASSEMBLY</b>										
PN:1173A0200-01	MOS	01-Jul-19	144 (+60d/-60d)		01-Jul-31	30-Aug-31	2696 d (+60)	SYSTEM		Service ATA:32
SN:HM1191	HRS	9057.4								
	AFL	4853								
PROC. REF: AMM 32-20-03										
<b>32-20-03-900-002-A00 RESTORE (OVERHAUL) NLG AUXILIARY DRAG STRUT (LOWER) ASSEMBLY</b>										
PN:1173A0100-02	MOS	01-Jul-19	144 (+60d/-60d)		01-Jul-31	30-Aug-31	2696 d (+60)	SYSTEM		Service ATA:32
SN:L1327	HRS	9057.4								
	AFL	4853								
PROC. REF: AMM 32-20-03										
<b>32-20-04-900-002-A00 RESTORE (OVERHAUL) NLG DOWN LOCK SPRING ASSY</b>										
	MOS	01-Jul-19	144 (+60d/-60d)		01-Jul-31	30-Aug-31	2696 d (+60)	SYSTEM		Service ATA:32
	HRS	9057.4								
	AFL	4853								
PROC. REF: AMM 32-20-04										
<b>32-32-00-710-001-A00<sup>S</sup> OPERATIONALLY CHECK LANDING GEAR EXTENSION AND RETRACTION (ELECTRICAL) INDICATION AND DOWNLOCK RELAYS BY CHANNELS A AND B (WITH JACKS)</b>										
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		Service ATA:32
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: AMM 32-32-00										
PKG:5008,6016										
<b>32-32-02-710-001-A00<sup>S</sup> OPERATIONALLY CHECK SOLENOID AND DOWLOCK RELEASE BUTTON OF THE LANDING GEAR CONTROL LEVER.</b>										
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		Service ATA:32
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
PROC. REF: AMM 32-32-02										
PKG:5016,6032										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 32 - LANDING GEAR</b>										
<b>32-34-00-640-001-A00<sup>S</sup> LUBRICATE LANDING GEAR (MLG &amp; NLG) AND STEERING SYSTEM</b>										
	MOS	29-Jun-23	12 (+15d/-15d)					LOW UTILIZATION		Service ATA:32
	HRS	10161.5	500 (+20/-20)							
	AFL	5401								
PROC. REF: AMM 32-34-00										PKG:5002
<b>32-34-00-710-001-A00<sup>S</sup> OPERATIONALLY CHECK LANDING GEAR EMERGENCY EXTENSION (OVERRIDE SWITCH)</b>										
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		Service ATA:32
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: AMM 32-34-00										PKG:5008,6016
<b>32-34-00-720-001-A01<sup>S</sup> FUNCTIONALLY CHECK LANDING GEAR EMERGENCY EXTENSION</b>										
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		Service ATA:32
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: AMM 32-34-00										PKG:5008,6016
<b>32-34-03-720-001-A00<sup>S</sup> FUNCTIONALLY CHECK CONDITION AND TENSION OF FREE-FALL CONTROL CABLES</b>										
	MOS	06-Jul-19	72 (+15d/-15d)					LOW UTILIZATION		Service ATA:32
	HRS	9057.4	3000 (+20/-20)							
	AFL	4853	1500 (+20/-20)							
PROC. REF: AMM 32-34-03										PKG:5012,6020
<b>32-41-00-720-001-A00<sup>S</sup> FUNCTIONALLY CHECK MAIN BRAKE SYSTEM</b>										
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		Service ATA:32
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: AMM 32-41-00										PKG:5008,6016
<b>32-41-01-710-001-A00<sup>S</sup> OPERATIONALLY CHECK BRAKE-PEDAL POSITION TRANSDUCER</b>										
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		Service ATA:32
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
PROC. REF: AMM 32-41-01										PKG:5016,6032
<b>32-41-07-720-001-A00<sup>S</sup> FUNCTIONALLY CHECK MAIN BRAKE HYDRAULIC FUSES</b>										
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		Service ATA:32
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: AMM 32-41-07										PKG:5008,6016

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 32 - LANDING GEAR</b>										
<b>32-41-09-710-001-A00<sup>S</sup> OPERATIONALLY CHECK RETURN-LINE CHECK VALVE OF MAIN BRAKE SYSTEM.</b>										
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		Service ATA:32
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: AMM 32-41-09					PKG:5008,6016
<b>32-44-00-720-001-A00<sup>S</sup> FUNCTIONALLY CHECK EMERGENCY/PARKING BRAKE SYSTEM</b>										
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		Service ATA:32
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
					PROC. REF: AMM 32-44-00					PKG:5016,6032
<b>32-44-02-720-001-A00<sup>S</sup> FUNCTIONALLY CHECK HYDRAULIC ACCUMULATOR FOR NITROGEN PRE-CHARGE</b>										
	MOS	29-Jun-23	12 (+15d/-15d)					LOW UTILIZATION		Service ATA:32
	HRS	10161.5	500 (+20/-20)							
	AFL	5401								
					PROC. REF: AMM 32-44-02					PKG:5002
<b>32-44-06-720-001-A00<sup>S</sup> FUNCTIONALLY CHECK THERMAL RELIEF VALVE OF THE EMERGENCY/PARKING BRAKE SYSTEM</b>										
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		Service ATA:32
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
					PROC. REF: AMM 32-44-06					PKG:5016,6032
<b>32-44-08-710-001-A00<sup>S</sup> OPERATIONALLY CHECK RETURN-LINE CHECK VALVE OF EMERGENCY/PARKING BRAKE SYSTEM</b>										
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		Service ATA:32
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: AMM 32-44-08					PKG:5008,6016
<b>32-44-10-640-001-A00<sup>S</sup> LUBRICATE MECHANICAL HARDWARE (HANDLE) AND ROLLER OF EMERGENCY PARKING BRAKE VALVE</b>										
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		Service ATA:32
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: AMM 32-44-10					PKG:5008,6016
<b>32-49-02-220-001-A00 INSPECT (DETAILED INSPECTION) LEFT NO. 1 MAIN LANDING GEAR OUTBOARD TIRE MLG WHEEL ASSY - WHEELS SPEED TRANSDUCER CLIP IN THE HUB CAP DRIVE CLIP NOTE: AT EACH TIRE CHANGE</b>										
PN:304K63-2	MOS/MS	10-Jan-24	T/C					SYSTEM		Service ATA:32
SN:32735231	HRS	10396.8								
	AFL	5532								
					PROC. REF: AMM 32-49-02					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 32 - LANDING GEAR</b>											
32-49-02-220-001-A00		INSPECT (DETAILED INSPECTION) LEFT NO. 2 MAIN LANDING GEAR INBOARD TIRE MLG WHEEL ASSY - WHEELS SPEED TRANSDUCER CLIP IN THE HUB CAP DRIVE CLIP NOTE: AT EACH TIRE CHANGE							Service	ATA:32	
PN:304K63-2	MOS/MSC	01-Mar-22	T/C					SYSTEM			
SN:11570308	HRS	9819.3									
	AFL	5227									
PROC. REF: AMM 32-49-02											
32-49-02-220-001-A00		INSPECT (DETAILED INSPECTION) RIGHT NO. 3 MAIN LANDING GEAR INBOARD TIRE MLG WHEEL ASSY - WHEELS SPEED TRANSDUCER CLIP IN THE HUB CAP DRIVE CLIP NOTE: AT EACH TIRE CHANGE							Service	ATA:32	
PN:304K63-2	MOS/MSC	16-Oct-23	T/C					SYSTEM			
SN:20200999	HRS	10259.3									
	AFL	5461									
PROC. REF: AMM 32-49-02											
32-49-02-220-001-A00		INSPECT (DETAILED INSPECTION) RIGHT NO. 4 MAIN LANDING GEAR OUTBOARD TIRE MLG WHEEL ASSY - WHEELS SPEED TRANSDUCER CLIP IN THE HUB CAP DRIVE CLIP NOTE: AT EACH TIRE CHANGE							Service	ATA:32	
PN:304K63-2	MOS/MSC	16-Oct-23	T/C					SYSTEM			
SN:23400868	HRS	10259.3									
	AFL	5461									
PROC. REF: AMM 32-49-02											
32-49-03-220-001-A00		INSPECT (DETAILED INSPECTION) OF LEFT NO. 1 BRAKE WEAR INDICATOR. NOTE: AT EACH TIRE CHANGE							Service	ATA:32	
PN:304K63-2	MOS/MSC	10-Jan-24	T/C					SYSTEM			
SN:32735231	HRS	10396.8									
	AFL	5532									
PROC. REF: AMM 32-49-03											
32-49-03-220-001-A00		INSPECT (DETAILED INSPECTION) OF LEFT NO. 2 BRAKE WEAR INDICATOR. NOTE: AT EACH TIRE CHANGE							Service	ATA:32	
PN:304K63-2	MOS/MSC	01-Mar-22	T/C					SYSTEM			
SN:11570308	HRS	9819.3									
	AFL	5227									
PROC. REF: AMM 32-49-03											
32-49-03-220-001-A00		INSPECT (DETAILED INSPECTION) OF RIGHT NO. 3 BRAKE WEAR INDICATOR. NOTE: AT EACH TIRE CHANGE							Service	ATA:32	
PN:304K63-2	MOS/MSC	16-Oct-23	T/C					SYSTEM			
SN:20200999	HRS	10259.3									
	AFL	5461									
PROC. REF: AMM 32-49-03											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 32 - LANDING GEAR										
32-49-03-220-001-A00 INSPECT (DETAILED INSPECTION) OF RIGHT NO. 4 BRAKE WEAR INDICATOR. NOTE: AT EACH TIRE CHANGE Service ATA:32										
PN:304K63-2	MOS/MSC	16-Oct-23	T/C					SYSTEM		
SN:23400868	HRS	10259.3								
	AFL	5461								
PROC. REF: AMM 32-49-03										
32-49-07-710-001-A00 OPERATIONALLY CHECK NO. 1 CARBON ASSY-LEG,MAIN LANDING GEAR BRAKE BRAKE SHUTTLE VALVE NOTE: AT EACH BRAKE REPLACEMENT Service ATA:32										
PN:2-1582OPT5	MOS/MSC	27-Aug-07	C/C					SYSTEM		
SN:2723	HRS	0								
	AFL	0								
PROC. REF: AMM 32-49-07										
32-49-07-710-001-A00 OPERATIONALLY CHECK NO. 2 CARBON ASSY-LEG,MAIN LANDING GEAR BRAKE BRAKE SHUTTLE VALVE NOTE: AT EACH BRAKE REPLACEMENT Service ATA:32										
PN:2-1582OPT5	MOS/MSC	27-Aug-07	C/C							
SN:1464	HRS	0								
	AFL	0								
PROC. REF: AMM 32-49-07										
32-49-07-710-001-A00 OPERATIONALLY CHECK NO. 3 CARBON ASSY-LEG,MAIN LANDING GEAR BRAKE BRAKE SHUTTLE VALVE NOTE: AT EACH BRAKE REPLACEMENT Service ATA:32										
PN:2-1582	MOS/MSC	18-Aug-18	C/C							
SN:1968	HRS	8725.1								
	AFL	4681								
PROC. REF: AMM 32-49-07										
32-49-07-710-001-A00 OPERATIONALLY CHECK NO. 4 CARBON ASSY-LEG,MAIN LANDING GEAR BRAKE BRAKE SHUTTLE VALVE NOTE: AT EACH BRAKE REPLACEMENT Service ATA:32										
PN:2-1582OPT5	MOS/MSC	27-Aug-07	C/C							
SN:1844	HRS	0								
	AFL	0								
PROC. REF: AMM 32-49-07										
32-50-00-710-001-A00 <sup>S</sup> OPERATIONALLY CHECK NOSE WHEEL STEERING SYSTEM DISENGAGEMENT Service ATA:32										
	MOS	29-Jun-23	12 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	500 (+20/-20)							
	AFL	5401								
PROC. REF: AMM 32-50-00										
										PKG:5002

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 32 - LANDING GEAR</b>										
32-50-06-720-001-A00 <sup>S</sup>	FUNCTIONALLY CHECK 7-DEGREE PROXIMITY SWITCH.									Service ATA:32
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
	PROC. REF: AMM 32-50-06									PKG:5008,6016
32-62-00-710-001-A00 <sup>S</sup>	OPERATIONALLY CHECK LANDING-GEAR WARNING SYSTEM									Service ATA:32
	MOS	29-Jun-23	12 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	500 (+20/-20)							
	AFL	5401								
	PROC. REF: AMM 32-62-00									PKG:5002
32-63-00-710-001-A00 <sup>S</sup>	OPERATIONALLY CHECK AIR/GROUND SYSTEM (CMR)									Service ATA:32
	MOS	29-Jun-23	12 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	500 (+20/-20)							
	AFL	5401								
	PROC. REF: AMM 32-63-00									PKG:5002
32-Z711-213-001-A00 <sup>S</sup>	EXTERNAL GENERAL VISUAL INSPECTION OF ZONES 113, 114, 115, 116, 711, 713, 714 (L600 ONLY)									Service ATA:32
	MOS	29-Jun-23	24 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	1000 (+20/-20)							
	AFL	5401								
	PROC. REF: AMM 05-20-99									PKG:5004
32-Z711-213-001-A01	GENERAL VISUAL INSPECTION EXTERNAL GENERAL VISUAL INSPECTION (ZONES 113, 114, 115, 116,711, 713, 714) NOTE: EWIS.(L650 ONLY)									Service ATA:32
	MOS/MS	25-Sep-07	N/A					ZONAL		
	HRS	0								
	AFL	0								
	PROC. REF: AMM 05-20-99									
32-Z721-213-001-A00 <sup>S</sup>	EXTERNAL GENERAL VISUAL INSPECTION OF ZONES 721, 731, 722, 732, 532, 632 (L600 ONLY)									Service ATA:32
	MOS	29-Jun-23	24 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	1000 (+20/-20)							
	AFL	5401								
	PROC. REF: AMM 05-30-01									PKG:5004

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 32 - LANDING GEAR										
32-Z721-213-001-A01	GENERAL VISUAL INSPECTION EXTERNAL GENERAL VISUAL INSPECTION (ZONES 721, 731, 722, 732,532, 632). NOTE: EWIS.(L650 ONLY)									Service ATA:32
	MOS/MSC	25-Sep-07	N/A					ZONAL		
	HRS	0								
	AFL	0								
PROC. REF: AMM 05-30-01										
321000-0101	LH MLG LEG OLEO STRUT ASSEMBLY									Component ATA:32
PN:2309-3100-405	MOS/MSC	06-Jul-19	O/C	TSN 143, TSO 0						
SN:00080	HRS	9057.4		TSN 9057.4, TSO 0						
	AFL	4853		TSN 4853, TSO 0						
PROC. REF: NDT GENERIC										
321000-0102	RH MLG LEG OLEO STRUT ASSEMBLY									Component ATA:32
PN:2309-3100-406	MOS/MSC	06-Jul-19	O/C	TSN 143, TSO 0						
SN:00090	HRS	9057.4		TSN 9057.4, TSO 0						
	AFL	4853		TSN 4853, TSO 0						
PROC. REF: NDT GENERIC										
321000-0201	LH STRUT (MLG) LEG									Component ATA:32
PN:2309-3006-505	MOS	06-Jul-19		TSN 143, TSO 0				LIFE LIMIT		
SN:1145758/001	HRS	9057.4		TSN 9057.4, TSO 0						
	AFL	4853	60000	TSN 4853	60000		54466			
PROC. REF: AMM 32-10-01										
321000-0202	RH STRUT (MLG) LEG									Component ATA:32
PN:2309-3006-506	MOS	06-Jul-19		TSN 143, TSO 0				LIFE LIMIT		
SN:1134444/001	HRS	9057.4		TSN 9057.4, TSO 0						
	AFL	4853	60000	TSN 4853	60000		54466			
PROC. REF: AMM 32-10-01										
321000-0203	LH STRUT (MLG) - PIVOT									Component ATA:32
PN:2309-2050-003	MOS	06-Jul-19		TSN 143, TSO 0				LIFE LIMIT		
SN:1078756/021	HRS	9057.4		TSN 9057.4, TSO 0						
	AFL	4853	60000	TSN 4853	60000		54466			
PROC. REF: NDT GENERIC										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 32 - LANDING GEAR</b>											
<b>321000-0204</b>		<b>RH STRUT (MLG) - PIVOT</b>								<b>Component</b>	<b>ATA:32</b>
PN:2309-2050-003	MOS	06-Jul-19		TSN 143, TSO 0				LIFE LIMIT			
SN:1078756/014	HRS	9057.4		TSN 9057.4, TSO 0							
	AFL	4853	60000	TSN 4853	60000		54466				
PROC. REF: NDT GENERIC											
<b>321000-0301</b>		<b>LH NO. 1 TRUNNION (MLG) (LEG STRUT) AXLE</b>								<b>Component</b>	<b>ATA:32</b>
PN:2309-3025-001	MOS	06-Jul-19		TSN 143, TSO 0				LIFE LIMIT			
SN:1129173/004	HRS	9057.4		TSN 9057.4, TSO 0							
	AFL	4853	60000	TSN 4853	60000		54466				
PROC. REF: NDT GENERIC											
<b>321000-0302</b>		<b>RH NO. 1 TRUNNION (MLG) (LEG STRUT) AXLE</b>								<b>Component</b>	<b>ATA:32</b>
PN:2309-3025-001	MOS	06-Jul-19		TSN 143, TSO 0				LIFE LIMIT			
SN:1120134/001	HRS	9057.4		TSN 9057.4, TSO 0							
	AFL	4853	60000	TSN 4853	60000		54466				
PROC. REF: NDT GENERIC											
<b>321000-0303</b>		<b>LH NO. 2 TRUNNION (MLG) (LEG STRUT) AXLE</b>								<b>Component</b>	<b>ATA:32</b>
PN:2309-3025-001	MOS	06-Jul-19		TSN 143, TSO 0				LIFE LIMIT			
SN:1129173/001	HRS	9057.4		TSN 9057.4, TSO 0							
	AFL	4853	60000	TSN 4853	60000		54466				
PROC. REF: NDT GENERIC											
<b>321000-0304</b>		<b>RH NO. 2 TRUNNION (MLG) (LEG STRUT) AXLE</b>								<b>Component</b>	<b>ATA:32</b>
PN:2309-3025-001	MOS	06-Jul-19		TSN 143, TSO 0				LIFE LIMIT			
SN:1120134/010	HRS	9057.4		TSN 9057.4, TSO 0							
	AFL	4853	60000	TSN 4853	60000		54466				
PROC. REF: NDT GENERIC											
<b>321000-0401</b>		<b>LH ACTUATOR ATTACHMENT (MLG) (LEG STRUT) AXLE</b>								<b>Component</b>	<b>ATA:32</b>
PN:2309-2027-005	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:1143020/008	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: NDT GENERIC											
<b>321000-0402</b>		<b>RH ACTUATOR ATTACHMENT (MLG) (LEG STRUT) AXLE</b>								<b>Component</b>	<b>ATA:32</b>
PN:2309-2027-005	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:1128751/007	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: NDT GENERIC											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 32 - LANDING GEAR</b>										
<b>321001-0101 LH TRAILING (MLG) (LEG STRUT) ARM Component ATA:32</b>										
PN:2309-3009-507	MOS	06-Jul-19		TSN 143, TSO 0				LIFE LIMIT		
SN:1138043/002	HRS	9057.4		TSN 9057.4, TSO 0						
	AFL	4853	60000	TSN 4853	60000		54466			
PROC. REF: AMM 32-10-08										
<b>321001-0102 RH TRAILING (MLG) (LEG STRUT) ARM Component ATA:32</b>										
PN:2309-3009-507	MOS	06-Jul-19		TSN 143, TSO 0				LIFE LIMIT		
SN:1139180/002	HRS	9057.4		TSN 9057.4, TSO 0						
	AFL	4853	60000	TSN 4853	60000		54466			
PROC. REF: AMM 32-10-08										
<b>321001-0201 LH TRAILING ARM (MLG) (LEG STRUT) AXLE Component ATA:32</b>										
PN:2309-3055-001	MOS	06-Jul-19		TSN 143, TSO 0				LIFE LIMIT		
SN:1150008/005	HRS	9057.4		TSN 9057.4, TSO 0						
	AFL	4853	60000	TSN 4853	60000		54466			
PROC. REF: AMM 32-10-08										
<b>321001-0202 RH TRAILING ARM (MLG) (LEG STRUT) AXLE Component ATA:32</b>										
PN:2309-3055-002	MOS	06-Jul-19		TSN 143, TSO 0				LIFE LIMIT		
SN:1132809/001	HRS	9057.4		TSN 9057.4, TSO 0						
	AFL	4853	60000	TSN 4853	60000		54466			
PROC. REF: AMM 32-10-08										
<b>321002-0101 LH MLG SHOCK ABSORBER ASSEMBLY Component ATA:32</b>										
PN:2309-2005-007	MOS/MSC	06-Jul-19	O/C	TSO 0						
SN:10041	HRS	9057.4		TSN 8793.6, TSO 0						
	AFL	4853		TSN 4716, TSO 0						
PROC. REF: AMM 32-10-02										
<b>321002-0102 RH MLG SHOCK ABSORBER ASSEMBLY Component ATA:32</b>										
PN:2309-2005-007	MOS/MSC	06-Jul-19	O/C	TSO 0						
SN:10004	HRS	9057.4		TSO 0						
	AFL	4853		TSO 0						
PROC. REF: AMM 32-10-02										
<b>321002-0201 LH MLG NO.1 SHOCK ABSORBER ATTACHMENT (LEG STRUT) AXLE Component ATA:32</b>										
PN:2309-2029-001	MOS	06-Jul-19		TSN 143, TSO 0				LIFE LIMIT		
SN:1145948/005	HRS	9057.4		TSN 9057.4, TSO 0						
	AFL	4853	60000	TSN 4853	60000		54466			
PROC. REF: AMM 32-10-02										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 32 - LANDING GEAR</b>										
<b>321002-0202 RH MLG NO.1 SHOCK ABSORBER ATTACHMENT (LEG STRUT) AXLE Component ATA:32</b>										
PN:2309-2029-001	MOS	06-Jul-19		TSN 143, TSO 0				LIFE LIMIT		
SN:1140197/007	HRS	9057.4		TSN 9057.4, TSO 0						
	AFL	4853	60000	TSN 4853	60000		54466			
PROC. REF: AMM 32-10-02										
<b>321002-0203 LH MLG NO.2 SHOCK ABSORBER ATTACHMENT (LEG STRUT) AXLE Component ATA:32</b>										
PN:2309-2029-001	MOS	06-Jul-19		TSN 143, TSO 0				LIFE LIMIT		
SN:1145948/004	HRS	9057.4		TSN 9057.4, TSO 0						
	AFL	4853	60000	TSN 4853	60000		54466			
PROC. REF: AMM 32-10-02										
<b>321002-0204 RH MLG NO.2 SHOCK ABSORBER ATTACHMENT (LEG STRUT) AXLE Component ATA:32</b>										
PN:2309-2029-001	MOS	06-Jul-19		TSN 143, TSO 0				LIFE LIMIT		
SN:1140197/008	HRS	9057.4		TSN 9057.4, TSO 0						
	AFL	4853	60000	TSN 4853	60000		54466			
PROC. REF: AMM 32-10-02										
<b>321002-0301 LH SHOCK ABSORBER PISTON (MLG) (LEG STRUT) TUBE Component ATA:32</b>										
PN:2309-2058-001	MOS	06-Jul-19		TSO 0				LIFE LIMIT		
SN:1138316/001	HRS	9057.4		TSO 0						
	AFL	4853	60000	TSN 4716	60137		54603			
PROC. REF: AMM 32-10-02										
<b>321002-0302 RH SHOCK ABSORBER PISTON (MLG) (LEG STRUT) TUBE Component ATA:32</b>										
PN:2309-2058-001	MOS	06-Jul-19		TSN 143, TSO 0				LIFE LIMIT		
SN:1129863-002	HRS	9057.4		TSN 9057.4, TSO 0						
	AFL	4853	60000	TSN 4853	60000		54466			
PROC. REF: AMM 32-10-02										
<b>321002-0401 LH SHOCK ABSORBER (MLG) (LEG STRUT) CYLINDER Component ATA:32</b>										
PN:2309-2056-005	MOS	06-Jul-19		TSO 0				LIFE LIMIT		
SN:1139199/001	HRS	9057.4		TSO 0						
	AFL	4853	60000	TSN 4716	60137		54603			
PROC. REF: AMM 32-10-02										
<b>321002-0402 RH SHOCK ABSORBER (MLG) (LEG STRUT) CYLINDER Component ATA:32</b>										
PN:2309-2056-005	MOS	06-Jul-19		TSN 143, TSO 0				LIFE LIMIT		
SN:1130055-001	HRS	9057.4		TSN 9057.4, TSO 0						
	AFL	4853	60000	TSN 4853	60000		54466			
PROC. REF: AMM 32-10-02										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 32 - LANDING GEAR</b>											
<b>321002-0501</b>		<b>LH SHOCK ABSORBER BEARING (MLG) (LEG STRUT) CAP</b>							<b>Component</b>	<b>ATA:32</b>	
PN:2309-2082-001	MOS	06-Jul-19		TSO 0				LIFE LIMIT			
SN:1139188/006	HRS	9057.4		TSO 0							
	AFL	4853	60000	TSN 4716	60137		54603				
PROC. REF: AMM 32-10-02											
<b>321002-0502</b>		<b>RH SHOCK ABSORBER BEARING (MLG) (LEG STRUT) CAP</b>							<b>Component</b>	<b>ATA:32</b>	
PN:2309-2082-001	MOS	06-Jul-19		TSN 0				LIFE LIMIT			
SN:1621044/002	HRS	9057.4		TSN 0							
	AFL	4853	60000	TSN 0	64853		59319				
PROC. REF: AMM 32-10-02											
<b>321003-0101</b>		<b>LH MAIN SIDE ASSY (MLG) STRUT</b>							<b>Component</b>	<b>ATA:32</b>	
PN:2309-3500-503	MOS/MSC	06-Jul-19	O/C	TSN 143, TSO 0							
SN:01528	HRS	9057.4		TSN 9057.4, TSO 0							
	AFL	4853		TSN 4853, TSO 0							
PROC. REF: AMM 32-10-03											
<b>321003-0102</b>		<b>RH MAIN SIDE ASSY (MLG) STRUT</b>							<b>Component</b>	<b>ATA:32</b>	
PN:2309-3500-503	MOS/MSC	06-Jul-19	O/C	TSN 143, TSO 0							
SN:01491	HRS	9057.4		TSN 9057.4, TSO 0							
	AFL	4853		TSN 4853, TSO 0							
PROC. REF: AMM 32-10-03											
<b>321003-0201</b>		<b>LH MLG LEG STRUT - MAIN SIDE STRUT ATTACHEMENT AXLE (PIVOT PIN)</b>							<b>Component</b>	<b>ATA:32</b>	
PN:2309-3032-005	MOS	06-Jul-19		TSN 143, TSO 0				LIFE LIMIT			
SN:1138094/001	HRS	9057.4		TSN 9057.4, TSO 0							
	AFL	4853	60000	TSN 4853	60000		54466				
PROC. REF: AMM 32-10-10											
<b>321003-0202</b>		<b>RH MLG LEG STRUT - MAIN SIDE STRUT ATTACHEMENT AXLE (PIVOT PIN)</b>							<b>Component</b>	<b>ATA:32</b>	
PN:2309-3032-005	MOS	06-Jul-19		TSN 143, TSO 0				LIFE LIMIT			
SN:1133462-002	HRS	9057.4		TSN 9057.4, TSO 0							
	AFL	4853	60000	TSN 4853	60000		54466				
PROC. REF: AMM 32-10-10											
<b>321003-0301</b>		<b>LH MLG UPPER MAIN SIDE STRUT</b>							<b>Component</b>	<b>ATA:32</b>	
PN:2309-2524-001	MOS	06-Jul-19		TSN 143, TSO 0				LIFE LIMIT			
SN:1143026/010	HRS	9057.4		TSN 9057.4, TSO 0							
	AFL	4853	60000	TSN 4853	60000		54466				
PROC. REF: AMM 32-10-03											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 32 - LANDING GEAR</b>											
<b>321003-0302</b>		<b>RH MLG UPPER MAIN SIDE STRUT</b>								<b>Component</b>	<b>ATA:32</b>
PN:2309-2524-001	MOS	06-Jul-19		TSN 143, TSO 0				LIFE LIMIT			
SN:1138062/005	HRS	9057.4		TSN 9057.4, TSO 0							
	AFL	4853	60000	TSN 4853	60000		54466				
PROC. REF: AMM 32-10-03											
<b>321003-0401</b>		<b>LH MAIN SIDE STRUT (MLG) (LOWER)</b>								<b>Component</b>	<b>ATA:32</b>
PN:2309-2532-001	MOS	06-Jul-19		TSN 143, TSO 0				LIFE LIMIT			
SN:1145946/007	HRS	9057.4		TSN 9057.4, TSO 0							
	AFL	4853	60000	TSN 4853	60000		54466				
PROC. REF: AMM 32-10-03											
<b>321003-0402</b>		<b>RH MAIN SIDE STRUT (MLG) (LOWER)</b>								<b>Component</b>	<b>ATA:32</b>
PN:2309-2532-001	MOS	06-Jul-19		TSN 143, TSO 0				LIFE LIMIT			
SN:1130597-010	HRS	9057.4		TSN 9057.4, TSO 0							
	AFL	4853	60000	TSN 4853	60000		54466				
PROC. REF: AMM 32-10-03											
<b>321003-0501</b>		<b>LH MAIN SIDE STRUT (MLG) SHAFT</b>								<b>Component</b>	<b>ATA:32</b>
PN:2309-3515-001	MOS	06-Jul-19		TSN 143, TSO 0				LIFE LIMIT			
SN:1148030/004	HRS	9057.4		TSN 9057.4, TSO 0							
	AFL	4853	60000	TSN 4853	60000		54466				
PROC. REF: NDT GENERIC											
<b>321003-0502</b>		<b>RH MAIN SIDE STRUT (MLG) SHAFT</b>								<b>Component</b>	<b>ATA:32</b>
PN:2309-3515-001	MOS	06-Jul-19		TSN 143, TSO 0				LIFE LIMIT			
SN:1126836/004	HRS	9057.4		TSN 9057.4, TSO 0							
	AFL	4853	60000	TSN 4853	60000		54466				
PROC. REF: NDT GENERIC											
<b>321003-0601</b>		<b>LH MAIN SIDE STRUT (MLG) PIVOT PIN</b>								<b>Component</b>	<b>ATA:32</b>
PN:2309-3516-001	MOS	06-Jul-19		TSN 143, TSO 0				LIFE LIMIT			
SN:1150805/001	HRS	9057.4		TSN 9057.4, TSO 0							
	AFL	4853	60000	TSN 4853	60000		54466				
PROC. REF: NDT GENERIC											
<b>321003-0602</b>		<b>RH MAIN SIDE STRUT (MLG) PIVOT PIN</b>								<b>Component</b>	<b>ATA:32</b>
PN:2309-3516-001	MOS	06-Jul-19		TSN 143, TSO 0				LIFE LIMIT			
SN:1124611/006	HRS	9057.4		TSN 9057.4, TSO 0							
	AFL	4853	60000	TSN 4853	60000		54466				
PROC. REF: NDT GENERIC											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of:  
29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 32 - LANDING GEAR</b>										
<b>321003-0701 LH MAIN SIDE STRUT (MLG) CARDAN Component ATA:32</b>										
PN:2309-3530-001	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:1144576/002	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: AMM 32-10-10										
<b>321003-0702 RH MAIN SIDE STRUT (MLG) CARDAN Component ATA:32</b>										
PN:2309-3530-001	MOS/MSC		06-Jul-19	O/C	TSN 143, TSO 0					
SN:1119633/002	HRS		9057.4		TSN 9057.4, TSO 0					
	AFL		4853		TSN 4853, TSO 0					
PROC. REF: AMM 32-10-10										
<b>321004-0101 LH LDG ROD -SECONDARY,MAIN LANDING GEAR ASSEMBLY Component ATA:32</b>										
PN:2309-2600-507	MOS/MSC		06-Jul-19	O/C	TSN 143, TSO 0					
SN:02104	HRS		9057.4		TSN 9057.4, TSO 0					
	AFL		4853		TSN 4853, TSO 0					
PROC. REF: NDT GENERIC										
<b>321004-0102 RH LDG ROD -SECONDARY,MAIN LANDING GEAR ASSEMBLY Component ATA:32</b>										
PN:2309-2600-507	MOS/MSC		06-Jul-19	O/C	TSN 143, TSO 0					
SN:02066	HRS		9057.4		TSN 9057.4, TSO 0					
	AFL		4853		TSN 4853, TSO 0					
PROC. REF: NDT GENERIC										
<b>321004-0301 LH MLG UPPER SECONDARY SIDE STRUT Component ATA:32</b>										
PN:2309-2611-003	MOS		06-Jul-19		TSN 143, TSO 0			LIFE LIMIT		
SN:1156805/007	HRS		9057.4		TSN 9057.4, TSO 0					
	AFL		4853	60000	TSN 4853	60000	54466			
PROC. REF: AMM 32-10-10										
<b>321004-0302 RH MLG UPPER SECONDARY SIDE STRUT Component ATA:32</b>										
PN:2309-2611-003	MOS		06-Jul-19		TSN 143, TSO 0			LIFE LIMIT		
SN:1137253/001	HRS		9057.4		TSN 9057.4, TSO 0					
	AFL		4853	60000	TSN 4853	60000	54466			
PROC. REF: AMM 32-10-10										
<b>321004-0401 LH MLG SECONDARY SIDE STRUT (LOWER) Component ATA:32</b>										
PN:2309-2624-001	MOS		06-Jul-19		TSN 143, TSO 0			LIFE LIMIT		
SN:1162870/012	HRS		9057.4		TSN 9057.4, TSO 0					
	AFL		4853	60000	TSN 4853	60000	54466			
PROC. REF: AMM 32-10-04										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 32 - LANDING GEAR</b>											
<b>321004-0402</b>		<b>RH MLG SECONDARY SIDE STRUT (LOWER)</b>								<b>Component</b>	<b>ATA:32</b>
PN:2309-2624-001	MOS	06-Jul-19		TSN 143, TSO 0				LIFE LIMIT			
SN:1139184/009	HRS	9057.4		TSN 9057.4, TSO 0							
	AFL	4853	60000	TSN 4853	60000		54466				
PROC. REF: AMM 32-10-04											
<b>321004-0501</b>		<b>LH MLG SECONDARY SIDE STRUT CARDAN</b>								<b>Component</b>	<b>ATA:32</b>
PN:2309-2618-001	MOS	06-Jul-19		TSN 143, TSO 0				LIFE LIMIT			
SN:1122821/058	HRS	9057.4		TSN 9057.4, TSO 0							
	AFL	4853	60000	TSN 4853	60000		54466				
PROC. REF: AMM 32-10-11											
<b>321004-0502</b>		<b>RH MLG SECONDARY SIDE STRUT CARDAN</b>								<b>Component</b>	<b>ATA:32</b>
PN:2309-2618-001	MOS	06-Jul-19		TSN 143, TSO 0				LIFE LIMIT			
SN:1122821/042	HRS	9057.4		TSN 9057.4, TSO 0							
	AFL	4853	60000	TSN 4853	60000		54466				
PROC. REF: AMM 32-10-11											
<b>321004-0601</b>		<b>LH MLG SECONDARY SIDE STRUT AXLE</b>								<b>Component</b>	<b>ATA:32</b>
PN:2309-2621-001	MOS	06-Jul-19		TSN 143, TSO 0				LIFE LIMIT			
SN:1136819/005	HRS	9057.4		TSN 9057.4, TSO 0							
	AFL	4853	60000	TSN 4853	60000		54466				
PROC. REF: NDT GENERIC											
<b>321004-0602</b>		<b>RH MLG SECONDARY SIDE STRUT AXLE</b>								<b>Component</b>	<b>ATA:32</b>
PN:2309-2621-001	MOS	06-Jul-19		TSN 143, TSO 0				LIFE LIMIT			
SN:1123525/009	HRS	9057.4		TSN 9057.4, TSO 0							
	AFL	4853	60000	TSN 4853	60000		54466				
PROC. REF: NDT GENERIC											
<b>321004-0701</b>		<b>LH MLG SECONDARY SIDE STRUT BOLT</b>								<b>Component</b>	<b>ATA:32</b>
PN:2309-2626-001	MOS	06-Jul-19		TSN 143, TSO 0				LIFE LIMIT			
SN:1140062/006	HRS	9057.4		TSN 9057.4, TSO 0							
	AFL	4853	60000	TSN 4853	60000		54466				
PROC. REF: NDT GENERIC											
<b>321004-0702</b>		<b>RH MLG SECONDARY SIDE STRUT BOLT</b>								<b>Component</b>	<b>ATA:32</b>
PN:2309-2626-001	MOS	06-Jul-19		TSN 143, TSO 0				LIFE LIMIT			
SN:1124607/049	HRS	9057.4		TSN 9057.4, TSO 0							
	AFL	4853	60000	TSN 4853	60000		54466				
PROC. REF: NDT GENERIC											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 32 - LANDING GEAR</b>											
<b>321004-0801</b>		<b>LH MLG SECONDARY SIDE STRUT PIVOT PIN</b>								<b>Component</b>	<b>ATA:32</b>
PN:2309-2613-001	MOS	06-Jul-19		TSN 143, TSO 0				LIFE LIMIT			
SN:1150116/005	HRS	9057.4		TSN 9057.4, TSO 0							
	AFL	4853	60000	TSN 4853	60000		54466				
PROC. REF: NDT GENERIC											
<b>321004-0802</b>		<b>RH MLG SECONDARY SIDE STRUT PIVOT PIN</b>								<b>Component</b>	<b>ATA:32</b>
PN:2309-2613-001	MOS	06-Jul-19		TSO 0				LIFE LIMIT			
SN:1134738/004	HRS	9057.4		TSO 0							
	AFL	4853	60000	TSN 4853	60000		54466				
PROC. REF: NDT GENERIC											
<b>321004-0901</b>		<b>LH MLG SECONDARY SIDE STRUT NO.1 SPRING</b>								<b>Component</b>	<b>ATA:32</b>
PN:2309-2651-005	MOS	06-Jul-19		TSN 143, TSO 0				LIFE LIMIT			
SN:1153614/030	HRS	9057.4		TSN 9057.4, TSO 0							
	AFL	4853	60000	TSN 4853	60000		54466				
PROC. REF: AMM 32-10-05											
<b>321004-0902</b>		<b>LH MLG SECONDARY SIDE STRUT NO.2 SPRING</b>								<b>Component</b>	<b>ATA:32</b>
PN:2309-2651-005	MOS	06-Jul-19		TSN 143, TSO 0				LIFE LIMIT			
SN:1153614/025	HRS	9057.4		TSN 9057.4, TSO 0							
	AFL	4853	60000	TSN 4853	60000		54466				
PROC. REF: AMM 32-10-05											
<b>321004-0903</b>		<b>RH MLG SECONDARY SIDE STRUT NO.1 SPRING</b>								<b>Component</b>	<b>ATA:32</b>
PN:2309-2651-005	MOS	06-Jul-19		TSN 143, TSO 0				LIFE LIMIT			
SN:1148690/013	HRS	9057.4		TSN 9057.4, TSO 0							
	AFL	4853	60000	TSN 4853	60000		54466				
PROC. REF: AMM 32-10-05											
<b>321004-0904</b>		<b>RH MLG SECONDARY SIDE STRUT NO.2 SPRING</b>								<b>Component</b>	<b>ATA:32</b>
PN:2309-2651-005	MOS	06-Jul-19		TSN 143, TSO 0				LIFE LIMIT			
SN:1148690/012	HRS	9057.4		TSN 9057.4, TSO 0							
	AFL	4853	60000	TSN 4853	60000		54466				
PROC. REF: AMM 32-10-05											
<b>321005-0101</b>		<b>LH WHEEL (MLG) (LEG STRUT) AXLE</b>								<b>Component</b>	<b>ATA:32</b>
PN:2309-3040-001	MOS	06-Jul-19		TSN 143, TSO 0				LIFE LIMIT			
SN:1138050/002	HRS	9057.4		TSN 9057.4, TSO 0							
	AFL	4853	60000	TSN 4853	60000		54466				
PROC. REF: AMM 32-49-02											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 32 - LANDING GEAR</b>										
<b>321005-0102 RH WHEEL (MLG) (LEG STRUT) AXLE Component ATA:32</b>										
PN:2309-3040-001	MOS	06-Jul-19		TSN 143, TSO 0				LIFE LIMIT		
SN:1106882/002	HRS	9057.4		TSN 9057.4, TSO 0						
	AFL	4853	60000	TSN 4853	60000		54466			
PROC. REF: AMM 32-49-02										
<b>321005-0501 LH MLG SECONDARY SIDE STRUT NO.1 SPRING CARTRIDGE ASSY Component ATA:32</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>321005-0502 LH MLG SECONDARY SIDE STRUT NO.2 SPRING CARTRIDGE ASSY Component ATA:32</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>321005-0503 RH MLG SECONDARY SIDE STRUT NO.1 SPRING CARTRIDGE ASSY Component ATA:32</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>321005-0504 RH MLG SECONDARY SIDE STRUT NO.2 SPRING CARTRIDGE ASSY Component ATA:32</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>321006-0101 LH (MLG) (LEG STRUT) CARDAN JOINT Component ATA:32</b>										
PN:2309-2048-005	MOS	06-Jul-19		TSN 143, TSO 0				LIFE LIMIT		
SN:1140614/008	HRS	9057.4		TSN 9057.4, TSO 0						
	AFL	4853	60000	TSN 4853	60000		54466			
PROC. REF: AMM 32-10-10										
<b>321006-0102 RH (MLG) (LEG STRUT) CARDAN JOINT Component ATA:32</b>										
PN:2309-2048-005	MOS	06-Jul-19		TSN 143, TSO 0				LIFE LIMIT		
SN:1121551/003	HRS	9057.4		TSN 9057.4, TSO 0						
	AFL	4853	60000	TSN 4853	60000		54466			
PROC. REF: AMM 32-10-10										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 32 - LANDING GEAR</b>										
<b>321007-0101 LH (MLG) LINEAR HYDRAULIC (MANEUVERING ACTUATOR) ACTUATOR Component ATA:32</b>										
PN:2309-3700-503	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:01561	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: NDT GENERIC										
<b>321007-0102 RH (MLG) LINEAR HYDRAULIC (MANEUVERING ACTUATOR) ACTUATOR Component ATA:32</b>										
PN:2309-3700-503	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:01538	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: NDT GENERIC										
<b>321007-0201 LH MANEUVERING ACTUATOR (MLG) CYLINDER Component ATA:32</b>										
PN:PN	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:UNKNOWN	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: NDT GENERIC										
<b>321007-0202 RH MANEUVERING ACTUATOR (MLG) CYLINDER Component ATA:32</b>										
PN:PN	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:UNKNOWN	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: NDT GENERIC										
<b>321007-0301 LH MANEUVERING ACTUATOR (MLG) ROD END Component ATA:32</b>										
PN:PN	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:UNKNOWN	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: NDT GENERIC										
<b>321007-0302 RH MANEUVERING ACTUATOR (MLG) ROD END Component ATA:32</b>										
PN:PN	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:UNKNOWN	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: NDT GENERIC										
<b>321007-0401 LH MANEUVERING ACTUATOR ROD (MLG) PISTON Component ATA:32</b>										
PN:2309-3710-001	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:1140770/001	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: NDT GENERIC										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 32 - LANDING GEAR</b>										
<b>321007-0402 RH MANEUVERING ACTUATOR ROD (MLG) PISTON Component ATA:32</b>										
PN:2309-3710-001	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:1132492/001	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: NDT GENERIC										
<b>321007-0501 LH MANEUVERING ACTUATOR BEARING (MLG) CAP Component ATA:32</b>										
PN:2309-3712-001	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:1159163/002	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: NDT GENERIC										
<b>321007-0502 RH MANEUVERING ACTUATOR BEARING (MLG) CAP Component ATA:32</b>										
PN:2309-3712-001	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:1133951/010	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: NDT GENERIC										
<b>322000-0101 LEG -NOSE LANDING GEAR ASSEMBLY Component ATA:32</b>										
PN:2233A0000-02	MOS		06-Jul-19		TSN 143, TSO 0			SCRAP		
SN:02303	HRS		9057.4		TSN 9057.4, TSO 0					
	AFL		4853	60000	TSN 4853	60000	54466			
PROC. REF: AMM 32-20-01										
<b>322000-0201 NLG LEG STRUT SLIDING TUBE Component ATA:32</b>										
PN:2233-0201	MOS		06-Jul-19		TSN 143, TSO 0			LIFE LIMIT		
SN:1379	HRS		9057.4		TSN 9057.4, TSO 0					
	AFL		4853	60000	TSN 4853	60000	54466			
PROC. REF: AMM 32-20-08										
<b>322000-0301 NLG LEG STRUT WHEEL AXLE Component ATA:32</b>										
PN:2233-0202	MOS		06-Jul-19		TSN 143, TSO 0			LIFE LIMIT		
SN:L219	HRS		9057.4		TSN 9057.4, TSO 0					
	AFL		4853	60000	TSN 4853	60000	54466			
PROC. REF: NDT GENERIC										
<b>322000-0401 NLG LEG STRUT STEERING CUFF Component ATA:32</b>										
PN:1170-2301	MOS		06-Jul-19		TSN 143, TSO 0			LIFE LIMIT		
SN:L1578	HRS		9057.4		TSN 9057.4, TSO 0					
	AFL		4853	60000	TSN 4853	60000	54466			
PROC. REF: NDT GENERIC										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 32 - LANDING GEAR</b>										
<b>322000-0501 NO.1 NLG LEG STRUT TORQUE LINK Component ATA:32</b>										
PN:1170-0301	MOS	06-Jul-19		TSN 143, TSO 0				LIFE LIMIT		
SN:L2583	HRS	9057.4		TSN 9057.4, TSO 0						
	AFL	4853	60000	TSN 4853	60000		54466			
PROC. REF: AMM 32-20-10										
<b>322000-0502 NO.2 NLG LEG STRUT TORQUE LINK Component ATA:32</b>										
PN:1170-0301	MOS	06-Jul-19		TSN 143, TSO 0				LIFE LIMIT		
SN:L2584	HRS	9057.4		TSN 9057.4, TSO 0						
	AFL	4853	60000	TSN 4853	60000		54466			
PROC. REF: AMM 32-20-10										
<b>322000-0601 NO.1 NLG LEG STRUT TORQUE LINK PIN Component ATA:32</b>										
PN:1170-0001	MOS	06-Jul-19		TSN 143, TSO 0				LIFE LIMIT		
SN:L1843	HRS	9057.4		TSN 9057.4, TSO 0						
	AFL	4853	60000	TSN 4853	60000		54466			
PROC. REF: AMM 32-20-10										
<b>322000-0602 NO.2 NLG LEG STRUT TORQUE LINK PIN Component ATA:32</b>										
PN:1170-0001	MOS	06-Jul-19		TSN 143, TSO 0				LIFE LIMIT		
SN:L2625	HRS	9057.4		TSN 9057.4, TSO 0						
	AFL	4853	60000	TSN 4853	60000		54466			
PROC. REF: AMM 32-20-10										
<b>322000-0701 NLG LEG STRUT TORQUE LINK CENTRAL BOLT Component ATA:32</b>										
PN:1170-0002	MOS	06-Jul-19		TSN 143, TSO 0				LIFE LIMIT		
SN:L1337	HRS	9057.4		TSN 9057.4, TSO 0						
	AFL	4853	60000	TSN 4853	60000		54466			
PROC. REF: AMM 32-20-10										
<b>322000-0801 NLG LEG STRUT MAIN FITTING Component ATA:32</b>										
PN:2233-0103	MOS	06-Jul-19		TSN 143, TSO 0				LIFE LIMIT		
SN:L572	HRS	9057.4		TSN 9057.4, TSO 0						
	AFL	4853	60000	TSN 4853	60000		54466			
PROC. REF: AMM 32-20-01										
<b>322000-0901 (NLG) MAIN DRAG STRUT ATTACHMENT PIN Component ATA:32</b>										
PN:1170-0070	MOS	06-Jul-19		TSN 143, TSO 0				LIFE LIMIT		
SN:L1490	HRS	9057.4		TSN 9057.4, TSO 0						
	AFL	4853	60000	TSN 4853	60000		54466			
PROC. REF: NDT GENERIC										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 32 - LANDING GEAR</b>										
<b>322000-1101 NO. 1 NLG LEG STRUT PINTLE PIN Component ATA:32</b>										
PN:1170-0032	MOS	06-Jul-19		TSN 143, TSO 0				LIFE LIMIT		
SN:L3045	HRS	9057.4		TSN 9057.4, TSO 0						
	AFL	4853	60000	TSN 4853	60000		54466			
PROC. REF: NDT GENERIC										
<b>322000-1102 NO. 2 NLG LEG STRUT PINTLE PIN Component ATA:32</b>										
PN:1170-0032	MOS	06-Jul-19		TSN 143, TSO 0				LIFE LIMIT		
SN:L3046	HRS	9057.4		TSN 9057.4, TSO 0						
	AFL	4853	60000	TSN 4853	60000		54466			
PROC. REF: NDT GENERIC										
<b>322000-1201 (NLG) LEG STRUT ACTUATOR ATTACHMENT BOLT PIN Component ATA:32</b>										
PN:1170-0071	MOS	27-Aug-07		TSN 0				LIFE LIMIT		
SN:L1445	HRS	0		TSN 0						
	AFL	0	60000	TSN 0	60000		54466			
PROC. REF: NDT GENERIC										
<b>322000-1301 NLG LEG STRUT SET - SCREW Component ATA:32</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										
<b>322000-1302 NLG LEG STRUT SET - SCREW Component ATA:32</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										
<b>322000-1401 NLG LEG STRUT - RACK Component ATA:32</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										
<b>322000-1501 NLG LEG STRUT - PINION Component ATA:32</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 32 - LANDING GEAR</b>										
<b>322000-1601 NLG LEG STRUT CYLINDER - HOUSING Component ATA:32</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										
<b>322000-1602 NLG LEG STRUT CYLINDER - HOUSING Component ATA:32</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										
<b>322001-0101 TOP NLG MAIN DRAG STRUT STAY Component ATA:32</b>										
PN:1172A0600-01	MOS	06-Jul-19		TSN 143, TSO 0				LIFE LIMIT		
SN:HM1431	HRS	9057.4		TSN 9057.4, TSO 0						
	AFL	4853	60000	TSN 4853	60000		54466			
PROC. REF: NDT GENERIC										
<b>322001-0201 BOTTOM NLG MAIN DRAG STRUT STAY Component ATA:32</b>										
PN:1172A0200-01	MOS	06-Jul-19		TSN 143, TSO 0				LIFE LIMIT		
SN:HM39	HRS	9057.4		TSN 9057.4, TSO 0						
	AFL	4853	60000	TSN 4853	60000		54466			
PROC. REF: NDT GENERIC										
<b>322001-0301 NO.1 NLG MAIN DRAG STRUT PINTLE PIN Component ATA:32</b>										
PN:1172-0037	MOS	06-Jul-19		TSN 143, TSO 0				LIFE LIMIT		
SN:L359	HRS	9057.4		TSN 9057.4, TSO 0						
	AFL	4853	60000	TSN 4853	60000		54466			
PROC. REF: NDT GENERIC										
<b>322001-0302 NO.2 NLG MAIN DRAG STRUT PINTLE PIN Component ATA:32</b>										
PN:1172-0037	MOS	06-Jul-19		TSN 143, TSO 0				LIFE LIMIT		
SN:L358	HRS	9057.4		TSN 9057.4, TSO 0						
	AFL	4853	60000	TSN 4853	60000		54466			
PROC. REF: NDT GENERIC										
<b>322001-0401 NLG MAIN DRAG STRUT HINGE POINT BOLT Component ATA:32</b>										
PN:1172-0001	MOS	06-Jul-19		TSN 143, TSO 0				LIFE LIMIT		
SN:HM241	HRS	9057.4		TSN 9057.4, TSO 0						
	AFL	4853	60000	TSN 4853	60000		54466			
PROC. REF: NDT GENERIC										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 32 - LANDING GEAR</b>										
<b>322001-0501 NLG MAIN DRAG STRUT ACTUATOR ATTACHMENT PIN Component ATA:32</b>										
PN:1172-0066	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:HM075	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: NDT GENERIC										
<b>322001-0601 NLG MAIN DRAG STRUT ASSEMBLY Component ATA:32</b>										
PN:PN	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:UNKNOWN	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: NDT GENERIC										
<b>322002-0101 NLG ROD -MAIN LOCKING,NOSE LANDING GEAR ASSEMBLY Component ATA:32</b>										
PN:1172C0000-02	MOS/MSC		06-Jul-19	O/C	TSN 143, TSO 0					
SN:02086	HRS		9057.4		TSN 9057.4, TSO 0					
	AFL		4853		TSN 4853					
PROC. REF: NDT GENERIC										
<b>322003-0101 NLG AUXILIARY DRAG STRUT Component ATA:32</b>										
PN:1173B0000-03	MOS/MSC		06-Jul-19	O/C	TSN 143, TSO 0					
SN:02115	HRS		9057.4		TSN 9057.4, TSO 0					
	AFL		4853		TSN 4853, TSO 0					
PROC. REF: NDT GENERIC										
<b>322004-0101 NLG AUXILIARY DRAG STRUT (UPPER) Component ATA:32</b>										
PN:1173A0200-01	MOS		06-Jul-19		TSN 143, TSO 0			LIFE LIMIT		
SN:HM1191	HRS		9057.4		TSN 9057.4, TSO 0					
	AFL		4853	60000	TSN 4853	60000	54466			
PROC. REF: AMM 32-20-09										
<b>322004-0201 NLG AUXILIARY DRAG STRUT (LOWER) Component ATA:32</b>										
PN:1173A0100-02	MOS		06-Jul-19		TSN 143, TSO 0			LIFE LIMIT		
SN:L1327	HRS		9057.4		TSN 9057.4, TSO 0					
	AFL		4853	60000	TSN 4853	60000	54466			
PROC. REF: AMM 32-20-09										
<b>322004-0301 NO. 1 NLG AUXILIARY DRAG STRUT HINGE POINT BOLT Component ATA:32</b>										
PN:1173-0001	MOS		06-Jul-19		TSN 143, TSO 0			LIFE LIMIT		
SN:HM120	HRS		9057.4		TSN 9057.4, TSO 0					
	AFL		4853	60000	TSN 4853	60000	54466			
PROC. REF: AMM 32-20-03										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 32 - LANDING GEAR</b>										
<b>322004-0302 NLG UNLOCKING ACTUATOR BOLT Component ATA:32</b>										
PN:1173-0024	MOS/MSC	06-Jul-19	O/C	TSN 143, TSO 0						
SN:HM01P	HRS	9057.4		TSN 9057.4, TSO 0						
	AFL	4853		TSN 4853, TSO 0						
PROC. REF: AMM 32-20-03										
<b>322004-0401 NLG AUXILIARY DRAG STRUT (JOINT ATTACHING PARTS) CARDAN Component ATA:32</b>										
PN:KSL 113608V	MOS	06-Jul-19		TSN 143, TSO 0				LIFE LIMIT		
SN:4184-KC1296	HRS	9057.4		TSN 9057.4, TSO 0						
	AFL	4853	60000	TSN 4853	60000		54466			
PROC. REF: AMM 32-20-09										
<b>322004-0501 NO. 1 NLG AUXILIARY DRAG STRUT SLEEVE Component ATA:32</b>										
PN:1173-0011	MOS/MSC	06-Jul-19	O/C	TSN 143, TSO 0						
SN:HM01P	HRS	9057.4		TSN 9057.4, TSO 0						
	AFL	4853		TSN 4853, TSO 0						
PROC. REF: AMM 32-20-03										
<b>322004-0502 NO. 2 NLG AUXILIARY DRAG STRUT SLEEVE Component ATA:32</b>										
PN:1173-0011	MOS/MSC	06-Jul-19	O/C	TSN 143, TSO 0						
SN:HM01P	HRS	9057.4		TSN 9057.4, TSO 0						
	AFL	4853		TSN 4853, TSO 0						
PROC. REF: AMM 32-20-03										
<b>322004-0601 NO. 1 NLG AUXILIARY DRAG STRUT DOWNLOCK SPRING Component ATA:32</b>										
PN:1173A0700-01	MOS	06-Jul-19		TSN 143, TSO 0				LIFE LIMIT		
SN:064215HM	HRS	9057.4		TSN 9057.4, TSO 0						
	AFL	4853	60000	TSN 4853	60000		54466			
PROC. REF: AMM 32-20-03										
<b>322004-0602 NO. 2 NLG AUXILIARY DRAG STRUT DOWNLOCK SPRING Component ATA:32</b>										
PN:1173A0700-01	MOS	06-Jul-19		TSN 143, TSO 0				LIFE LIMIT		
SN:064216HM	HRS	9057.4		TSN 9057.4, TSO 0						
	AFL	4853	60000	TSN 4853	60000		54466			
PROC. REF: AMM 32-20-03										
<b>322005-0101 NO. 1 NLG - NOSE LANDING GEAR DOOR ASSEMBLY Component ATA:32</b>										
PN:135-18799-401	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:0000127632	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 32-20-05										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 32 - LANDING GEAR</b>										
<b>322005-0102 NO.2 NLG - NOSE LANDING GEAR DOOR ASSEMBLY Component ATA:32</b>										
PN:135-18799-402	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:0000127641	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: AMM 32-20-05										
<b>323201-0101 CSL CENT LANDING GEAR ELECTRONIC UNIT Component ATA:32</b>										
PN:355-022-003	MOS/MSC		17-Jun-11	O/C						
SN:5105	HRS		4739.5							
	AFL		2487							
PROC. REF: AMM 32-32-01										
<b>323202-0101 CSL CENT CONTROL, LANDING GEAR, MAIN PANEL LEVER Component ATA:32</b>										
PN:7-45550-3	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:1203	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: AMM 32-32-02										
<b>323301-0101 MID FREE-FALL SELECTOR VALVE Component ATA:32</b>										
PN:PN	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:UNKNOWN	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: AMM 32-33-01										
<b>323302-0101 MID SOLENOID 4 WASYS, 2 POS VALVE Component ATA:32</b>										
PN:PN	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:UNKNOWN	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: AMM 32-33-02										
<b>323303-0101 NOSE ACTUATOR, HYDRAULIC -DOOR, NOSE LANDING GEAR ASSEMBLY Component ATA:32</b>										
PN:PN	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:UNKNOWN	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: AMM 32-33-03										
<b>323303-0102 NOSE ACTUATOR, HYDRAULIC -DOOR, NOSE LANDING GEAR ASSEMBLY Component ATA:32</b>										
PN:2118-0100-401	MOS/MSC		13-Mar-15	O/C	TSR 2					
SN:1732	HRS		7353.5		TSR 0					
	AFL				TSR 0					
PROC. REF: AMM 32-33-03										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 32 - LANDING GEAR</b>										
<b>323303-0201 NLG DOOR ACTUATOR Component ATA:32</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 32-33-03										
<b>323304-0101 MID SOLENOID 4 WAY, 3 POS, VALVE Component ATA:32</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 32-33-04										
<b>323305-0101 NLG MANEUVERING ACTUATOR Component ATA:32</b>										
PN:1300B0000-02	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:02085	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 32-33-05										
<b>323305-0201 NLG MANEUVERING ACTUATOR CYLINDER Component ATA:32</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 32-33-05										
<b>323305-0301 NLG MANEUVERING ACTUATOR PISTON ROD Component ATA:32</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 32-33-05										
<b>323306-0101 NLG ACTUATOR -HYDRAULIC,UNLOCKING, NLG ASSEMBLY Component ATA:32</b>										
PN:1175B0000-01	MOS/MSC	27-Aug-07	O/C							
SN:02015	HRS	0								
	AFL	0		TSN 0						
PROC. REF: AMM 32-33-06										
<b>323307-0101 NLG BOX UP LOCK -HYDRAULIC SYS,AUXILIARY LANDING GEAR ASSEMBLY Component ATA:32</b>										
PN:2309-2900-401	MOS/MSC	27-Aug-07	O/C							
SN:03163	HRS	0								
	AFL	0		TSN 0						
PROC. REF: AMM 32-33-07										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 32 - LANDING GEAR</b>										
<b>323307-0102 LH LDG BOX UP LOCK -HYDRAULIC SYS,AUXILIARY LANDING GEAR ASSEMBLY Component ATA:32</b>										
PN:2309-2900-401	MOS/MSC		27-Aug-07	O/C						
SN:03157	HRS		0							
	AFL		0		TSN 0					
PROC. REF: AMM 32-33-07										
<b>323307-0103 RH LDG BOX UP LOCK -HYDRAULIC SYS,AUXILIARY LANDING GEAR ASSEMBLY Component ATA:32</b>										
PN:2309-2900-401	MOS/MSC		27-Aug-07	O/C						
SN:03100	HRS		0							
	AFL		0		TSN 0					
PROC. REF: AMM 32-33-07										
<b>323309-0101 LH LDG UNLOCKING ACTUATOR ASSEMBLY Component ATA:32</b>										
PN:2309-2800-505	MOS/MSC		27-Aug-07	O/C						
SN:02114	HRS		0							
	AFL		0		TSN 0					
PROC. REF: AMM 32-33-09										
<b>323309-0102 RH LDG UNLOCKING ACTUATOR ASSEMBLY Component ATA:32</b>										
PN:2309-2800-505	MOS/MSC		27-Aug-07	O/C						
SN:02085	HRS		0							
	AFL		0		TSN 0					
PROC. REF: AMM 32-33-09										
<b>323311-0101 MID CHECK ASSY-HYDRAULIC SYS, FWD FUSLG VALVE Component ATA:32</b>										
PN:PN	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:UNKNOWN	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: AMM 32-33-11										
<b>323311-0102 STUB CHECK ASSY-HYDRAULIC SYS, FWD FUSLG VALVE Component ATA:32</b>										
PN:PN	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:UNKNOWN	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: AMM 32-33-11										
<b>323311-0103 RH RACK CHECK ASSY-HYDRAULIC SYS, FWD FUSLG VALVE Component ATA:32</b>										
PN:PN	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:UNKNOWN	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: AMM 32-33-11										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 32 - LANDING GEAR</b>										
<b>323312-0101 MID RESTRICTOR, HYDRAULIC SYS, SSTEEL VALVE Component ATA:32</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 32-33-12										
<b>323315-0101 MID HYDRAULIC ACCUMULATOR Component ATA:32</b>										
PN:0860202001	MOS/MSC	19-Sep-13	O/C	TSN 25						
SN:602002-2226NAHRS		6680.2		TSN 0						
	AFL	3597		TSN 0						
PROC. REF: AMM 32-33-15										
<b>323315-0701<sup>U</sup> LANDING GEAR HYDRAULIC ACCUMULATOR DRAIN VALVE Component ATA:32</b>										
PN:HV50-61	MOS/MSC	21-Jan-22	O/C							
SN:80206103	HRS	9789.3								
	AFL	5205								
<b>323316-0101 MID ONE-WAY RESTRICTOR VALVE Component ATA:32</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 32-33-12										
<b>323319-0101 MID DRAIN-MANUAL, HYDRAULIC SYS, FWD/CTL FUSLG VALVE Component ATA:32</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										
<b>323319-0102 HYD SYST DRAIN-MANUAL, HYDRAULIC SYS, FWD/CTL FUSLG VALVE Component ATA:32</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										
<b>323319-0103 MID DRAIN-MANUAL, HYDRAULIC SYS, FWD/CTL FUSLG VALVE Component ATA:32</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 32 - LANDING GEAR</b>										
<b>324101-0201 LH PIL PEDAL,RUDDER CONTROL,FWD FUSLG TRANSDUCER</b> Component ATA:32										
PN:20-017500	MOS/MSC	28-Nov-08	O/C							
SN:764778	HRS	1511.4								
	AFL	802								
PROC. REF: AMM 32-41-01										
<b>324101-0202 LH COPII PEDAL,RUDDER CONTROL,FWD FUSLG TRANSDUCER</b> Component ATA:32										
PN:20-017500	MOS/MSC	28-Nov-08	O/C							
SN:773635	HRS	1511.4								
	AFL	802								
PROC. REF: AMM 32-41-01										
<b>324101-0203 RH PIL PEDAL, RUDDER CONTROL,FWD FUSLG TRANSDUCER</b> Component ATA:32										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 32-41-01										
<b>324101-0204 RH COPII PEDAL,RUDDER CONTROL,FWD FUSLG TRANSDUCER</b> Component ATA:32										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 32-41-01										
<b>324102-0101 C FLOOR CONTROL ASSY,BS,BRAKE SYS,COCKPIT BOX</b> Component ATA:32										
PN:142-093 REV A	MOS/MSC	11-Oct-08	O/C							
SN:442	HRS	1392.8								
	AFL	744								
PROC. REF: AMM 32-41-02										
<b>324103-0101 LEFT NO. 1 WHEEL SPEED OUTBOARD TRANSDUCER</b> Component ATA:32										
PN:140-197	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 32-41-03										
<b>324103-0102 LEFT NO. 2 WHEEL SPEED INBOARD TRANSDUCER</b> Component ATA:32										
PN:140-197	MOS/MSC	08-Oct-08	O/C	TSO 0						
SN:1678	HRS	1378.1		TSO 0						
	AFL	736		TSO 0						
PROC. REF: AMM 32-41-03										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 32 - LANDING GEAR</b>										
<b>324103-0103 RIGHT NO.3 WHEEL SPEED INBOARD TRANSDUCER Component ATA:32</b>										
PN:140-197	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 32-41-03										
<b>324103-0104 RIGHT NO.4 WHEEL SPEED OUTBOARD TRANSDUCER Component ATA:32</b>										
PN:140-197	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 32-41-03										
<b>324104-0101 LEFT PRESSURE SWITCH Component ATA:32</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 32-41-04										
<b>324104-0102 RIGHT PRESSURE SWITCH Component ATA:32</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 32-41-04										
<b>324105-0101 LH WING SHUTOFF,BRAKE VALVE Component ATA:32</b>										
PN:38-793500	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:2092	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 32-41-05										
<b>324105-0102 RH WING SHUTOFF,BRAKE VALVE Component ATA:32</b>										
PN:38-793500	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:2195	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 32-41-05										
<b>324106-0101 LH WING BRAKE CONTROL VALVE Component ATA:32</b>										
PN:39-807	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:2256	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 32-41-06										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 32 - LANDING GEAR</b>										
<b>324106-0102 RH WING BRAKE CONTROL VALVE Component ATA:32</b>										
PN:39-807	MOS/MSC	08-Nov-08	O/C							
SN:402	HRS	1467								
	AFL	779								
PROC. REF: AMM 32-41-06										
<b>324107-0101 LH WING FUSE Component ATA:32</b>										
PN:38-791500	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 32-41-07										
<b>324107-0102 LH WING FUSE Component ATA:32</b>										
PN:38-791500	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 32-41-07										
<b>324107-0201 RH WING FUSE Component ATA:32</b>										
PN:38-791500	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 32-41-07										
<b>324107-0202 RH WING FUSE Component ATA:32</b>										
PN:38-791500	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 32-41-07										
<b>324108-0201 LH WING PRESSURE-LANDING GEAR TRANSDUCER Component ATA:32</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 32-41-08										
<b>324108-0202 RH WING PRESSURE-LANDING GEAR TRANSDUCER Component ATA:32</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 32-41-08										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 32 - LANDING GEAR</b>										
<b>324108-0203 LH WING PRESSURE-LANDING GEAR TRANSDUCER Component ATA:32</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 32-41-08										
<b>324108-0204 RH WING PRESSURE-LANDING GEAR TRANSDUCER Component ATA:32</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 32-41-08										
<b>324109-0101 W STUB CHECK ASSY-HYDRAULIC SYS, FWD FUSLG VALVE Component ATA:32</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 32-41-09										
<b>324109-0102 W STUB CHECK ASSY-HYDRAULIC SYS, FWD FUSLG VALVE Component ATA:32</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 32-41-09										
<b>324109-0103 MID CHECK ASSY-HYDRAULIC SYS, FWD FUSLG VALVE Component ATA:32</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 32-41-09										
<b>324401-0101 HYD SYST EMERGENCY PARKING BRAKE VALVE Component ATA:32</b>										
PN:9067-40-4	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:1216	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 32-44-01										
<b>324402-0101 EMERGENCY PARKING BRAKE HYDRAULIC ACCUMULATOR Component ATA:32</b>										
PN:088424002	MOS/MSC	03-Nov-07	O/C							
SN:8424-16128	HRS	167.3								
	AFL	85								
PROC. REF: AMM 32-44-02										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 32 - LANDING GEAR</b>											
324402-0102		FUS WING ACCUMULATOR, HYDRAULIC, PISTON ACCUMULATOR							Component	ATA:32	
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 32-44-02											
324405-0101		HYD SYST PRESSURE SWITCH							Component	ATA:32	
PN:15782-101	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:0600	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 32-44-05											
324406-0101		MID THERMAL RELIEF ASSY, VALVE							Component	ATA:32	
PN:2228-0001-005	MOS/MSC	27-Jul-15	O/C	TSR 8							
SN:02430	HRS	7460.3	TSR 0								
	AFL	3992	TSR 0								
PROC. REF: AMM 32-44-06											
324406-0102		RH RACK THERMAL RELIEF ASSY, VALVE							Component	ATA:32	
PN:2228-0001-005	MOS/MSC	15-Aug-13	O/C	TSN 24							
SN:02537	HRS	6643.4	TSN 1823.3								
	AFL	3572	TSN 1026								
PROC. REF: AMM 32-44-06											
324407-0101		LH WING PRESSURE-PARKING BRAKE SYS SWITCH							Component	ATA:32	
PN:15851	MOS/MSC	19-Mar-15	O/C	TSN 0							
SN:1666	HRS	7359.8	TSN 0								
	AFL	3939	TSN 0								
PROC. REF: AMM 32-44-07											
324701-0201		LH LDG INDICATOR,BRAKE TEMPERATURE SENSOR							Component	ATA:32	
PN:0132AEV-3	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 32-47-01											
324701-0202		LH LDG INDICATOR,BRAKE TEMPERATURE SENSOR							Component	ATA:32	
PN:0132AEV-3	MOS/MSC	07-Jul-11	O/C	TSN 0							
SN:K1985	HRS	4802.9	TSN 0								
	AFL	2530	TSN 0								
PROC. REF: AMM 32-47-01											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 32 - LANDING GEAR</b>											
<b>324701-0203</b>		<b>RH LDG INDICATOR,BRAKE TEMPERATURE SENSOR</b>							<b>Component</b>	<b>ATA:32</b>	
PN:0132AEV-3	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 32-47-01											
<b>324701-0204</b>		<b>RH LDG INDICATOR,BRAKE TEMPERATURE SENSOR</b>							<b>Component</b>	<b>ATA:32</b>	
PN:0132AEV-3	MOS/MSC	25-Mar-11	O/C	TSN 0							
SN:K0535	HRS	4423.8	TSN 0								
	AFL	2322	TSN 0								
PROC. REF: AMM 32-47-01											
<b>324702-0201</b>		<b>LEFT SIGNAL-BRAKE TEMPERATURE,WING STUB CONDITIONER</b>							<b>Component</b>	<b>ATA:32</b>	
PN:0510GW2	MOS/MSC	O/C									
SN:2089	HRS										
	AFL	0									
PROC. REF: AMM 32-47-02											
<b>324702-0202</b>		<b>RIGHT SIGNAL-BRAKE TEMPERATURE,WING STUB CONDITIONER</b>							<b>Component</b>	<b>ATA:32</b>	
PN:0510GW2	MOS/MSC	O/C									
SN:2109	HRS										
	AFL	0									
PROC. REF: AMM 32-47-02											
<b>324900-0001</b>		<b>LEFT NO.1 MAIN LANDING GEAR OUTBOARD WHEEL AND TIRE ASSEMBLY</b>							<b>Component</b>	<b>ATA:32</b>	
PN:2309-2003-403	MOS/MSC	10-Jan-24	O/C								
SN:3642	HRS	10396.8									
	AFL	5532									
PROC. REF: AMM 32-49-01											
<b>324900-0002</b>		<b>LEFT NO. 2 MAIN LANDING GEAR INBOARD WHEEL AND TIRE ASSEMBLY</b>							<b>Component</b>	<b>ATA:32</b>	
PN:2309-2003-401	MOS/MSC	01-Mar-22	O/C	TSR 0							
SN:3268	HRS	9819.3	TSR 0								
	AFL	5227	TSR 0								
PROC. REF: AMM 32-49-01											
<b>324900-0003</b>		<b>RIGHT NO. 3 MAIN LANDING GEAR INBOARD WHEEL AND TIRE ASSEMBLY</b>							<b>Component</b>	<b>ATA:32</b>	
PN:2309-2003-401	MOS/MSC	16-Oct-23	O/C								
SN:3302	HRS	10259.3									
	AFL	5461									
PROC. REF: AMM 32-49-01											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 32 - LANDING GEAR</b>										
<b>324900-0004 RIGHT NO. 4 MAIN LANDING GEAR OUTBOARD WHEEL AND TIRE ASSEMBLY Component ATA:32</b>										
PN:2309-2003-403	MOS/MSC		16-Oct-23	O/C	TSR 19					
SN:3337	HRS		10259.3		TSR 440					
	AFL		5461		TSR 234					
PROC. REF: AMM 32-49-01										
<b>324900-0101 LEFT NO. 1 MAIN LANDING GEAR OUTBOARD WHEEL ASSEMBLY Component ATA:32</b>										
PN:3-1550-1	MOS/MSC		10-Jan-24	O/C						
SN:3642	HRS		10396.8							
	AFL		5532							
PROC. REF: AMM 32-49-02										
<b>324900-0102 LEFT NO. 2 MAIN LANDING GEAR INBOARD WHEEL ASSEMBLY Component ATA:32</b>										
PN:3-1550-1	MOS/MSC		01-Mar-22	O/C	TSR 0					
SN:3268	HRS		9819.3		TSR 0					
	AFL		5227		TSR 0					
PROC. REF: AMM 32-49-02										
<b>324900-0103 RIGHT NO. 3 MAIN LANDING GEAR INBOARD WHEEL ASSEMBLY Component ATA:32</b>										
PN:3-1550-1	MOS/MSC		16-Oct-23	O/C	TSR 17					
SN:3302	HRS		10259.3		TSR 383.6					
	AFL		5461		TSR 202					
PROC. REF: AMM 32-49-02										
<b>324900-0104 RIGHT NO. 4 MAIN LANDING GEAR OUTBOARD WHEEL ASSEMBLY Component ATA:32</b>										
PN:3-1550-1	MOS/MSC		16-Oct-23	O/C	TSR 19					
SN:3337	HRS		10259.3		TSR 440					
	AFL		5461		TSR 234					
PROC. REF: AMM 32-49-02										
<b>324900-0201 LEFT NO. 1 MAIN LANDING GEAR OUTBOARD TIRE Component ATA:32</b>										
PN:304K63-2	MOS/MSC		10-Jan-24	O/C	TSN 0					
SN:32735231	HRS		10396.8		TSN 0					
	AFL		5532		TSN 0					
PROC. REF: AMM 32-49-01										
<b>324900-0202 LEFT NO. 2 MAIN LANDING GEAR INBOARD TIRE Component ATA:32</b>										
PN:304K63-2	MOS/MSC		01-Mar-22	O/C	TSN 0					
SN:11570308	HRS		9819.3		TSN 0					
	AFL		5227		TSN 0					
PROC. REF: AMM 32-49-01										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 32 - LANDING GEAR</b>										
<b>324900-0203 RIGHT NO. 3 MAIN LANDING GEAR INBOARD TIRE Component ATA:32</b>										
PN:304K63-2	MOS/MSC	16-Oct-23	O/C	TSN 0						
SN:20200999	HRS	10259.3		TSN 0						
	AFL	5461		TSN 0						
PROC. REF: AMM 32-49-01										
<b>324900-0204 RIGHT NO. 4 MAIN LANDING GEAR OUTBOARD TIRE Component ATA:32</b>										
PN:304K63-2	MOS/MSC	16-Oct-23	O/C	TSN 0						
SN:23400868	HRS	10259.3		TSN 0						
	AFL	5461		TSN 0						
PROC. REF: AMM 32-49-01										
<b>324900-0301 L/H WHEEL NLG ASSEMBLY Component ATA:32</b>										
PN:3-1622	MOS/MSC	12-Jul-23	O/C	TSO 0						
SN:0392	HRS	10167.3		TSO 0						
	AFL	5404		TSO 0						
PROC. REF: AMM 32-49-05										
<b>324900-0302 R/H WHEEL NLG ASSEMBLY Component ATA:32</b>										
PN:3-1622	MOS/MSC	12-Jul-23	O/C	TSO 0						
SN:0518	HRS	10167.3		TSO 0						
	AFL	5404		TSO 0						
PROC. REF: AMM 32-49-05										
<b>324900-0401 WHEEL NLG (LH) TIRE Component ATA:32</b>										
PN:196K02B1	MOS/MSC	12-Jul-23	O/C	TSN 0						
SN:20580131	HRS	10167.3		TSN 0						
	AFL	5404		TSN 0						
PROC. REF: AMM 32-49-04										
<b>324900-0402 WHEEL NLG (RH) TIRE Component ATA:32</b>										
PN:196K02B1	MOS/MSC	12-Jul-23	O/C	TSN 0						
SN:20570447	HRS	10167.3		TSN 0						
	AFL	5404		TSN 0						
PROC. REF: AMM 32-49-04										
<b>324903-0101 NO. 1 CARBON ASSY-LEG,MAIN LANDING GEAR BRAKE Component ATA:32</b>										
PN:2-1582OPT5	MOS/MSC	04-Aug-12	O/C	TSN 0						
SN:2723	HRS	6092		TSN 0						
	AFL	3243		TSN 0						
PROC. REF: AMM 32-49-03										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 32 - LANDING GEAR</b>											
324903-0102		NO. 2 CARBON ASSY-LEG,MAIN LANDING GEAR BRAKE							Component	ATA:32	
PN:2-1582OPT5	MOS/MSC	06-Oct-12	O/C								
SN:1464	HRS	6307									
	AFL	3377									
PROC. REF: AMM 32-49-03											
324903-0103		NO. 3 CARBON ASSY-LEG,MAIN LANDING GEAR BRAKE							Component	ATA:32	
PN:2-1582	MOS/MSC	18-Aug-18	O/C	TSO 30							
SN:1968	HRS	8725.1		TSO 0							
	AFL	4681		TSO 0							
PROC. REF: AMM 32-49-03											
324903-0104		NO. 4 CARBON ASSY-LEG,MAIN LANDING GEAR BRAKE							Component	ATA:32	
PN:2-1582OPT5	MOS/MSC	25-Mar-11	O/C	TSO 0							
SN:1844	HRS	4423.8		TSO 0							
	AFL	2322		TSO 0							
PROC. REF: AMM 32-49-03											
325001-0101		CSL CENT BOX CONTROL -STEERING, MANUAL, NOSE LANDING GEAR ASSEMBLY							Component	ATA:32	
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 32-50-01											
325003-0101		C FLOOR BOX ELECTRONIC-STEERING CONTROL, NOSE LANDING GEAR ASSEMBLY							Component	ATA:32	
PN:308560-1019	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:1579	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 32-50-03											
325004-0101		MID HYDRALIC-STEERING SYS CONTROL, NOSE LDG MODULE							Component	ATA:32	
PN:308570-1011	MOS/MSC	01-Feb-19	O/C	TSR 67							
SN:1187	HRS	8932.1		TSR 0							
	AFL	4776		TSR 0							
PROC. REF: AMM 32-50-04											
325006-0101		NLG STEERING PROXIMITY SWITCH							Component	ATA:32	
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 32-50-06											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 32 - LANDING GEAR</b>										
<b>326101-0101 LH MLG UPLOCK 'A' PROXIMITY SWITCH Component ATA:32</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 32-61-01										
<b>326101-0102 RH MLG UPLOCK 'A' PROXIMITY SWITCH Component ATA:32</b>										
PN:80-057-01	MOS/MSC	04-Aug-10	O/C	TSN 0						
SN:17781	HRS	3628.6		TSN 0						
	AFL	1907		TSN 0						
PROC. REF: AMM 32-61-01										
<b>326101-0103 LH MLG UPLOCK 'B' PROXIMITY SWITCH Component ATA:32</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 32-61-01										
<b>326101-0104 RH MLG UPLOCK 'B' PROXIMITY SWITCH Component ATA:32</b>										
PN:80-057-01	MOS/MSC	04-Aug-10	O/C	TSN 0						
SN:25626	HRS	3628.6		TSN 0						
	AFL	1907		TSN 0						
PROC. REF: AMM 32-61-01										
<b>326102-0101 LH MLG DOWNLOCK 'A' PROXIMITY SWITCH Component ATA:32</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 32-61-02										
<b>326102-0102 RH MLG DOWNLOCK 'A' PROXIMITY SWITCH Component ATA:32</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 32-61-02										
<b>326102-0103 LH MLG DOWNLOCK 'B' PROXIMITY SWITCH Component ATA:32</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 32-61-02										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 32 - LANDING GEAR										
326102-0104 RH MLG DOWNLOCK 'B' PROXIMITY SWITCH Component ATA:32										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 32-61-02										
326301-0101 LH MLG WOW #1 PROXIMITY SWITCH Component ATA:32										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 32-63-01										
326301-0102 RH MLG WOW #1 PROXIMITY SWITCH Component ATA:32										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 32-63-01										
326301-0103 LH MLG WOW #2 PROXIMITY SWITCH Component ATA:32										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 32-63-01										
326301-0104 RH MLG WOW #2 PROXIMITY SWITCH Component ATA:32										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 32-63-01										
326302-0101 NLG WOW PROXIMITY SWITCH Component ATA:32										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 32-63-01										
326303-0101 NLG SEQUENCE DOOR PROXIMITY SWITCH Component ATA:32										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 32-63-03										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 32 - LANDING GEAR</b>										
<b>326304-0101 NLG OPEN DOOR PROXIMITY SWITCH Component ATA:32</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 32-63-04										
<b>326304-0102 NLG OPEN DOOR PROXIMITY SWITCH Component ATA:32</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 32-63-04										
<b>329500-0313 NLG PROXIMITY SWITCH Component ATA:32</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 32-50-06										
<b>329500-0314 NLG PROXIMITY SWITCH Component ATA:32</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 32-50-06										
<b>329500-0315 NLG PROXIMITY SWITCH Component ATA:32</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 32-50-06										
<b>329500-0316 NLG PROXIMITY SWITCH Component ATA:32</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 32-50-06										
<b>ATA 33 - LIGHTS</b>										
<b>33-12-00-710-002-A00<sup>S</sup> OPERATIONALLY CHECK COCKPIT PUSHBUTTON LIGHTING Service ATA:33</b>										
	MOS/MSC	29-Jun-23	N/A							
	HRS	10161.5								
	AFL	5401								
PROC. REF: AMM 33-12-00										
PKG:5004										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 33 - LIGHTS											
33-47-03-720-001-A00 <sup>S</sup>		FUNCTIONALLY CHECK INTENSITY OF WHITE STROBE LIGHTING SYSTEM.NOTE: THIS TASK IS APPLICABLE ONLY TO AIRCRAFT UNDER ANAC/FAA CERTIFICATIONS.							Service	ATA:33	
	MOS	06-Jul-19	72 (+15d/-15d)					LOW UTILIZATION			
	HRS	9057.4	3000 (+20/-20)								
	AFL	4853	1500 (+20/-20)								
PROC. REF: AMM 33-47-03										PKG:5012	
33-50-00-710-001-A00 <sup>S</sup>		OPERATIONALLY CHECK EMERGENCY LIGHTING SYSTEM							Service	ATA:33	
	MOS	29-Jun-23	12 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	500 (+20/-20)								
	AFL	5401									
PROC. REF: AMM 33-50-00										PKG:5002	
33-50-04-720-001-A00		FUNCTIONALLY CHECK NO. 1 DLE EMERGENCY LIGHTING SYSTEM BATTERY POWER SUPPLY NOTE: IF INSTALLED NOTE: FROM THE MANUFACTURE DATE OR LAST TASK ACCOMPLISHMENT.							Service	ATA:33	
PN:3301-31	MOS	11-Dec-23	6 (+15d/-15d)	Adj 1d	12-Jun-24	27-Jun-24	121 d (+15)				
SN:066942	HRS	10328.7									
	AFL	5502									
PROC. REF: AMM 33-50-04											
33-50-04-720-001-A00		FUNCTIONALLY CHECK NO. 2 DLE EMERGENCY LIGHTING SYSTEM BATTERY POWER SUPPLY NOTE: IF INSTALLED NOTE: FROM THE MANUFACTURE DATE OR LAST TASK ACCOMPLISHMENT.							Service	ATA:33	
PN:3301-31	MOS	11-Dec-23	6 (+15d/-15d)	Adj 1d	12-Jun-24	27-Jun-24	121 d (+15)				
SN:067046	HRS	10328.7									
	AFL	5502									
PROC. REF: AMM 33-50-04											
33-50-04-720-001-A01		FUNCTIONALLY CHECK NO.1 EMERGENCY-NICAD,6VDC,5 AH BATTERY RADIANT OR BRUCE MODEL IF INSTALLED.							Service	ATA:33	
PN:3301-31	MOS/MSC		N/A								
SN:066942	HRS										
	AFL										
PROC. REF: AMM 33-50-04											
33-50-04-720-001-A01		FUNCTIONALLY CHECK NO.2 EMERGENCY-NICAD,6VDC,5 AH BATTERY RADIANT OR BRUCE MODEL IF INSTALLED.							Service	ATA:33	
PN:3301-31	MOS/MSC		N/A								
SN:067046	HRS										
	AFL										
PROC. REF: AMM 33-50-04											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 33 - LIGHTS										
33-51-01-720-001-A00 <sup>S</sup> FUNCTIONALLY CHECK FLASHLIGHTS RECHARGEABLE BATTERIES (IF INSTALLED) Service ATA:33										
	MOS	29-Jun-23	12 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	500 (+20/-20)							
	AFL	5401								
PROC. REF: AMM 33-51-01										PKG:5002
33-51-01-720-001-A01 <sup>S</sup> FUNCTIONALLY CHECK FLASHLIGHTS NON-RECHARGEABLE BATTERIES (IF INSTALLED) Service ATA:33										
	MOS	29-Jun-23	12 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	500 (+20/-20)							
	AFL	5401								
PROC. REF: AMM 33-51-01										PKG:5002
33-51-03-960-001-A00 DISCARD NON RECHARGEABLE FLASHLIGHT BATTERY PACK NOTE: IF INSTALLED Service ATA:33										
	MOS	29-Jun-23	24 (+30d/-30d)	Adj 26d	25-Jul-25	24-Aug-25	529 d (+30)	SYSTEM		
	HRS	10161.5								
	AFL	5401								
PROC. REF: AMM 33-51-01										
330000-0101 OVERH P MODULE -INTERNAL LT CONT ASSEMBLY Component ATA:33										
PN:145-32843-405	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:0000137145	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										
330000-0201 OVERH P MODULE -EXT/CKPT/PAX LT CONTROL ASSEMBLY Component ATA:33										
PN:145-21338-401	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:0000139956	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										
330000-0301 OVERH P CONTROL ASSY-EXTERNAL NAVIGATION LIGHT,COCKPIT MODULE Component ATA:33										
PN:145-21335-401	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:0000140789	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										
330000-0401 OVERH P CONTROL ASSY-OVERHEAD PANEL EXTERNAL LIGHT,LDG,COCKPIT MODULE Component ATA:33										
PN:145-21332-401	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:0000139852	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 33 - LIGHTS										
331100-0101	CREW CAB LIGHT READING,COCKPIT CEILING ASSEMBLY									Component ATA:33
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	AFL	0	TSN 0							
PROC. REF: AMM 33-11-04										
331100-0102	CREW CAB LIGHT READING,COCKPIT CEILING ASSEMBLY									Component ATA:33
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	AFL	0	TSN 0							
PROC. REF: AMM 33-11-04										
331100-0103	CREW CAB LIGHT READING,COCKPIT CEILING ASSEMBLY									Component ATA:33
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	AFL	0	TSN 0							
PROC. REF: AMM 33-11-04										
331202-0101	NOSE DIMMER									Component ATA:33
PN:1826-1	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	AFL	0	TSN 0							
PROC. REF: AMM 33-12-01										
331202-0102	NOSE DIMMER									Component ATA:33
PN:1826-1	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	AFL	0	TSN 0							
PROC. REF: AMM 33-12-01										
331202-0103	NOSE DIMMER									Component ATA:33
PN:1826-1	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	AFL	0	TSN 0							
PROC. REF: AMM 33-12-01										
331202-0104	NOSE DIMMER									Component ATA:33
PN:1826-1	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	AFL	0	TSN 0							
PROC. REF: AMM 33-12-01										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 33 - LIGHTS											
331202-0105		NOSE DIMMER								Component	ATA:33
PN:1826-1	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 33-12-01											
331202-0106		NOSE DIMMER								Component	ATA:33
PN:1826-1	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 33-12-01											
331501-0101		CSL CENT PROJECTOR,GLARESHIELD CENTRAL CONSOLE,COCKPIT PANEL								Component	ATA:33
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: NDT GENERIC											
331501-0102		CSL CENT PROJECTOR,GLARESHIELD CENTRAL CONSOLE,COCKPIT PANEL								Component	ATA:33
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: NDT GENERIC											
331501-0103		CSL CENT PROJECTOR,GLARESHIELD CENTRAL CONSOLE,COCKPIT PANEL								Component	ATA:33
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: NDT GENERIC											
331503-0101		LH CSL LEFT,MAIN PANEL,CTL CONSOLE INVERTER								Component	ATA:33
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 33-15-02											
331503-0102		RH CSL RIGHT,MAIN PANEL,CTL CONSOLE INVERTER								Component	ATA:33
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 33-15-02											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 33 - LIGHTS										
332802-0101	LAVATORY LIGHT BALLAST - LAMP INVERTER									Component ATA:33
PN:189-720	MOS/MSC	29-Jun-23	O/C	TSN 0						
SN:15382	HRS	10161.5		TSN 0						
	AFL	5401		TSN 0						
PROC. REF: AMM 33-28-02										
334502-0101	UPPER LIGHT NAVIGATION,RED STROBE LIGHT ASSEMBLY									Component ATA:33
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 33-47-05										
334503-0101	CENT FUS POWER,SUPPLY-ELECTRICAL,RED STROBE LIGHT									Component ATA:33
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 33-47-02										
334702-0101	STROBE LIGHT POWER SUPPLY									Component ATA:33
PN:60-5096-1	MOS/MSC	11-Jul-10	O/C							
SN:3488	HRS	3539.9								
	AFL	1859								
PROC. REF: AMM 33-47-02										
334702-0201	LH WING STROBE LIGHT POWER SUPPLY									Component ATA:33
PN:60-5096-1	MOS/MSC	06-Apr-23	O/C							
SN:3543	HRS	10102.6								
	AFL	5373								
PROC. REF: AMM 33-47-02										
334702-0202	RH WING STROBE LIGHT POWER SUPPLY									Component ATA:33
PN:60-5096-1	MOS/MSC	06-Apr-23	O/C	TSR 2						
SN:4014	HRS	10102.6		TSR 0						
	AFL	5373		TSR 0						
PROC. REF: AMM 33-47-02										
335002-0101	NO. 1 EMERGENCY LIGHTING SYSTEM POWER SUPPLY ASSEMBLY									Component ATA:33
PN:3400-22-10	MOS/MSC	12-Dec-22	O/C	TSN 30, TSR 0						
SN:015146	HRS	10058.2		TSN 550.3, TSR 0						
	AFL	5340		TSN 280, TSR 0						
PROC. REF: AMM 33-50-04										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of:  
29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 33 - LIGHTS</b>											
335002-0102		NO. 2 EMERGENCY LIGHTING SYSTEM POWER SUPPLY ASSEMBLY							Component	ATA:33	
PN:3400-22-10	MOS/MSC	12-Dec-22	O/C	TSR 0							
SN:001186	HRS	10058.2	TSR 0								
	AFL	5340	TSR 0								
PROC. REF: AMM 33-50-04											
335004-0101		NO.1 EMERGENCY-NICAD,6VDC,5 AH BATTERY							Component	ATA:33	
PN:3301-31	MOS/MSC	12-Dec-22	O/C								
SN:066942	HRS	10058.2									
	AFL	5340									
PROC. REF: AMM 33-50-04											
335004-0102		NO.2 EMERGENCY-NICAD,6VDC,5 AH BATTERY							Component	ATA:33	
PN:3301-31	MOS/MSC	12-Dec-22	O/C	TSR 0							
SN:067046	HRS	10058.2	TSR 0								
	AFL	5340	TSR 0								
PROC. REF: AMM 33-50-04											
<b>ATA 34 - NAVIGATION</b>											
34-01-00-720-001-A00		FUNCTIONALLY CHECK INTEGRATED STANDBY INSTRUMENT SYSTEM - ISIS							Service	ATA:34	
	MOS	29-Jun-23					SYSTEM				
	HRS	10161.5	5000	15161.5		4759.4					
	AFL	5401									
PROC. REF: AMM 34-01-01											
34-01-CA-200		FUNCTIONALLY CHECK INTEGRATED STANDBY INSTRUMENT SYSTEM - ISIS (PER LOCAL AUTHORITY)							Service	ATA:34	
	MOS	29-Jun-23	24	29-Jun-25		503 d					
	HRS	10161.5									
	AFL	5401									
PROC. REF: AMM 34-01-01											
34-13-00-610-001-A00		SERVICE (CLEANING) PITOT AND STATIC SYSTEM							Service	ATA:34	
	MOS	29-Jun-23	72 (+30d/-30d)	29-Jun-29		29-Jul-29	1964 d (+30)	SYSTEM			
	HRS	10161.5	8000	18161.5		7759.4					
	AFL	5401									
PROC. REF: AMM 34-13-00, FAR FAR 43 APPENDIX E, FAR FAR 91.411 / 91.217											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 34 - NAVIGATION										
34-13-00-680-001-A00 <sup>S</sup>	SERVICE (DRAIN) PITOT LINES									Service ATA:34
	MOS	29-Jun-23	12 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	500 (+20/-20)							
	AFL	5401								
PROC. REF: AMM 34-13-00, FAR FAR 43 APPENDIX E, FAR FAR 91.411 / 91.217										PKG:5002
34-13-00-790-001-A00	FUNCTIONALLY CHECK PITOT-STATIC SYSTEM FOR LEAKAGE									Service ATA:34
	MOS	29-Jun-23						SYSTEM		
	HRS	10161.5	5000		15161.5		4759.4			
	AFL	5401								
PROC. REF: AMM 34-13-00, FAR FAR 43 APPENDIX E, FAR FAR 91.411 / 91.217										
34-13-04-280-001-A00	INSPECT (SPECIAL INSPECTION) RVSM CRITICAL REGION (SKIN) FOR WAVINESS									Service ATA:34
	MOS	29-Jun-23	48 (+30d/-30d)	Adj 7d	06-Jul-27	05-Aug-27	1240 d (+30)			
	HRS	10161.5	5000		15161.5		4759.4			
	AFL	5401								
PROC. REF: AMM 34-13-04										
34-13-04-280-002-A00	INSPECT (SPECIAL INSPECTION) STATIC PORT SURROUNDING PLATE FOR FLUSHNESS AND INTEGRITYNOTE: ONLY FOR RVSM OPERATION									Service ATA:34
	MOS	29-Jun-23	48 (+30d/-30d)	Adj 7d	06-Jul-27	05-Aug-27	1240 d (+30)			
	HRS	10161.5	5000		15161.5		4759.4			
	AFL	5401								
PROC. REF: AMM 34-13-04										
34-13-04-280-003-A00	INSPECT (SPECIAL INSPECTION) OXYGEN SERVICE PANEL FOR FLUSHNESS AND INTEGRITY (PASSENGER GASEOUS OXYGEN SYSTEM ONLY) NOTE: IF INSTALLED									Service ATA:34
	MOS	29-Jun-23	48 (+30d/-30d)	Adj 7d	06-Jul-27	05-Aug-27	1240 d (+30)			
	HRS	10161.5	5000		15161.5		4759.4			
	AFL	5401								
PROC. REF: AMM 34-13-04										
34-13-CA-201	FUNCTIONALLY CHECK PITOT-STATIC SYSTEM FOR LEAKAGE (PER LOCAL AUTHORITY)									Service ATA:34
	MOS	29-Jun-23	24		29-Jun-25		503 d			
	HRS	10161.5								
	AFL	5401								
PROC. REF: AMM 34-13-00										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 34 - NAVIGATION</b>										
<b>34-15-00-720-001-A00 FUNCTIONALLY CHECK NO. 1 AIR DATA COMPUTER (ADC) SYSTEM</b>										
PN:7014700-627	MOS	29-Jun-23						SYSTEM		Service ATA:34
SN:07027821	HRS	10161.5	5000		15161.5		4759.4			
	AFL	5401								
PROC. REF: AMM 34-15-00										
<b>34-15-00-720-001-A00 FUNCTIONALLY CHECK NO. 2 AIR DATA COMPUTER (ADC) SYSTEM</b>										
PN:7014700-627	MOS	29-Jun-23						SYSTEM		Service ATA:34
SN:07027816	HRS	10161.5	5000		15161.5		4759.4			
	AFL	5401								
PROC. REF: AMM 34-15-00										
<b>34-15-CA-200 FUNCTIONALLY CHECK NO. 1 AIR DATA COMPUTER (ADC) SYSTEM (PER LOCAL AUTHORITY)</b>										
	MOS	29-Jun-23	24		29-Jun-25		503 d			Service ATA:34
	HRS	10161.5								
	AFL	5401								
PROC. REF: AMM 34-15-00										
<b>34-15-CA-200 FUNCTIONALLY CHECK NO. 2 AIR DATA COMPUTER (ADC) SYSTEM (PER LOCAL AUTHORITY)</b>										
	MOS	29-Jun-23	24		29-Jun-25		503 d			Service ATA:34
	HRS	10161.5								
	AFL	5401								
PROC. REF: AMM 34-15-00										
<b>34-21-03-140-001-A00 RESTORE (CLEANING) AHRS FAN FILTER (NOTE: IF INSTALLED)</b>										
	MOS/MSC	30-Jun-15	N/A					SYSTEM		Service ATA:34
	HRS	7460.3								
	AFL	3992								
PROC. REF: AMM 34-21-03										
<b>34-25-00-720-001-A00 FUNCTIONALLY CHECK STANDBY COMPASS FOR PROPER COMPENSATION</b>										
PN:PGA1001WG	MOS	29-Jun-23	24 (+30d/-30d)	Adj 7d	06-Jul-25	05-Aug-25	510 d (+30)	SYSTEM		Service ATA:34
SN:702130-02	HRS	10161.5								
	AFL	5401								
PROC. REF: AMM 34-25-00										
<b>34-27-03-140-001-A00<sup>S</sup> RESTORE (CLEANING) DUAL IRS MOUNTING TRAY FAN FILTER (NOTE: IF INSTALLED).</b>										
	MOS	29-Jun-23	12 (+15d/-15d)					LOW UTILIZATION		Service ATA:34
	HRS	10161.5	500 (+20/-20)							
	AFL	5401								
PROC. REF: AMM 34-27-03										

PKG:5002

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 34 - NAVIGATION										
34-41-00-710-003-A00 <sup>S</sup>	OPERATIONALLY CHECK EGPWS/WINDSHEAR									Service ATA:34
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
	PROC. REF: AMM 34-41-00									PKG:5008,6016
34-52-00-720-001-A00	FUNCTIONALLY CHECK NO. 1 TRANSPONDER SYSTEM									Service ATA:34
	MOS	29-Jun-23	24 (+30d/-30d)	Adj 23d	22-Jul-25	21-Aug-25	526 d (+30)	SYSTEM		
	HRS	10161.5								
	AFL	5401								
	PROC. REF: AMM 34-52-00, FAR FAR 91.217 / 91.413									
34-52-00-720-001-A00	FUNCTIONALLY CHECK NO. 2 TRANSPONDER SYSTEM									Service ATA:34
	MOS	29-Jun-23	24 (+30d/-30d)	Adj 23d	22-Jul-25	21-Aug-25	526 d (+30)	SYSTEM		
	HRS	10161.5								
	AFL	5401								
	PROC. REF: AMM 34-52-00, FAR FAR 91.217 / 91.413									
34-61-00-470-801A <sup>U</sup>	PERFORM NAVIGATION DATABASE UPDATE									Service ATA:34
	DAYS/MSC	10-Jan-24	DUE		18-Feb-24 (M)		6 d	CUSTOMER CODE		
	HRS	10396.8								
	AFL	5532								
34-63-01-720-001-A00	FUNCTIONALLY CHECK ELECTRONIC FLIGHT BAG DISPLAY UNIT (EDU), BATTERY CAPACITY. NOTE: ONLY FOR AIRCRAFT EQUIPPED WITH EFB.									Service ATA:34
	MOS/MSC	03-Jul-15	N/A							
	HRS	7460.3								
	AFL	3992								
	PROC. REF: AMM 34-63-02									
340101-0101	CSL CENT CONTROL-INTEGRATED STANDBY INSTRUMENT SYS UNIT									Component ATA:34
PN:C16221GD04	MOS/MSC		O/C							
SN:C16221008390	HRS									
	AFL	0								
	PROC. REF: AMM 34-01-01									
340101-0101A <sup>U</sup>	RECERTIFY CSL CENT CONTROL-INTEGRATED STANDBY INSTRUMENT SYS UNIT PER FAR 91.411									Service ATA:34
PN:C16221GD04	MOS	29-Jun-23	24		29-Jun-25		503 d	FAR		
SN:C16221008390	HRS	10161.5								
	AFL	5401								
	PROC. REF: FAR FAR 91.411									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 34 - NAVIGATION</b>											
341300-0101		LEFT PITOT-ANEMOMETRIC SYSTEM,NICKEL TUBE							Component	ATA:34	
PN:0851HU3	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:251171	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 34-13-01											
341300-0102		RIGHT PITOT-ANEMOMETRIC SYSTEM,NICKEL TUBE							Component	ATA:34	
PN:0851HU3	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:251173	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 34-13-01											
341300-0201		FORWARD TUBE,PITOT STATIC-ANEMOMETRIC FWD FUSLG SYSTEM							Component	ATA:34	
PN:0856NF	MOS/MSC	02-Apr-19	O/C	TSN 1							
SN:311409	HRS	8972.4	TSN 0								
	AFL	4803	TSN 0								
PROC. REF: AMM 34-13-01											
341300-0401		LEFT UP PORT,STATIC-HEATED,PRESSURIZATION 28VDC SYSTEM							Component	ATA:34	
PN:ST-300-2PTH	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 34-13-00											
341300-0402		LEFT LW PORT,STATIC-HEATED,PRESSURIZATION 28VDC SYSTEM							Component	ATA:34	
PN:ST-300-2PTH	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 34-13-00											
341300-0403		RIGHT UP PORT,STATIC-HEATED,PRESSURIZATION 28VDC SYSTEM							Component	ATA:34	
PN:ST-300-2PTH	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 34-13-00											
341300-0404		RIGHT LW PORT,STATIC-HEATED,PRESSURIZATION 28VDC SYSTEM							Component	ATA:34	
PN:ST-300-2PTH	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 34-13-00											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of:  
29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 34 - NAVIGATION</b>											
341501-0101		NO. 1 AIR DATA COMPUTER (ADC)								Component	ATA:34
PN:7014700-627	MOS/MSC		O/C								
SN:07027821	HRS										
	AFL	0									
PROC. REF: AMM 34-15-01											
341501-0101B <sup>U</sup>		RECERTIFY NO.1 COMPUTER PER FAR 91.411								Service	ATA:34
PN:7014700-627	MOS	29-Jun-23	24		29-Jun-25		503 d	FAR			
SN:07027821	HRS	10161.5									
	AFL	5401									
PROC. REF: FAR FAR 91.411											
341501-0102		NO. 2 AIR DATA COMPUTER (ADC)								Component	ATA:34
PN:7014700-627	MOS/MSC		O/C								
SN:07027816	HRS										
	AFL	0									
PROC. REF: AMM 34-15-01											
341501-0102B <sup>U</sup>		RECERTIFY NO.2 COMPUTER PER FAR 91.411								Service	ATA:34
PN:7014700-627	MOS	29-Jun-23	24		29-Jun-25		503 d	FAR			
SN:07027816	HRS	10161.5									
	AFL	5401									
PROC. REF: FAR FAR 91.411											
341502-0101		NOSE TOTAL TEMPERATURE SENSOR								Component	ATA:34
PN:102AU1AF	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 34-15-03											
341502-0102		CREW CAB TOTAL, TEMPERATURE SENSOR								Component	ATA:34
PN:102AU1AF	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 34-15-03											
342202-0101		CONTROL-PFD SYS, MAIN PANEL								Component	ATA:34
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 34-22-02											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 34 - NAVIGATION											
342202-0102		CONTROL-PFD SYS, MAIN PANEL								Component	ATA:34
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 34-22-02											
342202-0103		CONTROL-MFD SYS,MAIN PANEL								Component	ATA:34
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 34-22-02											
342202-0104		CONTROL-MFD SYS,MAIN PANEL								Component	ATA:34
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 34-22-02											
342204-0101		CREW CAB MODULE -REVERSIONARY PANEL ASSEMBLY								Component	ATA:34
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 34-22-03											
342204-0102		CREW CAB MODULE -REVERSIONARY PANEL ASSEMBLY								Component	ATA:34
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 34-22-03											
342205-0101		CREW CAB CONTROL-DISPLAY,FGC,GLARESHIELD PANEL UNIT								Component	ATA:34
PN:7016986-505	MOS/MSC	21-Jun-10	O/C	TSN 0							
SN:03125221	HRS	3461.1	TSN 0								
	AFL	1818	TSN 0								
PROC. REF: NDT GENERIC											
342205-0102		CREW CAB CONTROL-DISPLAY,FGC,GLARESHIELD PANEL UNIT								Component	ATA:34
PN:7016986-505	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:07016649	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: NDT GENERIC											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of:  
29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 34 - NAVIGATION										
342206-0101	PILOT DEVICE-CONTROL,CURSOR,MC-800 UNIT									Component ATA:34
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 34-22-05										
342206-0102	COPILOT DEVICE-CONTROL,CURSOR,MC-800 UNIT									Component ATA:34
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 34-22-05										
342501-0101	MAGNETIC-NAV SYS - WINDSHIELD MOUNTING BRACKET COMPASS									Component ATA:34
PN:PGA1001WG	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:702130-02	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 34-25-01										
342701-0101	NOSE INERTIAL REFERENCE UNIT									Component ATA:34
PN:HG2001GD03	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:56015315	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 34-27-01										
342701-0102	NOSE INERTIAL REFERENCE UNIT									Component ATA:34
PN:HG2001GD03	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:56015276	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 34-27-01										
342703-0101	CREW CAB MODE SELECT UNIT									Component ATA:34
PN:CG1042AB03	MOS/MSC	06-Nov-14	O/C	TSR 18						
SN:56009073	HRS	7222.5		TSR 0						
	AFL	3865		TSR 0						
PROC. REF: AMM 34-27-02										
342703-0102	CREW CAB MODE SELECT UNIT									Component ATA:34
PN:CG1042AB03	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:73731029	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 34-27-02										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 34 - NAVIGATION											
343101-0101		LH RADIO ALTIMETER UNIT								Component	ATA:34
PN:7001840-937	MOS/MSC	03-Jan-12	O/C								
SN:01049215	HRS	5261.9									
	AFL	2792									
PROC. REF: AMM 34-31-01											
343101-0102		RH RADIO ALTIMETER UNIT								Component	ATA:34
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 34-31-01											
343102-0101		NAVIGATION SYSTEM - RADIO ALTIMETER ANTENNA								Component	ATA:34
PN:S67-2002	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 34-31-02											
343102-0102		NAVIGATION SYSTEM - RADIO ALTIMETER ANTENNA								Component	ATA:34
PN:S67-2002	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 34-31-02											
343102-0201		NAVIGATION SYSTEM - RADIO ALTIMETER ANTENNA								Component	ATA:34
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 34-31-02											
343102-0202		NAVIGATION SYSTEM - RADIO ALTIMETER ANTENNA								Component	ATA:34
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 34-31-02											
343200-0101		NOSE COUPLER								Component	ATA:34
PN:DMB-20-20	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:1823	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: NDT GENERIC											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 34 - NAVIGATION</b>										
<b>343201-0101 NOSE NAV/ADF/DME,INTEGRATED,NAVIGATION SYS UNIT Component ATA:34</b>										
PN:7510100-631	MOS/MSC	29-Jun-09	O/C							
SN:97052239	HRS	2226.4								
	AFL	1167								
PROC. REF: AMM 34-32-01										
<b>343201-0102 NOSE NAV/ADF/DME,INTEGRATED,NAVIGATION SYS UNIT Component ATA:34</b>										
PN:7510100-631	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:0701B021	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 34-32-01										
<b>343202-0101 CREW CAB CONTROL-EMERGENCY,NAVIGATION/COMMUNICATION SYS UNIT Component ATA:34</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										
<b>343203-0101 NOSE DUAL GLIDE SLOPE ANTENNA Component ATA:34</b>										
PN:S41422-2	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:111-5806	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 34-32-05										
<b>343204-0101 LOWER MARKER BEACON ANTENNA Component ATA:34</b>										
PN:3165-82	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:316582-813	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 34-32-04										
<b>343205-0101 REAR VOR-LOC ANTENNA Component ATA:34</b>										
PN:19-78	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 34-32-03										
<b>343205-0102 REAR VOR-LOC ANTENNA Component ATA:34</b>										
PN:19-78	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 34-32-03										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 34 - NAVIGATION											
343205-0201		REAR DIVIDER,ANTENNA,VOR/ILS/MB SYS COUPLER								Component	ATA:34
PN:C1120-7	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:143362	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 34-32-12											
344101-0101		L/H CSL EGPWS,NAVIGATION,COCKPIT CONTROL UNIT								Component	ATA:34
PN:965-0976-040-216-216	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:25664	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 34-41-01											
344201-0101		NOSE WEATHER RADAR TRANSCEIVER								Component	ATA:34
PN:7021450-801	MOS/MSC	04-Aug-12	O/C								
SN:08028209	HRS	6092									
	AFL	3243									
PROC. REF: AMM 34-42-01											
344202-0101		CSL CENT PANEL CONTROL WEATHER RADAR ASSEMBLY								Component	ATA:34
PN:7008471-407	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 34-42-02											
344202-0102		CSL CENT PANEL CONTROL WEATHER RADAR ASSEMBLY								Component	ATA:34
PN:7008471-407	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 34-42-02											
344301-0101		TCAS PROCESSOR UNIT								Component	ATA:34
PN:7517900-55020	MOS/MSC	07-Aug-13	O/C								
SN:20008822	HRS	6643.4									
	AFL	3572									
PROC. REF: AMM 34-43-01											
344302-0101		TCAS ANTENNA								Component	ATA:34
PN:7514081-915	MOS/MSC	05-May-18	O/C								
SN:ANE52939	HRS	8585.1									
	AFL	4609									
PROC. REF: AMM 34-43-03, AMM 34-43-02											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 34 - NAVIGATION</b>										
<b>344303-0101 BAND 'L' (DME/TDR) ANTENNA Component ATA:34</b>										
PN:2430-87-00	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:UNKNOWN	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: AMM 34-43-03										
<b>344303-0102 TDR TOP BAND 'L' (DME/TDR) ANTENNA Component ATA:34</b>										
PN:2430-87-00	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:UNKNOWN	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: AMM 34-43-03										
<b>344303-0103 TDR BOT BAND 'L' (DME/TDR) ANTENNA Component ATA:34</b>										
PN:2430-87-00	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:UNKNOWN	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: AMM 34-43-03										
<b>344303-0104 DMEL BAND 'L' (DME/TDR) ANTENNA Component ATA:34</b>										
PN:2430-87-00	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:UNKNOWN	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: AMM 34-43-03										
<b>344303-0105 BAND 'L' (DME/TDR) ANTENNA Component ATA:34</b>										
PN:2430-87-00	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:UNKNOWN	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: AMM 34-43-03										
<b>345203-0101 NOSE COAXIAL RELAY Component ATA:34</b>										
PN:PN	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:UNKNOWN	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: NDT GENERIC										
<b>345203-0102 NOSE COAXIAL RELAY Component ATA:34</b>										
PN:PN	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:UNKNOWN	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: NDT GENERIC										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 34 - NAVIGATION</b>											
345302-0201		NO. 1 ADF ANTENNA							Component	ATA:34	
PN:7510300-901	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:0610B051	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 34-53-02											
345302-0202		NO. 2 ADF ANTENNA							Component	ATA:34	
PN:7510300-901	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:0610B052	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 34-53-02											
345401-0101		REAR COMPARTMENT RECEIVER, XM RECEIVER							Component	ATA:34	
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 34-54-01											
345402-0101		CENTER FUSELAGE - XM - WEATHER DATA, XMRRANT ANTENNA							Component	ATA:34	
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 34-54-02											
345601-0101		CENT FUS SENSOR,GPS,RADIO/NAVIGATION SYS (GNSSU) UNIT							Component	ATA:34	
PN:HG2021GD04	MOS/MSC	19-Aug-15	O/C	TSR 0							
SN:0629	HRS	7460.3	TSR 0								
	AFL	3992	TSR 0								
PROC. REF: AMM 34-56-01											
345601-0102		CENT FUS SENSOR,GPS,RADIO/NAVIGATION SYS (GNSSU) UNIT							Component	ATA:34	
PN:100-601944-300	MOS/MSC	14-Oct-15	O/C								
SN:0200	HRS	7523.8									
	AFL	4025									
PROC. REF: AMM 34-56-01											
345602-0201		GPS 1 GPS ANTENNA							Component	ATA:34	
PN:S67-1575-135	MOS/MSC	27-Sep-17	O/C	TSN 12							
SN:818-6999	HRS	8319.4	TSN 0								
	AFL	4456	TSN 0								
PROC. REF: AMM 34-56-02											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 34 - NAVIGATION</b>											
345602-0202		GPS 2 GPS ANTENNA								Component	ATA:34
PN:S67-1575-135	MOS/MSC	19-Aug-15	O/C	TSN 0							
SN:UNKNOWN	HRS	7460.3		TSN 0							
	AFL	3992		TSN 0							
PROC. REF: AMM 34-56-02											
346201-0101		NOSE FMS COMPUTER								Component	ATA:34
PN:7018879-03044	MOS/MSC	24-Feb-16	O/C								
SN:07044534	HRS	7661.9									
	AFL	4095									
PROC. REF: AMM 34-61-01											
346201-0102		NOSE FMS COMPUTER								Component	ATA:34
PN:7018879-03044	MOS/MSC	01-Sep-17	O/C	TSR 0							
SN:07124588	HRS	8284.1		TSR 0							
	AFL	4446		TSR 0							
PROC. REF: AMM 34-61-01											
346202-0101		CSL CENT CONTROL AND DISPLAY (FMS) UNIT								Component	ATA:34
PN:G7830-03	MOS/MSC	20-Feb-20	O/C								
SN:56657	HRS	9313.5									
	AFL	4970									
PROC. REF: AMM 34-61-02											
346202-0102		CSL CENT CONTROL AND DISPLAY (FMS) UNIT								Component	ATA:34
PN:G7830-03	MOS/MSC	20-Feb-20	O/C								
SN:56656	HRS	9313.5									
	AFL	4970									
PROC. REF: AMM 34-61-02											
346206-0101		CSL CENT DATA,LOADER-DUAL FMS/GPS SYS,CREW CABIN UNIT								Component	ATA:34
PN:G7226-01	MOS/MSC	05-Feb-14	O/C	TSR 0							
SN:1960	HRS	6867.7		TSR 0							
	AFL	3686		TSR 0							
PROC. REF: AMM 34-61-03											
346207-0101		NOSE CONFIGURATION-FMS,NAVIGATION SYS MODULE								Component	ATA:34
PN:7014940-902	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 34-61-04											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 34 - NAVIGATION											
346207-0102		NOSE CONFIGURATION-FMS,NAVIGATION SYS MODULE							Component	ATA:34	
PN:7014940-902	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 34-61-04											
346301-0101		CENTER CONSOLE LH EXPANSION MODULE(EMU),CMA UNIT							Component	ATA:34	
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 34-63-01											
346301-0102		CENTER CONSOLE RH EXPANSION MODULE(EMU),CMA UNIT							Component	ATA:34	
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 34-63-01											
346302-0103		LH ELECTRONIC DISPLAY, (EDU), CMA UNIT (CKPT, SIDE CONSOLE, FS250)							Component	ATA:34	
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 34-63-01											
346302-0104		RH ELECTRONIC DISPLAY, (EDU), CMA UNIT (CKPT, SIDE CONSOLE, FS250)							Component	ATA:34	
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 34-63-01											
349095-0101		EGPWS PCMCIA CARD							Component	ATA:34	
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: NDT GENERIC											
FD600CAM-2 <sup>U</sup>		VISUAL INSPECTION OF ALL COMPONENTS INSTALLED AS PART OF FLIGHT DISPLAY SYSTEMS FD600CAM-2 GLARESHIELD CAMERA							Service	ATA:34	
	MOS	06-Jul-19	72	06-Jul-25		510 d					
	HRS	9057.4									
	AFL	4853									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 35 - OXYGEN										
35-10-00-710-001-A00 <sup>S</sup> OPERATIONALLY CHECK CREW/PAX OXYGEN MASKS Service ATA:35										
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: AMM 35-10-00										PKG:5008,6016
35-10-00-910-001-A00 <sup>S</sup> FUNCTIONALLY CHECK LEAK TEST CREW OXYGEN SYSTEM LINES Service ATA:35										
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: AMM 35-10-00										PKG:5008
35-10-07-720-001-A00 FUNCTIONALLY CHECK CREW OXYGEN CYLINDER PRESSURE REGULATOR Service ATA:35										
PN:172270-01	MOS	06-Jul-19	60		06-Jul-24		145 d	SYSTEM		
SN:2570	HRS	9057.4								
	AFL	4853								
PROC. REF: AMM 35-10-07										
35-10-07-720-002-A01 FUNCTIONALLY CHECK (HYDROSTATIC TEST) CREWOXYGEN CYLINDER.NOTE: FROM THE MANUFACTURE DATE OR LAST TASK ACCOMPLISHMENT.NOTE: OR IN ACCORDANCE WITH LOCAL REGULATORY AUTHORITY REQUIREMENTS Service ATA:35										
PN:4441009-050	MOS/MSC	01-Apr-19	O/C							
SN:31582	HRS									
	AFL									
PROC. REF: AMM 35-10-07										
35-20-00-710-001-A00 <sup>S</sup> OPERATIONALLY CHECK PASSENGER GASEOUS OXYGEN-SUBSYSTEM IN MANUAL MODE NOTE: IF INSTALLED Service ATA:35										
	MOS	29-Jun-23	12 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	500 (+20/-20)							
	AFL	5401								
PROC. REF: AMM 35-20-00										PKG:5002
35-20-00-710-002-A00 <sup>S</sup> OPERATIONALLY CHECK GASEOUS OXYGEN LOW PRESSURE INDICATING CIRCUIT.NOTE: IF INSTALLED. Service ATA:35										
	MOS	29-Jun-23	24 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	1000 (+20/-20)							
	AFL	5401								
PROC. REF: AMM 35-11-04										PKG:5004
35-20-00-720-001-A00 <sup>S</sup> FUNCTIONALLY CHECK PASSENGER GASEOUS OXYGEN SUBSYSTEM IN AUTOMATIC MODE(NOTE: IF INSTALLED). Service ATA:35										
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: AMM 35-20-00										PKG:5008,6016

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 35 - OXYGEN										
35-20-02-211-001-A00 <sup>S</sup> VISUALLY CHECK PASSENGER GASEOUS OXYGEN MASK ASSEMBLY (NOTE: IF INSTALLED).										
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		Service ATA:35
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: AMM 35-20-04										PKG:5008,6016
35-20-04-720-001-A00 FUNCTIONALLY CHECK (HYDROSTATIC TEST) NO. 1 PASSENGER OXYGEN CYLINDER ASSEMBLY NOTE: IF INSTALLED NOTE: FROM THE MANUFACTURE DATE OR LAST TASK ACCOMPLISHMENT.										
PN:895-48077	MOS/MSC	06-Jul-21	O/C							Service ATA:35
SN:ALT281-35367	HRS									
	AFL									
PROC. REF: AMM 35-20-08										
35-20-04-720-001-A00 FUNCTIONALLY CHECK (HYDROSTATIC TEST) NO. 2 PASSENGER OXYGEN CYLINDER ASSEMBLY NOTE: IF INSTALLED NOTE: FROM THE MANUFACTURE DATE OR LAST TASK ACCOMPLISHMENT.										
PN:895-48015	MOS/MSC	28-Feb-23	O/C							Service ATA:35
SN:C08100129	HRS									
	AFL									
PROC. REF: AMM 35-20-08										
35-20-04-960-001-A00 DISCARD NO.1 PASSENGER GASEOUS OXYGEN CYLINDER										
PN:895-48077	MOS	01-May-16	180		01-May-31		2635 d	DISCARD		Service ATA:35
SN:ALT281-35367	HRS									
	AFL									
PROC. REF: AMM 35-20-08, AMM 35-20-08										
35-20-04-960-001-A00 DISCARD NO.2 PASSENGER GASEOUS OXYGEN CYLINDER										
PN:895-48015	MOS	11-Jul-23	180		11-Jul-38		5263 d	DISCARD		Service ATA:35
SN:C08100129	HRS	10167.3								
	AFL	5404								
PROC. REF: AMM 35-20-08, AMM 35-20-08										
35-20-06-900-001-A00 RESTORE (OVERHAUL) LH GASEOUS OXYGEN ELECTRIC PULSE/LATCHING ON-OFF VALVE NOTE: IF INSTALLED NOTE: FROM THE INSTALLATION DATE										
PN:P21070	MOS	19-May-22	60 (+30d/-30d)		19-May-27	18-Jun-27	1192 d (+30)	SYSTEM		Service ATA:35
SN:0239	HRS	9875.7	2000		11875.7		1473.6			
	AFL	5259								
PROC. REF: AMM 35-20-10										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 35 - OXYGEN</b>											
35-20-06-900-001-A00		RESTORE (OVERHAUL) RH GASEOUS OXYGEN ELECTRIC PULSE/LATCHING ON-OFF VALVE NOTE: IF INSTALLED NOTE: FROM THE INSTALLATION DATE							Service	ATA:35	
PN:P21070	MOS	01-Jun-22	60 (+30d/-30d)		01-Jun-27	01-Jul-27	1205 d (+30)	SYSTEM			
SN:R22020218	HRS	9892.8	2000		11892.8		1490.7				
	AFL	5264									
PROC. REF: AMM 35-20-10											
35-20-07-900-001-A00		RESTORE (OVERHAUL) LH OXYGEN SEQUENCE REGULATOR NOTE: IF INSTALLED NOTE: FROM THE INSTALLATION DATE							Service	ATA:35	
PN:P21087	MOS	19-May-22	60 (+30d/-30d)		19-May-27	18-Jun-27	1192 d (+30)	SYSTEM			
SN:0262	HRS	9875.7	2000		11875.7		1473.6				
	AFL	5259									
PROC. REF: AMM 35-20-11											
35-20-07-900-001-A00		RESTORE (OVERHAUL) RH OXYGEN SEQUENCE REGULATOR NOTE: IF INSTALLED NOTE: FROM THE INSTALLATION DATE							Service	ATA:35	
PN:P21087	MOS	19-May-22	60 (+30d/-30d)		19-May-27	18-Jun-27	1192 d (+30)	SYSTEM			
SN:0494	HRS	9875.7	2000		11875.7		1473.6				
	AFL	5259									
PROC. REF: AMM 35-20-11											
35-20-08-211-001-A00 <sup>S</sup>		VISUALLY CHECK PASSENGER AND CREW GASEOUS OXYGEN PRESSURE INDICATOR GAUGE AGAINST PRESSURE TRANSDUCER INDICATOR ON MFD (NOTE: IF INSTALLED)							Service	ATA:35	
	MOS	29-Jun-23	24 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	1000 (+20/-20)								
	AFL	5401									
PROC. REF: AMM 35-20-08										PKG:5004	
35-20-15-790-001-A00 <sup>S</sup>		FUNCTIONALLY CHECK (LEAK) PASSENGER GASEOUS OXYGEN DISTRIBUTION (HP) LINES NOTE: IF INSTALLED							Service	ATA:35	
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
PROC. REF: AMM 35-20-15										PKG:5008,6016	
35-20-16-790-001-A00 <sup>S</sup>		FUNCTIONALLY CHECK (LEAK) PASSENGER GASEOUS OXYGEN DISTRIBUTION (LP) LINES NOTE: IF INSTALLED							Service	ATA:35	
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
PROC. REF: AMM 35-20-16										PKG:5008,6016	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 35 - OXYGEN										
35-30-01-211-001-A00 VISUALLY CHECK PORTABLE OXYGEN CYLINDER GAUGE PRESSURE INDICATION Service ATA:35										
	MOS	29-Jun-23	12 (+15d/-15d)	Adj 15d	14-Jul-24	29-Jul-24	153 d (+15)	SYSTEM		
	HRS	10161.5	500		10661.5		259.4			
	AFL	5401								
PROC. REF: AMM 35-30-01										
35-30-01-720-001-A00 FUNCTIONALLY CHECK PASSENGER CABIN PORTABLE OXYGEN BOTTLE PRESSURE REGULATOR Service ATA:35										
PN:5500-C1W-BF23A	MOS	29-Jan-20	60		29-Jan-25		352 d	SYSTEM		
SN:P11041075	HRS									
	AFL									
PROC. REF: AMM 35-30-01										
35-30-01-720-002-A00 FUNCTIONALLY CHECK (HYDROSTATIC TEST) PASSENGER CABIN PORTABLE OXYGEN BOTTLE (NOTE: OR IN ACCORDANCE WITH LOCAL REGULATORY AUTHORITY REQUIREMENTS) NOTE: FROM THE MANUFACTURE DATE OR LAST TASK ACCOMPLISHMEN Service ATA:35										
PN:5500-C1W-BF23A	MOS/MSC	29-Jan-20	O/C							
SN:P11041075	HRS									
	AFL									
PROC. REF: AMM 35-30-02										
35-30-02-211-001-A00 <sup>S</sup> VISUALLY CHECK CONTINUOUS FLOW MASK Service ATA:35										
	MOS	29-Jun-23	24 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	1000 (+20/-20)							
	AFL	5401								
PROC. REF: AMM 35-30-02										
35-30-03-960-001-A00 DISCARD COCKPIT EMERGENCY PROTECTIVE BREATHING EQUIPMENT NOTE: FROM THE MANUFACTURE DATE OR DATA PLATE EXPERITATION DATE Service ATA:35										
PN:PN	MOS	01-Jun-16	120		01-Jun-26		840 d	LIFE LIMIT		
SN:UNKNOWN	HRS									
	AFL									
PROC. REF: AMM 35-30-03										
35-30-03-960-001-A00 DISCARD NO.1 EMERGENCY PROTECTIVE BREATHING EQUIPMENT PBE NOTE: FROM THE MANUFACTURE DATE OR DATA PLATE EXPERITATION DATE Service ATA:35										
PN:802300-14	MOS	15-Aug-16	120		01-Apr-25 (M)		414 d	LIFE LIMIT		
SN:E15040250	HRS	7841.1								
	AFL	4202								
PROC. REF: AMM 35-30-03										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 35 - OXYGEN</b>										
<b>351000-0101 PILOT MASK ASSY-STORAGE BOX</b>										Component ATA:35
PN: MXP138-1	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN: SE21285	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: AMM 35-10-09										
<b>351000-0102 COPILOT MASK ASSY-STORAGE BOX</b>										Component ATA:35
PN: MXP138-1	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN: SE20103	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: AMM 35-10-09										
<b>351000-0201 PILOT OXYGEN ASSY-PRESSURE/DEMAND MASK</b>										Component ATA:35
PN: MC10-16-105	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN: 121209	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: AMM 35-10-10										
<b>351000-0202 COPILOT OXYGEN ASSY-PRESSURE/DEMAND MASK</b>										Component ATA:35
PN: MC10-16-105	MOS/MSC		07-Jan-15	O/C	TSO 38					
SN: 117473	HRS		7277.7		TSO 0					
	AFL		3892		TSO 0					
PROC. REF: AMM 35-10-10										
<b>351000-0203 OBSERVER OXYGEN ASSY-PRESSURE/DEMAND MASK</b>										Component ATA:35
PN: MC10-16-105	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN: 121213	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: AMM 35-10-10										
<b>351000-0301 OBSERVER LIDS ASSEMBLY</b>										Component ATA:35
PN: MXP129	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN: SE19520	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: NDT GENERIC										
<b>351000-0401 COCKPIT PROTECTIVE BREATHING EQUIPMENT (PBE)</b>										Component ATA:35
PN: PN	MOS/MSC		04-Jan-19	H/T						
SN: UNKNOWN	HRS		8912.5							
	AFL		4764							
Manufacture Date:: 01-Jun-16 PROC. REF: NDT GENERIC										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 35 - OXYGEN</b>											
351007-0101		<b>COCKPIT OXYGEN CYLINDER</b>								Component	ATA:35
PN:4441009-050	MOS	13-Jan-21	180		01-Apr-34		3701 d	LIFE LIMIT			
SN:31582	HRS	9507.9									
	AFL	5060									
Manufacture Date:: 01-Apr-19 PROC. REF: AMM 35-10-07											
351007-0201		<b>CREW OXYGEN CYLINDER PRESSURE REGULATOR</b>								Component	ATA:35
PN:172270-01	MOS/MSC	06-Jul-19	O/C	TSO 119							
SN:2570	HRS	9057.4									
	AFL	4853									
PROC. REF: AMM 35-10-07											
351102-0101		<b>PRESSURE ASSY-OXYGEN SYS TRANSDUCER</b>								Component	ATA:35
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 35-11-02											
351102-0102		<b>PRESSURE ASSY-OXYGEN SYS TRANSDUCER</b>								Component	ATA:35
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 35-11-02											
352000-0101		<b>CREW CAB MODULE -PASS OXYGEN CONTROL ASSEMBLY</b>								Component	ATA:35
PN:135-06949-409	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:0000123549	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 35-20-00											
352000-0201		<b>CONTACTING ELEC SYS,OXYGEN BOX,CHEMICAL GENERATION ALTIMETER</b>								Component	ATA:35
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: NDT GENERIC											
352006-0101		<b>LH GASEOUS OXYGEN ELECTRIC PULSE/LATCHING ON-OFF VALVE</b>								Component	ATA:35
PN:P21070	MOS/MSC	19-May-22	O/C	TSO 0							
SN:0239	HRS	9875.7		TSO 0							
	AFL	5259		TSO 0							
PROC. REF: AMM 35-20-10											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 35 - OXYGEN</b>										
<b>352006-0102 RH GASEOUS OXYGEN ELECTRIC PULSE/LATCHING ON-OFF VALVE Component ATA:35</b>										
PN:P21070	MOS/MSC	01-Jun-22	O/C	TSN 2						
SN:R22020218	HRS	9892.8		TSN 0						
	AFL	5264		TSN 0						
PROC. REF: AMM 35-20-10										
<b>352007-0101 LH OXYGEN SEQUENCE REGULATOR Component ATA:35</b>										
PN:P21087	MOS/MSC	19-May-22	O/C	TSO 0						
SN:0262	HRS	9875.7		TSO 0						
	AFL	5259		TSO 0						
PROC. REF: AMM 35-20-11										
<b>352007-0102 RH OXYGEN SEQUENCE REGULATOR Component ATA:35</b>										
PN:P21087	MOS/MSC	19-May-22	O/C	TSO 0						
SN:0494	HRS	9875.7		TSO 0						
	AFL	5259		TSO 0						
PROC. REF: AMM 35-20-11										
<b>352008-7101 NO. 1 PASSENGER OXYGEN CYLINDER ASSEMBLY Component ATA:35</b>										
PN:895-48077	MOS/MSC	07-Jul-21	H/T	TSN 62						
SN:ALT281-35367	HRS	9608.3		TSN 1767.2						
	AFL	5118		TSN 916						
PROC. REF: AMM 35-20-08										
<b>352008-7102 NO. 2 PASSENGER OXYGEN CYLINDER ASSEMBLY Component ATA:35</b>										
PN:895-48015	MOS/MSC	11-Jul-23	H/T	TSN 180, TSO 0						
SN:C08100129	HRS	10167.3		TSO 0						
	AFL	5404		TSO 0						
PROC. REF: AMM 35-20-08										
<b>353001-0101 PASSENGER CABIN PORTABLE OXYGEN BOTTLE Component ATA:35</b>										
PN:5500-C1W-BF23A	MOS/MSC	13-Feb-20	O/C	TSN 109, TSO 55, TSR 1						
SN:P11041075	HRS	9310.8		TSO 1850.5, TSR 0						
	AFL	4969		TSO 977, TSR 0						
PROC. REF: AMM 35-30-01										
<b>353003-0101 NO.1 EMERGENCY PROTECTIVE BREATHING EQUIPMENT PBE Component ATA:35</b>										
PN:802300-14	MOS/MSC	15-Aug-16	H/T	TSN 0						
SN:E15040250	HRS	7841.1		TSN 0						
	AFL	4202		TSN 0						
PROC. REF: NDT GENERIC										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 35 - OXYGEN</b>										
<b>353003-7101<sup>U</sup> NO.2 EMERGENCY PROTECTIVE BREATHING EQUIPMENT PBE</b>										
PN:802300-14	MOS	01-Sep-17	120		01-Jun-26 (M)		840 d	LIFE LIMIT		Component ATA:35
SN:E16060647	HRS	8284.1		TSN 0						
	AFL	4446		TSN 0						
Manufacture Date:: 01-Jun-16										
<b>353005-0101 PORTABLE OXYGEN CYLINDER PRESSURE REGULATOR</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						Component ATA:35
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										
<b>ATA 36 - PNEUMATIC</b>										
<b>36-10-01-130-001-A00<sup>S</sup> RESTORE (CLEANING) CROSS-BLEED VALVE FILTER BY ULTRASONIC METHOD</b>										
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		Service ATA:36
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
PROC. REF: AMM 36-10-01										
<b>36-11-01-220-001-A00<sup>S</sup> INSPECT (DETAILED INSPECTION) ENGINE HIGH STAGE VALVE P/N 816601-1 AND LOW PRESSURE BLEED AIR CHECK VALVE P/N 816603 -3 (IF INSTALLED)</b>										
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		Service ATA:36
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: AMM 36-11-01										
<b>36-11-02-130-001-A00<sup>S</sup> RESTORE (CLEANING) HIGH-STAGE VALVE FILTER BY ULTRASONIC METHOD</b>										
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		Service ATA:36
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
PROC. REF: AMM 36-11-02										
<b>36-11-03-130-001-A00<sup>S</sup> RESTORE (CLEANING) FAN-AIR VALVE FILTER BY ULTRASONIC METHOD</b>										
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		Service ATA:36
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
PROC. REF: AMM 36-11-03										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 36 - PNEUMATIC										
36-11-04-110-001-A00 <sup>S</sup>	RESTORE (CLEANING) PRE-COOLER BY CHEMICAL METHOD.									Service ATA:36
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: AMM 36-11-04					PKG:5008,6016
36-11-05-130-001-A00 <sup>S</sup>	RESTORE (CLEANING) ENGINE BLEED VALVE FILTER BY ULTRASONIC METHOD									Service ATA:36
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
					PROC. REF: AMM 36-11-05					PKG:5016,6016
36-11-11-710-001-A00 <sup>S</sup>	OPERATIONALLY CHECK THERMOSTAT SHUTOFF VALVE									Service ATA:36
	MOS	29-Jun-23	24 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	1000 (+20/-20)							
	AFL	5401								
					PROC. REF: AMM 36-11-08					PKG:5004
36-20-00-710-001-A00 <sup>S</sup>	OPERATIONALLY CHECK BLEED VALVE INDICATION FUNCTION									Service ATA:36
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
					PROC. REF: AMM 36-20-00					PKG:5016,6032
36-20-00-720-001-A00 <sup>S</sup>	FUNCTIONALLY CHECK OVERTEMPERATURE WARNING CIRCUIT									Service ATA:36
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
					PROC. REF: AMM 36-20-00					PKG:5016,6032
36-20-02-710-003-A00 <sup>S</sup>	OPERATIONALLY CHECK THERMAL SWITCH									Service ATA:36
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: AMM 36-20-02					PKG:5008,6016
36-20-05-710-002-A00 <sup>S</sup>	OPERATIONALLY CHECK BLEED AUTOMATIC SHUTOFF AND CIRCUITRY.									Service ATA:36
	MOS	29-Jun-23	12 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	500 (+20/-20)							
	AFL	5401								
					PROC. REF: AMM 36-20-02					PKG:5002

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 36 - PNEUMATIC											
361001-0101		APU CROSS-BLEED VALVE								Component	ATA:36
PN:816606-1	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:2007030885	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 36-10-01											
361002-0101		RH REAR GROUND CHECK "J"SST VALVE								Component	ATA:36
PN:816605-2	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:1591	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 36-10-02											
361101-0104		APU CHECK-BLEED SYS,REAR FUSLG I/II VALVE								Component	ATA:36
PN:816603-3	MOS/MSC	27-Mar-13	O/C	TSN 67							
SN:5738	HRS	6503.7	TSN 6503.7								
	AFL	3500	TSN 3500								
PROC. REF: AMM 36-11-01											
361101-0201		LH ENG CHECK-BLEED SYS,REAR FUSLG I/II VALVE								Component	ATA:36
PN:816603-3	MOS/MSC	06-Jul-19	O/C	TSO 0							
SN:5461	HRS	9057.4	TSO 0								
	AFL	4853	TSO 0								
PROC. REF: AMM 36-11-01											
361101-0202		LH ENG CHECK-BLEED SYS,REAR FUSLG I/II VALVE								Component	ATA:36
PN:816603-3	MOS/MSC	16-Jul-15	O/C	TSR 4							
SN:6642	HRS	7460.3	TSR 0								
	AFL	3992	TSR 0								
PROC. REF: AMM 36-11-01											
361101-0203		RH ENG CHECK-BLEED SYS,REAR FUSLG I/II VALVE								Component	ATA:36
PN:816603-3	MOS/MSC	06-Jul-19	O/C								
SN:UNKNOWN	HRS	9057.4									
	AFL	4853									
PROC. REF: AMM 36-11-01											
361101-0204		RH ENG CHECK-BLEED SYS,REAR FUSLG I/II VALVE								Component	ATA:36
PN:816603-3	MOS/MSC	06-Jul-19	O/C								
SN:UNKNOWN	HRS	9057.4									
	AFL	4853									
PROC. REF: AMM 36-11-01											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 36 - PNEUMATIC</b>											
361102-0101		LH PIL HIGH STAGE VALVE							Component	ATA:36	
PN:816601-1	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 36-11-02											
361102-0102		RH PIL HIGH STAGE VALVE							Component	ATA:36	
PN:816601-1	MOS/MSC	03-Feb-22	O/C								
SN:9808109	HRS	9799									
	AFL	5212									
PROC. REF: AMM 36-11-02											
361102-0201		LH ENG HIGH STAGE VALVE							Component	ATA:36	
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 36-11-02											
361102-0202		RH ENG HIGH STAGE VALVE							Component	ATA:36	
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 36-11-02											
361103-0101		LEFT REGULATION-TYPE BUTTERFLY,AIR,TURBOFAN ENGINE VALVE							Component	ATA:36	
PN:816610-2	MOS/MSC	05-Mar-18	O/C	TSN 127							
SN:2007040036	HRS	8509.4	TSN 8509.4								
	AFL	4566	TSN 4566								
PROC. REF: AMM 36-11-03											
361103-0102		RIGHT REGULATION-TYPE BUTTERFLY,AIR,TURBOFAN ENGINE VALVE							Component	ATA:36	
PN:816610-2	MOS/MSC	05-Mar-18	O/C	TSR 77							
SN:200208156	HRS	8509.4	TSR 3593								
	AFL	4566	TSR 1965								
PROC. REF: AMM 36-11-03											
361106-0101		LEFT THERMOSTAT-FAN AIR ,ENGINE CONTROLLER							Component	ATA:36	
PN:816624-10	MOS/MSC	05-Mar-18	O/C	TSR 0							
SN:2008061104	HRS	8509.4	TSR 0								
	AFL	4566	TSR 0								
PROC. REF: AMM 36-11-06											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 36 - PNEUMATIC</b>										
<b>361106-0102 RIGHT THERMOSTAT-FAN AIR ,ENGINE CONTROLLER Component ATA:36</b>										
PN:816624-10	MOS/MSC	05-Mar-18	O/C							
SN:200312138	HRS	8509.4								
	AFL	4566								
PROC. REF: AMM 36-11-06										
<b>361106-0103 LEFT THERMOSTAT-FAN AIR ,ENGINE CONTROLLER Component ATA:36</b>										
PN:816624-9	MOS/MSC	10-Jul-11	O/C							
SN:2005070688	HRS	4802.9								
	AFL	2530								
PROC. REF: AMM 36-11-06										
<b>361106-0104 RIGHT THERMOSTAT-FAN AIR ,ENGINE CONTROLLER Component ATA:36</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 36-11-06										
<b>361107-0101 LH ENG PRESSURE HIGH STAGE,AIR BLEED SYS,ENGINE SWITCH Component ATA:36</b>										
PN:782100-8	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:2457	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 36-11-07										
<b>361107-0102 RH ENG PRESSURE HIGH STAGE,AIR BLEED SYS,ENGINE SWITCH Component ATA:36</b>										
PN:782100-8	MOS/MSC	19-Aug-15	O/C	TSN 0						
SN:4375	HRS	7460.3		TSN 0						
	AFL	3992		TSN 0						
PROC. REF: AMM 36-11-07										
<b>361201-0101 APU BLEED AIR VALVE Component ATA:36</b>										
PN:4952829	MOS/MSC	28-Feb-17	O/C							
SN:4033	HRS									
	AFL									
PROC. REF: AMM 36-12-03										
<b>361300-0101 LH AIR BLEED SYS, ENGINE PYLON PRE-COOLER Component ATA:36</b>										
PN:145-30609-401	MOS/MSC	29-Jun-23	O/C	TSO 0						
SN:3478	HRS	10161.5		TSO 0						
	AFL	5401		TSO 0						
PROC. REF: AMM 36-11-04										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 36 - PNEUMATIC</b>											
361300-0102		RH AIR BLEED SYS, ENGINE PYLON PRE-COOLER							Component	ATA:36	
PN:145-30609-401	MOS/MSC	29-Jun-23	O/C	TSO 0							
SN:0000623635	HRS	10161.5	TSO 0								
	AFL	5401	TSO 0								
PROC. REF: AMM 36-11-04											
361700-0201		BLEED LH SOLENOID-THREE WAY/TWO POSITIONS,BLEED SYS VALVE							Component	ATA:36	
PN:5303-21	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: NDT GENERIC											
361700-0202		BLEED RH SOLENOID-THREE WAY/TWO POSITIONS,BLEED SYS VALVE							Component	ATA:36	
PN:5303-21	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: NDT GENERIC											
361700-0203		X BLEED SOLENOID-THREE WAY/TWO POSITIONS,BLEED SYS VALVE							Component	ATA:36	
PN:5303-21	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: NDT GENERIC											
361700-0204		X BLEED SOLENOID-THREE WAY/TWO POSITIONS,BLEED SYS,REAR FUSELAGE VALVE							Component	ATA:36	
PN:5303-21	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: NDT GENERIC											
362000-0101		OVERHEAD PANEL PNEUMATIC CONTROL MODULE							Component	ATA:36	
PN:145-31625-421	MOS/MSC	29-May-13	O/C	TSO 0							
SN:0000504768	HRS	6582.7	TSO 0								
	AFL	3538	TSO 0								
PROC. REF: NDT GENERIC											
362000-0102		OVERHEAD PANEL MODULE ASSY MODULE							Component	ATA:36	
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: NDT GENERIC											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 36 - PNEUMATIC</b>											
362001-0101		LH PYLON INDICATOR,BRAKE TEMPERATURE SENSOR							Component	ATA:36	
PN:0132ADT	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:G4035	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 36-20-01											
362001-0102		RH PYLON INDICATOR,BRAKE TEMPERATURE SENSOR							Component	ATA:36	
PN:0132ADT	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:G4092	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 36-20-01											
362001-0201		LH PACK INDICATOR,BRAKE TEMPERATURE SENSOR							Component	ATA:36	
PN:0132ADT	MOS/MSC	05-Mar-18	O/C	TSN 127							
SN:G4036	HRS	8509.4	TSN 8509.4								
	AFL	4566	TSN 4566								
PROC. REF: AMM 36-20-01											
362001-0202		RH PACK INDICATOR,BRAKE TEMPERATURE SENSOR							Component	ATA:36	
PN:0132ADT	MOS/MSC	05-Mar-18	O/C	TSN 127							
SN:G4039	HRS	8509.4	TSN 8509.4								
	AFL	4566	TSN 4566								
PROC. REF: AMM 36-20-01											
<b>ATA 38 - WATER/WASTE</b>											
38-10-00-610-001-A00		RESTORE (CLEANING) STERILIZE POTABLE WATER SYSTEM.							Service	ATA:38	
	MOS	10-Jan-24	12 (+15d/-15d)	Adj 4d	14-Jan-25	29-Jan-25	337 d (+15)	SYSTEM			
	HRS	10396.8									
	AFL	5532									
PROC. REF: AMM 38-10-00											
38-10-00-710-001-A00 <sup>S</sup>		OPERATIONALLY CHECK POTABLE WATER HEATER SYSTEM.NOTE: APPLICABLE TO AIRCRAFT EQUIPPED WITH ONE (01) POTABLE WATER SERVICE PANEL.(L600 ONLY)							Service	ATA:38	
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
PROC. REF: AMM 38-33-00											
										PKG:5008,6016	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 38 - WATER/WASTE										
38-10-03-960-001-A00 <sup>S</sup>	DISCARD WATER FILTER CARTRIDGE (IF INSTALLED)									Service ATA:38
	MOS	29-Jun-23	24 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	1000 (+20/-20)							
	AFL	5401								
					PROC. REF: AMM 38-10-12					PKG:5004
38-10-05-720-001-A00	FUNCTIONALLY CHECK OF MECHANICAL RELIEF VALVE GOODRICH PN 4E3263-1. NOTE: IF INSTALLED. (L600 ONLY)									Service ATA:38
	MOS/MSC	27-Aug-07	N/A							
	HRS	0								
	AFL	0								
					PROC. REF: AMM 38-10-01					
38-10-05-720-001-A01	FUNCTIONALLY CHECK OF MECHANICAL RELIEF VALVE HYDRAFLOW PN VA046-SERIES. NOTE: IF INSTALLED.									Service ATA:38
	MOS/MSC	27-Aug-07	N/A							
	HRS	0								
	AFL	0								
					PROC. REF: AMM 38-10-07					PKG:6016
38-32-04-960-001-A00 <sup>S</sup>	DISCARD WASTE DRAIN VALVE O-RING									Service ATA:38
	MOS	29-Jun-23	12 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	500 (+20/-20)							
	AFL	5401								
					PROC. REF: AMM 38-32-04					PKG:5002
38-32-10-960-001-A00 <sup>S</sup>	DISCARD WASTE DRAIN VALVE CAP SEAL									Service ATA:38
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: AMM 38-32-04					PKG:5008,6016
38-33-00-710-001-A00 <sup>S</sup>	OPERATIONALLY CHECK THE WASTE WATER HEATER SYSTEM									Service ATA:38
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: AMM 38-33-00					PKG:5008,6016
381001-0101	GALLEY WATER TANK ASSEMBLY									Component ATA:38
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
					PROC. REF: AMM 38-10-01					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 38 - WATER/WASTE</b>										
<b>381011-0701<sup>U</sup> WATER LEVEL CONTROLLER Component ATA:38</b>										
PN:32612	MOS/MSC	24-Feb-16	O/C	TSN 0						
SN:1145469	HRS	7661.9		TSN 0						
	AFL	4095		TSN 0						
<b>381015-0702<sup>U</sup> AFT WATER HEATER Component ATA:38</b>										
PN:4E3176-1	MOS/MSC	29-Jun-20	O/C	TSN 0						
SN:N2006517	HRS	9369.6		TSN 0						
	AFL	4994		TSN 0						
<b>381074-7000<sup>U</sup> LAVATORY WATER TANK Component ATA:38</b>										
PN:AR9038-1	MOS/MSC	23-Apr-13	O/C					CUSTOMER CODE		
SN:0115	HRS	6533.4								
	AFL	3513								
<b>383204-0101 LAVATORY WATER DRAIN VALVE Component ATA:38</b>										
PN:0218-0032-1	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:045717	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 38-32-04										
<b>383204-0102 REAR FUSELAGE WASTE DRAIN VALVE Component ATA:38</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 38-32-04										
<b>383250-0701<sup>U</sup> LAVATORY FLUSH SWITCH PANEL Component ATA:38</b>										
PN:990-9105-016	MOS/MSC	23-Nov-15	O/C	TSR 47						
SN:05060019713	HRS	7556		TSR 0						
	AFL	4049		TSR 0						
<b>383301-0701<sup>U</sup> GALLEY SINK WATER DRAIN VALVE ASSY Component ATA:38</b>										
PN:AR9124-1D626	MOS/MSC	21-Apr-16	O/C	TSN 8						
SN:0009534925	HRS	7713.9		TSN 0						
	AFL	4144		TSN 0						

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 45 - CENTRAL MAINT SYSTEM</b>										
454501-0101 CREW CAB CENTRAL MAINTENANCE - CMC COMPUTER										Component ATA:45
PN:251-116-013-012	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:AC44341	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 45-45-01										
<b>ATA 49 - AIRBORNE AUXILIARY POWER</b>										
49-17-00-160-001-A00 <sup>S</sup> RESTORE (CLEANING) APU DRAINS POST MOD SB 145LEG-49-0006 OR WITH AN EQUIVALENT MODIFICATION FACTORY INCORPORATED										Service ATA:49
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: AMM 49-19-02										
49-31-00-710-001-A01 APU - OPERATIONALLY CHECK THE APU FADEC BITE DISPLAY FOR FAULT MESSAGES FOR APU MODEL T-62T-40C14 (APS500R).(NOTE : IF INSTALLED).										Service ATA:49
	MOS	29-Jun-23								
	HRS	5352	400		5752		147			
	APUS	4576								
PROC. REF: AMM 49-64-03										
49-31-04-960-001-A01 APU - DISCARD APS 500R INLET FUEL FILTER FOR APU MODEL T-62T-40C14 (APS500R) ONLY.(NOTE: IF INSTALLED).										Service ATA:49
	MOS	14-Jul-22						SYSTEM		
	HRS	5009	1200		6209		604			
	APUS	4337								
PROC. REF: AMM 49-32-15										
49-41-03-220-001-A00 APU - INSPECT (DETAILED INSPECTION) IGNITER PLUG										Service ATA:49
	MOS	14-Jul-22						SYSTEM		
	HRS	5009	1200		6209		604			
	APUS	4337								
PROC. REF: AMM 49-44-03										
49-62-00-710-001-A00 <sup>S</sup> OPERATIONALLY CHECK APU EMERGENCY SHUTDOWN BY USING APU FUEL SHUTOFF SWITCH AND FIRE TEST SWITCH.										Service ATA:49
	MOS	06-Jul-19	72 (+15d/-15d)					LOW UTILIZATION		
	HRS	9057.4	3000 (+20/-20)							
	AFL	4853	1500 (+20/-20)							
PROC. REF: AMM 49-62-00										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 49 - AIRBORNE AUXILIARY POWER</b>										
49-91-00-610-001-A00	APU - SERVICE (REPLENISH) CHECK OIL LEVEL AND SERVICE OIL SYSTEM AS REQUIRED									Service ATA:49
	MOS	29-Jun-23						SYSTEM		
	HRS	5352	400		5752		147			
	APUS	4576								
PROC. REF: AMM 49-96-00										
49-91-00-680-001-A00	APU - SERVICE (DRAIN) AND REPLACE APU OIL SUPPLY									Service ATA:49
	MOS	10-Jan-24	12		10-Jan-25		333 d	SYSTEM		
	HRS	5605	2000		7605		2000			
	APUS	4834								
PROC. REF: AMM 49-96-00										
49-91-01-960-001-A00	APU - DISCARD APU OIL FILTER ELEMENT									Service ATA:49
	MOS	11-Jan-23	24		11-Jan-25		334 d	SYSTEM		
	HRS	5210	2000		7210		1605			
	APUS	4477								
PROC. REF: AMM 49-96-01										
490000-0101	OVERH P APU CONTROL MODULE									Component ATA:49
PN:PN	MOS/MSC	27-Aug-07	O/C		TSN 0					
SN:UNKNOWN	HRS	0			TSN 0					
	AFL	0			TSN 0					
PROC. REF: AMM 26-12-02										
491000-0101	APU - AUXILIARY POWER UNIT COWLING									Component ATA:49
PN:PN	MOS/MSC	27-Aug-07	O/C		TSN 0					
SN:UNKNOWN	HRS	0			TSN 0					
	AFL	0			TSN 0					
PROC. REF: AMM 49-15-00										
491010	APU - ELECTRICAL HARNESS									Component ATA:49
PN:4504230B	MOS/MSC	28-Feb-17	O/C							
SN:1031	HRS	2952.1								
	APUS	2686								
491015	APU - COMBUSTOR ASSEMBLY									Component ATA:49
PN:4504374B	MOS/MSC	30-Nov-06	O/C		TSN 0					
SN:L06-002	HRS	0			TSN 0					
	APUS	0			TSN 0					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of:  
29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 49 - AIRBORNE AUXILIARY POWER</b>										
<b>491020 APU - COMBUSTOR LINER Component ATA:49</b>										
PN:4504383A	MOS/MSC	30-Nov-06	O/C	TSN 0						
SN:H06-005	HRS	0		TSN 0						
	APUS	0		TSN 0						
<b>491025 APU - COMBUSTOR HOUSING Component ATA:49</b>										
PN:4505387B	MOS/MSC	30-Nov-06	O/C	TSN 0						
SN:L06-002	HRS	0		TSN 0						
	APUS	0		TSN 0						
<b>491030 APU - OUTPUT SHAFT Component ATA:49</b>										
PN:4505403	MOS/MSC	30-Nov-06	O/C	TSN 0						
SN:V72-W0186	HRS	0		TSN 0						
	APUS	0		TSN 0						
<b>491040 APU - ( 1 OF 3 ) STAR GEAR Component ATA:49</b>										
PN:4505488	MOS/MSC	30-Nov-06	O/C	TSN 0						
SN:V72-W120	HRS	0		TSN 0						
	APUS	0		TSN 0						
<b>491041 APU - ( 2 OF 3 ) STAR GEAR Component ATA:49</b>										
PN:4505488	MOS/MSC	30-Nov-06	O/C	TSN 0						
SN:V72-W125	HRS	0		TSN 0						
	APUS	0		TSN 0						
<b>491042 APU - (3 OF 3) STAR GEAR Component ATA:49</b>										
PN:4505488	MOS/MSC	30-Nov-06	O/C	TSN 0						
SN:V72-W076	HRS	0		TSN 0						
	APUS	0		TSN 0						
<b>491050 APU - FUEL MANIFOLD ASSEMBLY Component ATA:49</b>										
PN:4951609	MOS/MSC	30-Nov-06	O/C	TSN 0						
SN:03061359-01	HRS	0		TSN 0						
	APUS	0		TSN 0						
<b>491055 APU - SECONDARY FUEL MANIFOLD Component ATA:49</b>										
PN:4951610	MOS/MSC	30-Nov-06	O/C	TSN 0						
SN:03146306-01	HRS	0		TSN 0						
	APUS	0		TSN 0						

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 49 - AIRBORNE AUXILIARY POWER</b>										
<b>491060 APU - MAIN FUEL SOLENOID Component ATA:49</b>										
PN:4952316-2	MOS/MSC	30-Nov-06	O/C	TSN 0						
SN:1671	HRS	0		TSN 0						
	APUS	0		TSN 0						
<b>491101-0101 APU - TURBINE WHEEL ASSEMBLY Component ATA:49</b>										
PN:4504847	MOS/MSC	28-Feb-17	H/T					LIFE LIMIT		
SN:HK713	HRS	2952.1		TSN 13						
	APUS	2686		TSN 5						
<b>491101-0101-A00 APU - DISCARD OF TURBINE WHEEL Service ATA:49</b>										
PN:4504847	MOS	28-Feb-17								
SN:HK713	HRS	2952.1								
	APUS	2686	15000	TAC 5	17681		12847			
<b>491120-0101 APU - IMPELLER ASSEMBLY Component ATA:49</b>										
PN:4504253	MOS/MSC	28-Feb-17	H/T							
SN:SIF3866	HRS	2952.1		TSN 13						
	APUS	2686		TSN 5						
<b>491120-0101-A00 APU - DISCARD OF THE COMPRESSOR IMPELLER Service ATA:49</b>										
PN:4504253	MOS	28-Feb-17						LIFE LIMIT		
SN:SIF3866	HRS	2952.1								
	APUS	2686	50000	TAC 5	52681		47847			
<b>492000-0101<sup>U</sup> APU - AUXILIARY POWER, T62/T40C14,MOD A UNIT Component ATA:49</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 49-14-01										
<b>492010 APU - QUILL SHAFT Component ATA:49</b>										
PN:4504407A	MOS/MSC	30-Nov-06	O/C	TSN 0						
SN:W0387	HRS	0		TSN 0						
	APUS	0		TSN 0						
<b>492015 APU - THRUST BEARING Component ATA:49</b>										
PN:4502042	MOS/MSC	30-Nov-06	O/C	TSN 0						
SN:2489	HRS	0		TSN 0						
	APUS	0		TSN 0						

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of:  
29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 49 - AIRBORNE AUXILIARY POWER</b>											
<b>492020</b>		<b>APU - TURBINE ASSEMBLY</b>								<b>Component</b>	<b>ATA:49</b>
PN:4504115B	MOS/MSC	28-Feb-17	O/C	TSN 123							
SN:1004	HRS	2952.1	TSN 2952.1, TSR 1.3								
	APUS	2686	TSN 2686, TSR 5								
<b>492025</b>		<b>APU - GEARBOX ASSEMBLY</b>								<b>Component</b>	<b>ATA:49</b>
PN:4504235D	MOS/MSC	28-Feb-17	O/C	TSN 123							
SN:D749	HRS	2952.1	TSN 2952.1								
	APUS	2686	TSN 2686								
<b>492026</b>		<b>APU - GEARBOX HOUSING</b>								<b>Component</b>	<b>ATA:49</b>
PN:4504360C	MOS/MSC	30-Nov-06	O/C	TSN 0							
SN:V4551106D749	HRS	0	TSN 0								
	APUS	0	TSN 0								
<b>492035</b>		<b>APU - ROTOR ASSEMBLY</b>								<b>Component</b>	<b>ATA:49</b>
PN:4504257A	MOS/MSC	30-Nov-06	O/C	TSN 0							
SN:V42-C4599	HRS	0	TSN 0								
	APUS	0	TSN 0								
<b>492040</b>		<b>APU - INTERMEDIATE GEAR</b>								<b>Component</b>	<b>ATA:49</b>
PN:4504313	MOS/MSC	30-Nov-06	O/C	TSN 0							
SN:V24-D0773	HRS	0	TSN 0								
	APUS	0	TSN 0								
<b>492045</b>		<b>APU - RING GEAR</b>								<b>Component</b>	<b>ATA:49</b>
PN:4504328	MOS/MSC	30-Nov-06	O/C	TSN 0							
SN:V24-D0953	HRS	0	TSN 0								
	APUS	0	TSN 0								
<b>492050</b>		<b>APU - CONTAINMENT RING</b>								<b>Component</b>	<b>ATA:49</b>
PN:4504652	MOS/MSC	30-Nov-06	O/C	TSN 0							
SN:D911	HRS	0	TSN 0								
	APUS	0	TSN 0								
<b>492055<sup>U</sup></b>		<b>APU - TURBINE WHEEL</b>								<b>Component</b>	<b>ATA:49</b>
PN:PN	MOS/MSC	30-Nov-06	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	APUS	0	TSN 0								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of:  
29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 49 - AIRBORNE AUXILIARY POWER</b>										
<b>492060 APU - TURBINE NOZZLE Component ATA:49</b>										
PN:4505479	MOS/MSC	30-Nov-06	O/C	TSN 0						
SN:0829	HRS	0		TSN 0						
	APUS	0		TSN 0						
<b>492065 APU - DIFFUSER Component ATA:49</b>										
PN:4505480	MOS/MSC	30-Nov-06	O/C	TSN 0						
SN:V06-G0006	HRS	0		TSN 0						
	APUS	0		TSN 0						
<b>492070 APU - ANTI-SURGE VALVE Component ATA:49</b>										
PN:4950899	MOS/MSC	30-Nov-06	O/C	TSN 0						
SN:1939	HRS	0		TSN 0						
	APUS	0		TSN 0						
<b>492075 APU - ROLLER BEARING Component ATA:49</b>										
PN:4951506	MOS/MSC	30-Nov-06	O/C	TSN 0						
SN:3331-1368	HRS	0		TSN 0						
	APUS	0		TSN 0						
<b>492080 APU - CARBON SEAL Component ATA:49</b>										
PN:4951586	MOS/MSC	30-Nov-06	O/C	TSN 0						
SN:11460	HRS	0		TSN 0						
	APUS	0		TSN 0						
<b>492081 APU - SEAL MATING RING Component ATA:49</b>										
PN:4951587	MOS/MSC	30-Nov-06	O/C	TSN 0						
SN:10694	HRS	0		TSN 0						
	APUS	0		TSN 0						
<b>493010 APU - FUEL PUMP Component ATA:49</b>										
PN:4503140D	MOS/MSC	30-Nov-06	O/C	TSN 0						
SN:3325	HRS	0		TSN 0						
	APUS	0		TSN 0						
<b>493015 APU - FUEL CONTROL ASSEMBLY Component ATA:49</b>										
PN:4504616A	MOS/MSC	30-Nov-06	O/C	TSN 0						
SN:11-06-62	HRS	0		TSN 0						
	APUS	0		TSN 0						

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of:  
29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 49 - AIRBORNE AUXILIARY POWER</b>										
<b>493025 APU - FLOW DIVIDER Component ATA:49</b>										
PN:4951486	MOS/MSC	30-Nov-06	O/C	TSN 0						
SN:1087	HRS	0		TSN 0						
	APUS	0		TSN 0						
<b>493030 APU - FUEL CONTROL SERVO VALVE Component ATA:49</b>										
PN:4951568	MOS/MSC	30-Nov-06	O/C	TSN 0						
SN:1240	HRS	0		TSN 0						
	APUS	0		TSN 0						
<b>493035 APU - LOW OIL PRESSURE SWITCH Component ATA:49</b>										
PN:4952366	MOS/MSC	30-Nov-06	O/C	TSN 0						
SN:1107	HRS	0		TSN 0						
	APUS	0		TSN 0						
<b>494010 APU - EXCITER Component ATA:49</b>										
PN:4950745	MOS/MSC	30-Nov-06	O/C	TSN 0						
SN:06087833	HRS	0		TSN 0						
	APUS	0		TSN 0						
<b>495010 APU - AIR HOUSING INLET Component ATA:49</b>										
PN:4504117B	MOS/MSC	30-Nov-06	O/C	TSN 0						
SN:1004	HRS	0		TSN 0						
	APUS	0		TSN 0						
<b>495015 APU - AIR INLET DUCT Component ATA:49</b>										
PN:4504716	MOS/MSC	30-Nov-06	O/C	TSN 0						
SN:MS1282	HRS	0		TSN 0						
	APUS	0		TSN 0						
<b>495020<sup>U</sup> APU - BLEED AIR VALVE Component ATA:49</b>										
PN:4952375	MOS/MSC	30-Nov-06	O/C	TSN 0						
SN:2442	HRS	0		TSN 0						
	APUS	0		TSN 0						
<b>495025 APU - HOT SWITCH Component ATA:49</b>										
PN:4952459-1	MOS/MSC	30-Nov-06	O/C	TSN 0						
SN:479	HRS	2		TSN 0						
	APUS	7		TSN 0						

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of:  
29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 49 - AIRBORNE AUXILIARY POWER</b>										
495201	APU - NO. 1 INJECTOR									Component ATA:49
PN:4952404	MOS/MSC	30-Nov-06	O/C	TSN 0						
SN:W2662	HRS	2		TSN 0						
	APUS	7		TSN 0						
495202	APU - NO. 2 INJECTOR									Component ATA:49
PN:4952404	MOS/MSC	30-Nov-06	O/C	TSN 0						
SN:W2670	HRS	2		TSN 0						
	APUS	7		TSN 0						
495203	APU - NO. 3 INJECTOR									Component ATA:49
PN:4952404	MOS/MSC	30-Nov-06	O/C	TSN 0						
SN:W2641	HRS	2		TSN 0						
	APUS	7		TSN 0						
495204	APU - NO. 4 INJECTOR									Component ATA:49
PN:4952404	MOS/MSC	30-Nov-06	O/C	TSN 0						
SN:W2674	HRS	2		TSN 0						
	APUS	7		TSN 0						
495205	APU - NO. 5 INJECTOR									Component ATA:49
PN:4952404	MOS/MSC	30-Nov-06	O/C	TSN 0						
SN:W2635	HRS	2		TSN 0						
	APUS	7		TSN 0						
495206	APU - NO. 6 INJECTOR									Component ATA:49
PN:4952404	MOS/MSC	30-Nov-06	O/C	TSN 0						
SN:W2665	HRS	2		TSN 0						
	APUS	7		TSN 0						
496000-0101	APU - AUXILIARY POWER, FADEC CONTROL UNIT									Component ATA:49
PN:4504205E	MOS/MSC	16-Nov-09	O/C							
SN:0063	HRS									
	AFL									
PROC. REF: AMM 49-64-03										
496010	APU - GEAR ASSEMBLY									Component ATA:49
PN:4503716A	MOS/MSC	30-Nov-06	O/C	TSN 0						
SN:V4350806-W143	HRS	0		TSN 0						
	APUS	0		TSN 0						

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 49 - AIRBORNE AUXILIARY POWER</b>										
496015	APU - DATA MEMORY MODULE									Component ATA:49
PN:4505576	MOS/MSC	30-Nov-06	O/C	TSN 0						
SN:1494	HRS	0	TSN 0							
	APUS	0	TSN 0							
497010	APU - SPEED SENSOR									Component ATA:49
PN:4504185C	MOS/MSC	30-Nov-06	O/C	TSN 0						
SN:096669	HRS	0	TSN 0							
	APUS	0	TSN 0							
497020	APU - TEMP/PRESS SENSOR									Component ATA:49
PN:4504196A	MOS/MSC	30-Nov-06	O/C	TSN 0						
SN:V00-S091639	HRS	0	TSN 0							
	APUS	0	TSN 0							
499010	APU - OIL PUMP GEAR									Component ATA:49
PN:4504241	MOS/MSC	30-Nov-06	O/C	TSN 0						
SN:V7770406	HRS	0	TSN 0							
	APUS	0	TSN 0							
49APU1	APU									Component ATA:49
PN:4504113A	MOS/MSC	10-Mar-17	E/C	TSN 2952.1, TSR 1.3						
SN:SP-E0614882	HRS	8094.9	TSN 2686, TSR 5							
WC#: 49.APU1	AFL	4346	PROC. REF: AMM 49-14-01							
<b>ATA 52 - DOORS</b>										
52-00-00-211-001-A00 <sup>S</sup>	VISUALLY CHECK LOCKING RED MARKSNOTE: REPAINT IF NECESSARY									Service ATA:52
	MOS	29-Jun-23	48 (+15d/-15d)	LOW UTILIZATION						
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)	PKG:5008,6016						
PROC. REF: AMM 52-00-00										
52-10-00-220-801-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF MAIN DOOR COMPONENTS:- MAIN DOOR STOP & BACK UP STRUCTURES (SSI 52-10-03)- MAIN DOOR FOLDING FLAP STOPS (SSI 52-10-04)NOTE: DURING THIS INSPECTION, THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR SSI 52-10-04									Service ATA:52
	MOS	29-Jun-23	48 (+15d/-15d)	LOW UTILIZATION						
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)	PKG:5008,6016						
PROC. REF: NDT 52-10-00, CPM 51-61-00										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 52 - DOORS										
52-10-00-220-802-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF MAIN DOOR COMPONENTS:- MAIN DOOR FOLDING FLAP STRUCTURE (SSI 52-10-02)- MAIN DOOR-TO-FUSELAGE ATTACHMENT FITTINGS & INTERFACE PARTS (SSI 52-10-05)								Service	ATA:52
MOS	29-Jun-23		96 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		4000 (+20/-20)							
AFL	5401		2000 (+20/-20)							
PROC. REF: NDT 52-10-00										PKG:5016,6032
52-10-00-220-803-L00 <sup>S</sup>	DETAILED INSPECTION (EXTERNAL) OF MAIN DOOR COMPONENTS:- MAIN DOOR-TO-FUSELAGE ATTACHMENT FITTINGS & INTER-FACE PARTS (SSI 52-10-05)- MAIN DOOR FOLDING FLAP STRUCTURE (SSI 52-10-02)								Service	ATA:52
MOS	29-Jun-23		96 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		4000 (+20/-20)							
AFL	5401		2000 (+20/-20)							
PROC. REF: NDT 52-10-00										PKG:5016,6032
52-10-00-220-804-L00 <sup>S</sup>	DETAILED INSPECTION (EXTERNAL) OF MAIN DOOR COMPONENTS:- STOP & BACK UP STRUCTURES (SSI 52-10-03)								Service	ATA:52
MOS	29-Jun-23		96 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		4000 (+20/-20)							
AFL	5401		2000 (+20/-20)							
PROC. REF: NDT 52-10-00										PKG:5016,6016
52-10-00-220-807-L00	DETAILED INSPECTION (EXTERNAL) OF MAIN DOOR COMPONENTS:- STRUCTURE (SSI 52-10-01) (L650 ONLY)								Service	ATA:52
MOS/MSC	25-Sep-07		N/A					STRUCTURAL		
HRS	0									
AFL	0									
PROC. REF: NDT 52-10-00										PKG:6032
52-10-00-220-808-L00	DETAILED INSPECTION (INTERNAL) OF MAIN DOOR COMPONENTS:- STRUCTURE (SSI 52-10-01) (L650 ONLY)								Service	ATA:52
MOS/MSC	25-Sep-07		N/A					STRUCTURAL		
HRS	0									
AFL	0									
PROC. REF: NDT 52-10-00										PKG:6032
52-10-00-220-C01-L00 <sup>S</sup>	DETAILED INSPECTION (EXTERNAL) OF MAIN DOOR COMPONENTS:- STRUCTURE (SSI 52-10-01) (L600 ONLY)								Service	ATA:52
MOS	29-Jun-23		48 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		2000 (+20/-20)							
AFL	5401		1000 (+20/-20)							
PROC. REF: CPM 52-10-00										PKG:5008,6016

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 52 - DOORS											
52-10-00-220-C02-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF MAIN DOOR COMPONENTS:- STRUCTURE (SSI 52-10-01) (L600 ONLY)								Service	ATA:52	
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
					PROC. REF: CPM 52-10-00					PKG:5008,6016	
52-11-00-640-001-A00 <sup>S</sup>	LUBRICATE STANDARD MAIN DOOR ACTUATING AND LOCKING MECHANISM								Service	ATA:52	
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
					PROC. REF: AMM 52-11-00					PKG:5008,6016	
52-11-00-720-005-A00 <sup>S</sup>	FUNCTIONALLY CHECK STANDARD MAIN DOOR ACTUATING, LATCHING AND LOCKING MECHANISM								Service	ATA:52	
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
					PROC. REF: AMM 52-11-00					PKG:5008,6016	
52-12-00-710-001-A00 <sup>S</sup>	OPERATIONALLY CHECK ALTERNATE OPENING SYSTEM								Service	ATA:52	
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
					PROC. REF: AMM 52-12-00					PKG:5008,6016	
52-12-00-720-001-A00 <sup>S</sup>	FUNCTIONALLY CHECK MAIN DOOR HYDRAULIC ACCUMULATOR NITROGEN CHARGE								Service	ATA:52	
	MOS	29-Jun-23	24 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	1000 (+20/-20)								
	AFL	5401									
					PROC. REF: AMM 52-12-00					PKG:5004	
52-14-00-220-001-A00 <sup>S</sup>	INSPECT (DETAILED INSPECTION) MAIN DOOR DRAINING SYSTEM FOR OBSTRUCTION OR DAMAGE								Service	ATA:52	
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
					PROC. REF: AMM 52-14-01					PKG:5008,6016	
52-21-00-220-801-L00 <sup>S</sup>	DETAILED INSPECTION (EXTERNAL) OF PASSENGER CABIN ESCAPE HATCH COMPONENTS:- ESCAPE HATCH STRUCTURE (SSI 52-21-06)- ESCAPE HATCH WINDOW FRAME (SSI 52-21-07)								Service	ATA:52	
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: NDT 52-21-00					PKG:5016,6032	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 52 - DOORS										
52-21-00-220-802-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF PASSENGER CABIN ESCAPE HATCH COMPONENTS:- ESCAPE HATCH STRUCTURE (SSI 52-21-06)- ESCAPE HATCH WINDOW FRAME (SSI 52-21-07)								Service	ATA:52
MOS	29-Jun-23		96 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		4000 (+20/-20)							
AFL	5401		2000 (+20/-20)							
PROC. REF: NDT 52-21-00										PKG:5016,6032
52-21-00-640-001-A00 <sup>S</sup>	LUBRICATE PASSENGER CABIN ESCAPE HATCH SUPPORT PINS								Service	ATA:52
MOS	29-Jun-23		48 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		2000 (+20/-20)							
AFL	5401		1000 (+20/-20)							
PROC. REF: AMM 52-21-00										PKG:5008,6016
52-21-00-710-001-A00 <sup>S</sup>	OPERATIONALLY CHECK PASSENGER CABIN ESCAPE HATCH MECHANISM								Service	ATA:52
MOS	29-Jun-23		48 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		2000 (+20/-20)							
AFL	5401		1000 (+20/-20)							
PROC. REF: AMM 52-21-00										PKG:5008,6016
52-22-00-710-001-A00 <sup>S</sup>	OPERATIONALLY CHECK COCKPIT EMERGENCY EXIT								Service	ATA:52
MOS	29-Jun-23		48 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		2000 (+20/-20)							
AFL	5401		1000 (+20/-20)							
PROC. REF: AMM 56-11-00										PKG:5008,6016
52-22-01-640-001-A00 <sup>S</sup>	LUBRICATE COCKPIT EMERGENCY EXIT LOCKING MECHANISM								Service	ATA:52
MOS	29-Jun-23		48 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		2000 (+20/-20)							
AFL	5401		1000 (+20/-20)							
PROC. REF: AMM 56-11-01										PKG:5008,6016
52-30-00-210-801-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (INTERNAL) OF BAGGAGE DOOR COMPONENTS:- BAGGAGE DOOR STRUCTURE (SSI 52-30-08)								Service	ATA:52
MOS	29-Jun-23		96 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		4000 (+20/-20)							
AFL	5401		2000 (+20/-20)							
PROC. REF: NDT 52-30-00										PKG:5016,6032

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 52 - DOORS										
52-30-00-210-802-L00	GENERAL VISUAL INSPECTION (EXTERNAL) OF BAGGAGE DOOR COMPONENTS:- BAGGAGE DOOR STRUCTURE (SSI 52-30-08) (L650 ONLY)									Service ATA:52
	MOS/MSC	25-Sep-07	N/A					STRUCTURAL		
	HRS	0								
	AFL	0								
PROC. REF: NDT 52-30-00										PKG:6032
52-30-00-210-C01-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (EXTERNAL) OF BAGGAGE DOOR COMPONENTS:- BAGGAGE DOOR STRUCTURE (SSI 52-30-08) (L600 ONLY)									Service ATA:52
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: CPM 52-30-00										PKG:5008,6016
52-30-00-220-801-L00	DETAILED INSPECTION (INTERNAL) OF BAGGAGE DOOR COMPONENTS:- BAGGAGE DOOR STOPS AND FIT- TINGS (SSI 52-30-09)NOTE: APPLICABLE TO AIRCRAFT PRE-MOD. SB145LEG-00-0007 (L600 ONLY)									Service ATA:52
	MOS/MSC	27-Aug-07	N/A					STRUCTURAL		
	HRS	0								
	AFL	0								
PROC. REF: NDT 52-30-00										PKG:6016
52-30-00-220-801-L01 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF BAGGAGE DOOR COMPONENTS:- BAGGAGE DOOR STOPS AND FITTINGS (SSI 52-30-09)NOTE: APPLICABLE TO AIRCRAFT POST-MOD. SB145LEG-00-0007 OR WITH AN EQUIVALENT MODIFICATION FACTORY INCORPORATED									Service ATA:52
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
PROC. REF: NDT 52-30-00										PKG:5016,6016
52-31-00-640-001-A00 <sup>S</sup>	LUBRICATE BAGGAGE DOOR GEAR BOX									Service ATA:52
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: AMM 52-31-00										PKG:5008,6016
52-32-00-220-001-A00 <sup>S</sup>	INSPECT (DETAILED INSPECTION) BAGGAGE DOOR LIFTING AND LOWERING MECHANISM FOR GENERAL CONDITION AND TORSION BAR FOR TORSION									Service ATA:52
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: AMM 52-32-00										PKG:5008,6016

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 52 - DOORS										
52-42-01-220-001-A00 <sup>S</sup>	INSPECT (DETAILED INSPECTION) COCKPIT UNDERFLOOR ACCESS HATCH MECHANISM									Service ATA:52
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: AMM 52-42-01					PKG:5008,6016
52-44-00-220-801-L00 <sup>S</sup>	DETAILED INSPECTION (EXTERNAL) OF REAR ELECTRONIC COMPARTMENT DOOR COMPONENTS:- REAR ELECTRONIC COMPARTMENT DOOR STRUCTURE (SSI 52-44-01)									Service ATA:52
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: NDT 52-44-00					PKG:5008,6016
52-44-00-220-802-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF REAR ELECTRONIC COMPARTMENT DOOR COMPONENTS:- REAR ELECTRONIC COMPARTMENT DOOR STRUCTURE (SSI 52-44-01)									Service ATA:52
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: NDT 52-44-00					PKG:5008,6016
52-44-01-220-001-A00 <sup>S</sup>	INSPECT (DETAILED INSPECTION) REAR ELECTRONIC COMPARTMENT DOOR MECHANISM									Service ATA:52
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: AMM 52-44-01					PKG:5008,6016
52-71-00-710-001-A00 <sup>S</sup>	OPERATIONALLY CHECK FORWARD ELECTRONIC COMPARTMENT DOOR WARNING MESSAGE									Service ATA:52
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: AMM 52-71-00					PKG:5008,6016
52-72-00-710-001-A00 <sup>S</sup>	OPERATIONALLY CHECK RIGGING DOOR WARNING MESSAGE									Service ATA:52
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: AMM 52-72-00					PKG:5008,6016

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 52 - DOORS										
52-73-00-710-001-A00 <sup>S</sup>	OPERATIONALLY CHECK MAIN DOOR WARNING MESSAGE									Service ATA:52
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: AMM 52-73-00					PKG:5008,6016
52-73-01-720-001-A00 <sup>S</sup>	FUNCTIONALLY CHECK MAIN DOOR WARNING MICROSWITCHES									Service ATA:52
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: AMM 52-73-01					PKG:5008,6016
52-75-00-710-001-A00 <sup>S</sup>	OPERATIONALLY CHECK EMERGENCY EXIT WARNING MESSAGE									Service ATA:52
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: AMM 52-75-00					PKG:5008,6016
52-76-00-710-001-A00 <sup>S</sup>	OPERATIONALLY CHECK BAGGAGE DOOR WARNING MESSAGE									Service ATA:52
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: AMM 52-76-00					PKG:5008,6016
52-77-00-710-001-A00 <sup>S</sup>	OPERATIONALLY CHECK REAR ELECTRONIC COMPARTMENT DOOR WARNING MESSAGE									Service ATA:52
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: AMM 52-77-00					PKG:5008,6016
52-Z811-213-001-A00 <sup>S</sup>	GENERAL VISUAL INSPECTION(EXTERNAL) (ZONE 811)									Service ATA:52
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: AMM 05-30-03					PKG:5008,6016
52-Z811-214-001-A00 <sup>S</sup>	GENERAL VISUAL INSPECTION(INTERNAL) (ZONE 811)									Service ATA:52
	MOS	29-Jun-23	24 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	1000 (+20/-20)							
	AFL	5401								
					PROC. REF: AMM 05-30-04					PKG:5004

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 52 - DOORS										
52-Z812-213-001-A00 <sup>S</sup> GENERAL VISUAL INSPECTION(EXTERNAL) (ZONE 812 AND 822) Service ATA:52										
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
PROC. REF: AMM 05-30-05										PKG:5016,6032
52-Z812-214-001-A00 <sup>S</sup> GENERAL VISUAL INSPECTION(INTERNAL) (ZONE 812 AND 822) Service ATA:52										
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
PROC. REF: AMM 05-30-06										PKG:5016,6032
52-Z813-213-001-A00 <sup>S</sup> GENERAL VISUAL INSPECTION(EXTERNAL) (ZONE 813) Service ATA:52										
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: AMM 05-30-07										PKG:5008,6016
52-Z813-214-001-A00 <sup>S</sup> GENERAL VISUAL INSPECTION(INTERNAL) (ZONE 813) Service ATA:52										
	MOS	29-Jun-23	24 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	1000 (+20/-20)							
	AFL	5401								
PROC. REF: AMM 05-30-08										PKG:5004
521000-0101 PAX CABIN DOOR Component ATA:52										
PN:135-12294-423	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:0000137963	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 52-10-01										
521001-0101 FORWARD PANEL, DOOR RELEASE CONTROL MODULE Component ATA:52										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 52-10-01										
521100-0101 PAX DOOR DAMPER Component ATA:52										
PN:2119-0001-001	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:00610	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 52 - DOORS										
521100-0201	BOX LOCK ASSEMBLY									Component ATA:52
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 52-11-06										
521100-0202	BOX LOCK ASSEMBLY									Component ATA:52
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 52-11-06										
521200-0101	MID ACCUMULATOR -HYDRAULIC SYS, ELECTRONIC COMPT ASSEMBLY									Component ATA:52
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										
521200-0201	MID PRESSURE RELIEF VALVE ASSEMBLY									Component ATA:52
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 52-12-07										
521200-0301	MAIN DOOR HYDRAULIC PRESSURE SWITCH									Component ATA:52
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										
521200-0401	LEFT CHECK-TYPE RETAINER, HYDRAULIC SYSTEM VALVE									Component ATA:52
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										
521200-0501	MAIN DOOR - LIFTING AND LOWERING SYSTEM, ACCUMULATOR ISOLATION VALVE									Component ATA:52
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 52 - DOORS										
521200-0701	LEFT HYDRAULIC ASSY-DRIVING,PAX DOOR ACTUATOR									Component ATA:52
PN:2106-0500-001	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:01048	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										
521200-0702	RIGHT HYDRAULIC ASSY-DRIVING,PAX DOOR ACTUATOR									Component ATA:52
PN:2106-0500-001	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:01049	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										
522100-0101	RIGHT EMERGENCY DOOR ASSEMBLY									Component ATA:52
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										
523000-0101	LH REAR CARGO COMPT, DOOR ASSEMBLY									Component ATA:52
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 52-30-01										
524100-0101	BATTERY COMPARTMENT,FWD FUSELAGE, DOOR ASSEMBLY									Component ATA:52
PN:145-37880-401	MOS/MSC	12-Aug-15	O/C	TSR 0						
SN:8975100440	HRS	7460.3		TSR 0						
	AFL	3992		TSR 0						
PROC. REF: AMM 52-41-00										
524100-0102	HYDRAULIC COMPARTMENT,FWD FUSELAGE, DOOR ASSEMBLY									Component ATA:52
PN:145-47650-401	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:0000126092	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 52-41-00										
524200-0101	FORWARD ACCESS ASSY-FWD CONTROL FUSELAGE DOOR									Component ATA:52
PN:145-29986-405	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:0000126044	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 52-46-00										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 52 - DOORS										
524400-0101	RH REAR STATION 00 ACCESS DOOR									Component ATA:52
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 52-44-01										
524400-0102	REAR EQUIPMENT BAY DOOR ASSY DOOR									Component ATA:52
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										
524400-0201	BAGGAGE COMPARTMENT DOOR ASSY									Component ATA:52
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 52-30-01										
528100-0101	LH DOOR -MLG UPPER ASSEMBLY									Component ATA:52
PN:135-03284-404	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:0000127264	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										
528100-0102	RH DOOR -MLG UPPER ASSEMBLY									Component ATA:52
PN:135-03284-403	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:0000129935	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										
528100-0103	LH DOOR -MLG LOWER ASSEMBLY									Component ATA:52
PN:135-03285-401	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:0000127189	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										
528100-0104	RIGHT LW DOOR -MAIN LANDING GEAR,LOWER ASSEMBLY									Component ATA:52
PN:135-03285-402	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:0000127875	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of:  
29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 52 - DOORS										
528100-0201	LH DOOR ASSY									Component ATA:52
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	AFL	0	TSN 0							
PROC. REF: AMM 32-10-06										
528100-0202	RH DOOR ASSY									Component ATA:52
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	AFL	0	TSN 0							
PROC. REF: AMM 32-10-06										
528100-0301	LH LDG DOOR ASSY									Component ATA:52
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	AFL	0	TSN 0							
PROC. REF: AMM 32-10-06										
528100-0302	RH LDG DOOR ASSY									Component ATA:52
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	AFL	0	TSN 0							
PROC. REF: AMM 32-10-06										
ATA 53 - FUSELAGE										
53-00-01-220-001-A00 <sup>S</sup>	INSPECT (DETAILED INSPECTION) FUSELAGE DRAINS FOR OBSTRUCTION OR DAMAGE									Service ATA:53
	MOS	29-Jun-23	48 (+15d/-15d)	LOW UTILIZATION						
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: AMM 53-00-01										
53-00-CUS-001 <sup>U</sup>	VISUAL INSPECTION XM SATELLITE RADIO INSTALLATION FOR CORROSION, WEAR AND TEAR, ATTACHMENT CONDITION, LOOSE ITEMS, AND THAT THE CONNECTING CABLES AND/OR ASSOCIATED WIRING IS NOT FRAYED, CUT OR PINCHED FOR THAT PARTICULAR COMPONENT AND IMMEDIATE SURROUNDING AREA.									Service ATA:53
	MOS	29-Jun-23	48	29-Jun-27	1233 d					
	HRS	10161.5								
	AFL	5401								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 53 - FUSELAGE										
53-00-CUS-002 <sup>U</sup>	SPECIAL INSPECTION XM RADIO ANTENNA INSTALLATIONS FOR THE FATIGUE LIFE EVALUATION AND EACHCRACK GROWTH MODEL OF THE DAMAGE TOLERANCE EVALUATION (DTE).								Service	ATA:53
	MOS	15-Aug-13								
	HRS	6643.4								
	AFL	3572	T:10000		13572		8038			
53-00-CUS-003 <sup>U</sup>	LIFE LIMIT XM RADIO ANTENNA INSTALLATIONS								Service	ATA:53
	MOS	15-Aug-13								
	HRS	6643.4								
	AFL	3572	T:20000		23572		18038			
53-00-CUS-004 <sup>U</sup>	INSPECTION FEED THRU INSTALLATION								Service	ATA:53
	MOS	19-Feb-20								
	HRS	9310.8	T:8000		17310.8		6908.7			
	AFL	4969	T:4000		8969		3435			
53-00-CUS-005 <sup>U S</sup>	VISUAL INSPECTION OF THE MK II+ CMU, TR-866B VDR, AND DL150 LRUS								Service	ATA:53
	MOS	29-Jun-23	48							
	HRS	10161.5	2000							
	AFL	5401	1000							
										PKG:5008
53-00-CUS-006 <sup>U S</sup>	VISUAL INSPECTION OF WIRING INSTALLATION OF THE MK II+ CMU, TR-866B VDR, AND DL150 LRUS								Service	ATA:53
	MOS	29-Jun-23	48							
	HRS	10161.5	2000							
	AFL	5401	1000							
										PKG:5008
53-11-00-210-C01-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- BULKHEAD 1 STRUCTURE (SSI 53-10-23)- BATTERY COMPARTMENT CUT- OUT STRUCTURE(SS I 53-10-44)- HYDRAULIC COMPARTMENT CUTOUT STRUCTURE (SSI 53-10-45)- LONGERONS (SSI 53-10-46)								Service	ATA:53
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
					PROC. REF: CPM 53-11-00					PKG:5016,6032
53-11-00-210-C02-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (EXTERNAL) OF FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT STRINGERS, FRAMES/BULKHEADS, AND SPLICES (SSI 53-10-07)- FUSELAGE SKIN PANEL AT PRESSURE BULKHEAD(SS I 53-10-15)								Service	ATA:53
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: CPM 53-11-00					PKG:5009

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 53 - FUSELAGE</b>											
53-11-00-220-801-L00 <sup>S</sup>			DETAILED INSPECTION (INTERNAL)OF FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT STRINGERS, FRAMES/ BULKHEADS, AND SPLICES (SSI 53-10-07)						Service	ATA:53	
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: NDT 53-11-00					PKG:5016,6032	
53-11-00-220-C01-L00 <sup>S</sup>			DETAILED INSPECTION (INTERNAL)OF FUSELAGE COMPONENTS:- NOSE LANDING GEAR FITTING, INCLUDING BEARING CAP AND TRUNNION FITTING (SSI 53-10-25)						Service	ATA:53	
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
					PROC. REF: CPM 53-11-00					PKG:5008,6016	
53-11-00-220-C02-L00 <sup>S</sup>			DETAILED INSPECTION (INTERNAL)OF FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT STRINGERS, FRAMES/BULKHEADS, AND SPLICES (SSI 53-10-07)						Service	ATA:53	
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: CPM 53-11-00					PKG:5016,6032	
53-11-00-220-C03-L00 <sup>S</sup>			DETAILED INSPECTION (INTERNAL)OF FUSELAGE COMPONENTS:- FUSELAGE SKIN CIRCUMFERENTIAL SPLICE(SS I 53-10-14)- FUSELAGE SKIN PANEL AT PRESSURE BULKHEAD(SS I 53-10-15)- FRAMES (SSI 53-10-43)						Service	ATA:53	
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: CPM 53-11-00					PKG:5016,6032	
53-11-00-220-C04-L00 <sup>S</sup>			DETAILED INSPECTION (INTERNAL)OF FUSELAGE COMPONENTS:- FUSELAGE SKIN LONGITUDINAL SPLICE (SSI 53-10-08)						Service	ATA:53	
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: CPM 53-11-00					PKG:5016,6032	
53-11-00-220-C05-L00 <sup>S</sup>			DETAILED INSPECTION (EXTERNAL) OF FUSELAGE COMPONENTS:- NOSE LANDING GEAR BAY STRUCTURE (SSI 53-10-24)						Service	ATA:53	
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
					PROC. REF: CPM 53-11-00					PKG:5009	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 53 - FUSELAGE</b>										
53-11-00-220-C06-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- NOSE LANDING GEAR BAY STRUCTURE (SSI 53-10-24)								Service	ATA:53
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: CPM 53-11-00					PKG:5009
53-11-00-250-801-L00 <sup>S</sup>	SPECIAL DETAILED INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS BY USING EDDY CURRENT INSPECTION METHOD:- NOSE LANDING GEAR FITTING,INCLUDING BEARING CAP AND TRUNNION FITTING (SSI 53-10-25)								Service	ATA:53
	MOS	27-Aug-07	288 (+15d/-15d)					LOW UTILIZATION		
	HRS	0	12000 (+20/-20)							
	AFL	0	6000 (+20/-20)							
					PROC. REF: NDT 53-11-00					PKG:5140
53-11-01-220-001-A00 <sup>S</sup>	INSPECT (DETAILED INSPECTION) THE PRESENCE OF WATER ON THE RADOME								Service	ATA:53
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: AMM 53-11-01					PKG:5008,6016
53-11-05-212-001-A00 <sup>S</sup>	INSPECT (VISUAL INSPECTION) THE RADOME POLYURETHANE FILM								Service	ATA:53
	MOS	29-Jun-23	24 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	1000 (+20/-20)							
	AFL	5401								
					PROC. REF: AMM 53-11-05					PKG:5004
53-12-00-210-801-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (INTERNAL) OF FUSELAGE COM- PONENTS:- WINDSHIELD PANEL (SSI 53-10-21)								Service	ATA:53
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
					PROC. REF: NDT 53-12-00					PKG:5016,6032
53-12-00-210-802-L00	GENERAL VISUAL INSPECTION(EXTERNAL) OF FUSELAGE COMPONENTS:- WINDSHIELD PANEL (SSI 53-10-21) (L650 ONLY)								Service	ATA:53
	MOS/MS	25-Sep-07	N/A					STRUCTURAL		
	HRS	0								
	AFL	0								
					PROC. REF: NDT 53-12-00					PKG:6016

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 53 - FUSELAGE</b>										
53-12-00-210-C01-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (EXTERNAL) OF FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT STRINGERS, FRAMES/BULK-HEADS, AND SPLICES (SSI 53-10-07)								Service	ATA:53
MOS	29-Jun-23		48 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		2000 (+20/-20)							
AFL	5401		1000 (+20/-20)							
PROC. REF: CPM 53-12-00										PKG:5009
53-12-00-210-C02-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (EXTERNAL) OF FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT PRESSURE BULKHEAD(SSI 53-10-15)								Service	ATA:53
MOS	29-Jun-23		48 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		2000 (+20/-20)							
AFL	5401		1000 (+20/-20)							
PROC. REF: CPM 53-12-00										PKG:5009
53-12-00-210-C04-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (EXTERNAL) OF FUSELAGE COMPONENTS:- WINDSHIELD PANEL (SSI 53-10-21) (L600 ONLY)								Service	ATA:53
MOS	29-Jun-23		48 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		2000 (+20/-20)							
AFL	5401		1000 (+20/-20)							
PROC. REF: CPM 53-12-00										PKG:5008,6016
53-12-00-210-C05-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (EXTERNAL) OF FUSELAGE COMPONENTS:- MAINTENANCE DOOR CUTOUT STRUCTURE (SSI 53-10-49)								Service	ATA:53
MOS	29-Jun-23		48 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		2000 (+20/-20)							
AFL	5401		1000 (+20/-20)							
PROC. REF: CPM 53-12-00										PKG:5009
53-12-00-220-801-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- WINDSHIELD CUTOUT STRUCTURE (SSI 53-10-17)- COCKPIT WINDOW CUTOUT STRUCTURE (SSI 53-10-18)								Service	ATA:53
MOS	29-Jun-23		96 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		4000 (+20/-20)							
AFL	5401		2000 (+20/-20)							
PROC. REF: NDT 53-12-00										PKG:5016,6032
53-12-00-220-802-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- WINDSHIELD CENTER POST AND ITS ATTACHMENT (SSI 53-10-19)								Service	ATA:53
MOS	12-Jul-15		192 (+15d/-15d)					LOW UTILIZATION		
HRS	7460.3		8000 (+20/-20)							
AFL	3992		4000 (+20/-20)							
PROC. REF: NDT 53-12-00										PKG:5032,6032

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 53 - FUSELAGE</b>										
53-12-00-220-803-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- WINDSHIELD LATERAL POST AND ITS ATTACHMENT (SSI 53-10-20)- COCKPIT WINDOW REAR POST AND ITS ATTACHMENT (SSI 53-10-22)								Service	ATA:53
MOS	12-Jul-15		192 (+15d/-15d)					LOW UTILIZATION		
HRS	7460.3		8000 (+20/-20)							
AFL	3992		4000 (+20/-20)							
PROC. REF: NDT 53-12-00										PKG:5032,6032
53-12-00-220-804-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- FORWARD PRESSURE BULKHEAD (SSI 53-10-26)								Service	ATA:53
MOS	29-Jun-23		96 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		4000 (+20/-20)							
AFL	5401		2000 (+20/-20)							
PROC. REF: NDT 53-12-00										PKG:5016,6032
53-12-00-220-805-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT STRINGERS, FRAMES/ BULKHEADS, AND SPLICES (SSI 53-10-07)- FUSELAGE SKIN LONGITUDINAL SPLICE (SSI 53-10-08)- FUSELAGE SKIN PANEL AT PRESSURE BULKHEAD (SSI 53-10-15)								Service	ATA:53
MOS	29-Jun-23		96 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		4000 (+20/-20)							
AFL	5401		2000 (+20/-20)							
PROC. REF: NDT 53-12-00										PKG:5016,6032
53-12-00-220-806-L00 <sup>S</sup>	DETAILED INSPECTION (EXTERNAL) OF FUSELAGE COMPONENTS:- COCKPIT WINDOW CUTOUT STRUCTURE (SSI 53-10-18)								Service	ATA:53
MOS	29-Jun-23		96 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		4000 (+20/-20)							
AFL	5401		2000 (+20/-20)							
PROC. REF: NDT 53-12-00										PKG:5016,6016
53-12-00-220-807-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT STRINGERS, FRAMES/ BULKHEADS, AND SPLICES (SSI 53-10-07)- FUSELAGE SKIN LONGITUDINAL SPLICE (SSI 53-10-08)								Service	ATA:53
MOS	29-Jun-23		96 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		4000 (+20/-20)							
AFL	5401		2000 (+20/-20)							
PROC. REF: NDT 53-12-00										PKG:5016,6032
53-12-00-220-808-L00 <sup>S</sup>	DETAILED INSPECTION (EXTERNAL) OF FUSELAGE COMPONENTS:- COCKPIT WINDOW REAR POST AND ITS ATTACHMENT (SSI 53-10-22)								Service	ATA:53
MOS	29-Jun-23		96 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		4000 (+20/-20)							
AFL	5401		2000 (+20/-20)							
PROC. REF: NDT 53-12-00										PKG:5016,6016

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 53 - FUSELAGE</b>											
53-12-00-220-809-L00 <sup>S</sup>			DETAILED INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- COCKPIT FLOOR BEAMS AND COL- UMNS (SSI 53-10-27)NOTE: APPLICABLE TO AIRCRAFT POST-MOD. S.B.145LEG-00-0007 OR WITH AN EQUIVALENT MODIFICATION FACTORY INCORPORATED						Service	ATA:53	
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: NDT 53-12-00					PKG:5016,6032	
53-12-00-220-C01-L00 <sup>S</sup>			DETAILED INSPECTION (INTERNAL)OF FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT STRINGERS, FRAMES/BULKHEADS, AND SPLICES (SSI 53-10-07)						Service	ATA:53	
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: CPM 53-12-00					PKG:5016,6032	
53-12-00-220-C02-L00 <sup>S</sup>			DETAILED INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- FUSELAGE SKIN CIRCUMFERENTIAL SPLICE(SS I 53-10-14)- FRAMES (SSI 53-10-43)						Service	ATA:53	
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: CPM 53-12-00					PKG:5016,6032	
53-12-00-220-C03-L00 <sup>S</sup>			DETAILED INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- COCKPIT FLOOR BEAMS AND COLUMNS (SSI 53-10-27)- MAINTENANCE DOOR CUTOUT STRUCTURE (SSI 53-10-49)						Service	ATA:53	
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: CPM 53-12-00					PKG:5016,6032	
53-12-00-220-C04-L00 <sup>S</sup>			DETAILED INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT PRESSURE BULKHEAD(SS I 53-10-15)						Service	ATA:53	
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: CPM 53-12-00					PKG:5016,6032	
53-12-00-250-804-L00			SPECIAL DETAILED INSPECTION (INTERNAL) OF FUSELAGE COM- PONENTS BY USING EDDY CUR- RENT INSPECTION METHOD:- WINDSHIELD CENTER POST, INCLUDING ITS ATTACHMENTS AND LOWER FITTING (SSI 53-10-19)NOTE: APPLICABLE TO AIRCRAFT PRE -MOD. S.B.145LEG-00-0007 AND PRE-MOD. S.B.145LEG-53-0021 (L600 ONLY)						Service	ATA:53	
	MOS/MSC	27-Aug-07	N/A					STRUCTURAL			
	HRS	0									
	AFL	0									
					PROC. REF: NDT 53-12-00						

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 53 - FUSELAGE											
53-12-00-250-804-L01			SPECIAL DETAILED INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS BY USING EDDY CURRENT INSPECTION METHOD:- WINDSHIELD CENTER POST, INCLUDING ITS ATTACHMENTS AND LOWER FITTING (SSI 53-10-19)NOTE: APPLICABLE TO AIRCRAFT PRE-MOD. S.B.145LEG-00-0007 AND POST-MOD. S.B. 145LEG-53-0021 OR WITH AN EQUIVALENT MODIFICATION FACTORY INCORPORATED (L600 ONLY)							Service	ATA:53
	MOS/MSC	27-Aug-07	N/A								
	HRS	0									
	AFL	0									
PROC. REF: NDT 53-12-00											
53-12-00-250-804-L02			SPECIAL DETAILED INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS BY USING EDDY CURRENT INSPECTION METHOD:- WINDSHIELD CENTER POST, INCLUDING ITS ATTACHMENTS AND LOWER FITTING (SSI 53-10-19)NOTE: APPLICABLE TO AIRCRAFT POST-MOD. S.B.145LEG-00-0007 OR WITH AN EQUIVALENT MODIFICATION FACTORY-INCORPORATED AND PRE-MOD. S.B. 145LEG-53-0021 (L600 ONLY)							Service	ATA:53
	MOS/MSC	27-Aug-07	N/A								
	HRS	0									
	AFL	0									
PROC. REF: NDT 53-12-00										PKG:6008	
53-12-00-250-804-L03 <sup>S</sup>			SPECIAL DETAILED INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS BY USING EDDY CURRENT INSPECTION METHOD:- WINDSHIELD CENTER POST, INCLUDING ITS ATTACHMENTS AND LOWER FITTING (SSI 53-10-19)NOTE: APPLICABLE TO AIRCRAFT POST-MOD. S.B.145LEG-00-0007 AND POST-MOD. S.B. 145LEG-53-0021 OR WITH AN EQUIVALENT MODIFICATION FACTORY-INCORPORATED							Service	ATA:53
	MOS	17-Jul-15	192 (+15d/-15d)	LOW UTILIZATION							
	HRS	7460.3	8000 (+20/-20)								
	AFL	3992	4000 (+20/-20)								
PROC. REF: NDT 53-12-00										PKG:5032,6032	
53-12-00-250-805-L00			SPECIAL DETAILED INSPECTION (EXTERNAL) OF FUSELAGE COMPONENT BY USING EDDY CURRENT INSPECTION METHOD:- WINDSHIELD LATERAL POST AND ITS ATTACHMENT (SSI 53-10-20).NOTE: APPLICABLE TO AIRCRAFT PRE-MOD. S.B.145LEG-00-0007 AND PRE-MOD. S.B. 145LEG-53-0030. (L600 ONLY)							Service	ATA:53
	MOS/MSC	29-Jun-15	N/A								
	HRS	7460.3									
	AFL	3992									
PROC. REF: NDT 53-12-00											
53-12-00-250-806-L00			SPECIAL DETAILED INSPECTION (EXTERNAL) OF FUSELAGE COMPONENT BY USING EDDY CURRENT INSPECTION METHOD:- WINDSHIELD LATERAL POST AND ITS ATTACHMENT (SSI 53-10-20).NOTE: APPLICABLE TO AIRCRAFT POST-MOD. S.B.145LEG-00-0007 OR WITH AN EQUIVALENT MODIFICATION FACTORY-INCORPORATED AND PRE-MOD. S.B.145LEG-53-0030.							Service	ATA:53
	MOS/MSC	27-Aug-07	N/A								
	HRS	0									
	AFL	0									
PROC. REF: NDT 53-12-00											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 53 - FUSELAGE</b>										
53-12-00-250-807-L00			SPECIAL DETAILED INSPECTION (INTERNAL) OF FUSELAGE COM- PONENT BY USING EDDY CURRENT INSPECTION METHOD:- WINDSHIELD LATERAL POST AND ITS ATTACHMENT (SSI 53-10-20).NOTE: APPLICABLE TO AIRCRAFT PRE-MOD. S.B.145LEG-00-0007 AND PRE-MOD. S.B.145LEG-53-0030. (L600 ONLY)						Service	ATA:53
	MOS/MSC	27-Aug-07	N/A							
	HRS	0								
	AFL	0								
PROC. REF: NDT 53-12-00										
53-12-00-250-808-L00			SPECIAL DETAILED INSPECTION (INTERNAL) OF FUSELAGE COMPONENT BY USING EDDY CURRENT INSPECTION METHOD:- WINDSHIELD LATERAL POST AND ITS ATTACHMENT (SSI 53-10-20).NOTE: APPLICABLE TO AIRCRAFT POST-MOD. S.B.145LEG-00-0007 OR WITH AN EQUIVALENT MODIFICATION FACTORY-INCORPORATED AND PRE-MOD. S.B.145LEG-53-0030.						Service	ATA:53
	MOS/MSC	27-Aug-07	N/A							
	HRS	0								
	AFL	0								
PROC. REF: NDT 53-12-00										
53-12-00-250-809-L00			SPECIAL DETAILED INSPECTION (EXTERNAL) OF FUSELAGE COMPONENT BY USING EDDY CURRENT INSPECTION METHOD:- WINDSHIELD LATERAL POST AND ITS ATTACHMENT (SSI 53-10-20).NOTE: APPLICABLE TO AIRCRAFT PRE-MOD. S.B.145LEG-00-0007 AND POST-MOD. S.B.145LEG-53-0030 OR WITH AN EQUIVALENT MODIFICATION FACTORY-INCORPORATED. (L600 ONLY)						Service	ATA:53
	MOS/MSC	27-Aug-07	N/A							
	HRS	0								
	AFL	0								
PROC. REF: NDT 53-12-00										
53-12-00-250-810-L00 <sup>S</sup>			SPECIAL DETAILED INSPECTION (EXTERNAL) OF FUSELAGE COMPONENT BY USING EDDY CURRENT INSPECTION METHOD:- WINDSHIELD LATERAL POST AND ITS ATTACHMENT (SSI 53-10-20).NOTE: APPLICABLE TO AIRCRAFT POST-MOD. S.B.145LEG-00-0007 OR WITH AN EQUIVALENT MODIFICATION FACTORY-INCORPO- RATED AND POST- MOD. S.B.145LEG-53-0030 OR WITH AN EQUIVALENT MODIFICATION FACTORY INCORPORATED.						Service	ATA:53
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
PROC. REF: NDT 53-12-00										
53-21-00-210-C01-L00 <sup>S</sup>			GENERAL VISUAL INSPECTION (EXTERNAL) OF FUSELAGE COMPONENTS:- MAIN DOOR ATTACHMENTS FITTINGS AND INTERFACE PARTS(SSI 53-20-04)						Service	ATA:53
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: CPM 53-21-00										

PKG:5017

PKG:5008,6016

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 53 - FUSELAGE</b>										
53-21-00-210-C02-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- MAIN DOOR ATTACHMENTS FIT- TINGS AND INTERFACE PARTS (SSI 53-20-04)								Service	ATA:53
MOS	29-Jun-23		96 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		4000 (+20/-20)							
AFL	5401		2000 (+20/-20)							
PROC. REF: CPM 53-21-00										PKG:5016,6032
53-21-00-220-801-L00 <sup>S</sup>	DETAILED INSPECTION (EXTERNAL) OF FUSELAGE COMPONENTS:- PASSENGER DOOR CUTOUT REIN- FORCING STRUCTURES (SSI 53-20-09)								Service	ATA:53
MOS	29-Jun-23		96 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		4000 (+20/-20)							
AFL	5401		2000 (+20/-20)							
PROC. REF: NDT 53-21-00										PKG:5016,6016
53-21-00-220-802-L00 <sup>S</sup>	DETAILED INSPECTION (EXTERNAL) OF FUSELAGE COMPONENTS:- STOPS AND BACKUP STRUC- TURES FOR MAIN DOOR (SSI 53-20-01)								Service	ATA:53
MOS	29-Jun-23		48 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		2000 (+20/-20)							
AFL	5401		1000 (+20/-20)							
PROC. REF: NDT 53-21-00										PKG:5008,6016
53-21-00-220-803-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- STOPS AND BACKUP STRUC- TURES FOR MAIN DOOR (SSI 53-20-01)NOTE: DURING THIS INSPECTION, THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR THIS SSI								Service	ATA:53
MOS	29-Jun-23		48 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		2000 (+20/-20)							
AFL	5401		1000 (+20/-20)							
PROC. REF: NDT 53-21-00										PKG:5008,6016
53-21-00-220-804-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT STRINGERS, FRAMES/ BULKHEADS, AND SPLICES (SSI 53-20-07)								Service	ATA:53
MOS	29-Jun-23		96 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		4000 (+20/-20)							
AFL	5401		2000 (+20/-20)							
PROC. REF: NDT 53-21-00										PKG:5016,6032
53-21-00-220-805-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- FRAME 15 & 18 LHS SPLICES AT STRINGERS 3L & 16L (SSI 53-20-12) NOTE: DURING THIS INSPECTION, THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR THIS SSI								Service	ATA:53
MOS	29-Jun-23		96 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		4000 (+20/-20)							
AFL	5401		2000 (+20/-20)							
PROC. REF: NDT 53-21-00										PKG:5016,6032

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 53 - FUSELAGE											
53-21-00-220-806-L00			DETAILED INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- PASSENGER CABIN WINDOW FRAME (SSI 53-20-06)NOTE: DURING THIS INSPECTION, THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR THIS SSINOTE: IF INSTALLED IN THE ZONE. (L600 ONLY)						Service	ATA:53	
	MOS/MSC	27-Aug-07	N/A					STRUCTURAL			
	HRS	0									
	AFL	0									
					PROC. REF: NDT 53-21-00					PKG:6032	
53-21-00-220-807-L00 <sup>S</sup>			DETAILED INSPECTION (EXTERNAL) OF FUSELAGE COMPONENTS:- FRAME 15 & 18 LHS SPLICES AT STRINGERS 3L & 16L (SSI 53-20-12)						Service	ATA:53	
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: NDT 53-21-00					PKG:5016,6016	
53-21-00-220-808-L00 <sup>S</sup>			DETAILED INSPECTION (EXTERNAL) OF FUSELAGE COMPONENTS:- PASSENGER CABIN WINDOW FRAME (SSI 53-20-06) NOTE: IF INSTALLED IN THE ZONE. (L600 ONLY)						Service	ATA:53	
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: NDT 53-21-00					PKG:5016,6016	
53-21-00-220-810-L00 <sup>S</sup>			DETAILED INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- PASSENGER DOOR CUTOUT REINFORCING STRUCTURES (SSI 53-20-09)NOTE: DURING THIS INSPECTION, THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR THIS SSI						Service	ATA:53	
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: NDT 53-21-00					PKG:5016,6032	
53-21-00-220-811-L00 <sup>S</sup>			DETAILED INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- FUSELAGE SKIN LONGITUDINAL SPLICES AT MAIN DOOR CUTOUT (SSI 53-20-41)NOTE: DURING THIS INSPECTION, THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR THIS SSI						Service	ATA:53	
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: NDT 53-21-00					PKG:5016,6032	
53-21-00-220-812-L00 <sup>S</sup>			DETAILED INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT STRINGERS, FRAMES/ BULKHEADS, AND SPLICES (SSI 53-20-07)NOTE: DURING THIS INSPECTION, THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR THIS SSI						Service	ATA:53	
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
					PROC. REF: NDT 53-21-00					PKG:5008,6016	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 53 - FUSELAGE										
53-21-00-220-813-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- MACHINED SHEAR CLIP AT FRAMES 23, 33 AND 35 (SSI 53-20-79)								Service	ATA:53
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
	PROC. REF: NDT 53-21-00									PKG:5016,6032
53-21-00-220-814-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- FUSELAGE SKIN LONGITUDINAL SPLICE (SSI 53-20-08)NOTE: DURING THIS INSPEC-TION, THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR (SSI 53-20-08) (L600 ONLY)								Service	ATA:53
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
	PROC. REF: NDT 53-21-00									PKG:5009
53-21-00-220-816-L00 <sup>S</sup>	DETAILED INSPECTION (EXTERNAL) OF FUSELAGE COMPONENTS:- FORWARD AUXILIARY FUEL TANK FITTING, DOUBLER AND PIN AT FRAMES 23, 33 AND 35 (SSI53-20-82)								Service	ATA:53
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
	PROC. REF: NDT 53-21-00									PKG:5016,6032
53-21-00-220-818-L00 <sup>S</sup>	DETAILED INSPECTION (EXTERNAL) OF FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT STRINGERS, FRAMES/ BULKHEADS, AND SPLICES (SSI 53-20-07) NOTE: DO NOT REMOVE THE FUEL TANK								Service	ATA:53
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
	PROC. REF: NDT 53-21-00									PKG:5008
53-21-00-220-819-L00	DETAILED INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- FUSELAGE SKIN LONGITUDINAL SPLICE (SSI 53-20-08)NOTE: DURING THIS INSPECTION, THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR (SSI 53-20-08). (L650 ONLY)								Service	ATA:53
	MOS/MSC	27-Aug-07	N/A							
	HRS	0								
	AFL	0								
	PROC. REF: NDT 53-21-00									
53-21-00-220-C01-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- PASSENGER CABIN FLOOR BEAMS AND COLUMNS (SSI 53-20-11)								Service	ATA:53
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
	PROC. REF: CPM 53-21-00									PKG:5008,6016

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 53 - FUSELAGE</b>										
53-21-02-640-001-A00 <sup>S</sup>	LUBRICATE MAIN DOOR FRAME ROLLERS									Service ATA:53
	MOS	29-Jun-23	12 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	500 (+20/-20)							
	AFL	5401								
					PROC. REF: AMM 53-21-02					PKG:5002
53-22-00-210-801-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (EXTERNAL) OF FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT STRINGERS, FRAMES/BULK-HEADS, AND SPLICES (SSI 53-20-07)									Service ATA:53
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
					PROC. REF: NDT 53-22-00					PKG:5016,6032
53-22-00-210-802-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (EXTERNAL) OF FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT STRINGERS, FRAMES/BULK-HEADS, AND SPLICES (SSI 53-20-07)									Service ATA:53
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
					PROC. REF: NDT 53-22-00					PKG:5016,6032
53-22-00-210-803-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (INTERNAL) OF FUSELAGE COM- PONENTS:- MACHINED SHEAR CLIP AT FRAMES 23, 33 AND 35 (SSI 53-20-79)- MACHINED SHEAR CLIP AT FRAMES 25 AND 31 (SSI 53-20-80)									Service ATA:53
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
					PROC. REF: NDT 53-22-00					PKG:5016,6032
53-22-00-210-804-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (EXTERNAL) OF FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT STRINGERS, FRAMES/BULK-HEADS, AND SPLICES (SSI 53-20-07)									Service ATA:53
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
					PROC. REF: NDT 53-22-00					PKG:5016,6032
53-22-00-210-805-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- FORWARD AUXILIARY FUEL TANK (SSI 53-20-81)									Service ATA:53
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
					PROC. REF: NDT 53-22-00					PKG:5016,6032

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 53 - FUSELAGE</b>										
53-22-00-210-806-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (EXTERNAL) OF FUSELAGE COMPONENTS:- FORWARD AUXILIARY FUEL TANK (SSI 53-20-81)								Service	ATA:53
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
					PROC. REF: NDT 53-22-00					PKG:5016,6032
53-22-00-220-802-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT STRINGERS, FRAMES/ BULKHEADS, AND SPLICES (SSI 53-20-07)- FUSELAGE SKIN CIRCUMFERENTIAL SPLICE (SSI 53-20-14)- FRAMES (SSI 53-20-43)								Service	ATA:53
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
					PROC. REF: NDT 53-22-00					PKG:5016,6032
53-22-00-220-804-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- FUSELAGE SKIN LONGITUDINAL SPLICE (SSI 53-20-08)								Service	ATA:53
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
					PROC. REF: NDT 53-22-00					PKG:5016,6032
53-22-00-220-806-L00 <sup>S</sup>	DETAILED INSPECTION (EXTERNAL) OF FUSELAGE COMPONENTS:- FORWARD AUXILIARY FUEL TANK FITTING, DOUBLER AND PIN AT FRAMES 23, 33 AND 35 (SSI53-20-82)- FORWARD AUXILIARY FUEL TANK FITTING, DOUBLER AND PIN AT FRAMES 25 AND 31 (SSI 53-20-83)								Service	ATA:53
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
					PROC. REF: NDT 53-22-00					PKG:5016,6032
53-22-00-220-807-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- PASSENGER CABIN WINDOW FRAME (SSI 53-20-06)								Service	ATA:53
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
					PROC. REF: NDT 53-22-00					PKG:5016,6032
53-22-00-220-808-L00 <sup>S</sup>	DETAILED INSPECTION (EXTERNAL) OF FUSELAGE COMPONENTS:- MACHINED SHEAR CLIP AT FRAMES 23, 33 AND 35 (SSI 53-20-79)								Service	ATA:53
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
					PROC. REF: NDT 53-22-00					PKG:5016,6032

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 53 - FUSELAGE</b>											
53-22-00-220-C01-L00 <sup>S</sup>			DETAILED INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- PASSENGER CABIN FLOOR BEAMS AND COLUMNS (SSI 53-20-11)						Service	ATA:53	
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: CPM 53-22-00					PKG:5016,6032	
53-23-00-210-801-L00 <sup>S</sup>			GENERAL VISUAL INSPECTION (INTERNAL) OF FUSELAGE COM- PONENTS:- OVERWING FUSELAGE SKIN PANEL (SSI 53-20-16)NOTE: DURING THIS INSPECTION, THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR THIS SSI						Service	ATA:53	
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: NDT 53-23-00					PKG:5016,6032	
53-23-00-210-804-L00 <sup>S</sup>			GENERAL VISUAL INSPECTION (EXTERNAL) OF FUSELAGE COMPONENTS:- OVERWING FUSELAGE SKIN PANEL (SSI 53-20-16)						Service	ATA:53	
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: NDT 53-23-00					PKG:5016,6032	
53-23-00-210-C02-L00 <sup>S</sup>			GENERAL VISUAL INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- PASSENGER CABIN WINDOW FRAME (SSI 53-20-06)						Service	ATA:53	
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: CPM 53-23-00					PKG:5016,6032	
53-23-00-220-801-L00 <sup>S</sup>			DETAILED INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- FUSELAGE MACHINED BULKHEAD (SSI 53-20-30)NOTE: DURING THIS INSPECTION, THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR ZONES 151/152 AND 153/154						Service	ATA:53	
	MOS	27-Aug-07	288 (+15d/-15d)					LOW UTILIZATION			
	HRS	0	12000 (+20/-20)								
	AFL	0	6000 (+20/-20)								
					PROC. REF: NDT 53-23-00					PKG:5140	
53-23-00-220-802-L00 <sup>S</sup>			DETAILED INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT STRINGERS, FRAMES/ BULKHEADS, AND SPLICES (SSI 53-20-07)						Service	ATA:53	
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: NDT 53-23-00					PKG:5016,6032	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 53 - FUSELAGE</b>										
53-23-00-220-803-L00 <sup>S</sup>	DETAILED INSPECTION (EXTERNAL) OF FUSELAGE COMPONENTS:- SKIN AND REINFORCEMENT AROUND ESCAPE HATCH CUTOUT (SSI 53-20-51)								Service	ATA:53
MOS	29-Jun-23		96 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		4000 (+20/-20)							
AFL	5401		2000 (+20/-20)							
PROC. REF: NDT 53-23-00										PKG:5016,6016
53-23-00-220-804-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- FRAMES (SSI 53-20-43)								Service	ATA:53
MOS	29-Jun-23		96 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		4000 (+20/-20)							
AFL	5401		2000 (+20/-20)							
PROC. REF: NDT 53-23-00										PKG:5016,6032
53-23-00-220-805-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- FRAMES (SSI 53-20-43)								Service	ATA:53
MOS	29-Jun-23		96 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		4000 (+20/-20)							
AFL	5401		2000 (+20/-20)							
PROC. REF: NDT 53-23-00										PKG:5016,6032
53-23-00-220-806-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- FUSELAGE MACHINED BULK- HEAD (SSI 53-20-30)- FRAMES (SSI 53-20-43)- SKIN AND REINFORCEMENT AROUND ESCAPE HATCH CUTOUT (SSI 53-20-51)- FUSELAGE SKIN PANEL AT STRINGERS, FRAMES/ BULKHEADS, AND SPLICES (SSI 53-20-07)NOTE: DURING THIS INSPECTION, THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR (SSI 53-20-30)								Service	ATA:53
MOS	29-Jun-23		96 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		4000 (+20/-20)							
AFL	5401		2000 (+20/-20)							
PROC. REF: NDT 53-23-00										PKG:5016,6032
53-23-00-220-808-L00	DETAILED INSPECTION (EXTERNAL) OF FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT STRINGERS, FRAMES/ BULKHEADS, AND SPLICES (SSI 53-20-07)NOTE: APPLICABLE TO AIRCRAFT PRE-MOD. S.B.145LEG-00-0007 (L600 ONLY)								Service	ATA:53
MOS/MS	15-Aug-13		N/A							
HRS	6643.4									
AFL	3572									
PROC. REF: NDT 53-23-00										PKG:6016
53-23-00-220-808-L01 <sup>S</sup>	DETAILED INSPECTION (EXTERNAL) OF FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT STRINGERS, FRAMES/ BULK-HEADS, AND SPLICES (SSI 53-20-07)NOTE: APPLICABLE TO AIRCRAFT POST-MOD. S.B.145LEG-00-0007 OR WITH AN EQUIVALENT MODIFICATION FACTORY-INCORPORATED.								Service	ATA:53
MOS	29-Jun-23		96 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		4000 (+20/-20)							
AFL	5401		2000 (+20/-20)							
PROC. REF: NDT 53-23-00										PKG:5016,6032

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 53 - FUSELAGE											
53-23-00-220-809-L00			DETAILED INSPECTION (EXTERNAL) OF FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT STRINGERS, FRAMES/ BULKHEADS, AND SPLICES (SSI 53-20-07) NOTE: APPLICABLE TO AIRCRAFT PRE-MOD. S.B.145LEG-00-0007 (L600 ONLY)						Service	ATA:53	
	MOS/MSC	15-Aug-13	N/A								
	HRS	6643.4									
	AFL	3572									
					PROC. REF: NDT 53-23-00					PKG:6016	
53-23-00-220-810-L00			DETAILED INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- MACHINED FRAME AT VENTRAL FUEL TANK ATTACHMENT POINTS (SSI 53-20-84) (L650 ONLY)						Service	ATA:53	
	MOS/MSC	27-Aug-07	N/A								
	HRS	0									
	AFL	0									
					PROC. REF: NDT 53-23-00					PKG:6032	
53-23-00-220-811-L00 <sup>S</sup>			DETAILED INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- PASSENGER CABIN FLOOR BEAMS AND COLUMNS (SSI 53-20-11) NOTE: APPLICABLE TO AIRCRAFT PRE-MOD. S.B.145LEG-00-0007. (L600 ONLY)						Service	ATA:53	
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: NDT 53-23-00					PKG:5016,6032	
53-23-00-220-811-L01 <sup>S</sup>			DETAILED INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- PASSENGER CABIN FLOOR BEAMS AND COLUMNS (SSI 53-20-11) NOTE: APPLICABLE TO AIRCRAFT POST-MOD. S.B.145LEG-00-0007 OR WITH AN EQUIVALENT MODIFICATION FACTORY-INCORPORATED.						Service	ATA:53	
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: NDT 53-23-00					PKG:5016,6032	
53-23-00-220-812-L00			DETAILED INSPECTION (EXTERNAL) OF FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT STRINGERS, FRAMES/BULKHEADS, AND SPLICES (SSI 53-20-07). (L650 ONLY)						Service	ATA:53	
	MOS/MSC	25-Sep-07	N/A					STRUCTURAL			
	HRS	0									
	AFL	0									
					PROC. REF: NDT 53-23-00					PKG:6032	
53-23-00-220-C01-L00 <sup>S</sup>			DETAILED INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT STRINGERS, FRAMES/BULKHEADS, AND SPLICES (SSI 53-20-07)						Service	ATA:53	
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
					PROC. REF: CPM 53-23-00					PKG:5008,6016	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 53 - FUSELAGE</b>										
53-23-00-220-C03-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- FUSELAGE SKIN LONGITUDINAL SPLICE (SSI 53-20-08)								Service	ATA:53
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
					PROC. REF: CPM 53-23-00					PKG:5016,6032
53-23-00-220-C04-L00 <sup>S</sup>	DETAILED INSPECTION (EXTERNAL) OF FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT STRINGERS, FRAMES/BULKHEADS, AND SPLICES (SSI 53-20-07) (L600 ONLY)								Service	ATA:53
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: CPM 53-23-00					PKG:5008,6016
53-23-00-250-801-L00	SPECIAL DETAILED INSPECTION (EXTERNAL) OF FUSELAGE COMPONENT BY USING EDDY CURRENT HIGH FREQUENCY INSPECTION METHOD:- PASSENGER CABIN WINDOW FRAME (SSI 53-20-06)NOTE: APPLICABLE TO AIRCRAFT PRE-MOD. S.B.145LEG-00-0007 (L600 ONLY)								Service	ATA:53
	MOS/MS	27-Aug-07	N/A							
	HRS	0								
	AFL	0								
					PROC. REF: NDT 53-23-00					
53-24-00-210-C01-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- PASSENGER CABIN WINDOW FRAME (SSI 53-20-06)								Service	ATA:53
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
					PROC. REF: CPM 53-24-00					PKG:5016,6032
53-24-00-210-C07-L00	GENERAL VISUAL INSPECTION (EXTERNAL) OF VENTRAL FUEL TANK COMPONENTS - VENTRAL FUEL TANK STRUCTURE (SSI 53-20-85) - FRONTAL SIDE OF VENTRAL FUEL TANK STRUCTURE (SSI 53-20-87) (L650 ONLY)								Service	ATA:53
	MOS/MS	27-Aug-07	N/A							
	HRS	0								
	AFL	0								
					PROC. REF: CPM 53-24-00					PKG:6032
53-24-00-220-801-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL)OF FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT STRINGERS, FRAMES/ BULKHEADS, AND SPLICES (SSI 53-20-07)								Service	ATA:53
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
					PROC. REF: NDT 53-24-00					PKG:5016,6032

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 53 - FUSELAGE</b>										
53-24-00-220-802-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- FUSELAGE SKIN LONGITUDINAL SPLICE (SSI 53-20-08)								Service	ATA:53
MOS	29-Jun-23		96 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		4000 (+20/-20)							
AFL	5401		2000 (+20/-20)							
PROC. REF: NDT 53-24-00										PKG:5016,6032
53-24-00-220-803-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- FUSELAGE SKIN CIRCUMFERENTIAL SPLICE (SSI 53-20-14)- FRAMES (SSI 53-20-43) (L600 ONLY)								Service	ATA:53
MOS	29-Jun-23		96 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		4000 (+20/-20)							
AFL	5401		2000 (+20/-20)							
PROC. REF: NDT 53-24-00										PKG:5016
53-24-00-220-804-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT STRINGERS, FRAMES/ BULKHEADS, AND SPLICES (SSI 53-20-07)- FUSELAGE SKIN LONGITUDINAL SPLICE (SSI 53-20-08) NOTE: APPLICABLE TO AIRCRAFT PRE-MOD. S.B.145LEG-00-0007 (L600 ONLY)								Service	ATA:53
MOS	29-Jun-23		96 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		4000 (+20/-20)							
AFL	5401		2000 (+20/-20)							
PROC. REF: NDT 53-24-00										PKG:5016,6032
53-24-00-220-805-L00 <sup>S</sup>	DETAILED INSPECTION (EXTERNAL) OF FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT STRINGERS, FRAMES/ BULKHEADS, AND SPLICES (SSI 53-20-07) (L600 ONLY)								Service	ATA:53
MOS	29-Jun-23		48 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		2000 (+20/-20)							
AFL	5401		1000 (+20/-20)							
PROC. REF: NDT 53-24-00										PKG:5008,6016
53-24-00-220-813-L00	DETAILED INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- MACHINED FRAME AT VENTRAL FUEL TANK ATTACHMENT POINTS (SSI 53-20-84) (L650 ONLY)								Service	ATA:53
MOS/MSC	27-Aug-07		N/A							
HRS	0									
AFL	0									
PROC. REF: NDT 53-24-00										PKG:6032
53-24-00-220-814-L00	DETAILED INSPECTION (EXTERNAL) OF VENTRAL FUEL TANK COMPONENTS:- VENTRAL FUEL TANK ATTACHMENT POINTS, INCLUDING MAIN BOLTS (SSI 53-20-86) (L650 ONLY)								Service	ATA:53
MOS/MSC	25-Sep-07		N/A					STRUCTURAL		
HRS	0									
AFL	0									
PROC. REF: NDT 53-24-00										PKG:6032

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 53 - FUSELAGE										
53-24-00-220-815-L00	DETAILED INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- FUSELAGE SKIN CIRCUMFEREN- TIAL SPLICE(SS1 53-20-14) FRAMES (SSI 53-20-43) (L650 ONLY)								Service	ATA:53
	MOS/MSC	25-Sep-07	N/A					STRUCTURAL		
	HRS	0								
	AFL	0								
PROC. REF: NDT 53-24-00										PKG:6032
53-24-00-220-816-L00	DETAILED INSPECTION (EXTERNAL) OF FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT STRINGERS, FRAMES/ BULKHEADS, AND SPLICES (SSI 53-20-07) (L650 ONLY)								Service	ATA:53
	MOS/MSC	25-Sep-07	N/A					STRUCTURAL		
	HRS	0								
	AFL	0								
PROC. REF: NDT 53-24-00										
53-24-00-220-C01-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT STRINGERS, FRAMES/BULKHEADS, AND SPLICES (SSI 53-20-07)								Service	ATA:53
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: CPM 53-24-00										PKG:5008,6016
53-24-00-220-C02-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- PASSENGER CABIN FLOOR BEAMS AND COLUMNS(SS1 53-20-11)								Service	ATA:53
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
PROC. REF: CPM 53-24-00										PKG:5016,6032
53-24-00-220-C03-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT STRINGERS, FRAMES/BULKHEADS, AND SPLICES (SSI53-20-07).NOTE: APPLICABLE TO AIRCRAFT POST-MOD. S.B. 145LEG-00-0007 OR WITH AN EQUIVALENT MODIFICATION FACTORY- INCORPORATED								Service	ATA:53
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: CPM 53-24-00										PKG:5008,6016
53-24-00-220-C04-L00	DETAILED INSPECTION (INTERNAL) OF VENTRAL FUEL TANK COMPONENTS:- VENTRAL FUEL TANK STRUCTURE (SSI 53-20-85) (L650 ONLY)								Service	ATA:53
	MOS/MSC	27-Aug-07	N/A							
	HRS	0								
	AFL	0								
PROC. REF: CPM 53-24-00										PKG:6016

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 53 - FUSELAGE</b>											
53-24-00-220-C05-L00			DETAILED INSPECTION (INTERNAL) OF VENTRAL FUEL TANK COMPONENTS:- FRONTAL SIDE OF VENTRAL FUEL TANK STRUCTURE (SSI 53-20-87) (L650 ONLY)						Service		ATA:53
	MOS/MS	27-Aug-07	N/A								
	HRS	0									
	AFL	0									
					PROC. REF: CPM 53-24-00					PKG:6032	
53-31-00-210-801-L00 <sup>S</sup>			GENERAL VISUAL INSPECTION (INTERNAL) OF FUSELAGE COM- PONENTS:- REAR AUXILIARY FUEL TANK FITTING AT ATTACHMENTS (SSI 53-30-56)						Service		ATA:53
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: NDT 53-31-00					PKG:5016,6032	
53-31-00-210-802-L00 <sup>S</sup>			GENERAL VISUAL INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- BAGGAGE DOOR LATERAL L- SHAPE (SSI 53-30-03)						Service		ATA:53
	MOS	09-Jul-15	192 (+15d/-15d)					LOW UTILIZATION			
	HRS	7460.3	8000 (+20/-20)								
	AFL	3992	4000 (+20/-20)								
					PROC. REF: NDT 53-31-00					PKG:5032,6032	
53-31-00-210-803-L00 <sup>S</sup>			GENERAL VISUAL INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- BAGGAGE DOOR CUTOUT STRUCTURE (SSI 53-30-48)NOTE: DURING THIS INSPECTION, THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR THIS SSI						Service		ATA:53
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: NDT 53-31-00					PKG:5016,6032	
53-31-00-210-804-L00 <sup>S</sup>			GENERAL VISUAL INSPECTION(INTERNAL) OF FUSELAGE COMPONENTS:- REAR ELECTRONIC COMPARTMENT DOOR CUTOUT STRUCTURE (SSI 53-30-49)NOTE: DURING THIS INSPECTION, THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR THIS SSI.NOTE: APPLICABLE TO AIRCRAFT PRE-MOD. S.B.145LEG-00-0007 (L600 ONLY)						Service		ATA:53
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: NDT 53-31-00					PKG:5016,6032	
53-31-00-210-804-L01 <sup>S</sup>			GENERAL VISUAL INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- REAR ELECTRONIC COMPARTMENT DOOR CUTOUT STRUCTURE (SSI 53-30-49)NOTE: DURING THIS INSPECTION, THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR THIS SSI.NOTE: APPLICABLE TO AIRCRAFT POST-MOD. S.B.145LEG-00-0007 OR WITH AN EQUIVALENT MODIFICATION FACTORY-INCORPORATED (L600 ONLY)						Service		ATA:53
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: NDT 53-31-00					PKG:5016,6032	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 53 - FUSELAGE											
53-31-00-210-810-L00			GENERAL VISUAL INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- REAR ELECTRONIC COMPARTMENT DOOR CUTOUT STRUCTURE (SSI 53-30-49) NOTE: DURING THIS INSPECTION, THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR THIS SSI. (L650 ONLY)							Service	ATA:53
	MOS/MSC	25-Sep-07	N/A					STRUCTURAL			
	HRS	0									
	AFL	0									
					PROC. REF: NDT 53-31-00					PKG:6032	
53-31-00-210-811-L00 <sup>S</sup>			GENERAL VISUAL INSPECTION (INTERNAL) OFFUSELAGE COMPONENTS: FUSELAGE SKIN PANEL AT STRINGERS,FRAMES/BULKHEADS, AND SPLICES (SSI 53-30-07). FUSELAGE SKIN PANEL AT PRESSURE BULKHEAD(53-30- 15). FUSELAGE MACHINED BULKHEAD (53-30-30). FRAMES (53-30-43).NOTE: DURING THIS INSPECTION, THE CPCP BASICTASK SHALL ALSO BE PERFORMED FOR SSI 53-30-07							Service	ATA:53
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: NDT 53-31-00					PKG:5016,6032	
53-31-00-220-801-L00 <sup>S</sup>			DETAILED INSPECTION (INTERNAL)OF FUSELAGE COMPONENTS:- BAGGAGE COMPARTMENT FLOOR BEAMS AND COLUMNS (SSI 53-30-28)							Service	ATA:53
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: NDT 53-31-00					PKG:5016,6032	
53-31-00-220-802-L00 <sup>S</sup>			DETAILED INSPECTION (EXTERNAL)OF FUSELAGE COMPONENTS:- FRAME REINFORCEMENT - MACHINED SHEAR CLIP (SSI 53-30-55)							Service	ATA:53
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: NDT 53-31-00					PKG:5016,6032	
53-31-00-220-805-L00 <sup>S</sup>			DETAILED INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- FRAME REINFORCEMENT - MACHINED SHEAR CLIP (SSI 53-30-55)							Service	ATA:53
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: NDT 53-31-00					PKG:5016,6032	
53-31-00-220-806-L00 <sup>S</sup>			DETAILED INSPECTION (EXTERNAL) OF FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT PRESSURE BULKHEAD (SSI 53-30-15)							Service	ATA:53
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: NDT 53-31-00					PKG:5016,6032	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 53 - FUSELAGE</b>											
53-31-00-220-807-L00 <sup>S</sup>			DETAILED INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- FUSELAGE SKIN LONGITUDINAL SPLICE (SSI 53-30-08)- FUSELAGE SKIN CIRCUMFERENTIAL SPLICE(SS I 53-30-14)						Service	ATA:53	
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: NDT 53-31-00					PKG:5016,6032	
53-31-00-220-808-L00 <sup>S</sup>			DETAILED INSPECTION (EXTERNAL) OF FUSELAGE COMPONENTS:- BAGGAGE DOOR CUTOUT STRUCTURE (SSI 53-30-48)						Service	ATA:53	
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: NDT 53-31-00					PKG:5016,6032	
53-31-00-220-809-L00 <sup>S</sup>			DETAILED INSPECTION (EXTERNAL) OF FUSELAGE COMPONENTS:- REAR ELECTRONIC COMPARTMENT DOOR CUTOUT STRUCTURE (SSI 53-30-49) (L600 ONLY)						Service	ATA:53	
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: NDT 53-31-00					PKG:5016	
53-31-00-220-810-L00 <sup>S</sup>			DETAILED INSPECTION (INTERNAL)OF FUSELAGE COMPONENTS:- BULKHEAD-TO-ENGINE PYLON ATTACHMENT(SS I 53-30-35)NOTE: DURING THIS INSPECTION, THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR 53-30-35 (L600 ONLY)						Service	ATA:53	
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: NDT 53-31-00					PKG:5016,6032	
53-31-00-220-811-L00 <sup>S</sup>			DETAILED INSPECTION (EXTERNAL) OF FUSELAGE COMPONENTS:- FUSELAGE MACHINED BULK- HEAD (SSI 53-30-30)						Service	ATA:53	
	MOS	24-Jul-15	192 (+15d/-15d)					LOW UTILIZATION			
	HRS	7460.3	8000 (+20/-20)								
	AFL	3992	4000 (+20/-20)								
					PROC. REF: NDT 53-31-00					PKG:5032,6032	
53-31-00-220-813-L00 <sup>S</sup>			DETAILED INSPECTION (EXTERNAL) OF FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT STRINGERS, FRAMES/ BULKHEADS, AND SPLICES (SSI 53-30-07)- FUSELAGE SKIN PANEL AT PRES- SURE BULKHEAD(SS I 53-30-15)- FUSELAGE TO VERTICAL STABILIZER SPAR ATTACHMENT FITTING (SSI 53-30-38)NOTE: DURING THIS INSPECTION, THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR SSI 53-30-38						Service	ATA:53	
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: NDT 53-31-00					PKG:5016,6016	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 53 - FUSELAGE											
53-31-00-220-818-L00			DETAILED INSPECTION (EXTERNAL) OF FUSELAGE COMPONENTS:- REAR ELECTRONIC COMPARTMENT DOOR CUTOUT STRUCTURE (SSI 53-30-49) (L650 ONLY)						Service	ATA:53	
	MOS/MS	25-Sep-07	N/A					STRUCTURAL			
	HRS	0									
	AFL	0									
					PROC. REF: NDT 53-31-00					PKG:6016	
53-31-00-220-819-L00			DETAILED INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- BULKHEAD-TO-ENGINE PYLON ATTACHMENT (SSI 53-30-35)NOTE: DURING THIS INSPECTION, THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR SSI 53-30-35 (L650 ONLY)						Service	ATA:53	
	MOS/MS	25-Sep-07	N/A					STRUCTURAL			
	HRS	0									
	AFL	0									
					PROC. REF: NDT 53-31-00					PKG:6016	
53-31-00-220-820-L00 <sup>S</sup>			DETAILED INSPECTION (INTERNAL) OF FUSELAGECOMPONENTS: FUSELAGE SKIN PANEL AT STRINGERS,FRAMES/BULKHEADS AND SPLICES (SSI 53-30-36).						Service	ATA:53	
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: NDT 53-31-00					PKG:5016,6032	
53-31-00-220-821-L00 <sup>S</sup>			DETAILED INSPECTION (EXTERNAL) OF FUSELAGECOMPONENTS: FUSELAGE SKIN PANEL AT STRINGERS,FRAMES/BULKHEADS, AND SPLICES (SSI 53-30-07). FUSELAGE SKIN PANEL AT PRESSURE BULKHEAD (SSI53-30-15). FUSELAGE MACHINED BULKHEAD (SSI 53-30-30).NOTE: REMOVE BUMPER PLATES, IF INSTALLED						Service	ATA:53	
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: NDT 53-31-00					PKG:5016,6016	
53-31-00-220-C01-L00 <sup>S</sup>			DETAILED INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- TOILET WASTE DRAIN VALVE SUPPORT (SSI 53-30-29)- FRAMES (SSI 53-30-43)						Service	ATA:53	
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
					PROC. REF: CPM 53-31-00					PKG:5008,6016	
53-31-00-220-C02-L00 <sup>S</sup>			DETAILED INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT STRINGERS, FRAMES/BULK HEADS, AND SPLICES (SSI 53-30-07)						Service	ATA:53	
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
					PROC. REF: CPM 53-31-00					PKG:5008,6016	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 53 - FUSELAGE										
53-31-00-220-C03-L00 <sup>S</sup>	DETAILED INSPECTION (EXTERNAL) OF FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT PRESSURE BULKHEAD(SS1 53-30-15)								Service	ATA:53
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
	PROC. REF: CPM 53-31-00									PKG:5008,6016
53-31-00-220-C04-L00 <sup>S</sup>	DETAILED INSPECTION (EXTERNAL) OF FUSELAGE COMPONENTS:- TOILET WASTE DRAIN VALVE SUPPORT (SSI 53-30-29)								Service	ATA:53
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
	PROC. REF: CPM 53-31-00									PKG:5008,6016
53-31-00-220-C05-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- FRAMES (SSI 53-30-43)								Service	ATA:53
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
	PROC. REF: CPM 53-31-00									PKG:5016,6032
53-31-00-250-801-L00	SPECIAL DETAILED INSPECTION (INTERNAL) OF FUSELAGE COMPONENT BY USING EDDY CURRENT HIGH FREQUENCY INSPECTION METHOD:- TOILET WASTE DRAIN VALVE SUPPORT (SSI 53-30-29)NOTE: APPLICABLE TO AIRCRAFT POST-MOD. S.B.145LEG-00-0007 OR WITH AN EQUIVALENT MODIFICATION FACTORY-INCORPORATED.								Service	ATA:53
	MOS/MSC	27-Aug-07	N/A							
	HRS	0								
	AFL	0								
	PROC. REF: NDT 53-31-00									
53-31-00-250-802-L00 <sup>S</sup>	SPECIAL DETAILED INSPECTION (EXTERNAL) OF FUSELAGE COMPONENT BY USING EDDY CURRENT LOW FREQUENCY INSPECTION METHOD:- BAGGAGE DOOR CUTOUT STRUCTURE (SSI 53-30-48)								Service	ATA:53
	MOS	27-Aug-07	T:288 (+15d/-15d)		27-Aug-31 (M)	11-Sep-31	2753 d (+15)	LOW UTILIZATION		
	HRS		T:12000 (+20/-20)		12000 (M)	12020	1597.9 (+20)			
	AFL		T:6000 (+20/-20)		6000 (M)	6020	466 (+20)			
	PROC. REF: NDT 53-31-00									PKG:5018
53-31-00-250-803-L00 <sup>S</sup>	SPECIAL DETAILED INSPECTION (EXTERNAL) OF FUSELAGE COMPONENT BY USING EDDY CURRENT HIGH FREQUENCY INSPECTION METHOD:- BAGGAGE DOOR CUTOUT STRUCTURE (SSI 53-30-48)								Service	ATA:53
	MOS	27-Aug-07	T:288 (+15d/-15d)		27-Aug-31 (M)	11-Sep-31	2753 d (+15)	LOW UTILIZATION		
	HRS		T:12000 (+20/-20)		12000 (M)	12020	1597.9 (+20)			
	AFL		T:6000 (+20/-20)		6000 (M)	6020	466 (+20)			
	PROC. REF: NDT 53-31-00									PKG:5018

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 53 - FUSELAGE</b>										
53-31-00-250-804-L00 <sup>S</sup>	SPECIAL DETAILED INSPECTION (EXTERNAL) OFFUSELAGE SKIN AT FRAMES 61, 62, AND 63,BY USING THE HIGH FREQUENCY EDDY CURRENTMETHOD: FUSELAGE SKIN PANEL AT STRINGERS,FRAMES/BULKHEADS, AND SPLICES: (SSI 53-30-07)								Service	ATA:53
MOS	29-Jun-23		96 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		4000 (+20/-20)							
AFL	5401		2000 (+20/-20)							
PROC. REF: NDT 53-31-00										PKG:5016,6016
53-31-00-250-805-L00 <sup>S</sup>	SPECIAL DETAILED INSPECTION (INTERNAL) AFT SIDEOF THE REAR PRESSURE BULKHEAD, BY USING THEHIGH FREQUENCY EDDY CURRENT METHOD. REAR PRESSURE BULKHEAD. (SSI 53-30-36)								Service	ATA:53
MOS	27-Aug-07		T:288 (+15d/-15d)					LOW UTILIZATION		
HRS	0		T:12000 (+20/-20)							
AFL	0		T:6000 (+20/-20)							
PROC. REF: NDT 53-31-00										PKG:5025
53-31-00-250-806-L00 <sup>S</sup>	SPECIAL DETAILED INSPECTION (EXTERNAL) OFFUSELAGE COMPONENT BY USING HIGH FREQUENCYEDDY CURRENT METHOD: SSI 53-30-15 (FUSELAGE SKIN PANEL ATPRESSURE BULKHEAD. SSI 53-30-30 (FUSELAGE MACHINED BULKHEAD)								Service	ATA:53
MOS	27-Aug-07		T:288 (+15d/-15d)					LOW UTILIZATION		
HRS	0		T:12000 (+20/-20)							
AFL	0		T:6000 (+20/-20)							
PROC. REF: NDT 53-31-00										PKG:5018
53-32-00-210-801-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- APU MOUNTING (SSI 53-30-40)								Service	ATA:53
MOS	29-Jun-23		96 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		4000 (+20/-20)							
AFL	5401		2000 (+20/-20)							
PROC. REF: NDT 53-32-00										PKG:5016,6032
53-32-00-210-802-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (EXTERNAL) OF FUSELAGE COMPONENTS:- TAIL CONE ACCESS DOOR CUT- OUT STRUCTURE(SS I 53-30-50)								Service	ATA:53
MOS	29-Jun-23		96 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		4000 (+20/-20)							
AFL	5401		2000 (+20/-20)							
PROC. REF: NDT 53-32-00										PKG:5016,6032
53-32-00-210-C01-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (EXTERNAL) OF FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT STRINGERS, FRAMES/BULKHEADS, AND SPLICES (SSI 53-30-07)								Service	ATA:53
MOS	29-Jun-23		48 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		2000 (+20/-20)							
AFL	5401		1000 (+20/-20)							
PROC. REF: CPM 53-32-00										PKG:5009

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 53 - FUSELAGE											
53-32-00-210-C02-L00 <sup>S</sup>			GENERAL VISUAL INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT STRINGERS, FRAMES/BULKHEADS, AND SPLICES (SSI 53-30-07)- FUSELAGE SKIN LONGITUDINAL SPLICE (SSI 53-30-08)- FUSELAGE SKIN CIRCUMFERENTIAL SPLICE(SSI 53-30-14)- TAIL CONE FRAME AT APU MOUNTING ATTACHMENT (SSI 53-30-39)						Service	ATA:53	
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
					PROC. REF: CPM 53-32-00					PKG:5009	
53-32-00-220-801-L00 <sup>S</sup>			DETAILED INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- FUSELAGE TO VERTICAL STABILIZER SPAR ATTACHMENT FITTING (SSI 53-30-38)						Service	ATA:53	
	MOS	08-Jul-15	192 (+15d/-15d)					LOW UTILIZATION			
	HRS	7460.3	8000 (+20/-20)								
	AFL	3992	4000 (+20/-20)								
					PROC. REF: NDT 53-32-00					PKG:5032,6032	
53-32-00-220-802-L00 <sup>S</sup>			DETAILED INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- FUSELAGE MACHINED BULKHEAD (SSI 53-30-30)						Service	ATA:53	
	MOS	07-Jul-15	192 (+15d/-15d)					LOW UTILIZATION			
	HRS	7460.3	8000 (+20/-20)								
	AFL	3992	4000 (+20/-20)								
					PROC. REF: NDT 53-32-00					PKG:5032,6032	
53-32-00-220-803-L00 <sup>S</sup>			DETAILED INSPECTION (EXTERNAL) OF FUSELAGE COMPONENTS:- L PROFILE STRAKE ATTACHMENT (SSI 53-30-53)						Service	ATA:53	
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: NDT 53-32-00					PKG:5016,6032	
53-32-00-220-804-L00 <sup>S</sup>			DETAILED INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- TAIL CONE ACCESS DOOR CUT- OUT STRUCTURE(SSI 53-30-50)						Service	ATA:53	
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: NDT 53-32-00					PKG:5016,6032	
53-32-00-220-C01-L00 <sup>S</sup>			DETAILED INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- REAR PRESSURE BULKHEAD (SSI 53-30-36)						Service	ATA:53	
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
					PROC. REF: CPM 53-32-00					PKG:5008,6016	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 53 - FUSELAGE											
53-32-00-220-C02-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF FUSELAGE COMPONENTS:- FRAMES (SSI 53-30-43)								Service	ATA:53	
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
					PROC. REF: CPM 53-32-00					PKG:5009	
53-Z111-213-001-A00 <sup>S</sup>	GENERAL VISUAL INSPECTION(EXTERNAL) (ZONE 111)								Service	ATA:53	
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
					PROC. REF: AMM 05-20-01					PKG:5008,6016	
53-Z111-214-001-A00 <sup>S</sup>	GENERAL VISUAL INSPECTION(INTERNAL) (ZONE 111)								Service	ATA:53	
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
					PROC. REF: AMM 05-20-01					PKG:5008,6016	
53-Z113-213-001-A00 <sup>S</sup>	GENERAL VISUAL INSPECTION(EXTERNAL) (ZONE 113, 114)								Service	ATA:53	
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
					PROC. REF: AMM 05-20-03					PKG:5008,6016	
53-Z113-214-001-A00 <sup>S</sup>	GENERAL VISUAL INSPECTION(INTERNAL) (ZONE 113)								Service	ATA:53	
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
					PROC. REF: AMM 05-20-03					PKG:5008,6016	
53-Z114-214-001-A00 <sup>S</sup>	GENERAL VISUAL INSPECTION(INTERNAL) (ZONE 114) (L600 ONLY)								Service	ATA:53	
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
					PROC. REF: AMM 05-20-03					PKG:5008,6016	
53-Z114-214-001-A01	GENERAL VISUAL INSPECTION(INTERNAL) (ZONE 114)NOTE:EWIS (L650 ONLY)								Service	ATA:53	
	MOS/MSC	25-Sep-07	N/A					ZONAL			
	HRS	0									
	AFL	0									
					PROC. REF: AMM 05-20-03					PKG:6016	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 53 - FUSELAGE										
53-Z123-213-001-A00 <sup>S</sup>	GENERAL VISUAL INSPECTION(EXTERNAL) (ZONE 123, 124)									Service ATA:53
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
	PROC. REF: AMM 05-20-10									PKG:5008,6016
53-Z123-214-001-A00 <sup>S</sup>	GENERAL VISUAL INSPECTION(INTERNAL) (ZONE 121, 122, 123 AND 124) (L600 ONLY)									Service ATA:53
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
	PROC. REF: AMM 05-20-10									PKG:5008,6016
53-Z123-214-001-A01	GENERAL VISUAL INSPECTION(INTERNAL) (ZONE 121, 122, 123 AND 124)NOTE:EWIS (L650 ONLY)									Service ATA:53
	MOS/MSC	25-Sep-07	N/A					ZONAL		
	HRS	0								
	AFL	0								
	PROC. REF: AMM 05-20-10									PKG:6016
53-Z131-213-001-A00 <sup>S</sup>	GENERAL VISUAL INSPECTION(EXTERNAL) (ZONES 131 AND 132)									Service ATA:53
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
	PROC. REF: AMM 05-20-17									PKG:5008,6016
53-Z131-214-001-A00 <sup>S</sup>	GENERAL VISUAL INSPECTION(INTERNAL) (ZONES 131 AND 132) (L600 ONLY)									Service ATA:53
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
	PROC. REF: AMM 05-20-17									PKG:5008,6016
53-Z131-214-001-A01	GENERAL VISUAL INSPECTION(INTERNAL) (ZONES 131 AND 132)NOTE:EWIS (L650 ONLY)									Service ATA:53
	MOS/MSC	25-Sep-07	N/A					ZONAL		
	HRS	0								
	AFL	0								
	PROC. REF: AMM 05-20-17									PKG:6016
53-Z141-213-001-A00 <sup>S</sup>	GENERAL VISUAL INSPECTION(EXTERNAL) (ZONES 141 AND 142)									Service ATA:53
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
	PROC. REF: AMM 05-20-21									PKG:5016,6032

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 53 - FUSELAGE										
53-Z141-214-001-A00 <sup>S</sup>	GENERAL VISUAL INSPECTION (INTERNAL) (ZONES 141 AND 142). (L600 ONLY)								Service	ATA:53
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
	PROC. REF: AMM 05-20-21									PKG:5008,6016
53-Z141-214-001-A01	GENERAL VISUAL INSPECTION(INTERNAL) (ZONES 141 AND 142)NOTE:EWIS (L650 ONLY)								Service	ATA:53
	MOS/MSC	25-Sep-07	N/A					ZONAL		
	HRS	0								
	AFL	0								
	PROC. REF: AMM 05-20-21									PKG:6016
53-Z151-214-002-A00 <sup>S</sup>	GENERAL VISUAL INSPECTION(INTERNAL) (ZONES 151, 152, 153, 154, 155, 156, 157) (L600 ONLY)								Service	ATA:53
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
	PROC. REF: AMM 05-20-26									PKG:5008,6016
53-Z151-214-002-A01	GENERAL VISUAL INSPECTION(INTERNAL) (ZONES 151, 152, 153, 154, 155, 156, 157)NOTE:EWIS (L650 ONLY)								Service	ATA:53
	MOS/MSC	25-Sep-07	N/A					ZONAL		
	HRS	0								
	AFL	0								
	PROC. REF: AMM 05-20-26									PKG:6016
53-Z155-214-001-A00 <sup>S</sup>	GENERAL VISUAL INSPECTION(INTERNAL) (ZONES 155, 156 AND 157) (L600 ONLY)								Service	ATA:53
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
	PROC. REF: AMM 05-20-28									PKG:5008,6016
53-Z155-214-001-A01	GENERAL VISUAL INSPECTION(INTERNAL) (ZONES 155, 156 AND 157)NOTE:EWIS (L650 ONLY)								Service	ATA:53
	MOS/MSC	25-Sep-07	N/A					ZONAL		
	HRS	0								
	AFL	0								
	PROC. REF: AMM 05-20-28									PKG:6016
53-Z161-214-001-A00 <sup>S</sup>	GENERAL VISUAL INSPECTION(INTERNAL) (ZONES 161, 162) (L600 ONLY)								Service	ATA:53
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
	PROC. REF: AMM 05-20-33									PKG:5008,6016

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 53 - FUSELAGE										
53-Z161-214-001-A01	GENERAL VISUAL INSPECTION (INTERNAL) (ZONES 161, 162) NOTE: EWIS (L650 ONLY)									Service ATA:53
	MOS/MSC	25-Sep-07	N/A					ZONAL		
	HRS	0								
	AFL	0								
	PROC. REF: AMM 05-20-33									PKG:6016
53-Z171-213-001-A00 <sup>S</sup>	GENERAL VISUAL INSPECTION (EXTERNAL) (ZONES 171 AND 172)									Service ATA:53
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
	PROC. REF: AMM 05-20-38									PKG:5008,6016
53-Z171-214-001-A00 <sup>S</sup>	GENERAL VISUAL INSPECTION (INTERNAL) (ZONES 171 AND 172) (L600 ONLY)									Service ATA:53
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
	PROC. REF: AMM 05-20-38									PKG:5008,6016
53-Z171-214-001-A01	GENERAL VISUAL INSPECTION (INTERNAL) (ZONES 171 AND 172) NOTE: EWIS (L650 ONLY)									Service ATA:53
	MOS/MSC	25-Sep-07	N/A					ZONAL		
	HRS	0								
	AFL	0								
	PROC. REF: AMM 05-20-38									PKG:6016
53-Z191-213-001-A00 <sup>S</sup>	GENERAL VISUAL INSPECTION (EXTERNAL) (ZONES 191, 192, 193, 194, 195, 196, 197, 198, 199, 1921, 1922, 1923, 1971, 1981, 1982, 1991 AND 1992). NOTE: DO NOT REMOVE THE FUEL TANK (L600 ONLY)									Service ATA:53
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
	PROC. REF: AMM 05-20-95									PKG:5008,6016
53-Z191-213-002-A00	GENERAL VISUAL INSPECTION (EXTERNAL) (ZONES 191, 192, 1921, 1923, 1924, 193, 1932, 194, 195, 196, 197, 1971, 1972, 198, 1981, 1982, 199, 1991 AND 1992). NOTE: DO NOT REMOVE THE FUEL TANK (L650 ONLY)									Service ATA:53
	MOS/MSC	25-Sep-07	N/A					ZONAL		
	HRS	0								
	AFL	0								
	PROC. REF: AMM 05-20-95									PKG:6016

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of:  
29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 53 - FUSELAGE										
53-Z191-214-001-A00 <sup>S</sup>	GENERAL VISUAL INSPECTION(INTERNAL) (ZONES 191, 192, 193, 194, 195, 196, 198, 199, 1921, 1922, 1923, 1971, 1981, 1982,1991 AND 1992). (L600 ONLY)								Service	ATA:53
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
	PROC. REF: AMM 05-20-95									PKG:5008,6016
53-Z191-214-003-A00	GENERAL VISUAL INSPECTION(INTERNAL) (ZONES 191, 192, 1921, 1922, 1923, 1924, 193, 1932, 194, 195, 196, 1971, 198, 1981, 1982, 199, 1991, 1992).NOTE:EWIS (L650 ONLY)								Service	ATA:53
	MOS/MSC	25-Sep-07	N/A					ZONAL		
	HRS	0								
	AFL	0								
	PROC. REF: AMM 05-20-95									PKG:6016
53-Z197-214-001-A00 <sup>S</sup>	GENERAL VISUAL INSPECTION(INTERNAL) (ZONES 197) (L600 ONLY)								Service	ATA:53
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
	PROC. REF: AMM 05-20-96									PKG:5008,6016
53-Z197-214-001-A01	GENERAL VISUAL INSPECTION(INTERNAL) (ZONE 197) NOTE:EWIS (L650 ONLY)								Service	ATA:53
	MOS/MSC	25-Sep-07	N/A					ZONAL		
	HRS	0								
	AFL	0								
	PROC. REF: AMM 05-20-96									PKG:6016
53-Z197-214-002-A00	GENERAL VISUAL INSPECTION(INTERNAL) (ZONE 1972)NOTE:EWIS (L650 ONLY)								Service	ATA:53
	MOS/MSC	25-Sep-07	N/A					ZONAL		
	HRS	0								
	AFL	0								
	PROC. REF: AMM 05-30-37									PKG:6016
53-Z213-213-001-A00 <sup>S</sup>	GENERAL VISUAL INSPECTION(EXTERNAL) (ZONE 213, 214)								Service	ATA:53
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
	PROC. REF: AMM 05-20-06									PKG:5008,6016

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 53 - FUSELAGE										
53-Z213-214-001-A00 <sup>S</sup>	GENERAL VISUAL INSPECTION(INTERNAL) (ZONES 113, 114, 213, 214, 215, 216) (L600 ONLY)									Service ATA:53
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
	PROC. REF: AMM 05-20-06									PKG:5008,6016
53-Z213-214-001-A01	GENERAL VISUAL INSPECTION(INTERNAL) (ZONE 113, 114, 213, 214, 215, 216)NOTE:EWIS (L650 ONLY)									Service ATA:53
	MOS/MSC	25-Sep-07	N/A					ZONAL		
	HRS	0								
	AFL	0								
	PROC. REF: AMM 05-20-06									PKG:6016
53-Z223-213-001-A00 <sup>S</sup>	GENERAL VISUAL INSPECTION(EXTERNAL) (ZONES 223, 224)									Service ATA:53
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
	PROC. REF: AMM 05-20-13									PKG:5008,6016
53-Z223-214-001-A00 <sup>S</sup>	GENERAL VISUAL INSPECTION(INTERNAL) (ZONES 221, 222, 223 AND 224) (L600 ONLY)									Service ATA:53
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
	PROC. REF: AMM 05-20-13									PKG:5008,6016
53-Z225-213-001-A00 <sup>S</sup>	GENERAL VISUAL INSPECTION(EXTERNAL) (ZONES 225 AND 226)									Service ATA:53
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
	PROC. REF: AMM 05-20-15									PKG:5016,6032
53-Z225-214-001-A00 <sup>S</sup>	GENERAL VISUAL INSPECTION(INTERNAL) (ZONES 225 AND 226)									Service ATA:53
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
	PROC. REF: AMM 05-20-15									PKG:5016,6032
53-Z231-213-001-A00	GENERAL VISUAL INSPECTION(EXTERNAL) (ZONES 231 AND 232)NOTE: APPLICABLE TO AIRCRAFT PRE-MOD. SB 145LEG-53-0031.									Service ATA:53
	MOS/MSC	15-Aug-16	N/A							
	HRS	7841.1								
	AFL	4202								
	PROC. REF: AMM 05-20-18									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 53 - FUSELAGE											
53-Z231-213-001-A01 <sup>S</sup>			GENERAL VISUAL INSPECTION(EXTERNAL) (ZONES 231 AND 232)NOTE: APPLICABLE TO AIRCRAFT POST-MOD. SB 145LEG-53-0031 OR WITH AN EQUIVALENT MODIFICATION FACTORY-INCORPORATED.						Service	ATA:53	
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
					PROC. REF: AMM 05-20-18					PKG:5008,6016	
53-Z231-214-001-A00 <sup>S</sup>			GENERAL VISUAL INSPECTION(INTERNAL) (ZONES 231 AND 232)						Service	ATA:53	
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
					PROC. REF: AMM 05-20-18					PKG:5008,6016	
53-Z233-213-001-A00 <sup>S</sup>			GENERAL VISUAL INSPECTION(EXTERNAL) (ZONES 233 AND 234)						Service	ATA:53	
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
					PROC. REF: AMM 05-20-19					PKG:5008,6016	
53-Z233-214-001-A00 <sup>S</sup>			GENERAL VISUAL INSPECTION(INTERNAL) (ZONES 233 AND 234)						Service	ATA:53	
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: AMM 05-20-19					PKG:5016,6032	
53-Z241-213-001-A00 <sup>S</sup>			GENERAL VISUAL INSPECTION(EXTERNAL) (ZONES 241 AND 242)						Service	ATA:53	
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: AMM 05-20-23					PKG:5016,6032	
53-Z241-214-001-A00 <sup>S</sup>			GENERAL VISUAL INSPECTION(INTERNAL) (ZONES 241 AND 242)						Service	ATA:53	
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
					PROC. REF: AMM 05-20-23					PKG:5008,6016	
53-Z243-213-003-A00 <sup>S</sup>			GENERAL VISUAL INSPECTION(EXTERNAL) (ZONES 243 AND 244)						Service	ATA:53	
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: AMM 05-20-25					PKG:5016,6032	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 53 - FUSELAGE										
53-Z243-214-001-A00 <sup>S</sup>	GENERAL VISUAL INSPECTION(INTERNAL) (ZONES 243 AND 244)									Service ATA:53
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
					PROC. REF: AMM 05-20-25					PKG:5016,6032
53-Z251-213-001-A00 <sup>S</sup>	GENERAL VISUAL INSPECTION(EXTERNAL) (ZONES 251 AND 252)									Service ATA:53
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
					PROC. REF: AMM 05-20-30					PKG:5016,6032
53-Z251-214-001-A00 <sup>S</sup>	GENERAL VISUAL INSPECTION(INTERNAL) (ZONES 251 AND 252)									Service ATA:53
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
					PROC. REF: AMM 05-20-30					PKG:5016,6032
53-Z253-213-001-A00 <sup>S</sup>	GENERAL VISUAL INSPECTION(EXTERNAL) (ZONES 253 AND 254)									Service ATA:53
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
					PROC. REF: AMM 05-20-31					PKG:5016,6032
53-Z253-214-001-A00 <sup>S</sup>	GENERAL VISUAL INSPECTION(INTERNAL) (ZONES 253 AND 254)									Service ATA:53
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
					PROC. REF: AMM 05-20-31					PKG:5016,6032
53-Z261-213-001-A00 <sup>S</sup>	GENERAL VISUAL INSPECTION(EXTERNAL) (ZONES 261, 262)									Service ATA:53
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
					PROC. REF: AMM 05-20-35					PKG:5016,6032
53-Z261-214-001-A00 <sup>S</sup>	GENERAL VISUAL INSPECTION(INTERNAL) (ZONES 261, 262)									Service ATA:53
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: AMM 05-20-35					PKG:5008,6016

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 53 - FUSELAGE										
53-Z263-213-002-A00 <sup>S</sup>	GENERAL VISUAL INSPECTION(EXTERNAL) (ZONES 263 AND 264)									Service ATA:53
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
					PROC. REF: AMM 05-20-36					PKG:5016,6032
53-Z263-214-001-A00 <sup>S</sup>	GENERAL VISUAL INSPECTION(INTERNAL) (ZONES 263 AND 264) (L600 ONLY)									Service ATA:53
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
					PROC. REF: AMM 05-20-36					PKG:5016,6032
53-Z263-214-001-A01	GENERAL VISUAL INSPECTION(INTERNAL) (ZONES 263 AND 264)NOTE:EWIS (L650 ONLY)									Service ATA:53
	MOS/MSC	25-Sep-07	N/A					ZONAL		
	HRS	0								
	AFL	0								
					PROC. REF: AMM 05-20-36					PKG:6032
53-Z271-213-001-A00 <sup>S</sup>	GENERAL VISUAL INSPECTION(EXTERNAL) (ZONES 271, 272)									Service ATA:53
	MOS	29-Jun-23	24 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	1000 (+20/-20)							
	AFL	5401								
					PROC. REF: AMM 05-20-40					PKG:5004
53-Z271-214-001-A00 <sup>S</sup>	GENERAL VISUAL INSPECTION(INTERNAL) (ZONES 271, 272) (L600 ONLY)									Service ATA:53
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: AMM 05-20-40					PKG:5008,6016
53-Z271-214-001-A01	GENERAL VISUAL INSPECTION(INTERNAL) (ZONES 271, 272)NOTE:EWIS (L650 ONLY)									Service ATA:53
	MOS/MSC	25-Sep-07	N/A					ZONAL		
	HRS	0								
	AFL	0								
					PROC. REF: AMM 05-20-40					PKG:6016
53-Z273-213-002-A00 <sup>S</sup>	GENERAL VISUAL INSPECTION(EXTERNAL) (ZONES 273 AND 274)									Service ATA:53
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
					PROC. REF: AMM 05-20-44					PKG:5016,6032

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 53 - FUSELAGE										
53-Z273-214-002-A00 <sup>S</sup>	GENERAL VISUAL INSPECTION(INTERNAL) (ZONES 273 AND 274) (L600 ONLY)								Service	ATA:53
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: AMM 05-20-44					PKG:5008,6016
53-Z273-214-002-A01	GENERAL VISUAL INSPECTION(INTERNAL) (ZONES 273 AND 274)NOTE:EWIS (L650 ONLY)								Service	ATA:53
	MOS/MSC	25-Sep-07	N/A					ZONAL		
	HRS	0								
	AFL	0								
					PROC. REF: AMM 05-20-44					PKG:6016
53-Z275-214-001-A00 <sup>S</sup>	GENERAL VISUAL INSPECTION(INTERNAL) (ZONES 275 AND 276) (L600 ONLY)								Service	ATA:53
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: AMM 05-20-41					PKG:5008,6016
53-Z275-214-001-A01	GENERAL VISUAL INSPECTION(INTERNAL) (ZONES 275 AND 276)NOTE:EWIS (L650 ONLY)								Service	ATA:53
	MOS/MSC	25-Sep-07	N/A					ZONAL		
	HRS	0								
	AFL	0								
					PROC. REF: AMM 05-20-41					PKG:6016
53-Z311-213-001-A00 <sup>S</sup>	GENERAL VISUAL INSPECTION(EXTERNAL) (ZONES 311 AND 312)								Service	ATA:53
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: AMM 05-20-46					PKG:5008,6016
53-Z311-214-001-A00 <sup>S</sup>	GENERAL VISUAL INSPECTION(INTERNAL) (ZONES 311 AND 312) (L600 ONLY)								Service	ATA:53
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: AMM 05-20-46					PKG:5008,6016
53-Z311-214-001-A01	GENERAL VISUAL INSPECTION(INTERNAL) (ZONES 311 AND 312)NOTE:EWIS (L650 ONLY)								Service	ATA:53
	MOS/MSC	25-Sep-07	N/A					ZONAL		
	HRS	0								
	AFL	0								
					PROC. REF: AMM 05-20-46					PKG:6016

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 53 - FUSELAGE</b>										
<b>53-Z313-213-001-A00<sup>S</sup> GENERAL VISUAL INSPECTION(EXTERNAL) (ZONE 313)</b>										
	MOS	29-Jun-23	24 (+15d/-15d)					LOW UTILIZATION		Service ATA:53
	HRS	10161.5	1000 (+20/-20)							
	AFL	5401								
PROC. REF: AMM 05-20-47										PKG:5004
<b>53-Z313-214-001-A00<sup>S</sup> GENERAL VISUAL INSPECTION(INTERNAL) (ZONE 313) (L600 ONLY)</b>										
	MOS	29-Jun-23	24 (+15d/-15d)					LOW UTILIZATION		Service ATA:53
	HRS	10161.5	1000 (+20/-20)							
	AFL	5401								
PROC. REF: AMM 05-20-47										PKG:5004
<b>53-Z313-214-001-A01 GENERAL VISUAL INSPECTION(INTERNAL) (ZONE 313)NOTE:EWIS (L650 ONLY)</b>										
	MOS/MSC	25-Sep-07	N/A					ZONAL		Service ATA:53
	HRS	0								
	AFL	0								
PROC. REF: AMM 05-20-47										
<b>53-Z315-213-001-A00<sup>S</sup> GENERAL VISUAL INSPECTION(EXTERNAL) (ZONES 315, 316, 317, 318)</b>										
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		Service ATA:53
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
PROC. REF: AMM 05-20-45										PKG:5016,6032
<b>530401-0101 LH FAIRING ASSY</b>										
PN:135-12815-407	MOS/MSC	19-Aug-15	O/C	TSR 0						Component ATA:53
SN:UNKNOWN	HRS	7460.3		TSR 0						
	AFL	3992		TSR 0						
PROC. REF: AMM 53-04-01										
<b>530401-0102 RH FAIRING ASSY</b>										
PN:135-12835-409	MOS/MSC	19-Aug-15	O/C	TSR 0						Component ATA:53
SN:UNKNOWN	HRS	7460.3		TSR 0						
	AFL	3992		TSR 0						
PROC. REF: AMM 53-04-01										
<b>530401-0103 FUS WING FAIRING ASSY FAIRING ASSY</b>										
PN:135-02858-403	MOS/MSC	19-Aug-15	O/C	TSR 0						Component ATA:53
SN:UNKNOWN	HRS	7460.3		TSR 0						
	AFL	3992		TSR 0						
PROC. REF: AMM 53-04-01										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 53 - FUSELAGE</b>										
<b>530410-0101 MID FAIRING ASSY Component ATA:53</b>										
PN:135-08117-403	MOS/MSC	19-Aug-15	O/C	TSR 0						
SN:UNKNOWN	HRS	7460.3		TSR 0						
	AFL	3992		TSR 0						
PROC. REF: AMM 53-04-10										
<b>530420-0101 LH FAIRING ASSY Component ATA:53</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 53-04-20										
<b>530420-0102 RH FAIRING ASSY Component ATA:53</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 53-04-20										
<b>530430-0101 FAIRING ASSY Component ATA:53</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 53-04-30										
<b>531400-0101 RADOME ANTENNA Component ATA:53</b>										
PN:4980-101	MOS/MSC	06-Jul-19	O/C	TSR 0						
SN:1205	HRS	9057.4		TSR 0						
	AFL	4853		TSR 0						
PROC. REF: AMM 53-11-01										
<b>531500-0101 CENTER FUSELAGE ASSY STRUCTURE Component ATA:53</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 53-04-10										
<b>533200-0101 REAR FUS ACCESS TAIL CONE Component ATA:53</b>										
PN:120-24234-043	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:0000125482	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 53-32-00										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 53 - FUSELAGE</b>										
533210-0101	SILENCER -EXHAUST,APU ASSEMBLY								Component	ATA:53
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	AFL	0	TSN 0							
PROC. REF: AMM 49-81-01										
533500-0101	TAIL LEADING EDGE,VERTICAL FIN ASSEMBLY								Component	ATA:53
PN:145-35015-417	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:0000133367	HRS	0	TSN 0							
	AFL	0	TSN 0							
PROC. REF: AMM 55-35-00										
<b>ATA 54 - NACELLES/PYLONS</b>										
54-50-00-210-801-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (EXTERNAL) OF PYLON COMPONENTS:- PYLON SKIN (SSI 54-50-04)								Service	ATA:54
	MOS	29-Jun-23	48 (+15d/-15d)	LOW UTILIZATION						
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: NDT 54-50-00										
54-50-00-220-802-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF PYLON COMPONENT:- FWD ENGINE MOUNTS (INCLUDING BOLTS) (SSI 54-50-03) (L600 ONLY)								Service	ATA:54
	MOS	29-Jun-23	48 (+15d/-15d)	LOW UTILIZATION						
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: NDT 54-50-00										
54-50-00-220-803-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF PYLON COMPONENTS:- PYLON SPARS I, II, III AND IV (SSI 54-50-01)NOTE: DURING THIS INSPECTION, THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR THIS SSI (L600 ONLY)								Service	ATA:54
	MOS	29-Jun-23	96 (+15d/-15d)	LOW UTILIZATION						
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
PROC. REF: NDT 54-50-00										
54-50-00-220-804-L00	DETAILED INSPECTION (INTERNAL) OF PYLON COMPONENTS:- PYLON SPARS I, II, III AND IV (SSI 54-50-01)NOTE: DURING THIS INSPECTION, THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR THIS SSI. (L650 ONLY)								Service	ATA:54
	MOS/MSC	25-Sep-07	N/A	STRUCTURAL						
	HRS	0								
	AFL	0								
PROC. REF: NDT 54-50-00										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 54 - NACELLES/PYLONS											
54-50-00-220-805-L00	DETAILED INSPECTION (INTERNAL) OF PYLON COMPONENT:- FWD ENGINE MOUNTS (INCLUDING BOLTS) (SSI 54-50-03) (L650 ONLY)								Service	ATA:54	
	MOS/MSC	25-Sep-07	N/A					STRUCTURAL			
	HRS	0									
	AFL	0									
PROC. REF: NDT 54-50-00										PKG:6016	
54-50-00-220-806-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF PYLON COMPONENT:- AFT ENGINE MOUNTS (INCLUDING BOLTS) (SSI 54-50-07) (L600 ONLY)								Service	ATA:54	
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
PROC. REF: NDT 54-50-00										PKG:5008	
54-50-00-220-807-L00	DETAILED INSPECTION (INTERNAL) OF PYLON COMPONENT:- AFT ENGINE MOUNTS (INCLUDING BOLTS) (SSI 54-50-07) (L650 ONLY)								Service	ATA:54	
	MOS/MSC	25-Sep-07	N/A					STRUCTURAL			
	HRS	0									
	AFL	0									
PROC. REF: NDT 54-50-00										PKG:6016	
54-50-00-220-808-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF PYLON COMPONENT:- PYLON YOKES I AND II (SSI 54-50-05) PRIMARY ELEMENT.								Service	ATA:54	
	MOS	10-Jul-15	192 (+15d/-15d)					LOW UTILIZATION			
	HRS	7460.3	8000 (+20/-20)								
	AFL	3992	4000 (+20/-20)								
PROC. REF: NDT 54-50-00										PKG:5032,6032	
54-50-00-220-809-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF PYLON COMPONENT:- PYLON YOKES I AND II (SSI 54-50-05) SECONDARY ELEMENT.								Service	ATA:54	
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
PROC. REF: NDT 54-50-00										PKG:5011	
54-50-00-220-C01-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF PYLON COMPONENTS:- PYLON YOKES III AND IV (SSI 54-50-02)								Service	ATA:54	
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
PROC. REF: CPM 54-50-00										PKG:5008,6016	
54-50-00-220-C02-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF PYLON COMPONENTS:- PYLON YOKES I AND II (SSI 54-50-05)								Service	ATA:54	
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
PROC. REF: CPM 54-50-00										PKG:5008,6016	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 54 - NACELLES/PYLONS										
54-50-00-220-C03-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF PYLON COMPONENTS:- PYLON YOKES I AND II UPPER FLANGE (SSI 54-50-06).								Service	ATA:54
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: CPM 54-50-00					PKG:5008,6016
54-50-00-230-801-L00	SPECIAL DETAILED INSPECTION (INTERNAL) OF PYLON COMPONENTS BY LIQUID PENETRANT INSPECTION METHOD:- FWD ENGINE MOUNTS(INCLUDING BOLTS) (SSI 54-50-03) (L650 ONLY)								Service	ATA:54
	MOS/MSC	25-Sep-07	N/A					STRUCTURAL		
	HRS	0								
	AFL	0								
					PROC. REF: NDT 54-50-00					
54-50-00-250-801-L00 <sup>S</sup>	SPECIAL DETAILED INSPECTION (INTERNAL) OF PYLON COMPONENTS BY THE EDDY CURRENT METHOD:- PYLON YOKES I AND II (SSI 54-50-05)								Service	ATA:54
	MOS		288 (+15d/-15d)					LOW UTILIZATION		
	HRS		12000 (+20/-20)							
	AFL		6000 (+20/-20)							
					PROC. REF: NDT 54-50-00					PKG:5140
54-50-00-250-802-L00	SPECIAL DETAILED INSPECTION (INTERNAL) OF PYLON COMPONENTS BY THE EDDY CURRENT METHOD:- PYLON YOKES I AND II UPPER FLANGE (SSI 54-50-06)NOTE: APPLICABLE TO AIRCRAFT PRE-MOD SB145LEG-54-0001								Service	ATA:54
	MOS/MSC		N/A							
	HRS									
	AFL									
					PROC. REF: NDT 54-50-00					PKG:6016
54-50-00-250-802-L01 <sup>S</sup>	SPECIAL DETAILED INSPECTION (INTERNAL) OF PYLON COMPONENTS BY THE EDDY CURRENT METHOD:- PYLON YOKES I AND II UPPER FLANGE (SSI 54-50-06)NOTE: APPLICABLE TO AIRCRAFT POST-MOD SB145LEG-54-0001 OR WITH AN EQUIVALENT MODIFICATION FACTORY-INCORPORATED.								Service	ATA:54
	MOS	27-Aug-07	192 (+15d/-15d)					LOW UTILIZATION		
	HRS	0	8000 (+20/-20)							
	AFL	0	4000 (+20/-20)							
					PROC. REF: NDT 54-50-00					PKG:5032,6032
54-50-00-290-801-L00 <sup>S</sup>	SPECIAL DETAILED INSPECTION (INTERNAL) OF PYLON COMPONENT USING BOROSCOPE:- PYLON SKIN (SSI 54-50-04)NOTE: DURING THIS INSPECTION, THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR THIS SSI								Service	ATA:54
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: NDT 54-50-00					PKG:5008,6016

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 54 - NACELLES/PYLONS										
54-Z414-213-001-A00 <sup>S</sup>	GENERAL VISUAL INSPECTION(EXTERNAL) (ZONES 414 AND 424)									Service ATA:54
	MOS	29-Jun-23	24 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	1000 (+20/-20)							
	AFL	5401								
	PROC. REF: AMM 05-20-72									PKG:5004
54-Z414-214-001-A00 <sup>S</sup>	GENERAL VISUAL INSPECTION(INTERNAL) (ZONES 414 AND 424) (L600 ONLY)									Service ATA:54
	MOS	29-Jun-23	24 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	1000 (+20/-20)							
	AFL	5401								
	PROC. REF: AMM 05-20-72									PKG:5004
54-Z414-214-001-A01	GENERAL VISUAL INSPECTION(INTERNAL) (ZONES 414 AND 424)NOTE:EWIS (L650 ONLY)									Service ATA:54
	MOS/MSC	25-Sep-07	N/A					ZONAL		
	HRS	0								
	AFL	0								
	PROC. REF: AMM 05-20-72									
ATA 55 - STABILIZERS										
55-10-00-210-802-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (EXTERNAL) OF HORIZONTAL STABILIZER COMPONENTS:- SKIN, FROM RIB STA. YH=350 TO RIB STA. YH=990 - UPPER SURFACE (SSI 55-10-07)									Service ATA:55
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
	PROC. REF: NDT 55-10-00									PKG:5016,6032
55-10-00-210-805-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (EXTERNAL) OF HORIZONTAL STABILIZER COMPONENTS:- SUPPORT PULLEY CENTRAL STA- BILIZER (SSI 55-10-14)									Service ATA:55
	MOS	10-Jul-15	192 (+15d/-15d)					LOW UTILIZATION		
	HRS	7460.3	8000 (+20/-20)							
	AFL	3992	4000 (+20/-20)							
	PROC. REF: NDT 55-10-00									PKG:5032,6032
55-10-00-210-C01-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (EXTERNAL) OF HORIZON- TAL STABILIZER COMPONENTS:- U SHAPE, L SHAPE AND BOX STRUCTURE - ELEVATOR COMMAND (SSI 55-10-22)									Service ATA:55
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
	PROC. REF: CPM 55-10-00									PKG:5008,6016

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 55 - STABILIZERS											
55-10-00-210-C02-L00 <sup>S</sup>			GENERAL VISUAL INSPECTION (EXTERNAL) OF HORIZONTAL STABILIZER COMPONENTS:- SUPPORT QUADRANT ASSY, STABILIZER (SSI 55-10-23)						Service	ATA:55	
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
					PROC. REF: CPM 55-10-00					PKG:5009	
55-10-00-220-801-L00 <sup>S</sup>			DETAILED INSPECTION (EXTERNAL) OF HORIZONTAL STABILIZER COMPONENTS:- ELEVATOR SUPPORT FITTINGS (SSI 55-10-15)						Service	ATA:55	
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
					PROC. REF: NDT 55-10-00					PKG:5008,6016	
55-10-00-220-802-L00 <sup>S</sup>			DETAILED INSPECTION (EXTERNAL) OF HORIZONTAL STABILIZER COMPONENTS:- FITTING HINGE SUPPORT STABILIZER (SSI 55-10-21)						Service	ATA:55	
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: NDT 55-10-00					PKG:5016,6032	
55-10-00-220-803-L00 <sup>S</sup>			DETAILED INSPECTION (INTERNAL) OF HORIZONTAL STABILIZER COMPONENT:- REAR SPAR WEB AND CAP, FROM FIN TO RIB STA. YH=350, INCLUDING CENTER FITTING/SPAR ATTACHMENT (SSI 55-10-12)						Service	ATA:55	
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: NDT 55-10-00					PKG:5016,6032	
55-10-00-220-804-L00 <sup>S</sup>			DETAILED INSPECTION (INTERNAL) OF HORIZONTAL STABILIZER COMPONENTS:- ROOT RIB (SSI 55-10-17)						Service	ATA:55	
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: NDT 55-10-00					PKG:5016	
55-10-00-220-805-L00 <sup>S</sup>			DETAILED INSPECTION (EXTERNAL) OF HORIZONTAL STABILIZER COMPONENTS:- SKIN, FROM FIN TO STA. YH=350 - LOWER SURFACE (SSI 55-10-06)- SKIN, FROM FIN TO STA. YH=350 - UPPER SURFACE (SSI 55-10-01) (L600 ONLY)						Service	ATA:55	
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: NDT 55-10-00					PKG:5016	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 55 - STABILIZERS</b>											
55-10-00-220-806-L00 <sup>S</sup>			DETAILED INSPECTION (INTERNAL) OF HORIZONTAL STABILIZER COMPONENTS:- SKIN SPLICE AT UPPER AND LOWER SURFACE (SSI 55-10-16)- FRONT/ REAR AUXILIARY SPAR CENTER FITTING (SSI 55-10-19)- REAR SPAR CENTER FITTING (SSI 55-10-18)- FRONT SPAR CENTER FITTINGS (SSI 55-10-20) (L600 ONLY)						Service	ATA:55	
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: NDT 55-10-00					PKG:5017	
55-10-00-220-808-L00 <sup>S</sup>			DETAILED INSPECTION (EXTERNAL) OF HORIZONTAL STABILIZER COMPONENTS:- SKIN, FROM RIB STA YH=350 TO RIB YH=990 - UPPER SURFACE (SSI 55-10-02) (L600 ONLY)						Service	ATA:55	
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: NDT 55-10-00					PKG:5016	
55-10-00-220-809-L00 <sup>S</sup>			DETAILED INSPECTION (INTERNAL) OF HORIZONTAL STABILIZER COMPONENTS:- FRONT AND REAR AUXILIARY SPAR WEBS AND CAPS,INCLUDING CENTER FIT- TING/SPAR ATTACHMENT (SSI 55-10-11) (L600 ONLY)						Service	ATA:55	
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: NDT 55-10-00					PKG:5016,6016	
55-10-00-220-810-L00 <sup>S</sup>			DETAILED INSPECTION (EXTERNAL) OF HORIZONTAL STABILIZER COMPONENTS:- SKIN, FROM RIB STA. YH=990 TO RIB STA. YH=2965 - UPPER SURFACE (SSI 55-10-03)						Service	ATA:55	
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: NDT 55-10-00					PKG:5016,6016	
55-10-00-220-811-L00 <sup>S</sup>			DETAILED INSPECTION (INTERNAL) OF HORIZONTAL STABILIZER COMPONENTS:- RIBS, FROM RIB STA. YH=30 TO RIB STA. YH=990 (SSI 55-10-04)- RIBS, FROM RIB STA. YH=990 TO RIB STA. YH=2965 (SSI 55-10-05)						Service	ATA:55	
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: NDT 55-10-00					PKG:5016	
55-10-00-220-812-L00 <sup>S</sup>			DETAILED INSPECTION (INTERNAL) OF HORIZONTAL STABILIZER COMPONENTS:- FRONT SPAR WEB AND CAP, FROM RIB STA. YH=350 TO RIB STA. YH=2965 (SSI 55-10-10) (L600 ONLY)						Service	ATA:55	
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
					PROC. REF: NDT 55-10-00					PKG:5009	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 55 - STABILIZERS</b>											
55-10-00-220-813-L00 <sup>S</sup>			DETAILED INSPECTION (INTERNAL) OF HORIZONTAL STABILIZER COMPONENTS:- FRONT SPAR WEB AND CAP, FROM FIN TO RIB STA. YH=350, INCLUDING CENTER FITTING /SPAR ATTACHMENT (SSI 55-10-09) (L600 ONLY)						Service	ATA:55	
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
					PROC. REF: NDT 55-10-00					PKG:5008	
55-10-00-220-814-L00			DETAILED INSPECTION (EXTERNAL) OF HORIZONTAL STABILIZER COMPONENTS:- SKIN, FROM FIN TO STA. YH=350 - LOWER SURFACE (SSI 55-10-06)- SKIN, FROM FIN TO STA. YH=350 - UPPER SURFACE (SSI 55-10-01) (L650 ONLY)						Service	ATA:55	
	MOS/MSC	25-Sep-07	N/A					STRUCTURAL			
	HRS	0									
	AFL	0									
					PROC. REF: NDT 55-10-00					PKG:6016	
55-10-00-220-815-L00			DETAILED INSPECTION (INTERNAL) OF HORIZONTAL STABILIZER COMPONENTS:- SKIN SPLICE AT UPPER AND LOWER SURFACE (SSI 55-10-16)- FRONT/ REAR AUXILIARY SPAR CENTER FITTING (SSI 55-10-19)- REAR SPAR CENTER FITTING(SS I 55-10-18)- FRONT SPAR CENTER FITTINGS(SS I 55-10-20) (L650 ONLY)						Service	ATA:55	
	MOS/MSC	25-Sep-07	N/A					STRUCTURAL			
	HRS	0									
	AFL	0									
					PROC. REF: NDT 55-10-00					PKG:6016	
55-10-00-220-816-L00			DETAILED INSPECTION (EXTERNAL) OF HORIZONTAL STABILIZER COMPONENTS:- SKIN, FROM RIB STA YH=350 TO RIB YH=990 - UPPER SURFACE (SSI 55-10-02) (L650 ONLY)						Service	ATA:55	
	MOS/MSC	25-Sep-07	N/A					STRUCTURAL			
	HRS	0									
	AFL	0									
					PROC. REF: NDT 55-10-00					PKG:6016	
55-10-00-220-817-L00			DETAILED INSPECTION (INTERNAL) OF HORIZONTAL STABILIZER COMPONENTS:- FRONT AND REAR AUXILIARY SPAR WEBS AND CAPS, INCLUDING CENTER FITTING/SPAR ATTACHMENT (SSI 55-10-11) (L650 ONLY)						Service	ATA:55	
	MOS/MSC	25-Sep-07	N/A					STRUCTURAL			
	HRS	0									
	AFL	0									
					PROC. REF: NDT 55-10-00					PKG:6032	
55-10-00-220-818-L00			DETAILED INSPECTION (INTERNAL) OF HORIZONTAL STABILIZER COMPONENTS:- FRONT SPAR WEB AND CAP, FROM RIB STA. YH=350 TO RIB STA. YH=2965 (SSI 55-10-10) (L650 ONLY)						Service	ATA:55	
	MOS/MSC	25-Sep-07	N/A					STRUCTURAL			
	HRS	0									
	AFL	0									
					PROC. REF: NDT 55-10-00					PKG:6016	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 55 - STABILIZERS</b>											
55-10-00-220-C01-L00 <sup>S</sup>			DETAILED INSPECTION (INTERNAL) OF HORIZONTAL STABILIZER COMPONENTS:- FRONT SPAR WEB AND CAP, FROM FIN TO RIB STA. YH=350, INCLUDING CENTER FITTING/ SPAR ATTACHMENT (SSI 55-10-09)- REAR SPAR WEB & CAP, FROM RIB STA. YH=350 TO RIB STA. YH=2965, INCLUDING FITTING HINGE STABILIZER ATTACH TO ELEVATOR (SSI 55-10-13)						Service	ATA:55	
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
					PROC. REF: CPM 55-10-00					PKG:5008,6016	
55-10-00-220-C02-L00 <sup>S</sup>			DETAILED INSPECTION (EXTERNAL) OF HORIZONTAL STABILIZER COMPONENTS:- SKIN, FROM RIB STA. YH=990 TO RIB STA. YH=2965- LOWER SURFACE (SSI 55-10-08)						Service	ATA:55	
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
					PROC. REF: CPM 55-10-00					PKG:5008,6016	
55-10-00-220-C03-L00 <sup>S</sup>			DETAILED INSPECTION (INTERNAL) OF HORIZONTAL STABILIZER COMPONENTS:- PIN, INTERNAL AND EXTERNAL HINGE, STABILIZER (SSI 55-10-24)						Service	ATA:55	
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
					PROC. REF: CPM 55-10-00					PKG:5008,6016	
55-10-00-240-801-L00 <sup>S</sup>			SPECIAL DETAILED INSPECTION (EXTERNAL) OF HORIZONTAL STABILIZER COMPONENTS BY THE MAGNETIC PARTICLE INSPECTION METHOD:- PIN, INTERNAL AND EXTERNAL HINGE, STABILIZER(SSI 55-10-24)						Service	ATA:55	
	MOS	27-Aug-07	288 (+15d/-15d)					LOW UTILIZATION			
	HRS	0	12000 (+20/-20)								
	AFL	0	6000 (+20/-20)								
					PROC. REF: NDT 55-10-00					PKG:5140	
55-10-00-250-805-L00 <sup>S</sup>			SPECIAL DETAILED INSPECTION (EXTERNAL) OF HORIZONTAL STABILIZER COMPONENTS BY THE EDDY CURRENT INSPECTION METHOD:- SKIN, FROM FIN TO STA. YH=350 - UPPER SURFACE (SSI 55-10-01) (L600 ONLY)						Service	ATA:55	
	MOS	06-Jul-19	144 (+15d/-15d)					LOW UTILIZATION			
	HRS	9057.4	6000 (+20/-20)								
	AFL	4853	3000 (+20/-20)								
					PROC. REF: NDT 55-10-00					PKG:5024	
55-10-00-250-806-L00 <sup>S</sup>			SPECIAL DETAILED INSPECTION (EXTERNAL) OF HORIZONTAL STABILIZER COMPONENTS BY THE EDDY CURRENT INSPECTION METHOD:- SKIN, FROM RIB TO STA. YH=350 TO RIB YH=990 -UPPER SURFACE (SSI 55-10-02) (L600 ONLY)						Service	ATA:55	
	MOS	11-Aug-15	192 (+15d/-15d)					LOW UTILIZATION			
	HRS	7460.3	8000 (+20/-20)								
	AFL	3992	4000 (+20/-20)								
					PROC. REF: NDT 55-10-00					PKG:5032,6032	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 55 - STABILIZERS										
55-10-00-250-807-L00 <sup>S</sup>	SPECIAL DETAILED INSPECTION (EXTERNAL) OF HORIZONTAL STABILIZER COMPONENTS BY THE EDDY CURRENT INSPECTION METHOD:- SKIN, FROM FIN TO STA. YH=350 - LOWER SURFACE (SSI 55-10-06) (L600 ONLY)								Service	ATA:55
MOS	06-Jul-19		144 (+15d/-15d)					LOW UTILIZATION		
HRS	9057.4		6000 (+20/-20)							
AFL	4853		3000 (+20/-20)							
PROC. REF: NDT 55-10-00										PKG:5024
55-10-00-250-808-L00 <sup>S</sup>	SPECIAL DETAILED INSPECTION (EXTERNAL) OF HORIZONTAL STABILIZER COMPONENTS BY USING EDDY CURRENT LOW FREQUENCY INSPECTION METHOD:- FRONT SPAR WEB AND CAP, FROM FIN TO RIB STA. YH=350,INCLUDING CENTER FITTING/SPAR ATTACHMENT (SSI 55-10-09). (L600 ONLY)								Service	ATA:55
MOS	29-Jun-23		48 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		2000 (+20/-20)							
AFL	5401		1000 (+20/-20)							
PROC. REF: NDT 55-10-00										PKG:5010,6008
55-10-00-250-809-L00 <sup>S</sup>	SPECIAL DETAILED INSPECTION (EXTERNAL) OF HORIZONTAL STABILIZER COMPONENTS BY USING EDDY CURRENT LOW FREQUENCY INSPECTION METHOD:- FRONT AND REAR AUXILIARY SPAR WEBS AND CAPS,INCLUDING CENTER FITTING/SPAR ATTACHMENT (SSI 55-10-11) (L600 ONLY)								Service	ATA:55
MOS	29-Jun-23		48 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		2000 (+20/-20)							
AFL	5401		1000 (+20/-20)							
PROC. REF: NDT 55-10-00										PKG:5010,6008
55-10-00-250-810-L00 <sup>S</sup>	SPECIAL DETAILED INSPECTION (EXTERNAL) OF HORIZONTAL STABILIZER COMPONENTS BY USING EDDY CURRENT LOW FREQUENCY INSPECTION METHOD:- REAR SPAR WEB AND CAP, FROM FIN TO RIB STA. YH=350,INCLUDING CENTER FITTING/SPAR ATTACHMENT (SSI 55-10-12) (L600 ONLY)								Service	ATA:55
MOS	29-Jun-23		48 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		2000 (+20/-20)							
AFL	5401		1000 (+20/-20)							
PROC. REF: NDT 55-10-00										PKG:5010,6008
55-20-00-210-801-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (INTERNAL) OF ELEVATOR COMPONENTS:- ELEVATOR HORN MASS BALANCE WEIGHTS AND ATTACHMENTS (SSI 55-20-90)								Service	ATA:55
MOS	29-Jun-23		48 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		2000 (+20/-20)							
AFL	5401		1000 (+20/-20)							
PROC. REF: NDT 55-20-00										PKG:5008

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 55 - STABILIZERS</b>											
55-20-00-210-C01-L00 <sup>S</sup>			GENERAL VISUAL INSPECTION (EXTERNAL) OF ELEVATOR COMPONENTS:- SKIN, BETWEEN ROOT AND STA. YH=160(SS1 55-20-26)- SKIN, BETWEEN STA. YH=160 AND STA. YH=3320 (SSI 55-20-28)						Service	ATA:55	
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
					PROC. REF: CPM 55-20-00					PKG:5009	
55-20-00-210-C02-L00 <sup>S</sup>			GENERAL VISUAL INSPECTION (INTERNAL) OF ELEVATOR COMPONENTS:- SPARS BETWEEN ROOT AND STA. YH=160(SS1 55-20-25)- SPARS, BETWEEN STA. YH=160 AND STA. YH=3320 (SSI 55-20-27)						Service	ATA:55	
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: CPM 55-20-00					PKG:5016,6032	
55-20-00-210-C03-L00 <sup>S</sup>			GENERAL VISUAL INSPECTION (EXTERNAL) OF ELEVATOR COMPONENTS:- TAB (SSI 55-20-37)						Service	ATA:55	
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
					PROC. REF: CPM 55-20-00					PKG:5008,6016	
55-20-00-220-801-L00 <sup>S</sup>			DETAILED INSPECTION (INTERNAL) OF ELEVATOR COMPONENTS:- TORQUE TUBE FITTINGS (SSI 55-20-34)- TAB WHEEL DRIVE SUPPORT FITTINGS (SSI 55-20-35)						Service	ATA:55	
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: NDT 55-20-00					PKG:5016,6032	
55-20-00-220-802-L00 <sup>S</sup>			DETAILED INSPECTION (EXTERNAL) OF ELEVATOR COMPONENTS:- TAB HINGE FITTINGS (SSI 55-20-36)						Service	ATA:55	
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: NDT 55-20-00					PKG:5016,6032	
55-20-00-220-C01-L00 <sup>S</sup>			DETAILED INSPECTION (INTERNAL) OF ELEVATOR COMPONENTS:- RIBS, BETWEEN ROOT AND STA. YH=160(SS1 55-20-29)- RIBS, BETWEEN STA. YH=160 AND STA. YH=983.4 (SSI 55-20-30)- RIBS, BETWEEN STA. YH=3001 AND STA. YH=3320 (SSI 55-20-33)						Service	ATA:55	
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: CPM 55-20-00					PKG:5016,6032	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 55 - STABILIZERS</b>										
55-20-00-290-C01-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF ELEVATOR COMPONENTS USING A BOROSCOPE:- RIBS, BETWEEN STA. YH=983,4 AND STA. YH=1898 (SSI 55-20-31)- RIBS, BETWEEN STA. YH=1898 AND STA. YH=3001 (SSI 55-20-32)								Service	ATA:55
MOS	29-Jun-23		48 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		2000 (+20/-20)							
AFL	5401		1000 (+20/-20)							
PROC. REF: CPM 55-20-00										PKG:5008,6016
55-30-00-210-802-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION(INTERNAL) OF VERTICAL STABILIZER COMPONENTS:- SPAR 2 (WEB AND CAP),FROM FUSELAGE CONTOUR LINE TO TIP RIB STA. ZV=3015 (SSI 55-30-67)- SPAR 1 (WEB AND CAP),FROM FUSELAGE CONTOUR LINE TO TIP RIB (SSI 55-30-68) (L600 ONLY)								Service	ATA:55
MOS	29-Jun-23		96 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		4000 (+20/-20)							
AFL	5401		2000 (+20/-20)							
PROC. REF: NDT 55-30-00										PKG:5016,6032
55-30-00-210-C01-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (EXTERNAL) OF VERTICAL STABILIZER COMPONENTS:- SKIN AT WINDOWS FROM FUSELAGE TO STA. ZV=1169 (SSI 55-30-44)								Service	ATA:55
MOS	29-Jun-23		48 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		2000 (+20/-20)							
AFL	5401		1000 (+20/-20)							
PROC. REF: CPM 55-30-00										PKG:5009
55-30-00-210-C02-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (EXTERNAL) OF VERTICAL STABILIZER COMPONENTS:- SKIN AT SPAR 3, AUXILIARY SPAR 52%, AND STRINGERS46.5% & 57.65%, BETWEEN FUSELAGE & RIB STA. ZV=1169 (SSI 55-30-39)- SKIN AT SPAR 3, AUXILIARY SPAR 52%, AND STRINGERS46.5% & 57.65%, BETWEEN RIBS STA. ZV=1169 & STA. ZV=2799 (SSI 55-30-41)- SKIN AT SPAR 3, AUXILIARY SPAR 52%, AND STRINGERS 46.5% & 57.65%, BETWEEN RIB STA. ZV=2799 & HORIZONTAL STABILIZER (SSI 55-30-43)- SKIN AT WINDOWS BETWEEN STA. ZV=1169 & STA. ZV=2799 (SSI 55-30-45)- SKIN AT RIBS, BETWEEN STA.ZV=1169 AND STA. ZV=2799 (SSI 55-30-48)- SKIN AT RIBS, BETWEEN STA. ZV=2799 AND HORIZONTAL STABILIZER (SSI 55-30-49)								Service	ATA:55
MOS	29-Jun-23		48 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		2000 (+20/-20)							
AFL	5401		1000 (+20/-20)							
PROC. REF: CPM 55-30-00										PKG:5008,6016
55-30-00-210-C03-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (EXTERNAL) OF VERTICAL STABILIZER COMPONENTS:- SKIN AT RIBS FROM FUSE- LAGE TO STA. ZV=1169 (SSI 55-30-47)								Service	ATA:55
MOS	29-Jun-23		48 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		2000 (+20/-20)							
AFL	5401		1000 (+20/-20)							
PROC. REF: CPM 55-30-00										PKG:5009

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 55 - STABILIZERS</b>										
55-30-00-210-C04-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (INTERNAL) OF VERTICAL STABILIZER COMPONENTS:- RIBS (STA. ZV=3461, ZV=2538, ZV=1677,ZV=1550.5, ZV=1430.5, ZV=1423, ZV=1302, ZV=1169 AND ZV=915) (SSI 55-30-73)								Service	ATA:55
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: CPM 55-30-00										PKG:5009
55-30-00-210-C05-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (EXTERNAL) OF VERTICAL STABILIZER COMPONENTS:- SKIN AT SPARS 1, 2, AUXIL- IARY SPAR 41% AND STRINGERS 20% & 35.5% BETWEEN FUSELAGE & RIB STA. ZV=1169 (SSI 55-30-38)- SKIN AT SPARS 1, 2, AUXIL- IARY SPAR 41% AND STRING- ERS 20% & 35.5% BETWEEN RIBS STA. ZV=1169 & STA. ZV=2799 (SSI 55-30-40)- SKIN AT SPARS 1, 2, AUXILIARY SPAR 41% ANDSTRINGERS 20% & 35.5% BETWEEN RIB STA. ZV=2799 & HORIZONTAL STABILIZER (SSI 55-30-42)- SKIN AT WINDOWS BETWEEN STA. ZV=2799AND HORIZONTAL STABILIZER (SSI 55-30-46)								Service	ATA:55
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: CPM 55-30-00										PKG:5009
55-30-00-220-801-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF VERTICAL STABILIZER COMPONENTS:- TIP RIB (SSI 55-30-69)								Service	ATA:55
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
PROC. REF: NDT 55-30-00										PKG:5016,6032
55-30-00-220-802-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF VERTICAL STABILIZER COMPONENTS:- FIN-TO-FUSELAGE ATTACHMENT FITTING TO SPAR 1 (SSI 55-30-58)- FIN-TO-FUSELAGE ATTACHMENT FITTING TO BULKHEAD 77 (SSI 55-30-59) (L600 ONLY)								Service	ATA:55
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
PROC. REF: NDT 55-30-00										PKG:5016,6032
55-30-00-220-804-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF VERTICAL STABILIZER COMPONENTS:- FITTING HINGE SUPPORT (SSI 55-30-76) (L600 ONLY)								Service	ATA:55
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
PROC. REF: NDT 55-30-00										PKG:5016,6032

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 55 - STABILIZERS											
55-30-00-220-805-L00 <sup>S</sup>			DETAILED INSPECTION (INTERNAL) OF VERTICAL STABILIZER COMPONENTS:- FIN-TO-FUSELAGE ATTACH- MENT FITTING TO SPAR 3 (SSI 55-30-54)- FIN-TO-FUSELAGE ATTACH- MENT FITTING TO BULKHEAD 78 (SSI 55-30-60)- FIN-TO-FUSELAGE ATTACH- MENT FITTING TO BULKHEAD 79 (SSI 55-30-61)- FIN-TO-FUSELAGE ATTACH- MENT FITTING TO BULKHEAD 80 (SSI 55-30-62)- SPAR 41% (WEB AND CAP), FROM STA. ZV=1550.5, INCLUDING ATTACHMENT BOLTS (SSI 55-30-66) (L600 ONLY)						Service	ATA:55	
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: NDT 55-30-00					PKG:5016,6032	
55-30-00-220-806-L00 <sup>S</sup>			DETAILED INSPECTION (INTERNAL) OF VERTICAL STABILIZER COMPONENTS:- FIN-TO-FUSELAGE ATTACH- MENT FITTING TO AUXILIARY SPAR 52% (SSI 55-30-55)- FIN-TO-FUSELAGE ATTACH- MENT FITTING TO AUXILIARY SPAR 41% (SSI 55-30-56)- SPAR 3 (WEB AND CAP), FROM FUSELAGE CONTOUR LINE TO TIP RIB, INCLUDING ATTACHMENT BOLTS (SSI 55-30-63)- SPAR 52% (WEB AND CAP), FROM FUSELAGE CONTOUR LINE TO TIP RIB, INCLUDING ATTACHMENT BOLTS (SSI 55-30-64)- SPAR 41% (WEB AND CAP), FROM STA. ZV=2538 TO TIP RIB, INCLUDING ATTACHMENT BOLTS (SSI 55-30-65)- FIN-TO-HORIZONTAL STABILIZER SUPPORT ACTUATORS, INCLUDING BOLT (SSI 55-30-75)- ACTUATOR SUPPORT FITTINGS (RUDDER) (SSI 55-30-79)- PCU SUPPORT FITTINGS (SSI 55-30-80) (L600 ONLY)						Service	ATA:55	
	MOS	27-Aug-07	288 (+15d/-15d)					LOW UTILIZATION			
	HRS	0	12000 (+20/-20)								
	AFL	0	6000 (+20/-20)								
					PROC. REF: NDT 55-30-00					PKG:5140	
55-30-00-220-807-L00 <sup>S</sup>			DETAILED INSPECTION (INTERNAL) OF VERTICAL STABILIZER COMPONENTS:- FIN-TO-FUSELAGE ATTACH- MENT FITTING TO SPAR 2 (SSI 55-30-57) (L600 ONLY)						Service	ATA:55	
	MOS	27-Aug-07	288 (+15d/-15d)					LOW UTILIZATION			
	HRS	0	12000 (+20/-20)								
	AFL	0	6000 (+20/-20)								
					PROC. REF: NDT 55-30-00					PKG:5140	
55-30-00-220-808-L00			DETAILED INSPECTION (INTERNAL) OF VERTICAL STABILIZER COMPONENTS:- SPAR 2 (WEB AND CAP), FROM FUSELAGE CONTOUR LINE TO TIP RIB STA. ZV=3015 (SSI55-30-67)- SPAR 1 (WEB AND CAP), FROM FUSELAGE CONTOUR LINE TO TIP RIB (SSI 55-30-68) (L650 ONLY)						Service	ATA:55	
	MOS/MSC	25-Sep-07	N/A					STRUCTURAL			
	HRS	0									
	AFL	0									
					PROC. REF: NDT 55-30-00					PKG:6032	
55-30-00-220-809-L00			DETAILED INSPECTION (INTERNAL) OF VERTICAL STABILIZER COMPONENTS:- FIN-TO-FUSELAGE ATTACHMENT FITTING TO SPAR 1 (SSI 55-30-58)- FIN-TO-FUSELAGE ATTACHMENT FITTING TO BULKHEAD 77 (SSI 55-30-59) (L650 ONLY)						Service	ATA:55	
	MOS/MSC	25-Sep-07	N/A					STRUCTURAL			
	HRS	0									
	AFL	0									
					PROC. REF: NDT 55-30-00					PKG:6016	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 55 - STABILIZERS										
55-30-00-220-810-L00	DETAILED INSPECTION (INTERNAL) OF VERTICAL STABILIZER COMPONENTS:- FITTING HINGE SUPPORT (SSI 55-30-76) (L650 ONLY)								Service	ATA:55
	MOS/MSC	25-Sep-07	N/A					STRUCTURAL		
	HRS	0								
	AFL	0								
PROC. REF: NDT 55-30-00										PKG:6016
55-30-00-220-811-L00	DETAILED INSPECTION (INTERNAL) OF VERTICAL STABILIZER COMPONENTS:- FIN-TO-FUSELAGE ATTACHMENT FITTING TO SPAR 3 (SSI 55-30-54)- FIN-TO-FUSELAGE ATTACHMENT FITTING TO BULKHEAD 78 (SSI 55-30-60)- FIN-TO-FUSELAGE ATTACHMENT FITTING TO BULKHEAD 79 (SSI 55-30-61)- FIN-TO-FUSELAGE ATTACHMENT FITTING TO BULKHEAD 80 (SSI 55-30-62)- SPAR 41% (WEB AND CAP), FROM STA. ZV=1550.5,INCLUDING ATTACHMENT BOLTS (SSI 55-30-66) (L650 ONLY)								Service	ATA:55
	MOS/MSC	25-Sep-07	N/A					STRUCTURAL		
	HRS	0								
	AFL	0								
PROC. REF: NDT 55-30-00										PKG:6016
55-30-00-220-812-L00	DETAILED INSPECTION (INTERNAL) OF VERTICAL STABILIZER COMPONENTS:- FIN-TO-FUSELAGE ATTACHMENT FITTING TO AUXILIARY SPAR 52% (SSI 55-30-55)- FIN-TO-FUSELAGE ATTACHMENT FITTING TO AUXILIARY SPAR 41% (SSI 55-30-56)- SPAR 3 (WEB AND CAP), FROM FUSELAGE CONTOUR LINE TO TIP RIB, INCLUDING ATTACHMENT BOLTS (SSI 55-30-63)- SPAR 52% (WEB AND CAP), FROM FUSELAGE CONTOUR LINE TO TIP RIB, INCLUDING ATTACHMENT BOLTS (SSI 55-30-64)- SPAR 41% (WEB AND CAP), FROM STA. ZV=2538 TO TIP RIB, INCLUDING ATTACHMENT BOLTS (SSI 55-30-65)- FIN-TO-HORIZONTAL STABILIZER SUPPORT ACTUATORS, INCLUDING BOLT (SSI 55-30-75)- ACTUATOR SUPPORT FITTINGS (RUDDER) (SSI 55-30-79)- PCU SUPPORT FITTINGS (SSI 55-30-80) (L650 ONLY)								Service	ATA:55
	MOS/MSC	27-Aug-07	N/A							
	HRS	0								
	AFL	0								
PROC. REF: NDT 55-30-00										PKG:6016
55-30-00-220-813-L00	DETAILED INSPECTION (INTERNAL) OF VERTICAL STABILIZER COMPONENTS:- FIN-TO-FUSELAGE ATTACHMENT FITTING TO SPAR 2 (SSI 55-30-57) (L650 ONLY)								Service	ATA:55
	MOS/MSC	25-Sep-07	N/A					STRUCTURAL		
	HRS	0								
	AFL	0								
PROC. REF: NDT 55-30-00										PKG:6016
55-30-00-220-C01-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF VERTICAL STABILIZER COMPONENTS:- ROOT RIB, INCLUDING BOLTS (SSI 55-30-70)- RIBS OF ACTUATOR AREA (STA. ZV=1932 AND ZV=2277) (SSI 55-30-72)								Service	ATA:55
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: CPM 55-30-00										PKG:5009

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 55 - STABILIZERS</b>										
55-30-00-220-C02-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF VERTICAL STABILIZER COMPONENTS:- RIBS OF HORIZONTAL STABILIZER ACTUATORS (STA. ZV=3145, ZV=3015 AND ZV=2799) (SSI 55-30-71)- REAR SPAR ACTUATOR SUPPORT FITTING (ELEVATOR) (SSI 55-30-77)								Service	ATA:55
MOS	29-Jun-23		96 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		4000 (+20/-20)							
AFL	5401		2000 (+20/-20)							
PROC. REF: CPM 55-30-00										PKG:5016,6032
55-30-00-220-C03-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF VERTICAL STABILIZER COMPONENTS:- SPAR 1 - TIP RIB ATTACHMENT (SSI 55-30-53)								Service	ATA:55
MOS	29-Jun-23		96 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		4000 (+20/-20)							
AFL	5401		2000 (+20/-20)							
PROC. REF: CPM 55-30-00										PKG:5016,6032
55-30-00-220-C04-L00 <sup>S</sup>	DETAILED INSPECTION (EXTERNAL) OF VERTICAL STABILIZER COMPONENTS:- RUDDER HINGE FITTINGS (SSI 55-30-78)								Service	ATA:55
MOS	29-Jun-23		48 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		2000 (+20/-20)							
AFL	5401		1000 (+20/-20)							
PROC. REF: CPM 55-30-00										PKG:5008,6016
55-30-00-220-C05-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF VERTICAL STABILIZER COMPONENTS:- FIN-TO-HORIZONTAL STABILIZER ATTACHMENT FITTING TO SPAR 3 (SSI 55-30-50)- FIN-TO-HORIZONTAL STABILIZER ATTACHMENT FITTING TO AUXILIARY SPAR 52% (SSI 55-30-51) - FIN-TO-HORIZONTAL STABILIZER ATTACHMENT FITTING TO AUXILIARY SPAR 41% (SSI 55-30-52)								Service	ATA:55
MOS	29-Jun-23		48 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		2000 (+20/-20)							
AFL	5401		1000 (+20/-20)							
PROC. REF: CPM 55-30-00										PKG:5008,6016
55-30-00-250-801-L00 <sup>S</sup>	SPECIAL DETAILED INSPECTION (EXTERNAL) OF VERTICAL STABILIZER COMPONENTS BY THE EDDY CURRENT INSPECTION METHOD:- FITTING HINGE SUPPORT (SSI 55-30-76)								Service	ATA:55
MOS	27-Aug-07		288 (+15d/-15d)					LOW UTILIZATION		
HRS	0		12000 (+20/-20)							
AFL	0		6000 (+20/-20)							
PROC. REF: NDT 55-30-00										PKG:5140
55-30-00-290-801-L00 <sup>S</sup>	SPECIAL DETAILED INSPECTION(EXTERNAL) OF VERTICAL STABILIZERCOMPONENTS USING BOROSCOPE. TRAILING EDGE RIBS (SSI 55-30-74).								Service	ATA:55
MOS	29-Jun-23		96 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		4000 (+20/-20)							
AFL	5401		2000 (+20/-20)							
PROC. REF: NDT 55-30-00										PKG:5016,6032

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 55 - STABILIZERS</b>										
55-40-00-210-C01-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (EXTERNAL) OF RUDDER COMPONENTS:- FRONT SPAR - SKIN ATTACHMENT (RUDDER I)(SSI 55-40-81)- REAR SPAR - SKIN ATTACHMENT (RUDDER I)(SSI 55-40-82)- LT & RT SKIN - SPAR CAP ATTACHMENT (RUDDER I)(SSI 55-40-83)- RIBS - SKIN ATTACHMENT (RUDDER I) (SSI 55-40-84)- HINGES - RUDDER I (SSI 55-40-85)								Service	ATA:55
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: CPM 55-40-00										PKG:5008,6016
55-40-00-210-C02-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (EXTERNAL) OF RUDDER COMPONENTS:- SPAR - SKIN ATTACHMENT (RUDDER II) (SSI 55- 40- 86)- LT & RT SKIN - SPAR CAP ATTACHMENT (RUDDER II) (SSI 55-40-87)- RIBS - SKIN ATTACHMENT (RUDDER II) (SSI 55-40-88)- HINGES - RUDDER II (SSI 55-40-89)								Service	ATA:55
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: CPM 55-40-00										PKG:5008,6016
55-40-00-220-C01-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF RUDDER COMPONENTS:- FRONT SPAR - SKIN ATTACH- MENT (RUDDER I)(SSI 55-40-81)- REAR SPAR - SKIN ATTACH- MENT (RUDDER I)(SSI 55-40-82)- LT & RT SKIN - SPAR CAP ATTACHMENT (RUDDER I)(SSI 55-40-83)- RIBS - SKIN ATTACHMENT (RUDDER I) (SSI 55-40-84)- HINGES - RUDDER I (SSI 55-40-85)								Service	ATA:55
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: CPM 55-40-00										PKG:5008,6016
55-40-00-220-C02-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF RUDDER COMPONENTS:- SPAR - SKIN ATTACHMENT (RUDDER II) (SSI 55-40-86)- LT & RT SKIN - SPAR CAP ATTACHMENT (RUDDER II) (SSI 55-40-87)- RIBS - SKIN ATTACHMENT (RUDDER II) (SSI 55-40-88)- HINGES - RUDDER II (SSI 55-40-89)								Service	ATA:55
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: CPM 55-40-00										PKG:5008,6016
55-Z321-213-001-A00 <sup>S</sup>	GENERAL VISUAL INSPECTION(EXTERNAL) (ZONES 321, 322, 323)								Service	ATA:55
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: AMM 05-20-65										PKG:5008,6016

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 55 - STABILIZERS										
55-Z321-214-001-A00 <sup>S</sup>	GENERAL VISUAL INSPECTION	(INTERNAL)	(ZONES 321, 322, 323, 337)							Service ATA:55
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: AMM 05-20-65					PKG:5008,6016
55-Z324-213-001-A00 <sup>S</sup>	GENERAL VISUAL INSPECTION	(EXTERNAL)	(ZONES 324, 325)							Service ATA:55
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: AMM 05-20-58					PKG:5008,6016
55-Z324-214-001-A00 <sup>S</sup>	GENERAL VISUAL INSPECTION	(INTERNAL)	(ZONES 324, 325) (L600 ONLY)							Service ATA:55
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: AMM 05-20-58					PKG:5008,6016
55-Z324-214-001-A01	GENERAL VISUAL INSPECTION	(INTERNAL)	(ZONES 324, 325) NOTE:EWIS (L650 ONLY)							Service ATA:55
	MOS/MSC	25-Sep-07	N/A					ZONAL		
	HRS	0								
	AFL	0								
					PROC. REF: AMM 05-20-58					PKG:6016
55-Z326-213-001-A00 <sup>S</sup>	GENERAL VISUAL INSPECTION	(EXTERNAL)	(ZONES 326, 327)							Service ATA:55
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: AMM 05-20-48					PKG:5008,6016
55-Z326-214-001-A00 <sup>S</sup>	GENERAL VISUAL INSPECTION	(INTERNAL)	(ZONES 326, 327)							Service ATA:55
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: AMM 05-20-48					PKG:5008,6016
55-Z333-213-001-A00 <sup>S</sup>	GENERAL VISUAL INSPECTION	(EXTERNAL)	(ZONES 331, 332, 333, 334)							Service ATA:55
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: AMM 05-20-52					PKG:5008,6016

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 55 - STABILIZERS</b>										
55-Z333-214-001-A00 <sup>S</sup> GENERAL VISUAL INSPECTION(INTERNAL) (ZONES 331, 332, 333, 334) Service ATA:55										
	MOS		29-Jun-23		48 (+15d/-15d)			LOW UTILIZATION		
	HRS		10161.5		2000 (+20/-20)					
	AFL		5401		1000 (+20/-20)					
PROC. REF: AMM 05-20-52										PKG:5008,6016
55-Z335-213-001-A00 <sup>S</sup> GENERAL VISUAL INSPECTION(EXTERNAL) (ZONE 335, 336) Service ATA:55										
	MOS		29-Jun-23		48 (+15d/-15d)			LOW UTILIZATION		
	HRS		10161.5		2000 (+20/-20)					
	AFL		5401		1000 (+20/-20)					
PROC. REF: AMM 05-20-62										PKG:5008,6016
55-Z335-214-001-A00 <sup>S</sup> GENERAL VISUAL INSPECTION(INTERNAL) (ZONE 335, 336) Service ATA:55										
	MOS		29-Jun-23		48 (+15d/-15d)			LOW UTILIZATION		
	HRS		10161.5		2000 (+20/-20)					
	AFL		5401		1000 (+20/-20)					
PROC. REF: AMM 05-20-62										PKG:5008,6016
551500-0101 LEFT LEADING EDGE HORIZ STABILIZER ASSEMBLY Component ATA:55										
PN:PN	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:UNKNOWN	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: AMM 55-15-00										
551500-0102 RIGHT LEADING EDGE HORIZ STABILIZER ASSEMBLY Component ATA:55										
PN:PN	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:UNKNOWN	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: AMM 55-15-00										
551500-0103 LEADING EDGE ASSY ASSEMBLY Component ATA:55										
PN:145-03435-413	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:0000134776	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: AMM 55-15-00, AMM 55-35-00										
551500-0104 LEADING EDGE ASSY ASSEMBLY Component ATA:55										
PN:145-03435-414	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:0000160169	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: AMM 55-15-00, AMM 55-35-00										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 55 - STABILIZERS</b>											
551500-0201		LH FAIRING ASSY								Component	ATA:55
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 55-13-01											
551500-0202		RH FAIRING ASSY								Component	ATA:55
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 55-13-01											
551500-0301		LH FAIRING ASSY								Component	ATA:55
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 55-14-00											
551500-0302		RH FAIRING ASSY								Component	ATA:55
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 55-14-00											
553400-0101		REAR FUS DORSAL FIN ASSY								Component	ATA:55
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 55-34-00											
553600-0101		FRONT FIXED FAIRING ASSY								Component	ATA:55
PN:145-21643-421	MOS/MSC	19-Aug-15	O/C	TSN 96, TSR 0							
SN:0000127727	HRS	7460.3		TSN 7460.3, TSR 0							
	AFL	3992		TSN 3992, TSR 0							
PROC. REF: AMM 55-36-02											
553600-0102		REAR FIXED FAIRING ASSY								Component	ATA:55
PN:145-21646-403	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:0000130993	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 55-36-02											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 55 - STABILIZERS</b>											
553600-0103		FRONT MOVING FAIRING ASSY								Component	ATA:55
PN:145-21644-401	MOS/MSC	19-Aug-15	O/C	TSN 96, TSR 0							
SN:0000126684	HRS	7460.3	TSN 7460.3, TSR 0								
	AFL	3992	TSN 3992, TSR 0								
PROC. REF: AMM 55-36-00											
553600-0104		REAR MOVING FAIRING ASSY								Component	ATA:55
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 55-36-00											
<b>ATA 56 - WINDOWS</b>											
56-10-01-220-001-A00 <sup>S</sup>		INSPECT (DETAILED INSPECTION) THE WINDSHIELD HUMP SEAL								Service	ATA:56
	MOS	29-Jun-23	12 (+15d/-15d)	LOW UTILIZATION							
	HRS	10161.5	500 (+20/-20)								
	AFL	5401									
PROC. REF: AMM 56-10-01											
56-10-01-720-001-A00		FUNCTIONALLY CHECK TORQUE OF WINDSHIELD ATTACHING BOLTS NOTE: APPLICABLE TO AIRCRAFT PRE-MOD. SB145LEG-56-0001 (L600 ONLY)								Service	ATA:56
	MOS/MSC	15-Aug-13	N/A	Adj 12d	EMB-RECOMM						
	HRS	6643.4									
	AFL	3572									
PROC. REF: AMM 56-10-01											
56-10-01-720-001-A01		FUNCTIONAL CHECK LEFT ELECTRICALLY HEATED, WITH RRC - FRONTAL WINDSHIELD ASSY, (LH) - TORQUE OF WINDSHIELD ATTACHING BOLTS								Service	ATA:56
PN:NP-151311-19	MOS	25-Aug-22	EMB-RECOMM								
SN:20118H0238	HRS	9956.8	10000	19956.8	9554.7						
	AFL	5293									
PROC. REF: AMM 56-10-01											
56-10-01-720-001-A01		FUNCTIONAL CHECK RIGHT ELECTRICALLY HEATED, WITH RRC - FRONTAL WINDSHIELD ASSY, (RH) - TORQUE OF WINDSHIELD ATTACHING BOLTS								Service	ATA:56
PN:NP-151311-20	MOS	25-Aug-22	EMB-RECOMM								
SN:20084H7588	HRS	9956.8	10000	19956.8	9554.7						
	AFL	5293									
PROC. REF: AMM 56-10-01											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 56 - WINDOWS</b>										
<b>56-10-01-CUS-0701<sup>U</sup>      PERFORM PERMANENT REPAIR OF RH WINDOW HUMPSEAL</b>										
	MOS/MSC		01-Mar-19	-						Service ATA:56
	HRS		8966							
	AFL		4791							
<b>56-10-01-CUS-0702<sup>U</sup>      GENERAL VISUAL INSPECTION OF RH WINDOW HUMPSEAL TEMPORARY REPAIR FOR TAPE INTEGRITY</b>										
	DAYS/MSC		01-Mar-19	-						Service ATA:56
	HRS		8966							
	AFL		4791							
<b>561000-0101      LEFT ELECTRICALLY HEATED, WITH RRC - FRONTAL WINDSHIELD ASSY, (LH)</b>										
PN:NP-151311-19	MOS/MSC		25-Aug-22	O/C	TSN 0					Component ATA:56
SN:20118H0238	HRS		9956.8		TSN 0					
	AFL		5293		TSN 0					
PROC. REF: AMM 56-10-01										
<b>561000-0102      RIGHT ELECTRICALLY HEATED, WITH RRC - FRONTAL WINDSHIELD ASSY, (RH)</b>										
PN:NP-151311-20	MOS/MSC		25-Aug-22	O/C	TSN 0					Component ATA:56
SN:20084H7588	HRS		9956.8		TSN 0					
	AFL		5293		TSN 0					
PROC. REF: AMM 56-10-01										
<b>561100-0101      PILOT FITTING -MECHANISM,STORM WINDOW ASSEMBLY</b>										
PN:PN	MOS/MSC		27-Aug-07	O/C	TSN 0					Component ATA:56
SN:UNKNOWN	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: NDT GENERIC										
<b>561100-0102      COPILOT FITTING -MECHANISM,STORM WINDOW ASSEMBLY</b>										
PN:PN	MOS/MSC		27-Aug-07	O/C	TSN 0					Component ATA:56
SN:UNKNOWN	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: NDT GENERIC										
<b>ATA 57 - WINGS</b>										
<b>57-01-00-220-C01-L00<sup>S</sup>      DETAILED INSPECTION (INTERNAL) OF WING STUB COMPONENTS:- WING STUB - LOWER SKIN - RIB 2A ATTACHMENT(SS I 57-01-15)- WING STUB - SPAR 2 - BRACKETS RIBS 2A ATTACHMENTS (SSI 57-01-17)- WING STUB - SPAR 1 - BRACKETS RIBS 2A ATTACHMENTS (SSI 57-01-16)</b>										
	MOS		29-Jun-23	96 (+15d/-15d)				LOW UTILIZATION		Service ATA:57
	HRS		10161.5	4000 (+20/-20)						
	AFL		5401	2000 (+20/-20)						
PROC. REF: CPM 57-01-00										PKG:5016,6032

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 57 - WINGS										
57-01-00-220-C02-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF WING STUB COMPONENTS:- WING STUB - RIB 2A SKIN SUPPORTS AND THEIR ATTACHMENTS TO WEB, LOWER FLANGE, AND FWD & AFT WEB SUPPORTS (SSI 57-01-18)- WING STUB - UPPER SKIN - RIB 2A ATTACHMENTS (SSI 57-01-19)								Service	ATA:57
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
	PROC. REF: CPM 57-01-00									PKG:5008,6016
57-01-00-220-C03-L00 <sup>S</sup>	DETAILED INSPECTION (EXTERNAL) OF WING STUB COMPONENTS:- WING STUB - LOWER SKIN - RIB 2A ATTACHMENT (SSI 57-01-15)								Service	ATA:57
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
	PROC. REF: CPM 57-01-00									PKG:5016,6032
57-01-00-220-C04-L00 <sup>S</sup>	DETAILED INSPECTION (EXTERNAL) OF WING STUB COMPONENTS:- WING STUB - UPPER SKIN - RIB 2A ATTACHMENTS (SSI 57-01-19)								Service	ATA:57
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
	PROC. REF: CPM 57-01-00									PKG:5008,6016
57-10-00-210-801-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (EXTERNAL) OF WING STUB COMPONENTS:- SPAR 2 - BRACKETS AND RIB 2A WEB ATTACHMENTS (SSI 57-10-27)								Service	ATA:57
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
	PROC. REF: NDT 57-10-00									PKG:5016,6032
57-10-00-210-C01-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (EXTERNAL) OF WING STUB COMPONENTS:- UPPER SKIN - TIRE COMPARTMENT COMPOSITE PANEL (SSI 57-10-14)								Service	ATA:57
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
	PROC. REF: CPM 57-10-00									PKG:5016,6032
57-10-00-220-801-L00 <sup>S</sup>	DETAILED INSPECTION (EXTERNAL) OF WING STUB COMPONENTS:- SPAR 1 - AUXILIARY CAP ATTACHMENTS & AUXILIARY CAP SPLICE AT WING ATTACHMENTS (SSI 57-10-05)- LOWER SKIN - RIBS 1, 2 & 3 ATTACHMENTS AND TIRE COMPARTMENT WALL ATTACHMENTS (SSI 57-10-02)- SPAR 1 - LOWER SKIN ATTACHMENTS (SSI 57-10-03) NOTE: DURING THIS INSPECTION, THE C/PC BASIC TASK SHALL ALSO BE PERFORMED FOR THESE SSIS								Service	ATA:57
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
	PROC. REF: NDT 57-10-00									PKG:5008,6016

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 57 - WINGS											
57-10-00-220-802-L00 <sup>S</sup>			DETAILED INSPECTION (INTERNAL) OF WING STUB COMPONENTS:- SPAR 2 - BRACKETS AND RIB 2A WEB ATTACHMENTS (SSI 57-10-27)- SPAR 1 - LOWER SKIN ATTACHMENTS (SSI 57-10-03)- SPAR 1 - AUXILIARY CAP ATTACHMENTS & AUXILIARY CAP SPLICE AT WING ATTACHMENTS (SSI 57-10-05) (L600 ONLY)						Service	ATA:57	
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
					PROC. REF: NDT 57-10-00					PKG:5008,6016	
57-10-00-220-803-L00 <sup>S</sup>			DETAILED INSPECTION (INTERNAL) OF WING STUB COMPONENTS:- LOWER SKIN - RIBS 1, 2 & 3 ATTACHMENTS AND TIRE COMPARTMENT WALL ATTACHMENTS(SS I 57-10-02)NOTE: DURING THIS INSPECTION, THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR THIS SSI						Service	ATA:57	
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
					PROC. REF: NDT 57-10-00					PKG:5008,6016	
57-10-00-220-804-L00 <sup>S</sup>			DETAILED INSPECTION (EXTERNAL) OF WING STUB COMPONENTS:- LOWER SKIN - SPANWISE SPLICE AT SPAR 2, ACCESS HOLES, STRINGERS, INTEGRAL MILLED PANELS & SPANWISE SPLICE OF INTEGRAL PANEL (SSI 57-10-01)- SPAR 2 - LOWER SKIN ATTACHMENTS (SSI 57-10-06)NOTE: DURING THIS INSPECTION, THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR THIS SSI'S (L600 ONLY)						Service	ATA:57	
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: NDT 57-10-00					PKG:5016	
57-10-00-220-805-L00 <sup>S</sup>			DETAILED INSPECTION (INTERNAL) OF WING STUB COMPONENTS:- LOWER SKIN - SPANWISE SPLICE AT SPAR 2, ACCESS HOLES, STRINGERS, INTEGRAL MILLED PANELS & SPANWISE SPLICE OF INTEGRAL PANEL (SSI 57-10-01)- SPAR 2 - LOWER SKIN ATTACHMENTS (SSI 57-10-06)- SPAR 2 - AUXILIARY CAP ATTACHMENTS AND AUXILIARYCAP SPLICE AT WING ATTACHMENTS (SSI 57-10-08) NOTE: DURING THIS INSPECTION, THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR THIS SSI'S 57-10-06 AND 57-10-08 (L600 ONLY)						Service	ATA:57	
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: NDT 57-10-00					PKG:5016	
57-10-00-220-806-L00			DETAILED INSPECTION (INTERNAL) OF WING STUB COMPONENTS:- SPAR 2 - BRACKETS AND RIB 2A WEB ATTACHMENTS (SSI 57-10-27)- SPAR 1 - LOWER SKIN ATTACHMENTS (SSI 57-10-03)- SPAR 1 - AUXILIARY CAP ATTACHMENTS & AUXILIARYCAP SPLICE AT WING ATTACHMENTS (SSI 57-10-05) (L650 ONLY)						Service	ATA:57	
	MOS/MS C	25-Sep-07	N/A					STRUCTURAL			
	HRS	0									
	AFL	0									
					PROC. REF: NDT 57-10-00					PKG:6016	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 57 - WINGS										
57-10-00-220-807-L00								DETAILED INSPECTION (EXTERNAL) OF WING STUB COMPONENTS:- LOWER SKIN - SPANWISE SPLICE AT SPAR 2, ACCESS HOLES, STRINGERS, INTEGRAL MILLED PANELS & SPANWISE SPLICE OF INTEGRAL PANEL (SSI 57-10-01)- SPAR 2 - LOWER SKIN ATTACHMENTS (SSI 57-10- 06)NOTE: DURING THIS INSPECTION, THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR THIS SSI <sub>2</sub> S (L650 ONLY)	Service	ATA:57
	MOS/MSC	25-Sep-07	N/A					STRUCTURAL		
	HRS	0								
	AFL	0								
PROC. REF: NDT 57-10-00										PKG:6016
57-10-00-220-808-L00								DETAILED INSPECTION (INTERNAL) OF WING STUB COMPONENTS:- LOWER SKIN - SPANWISE SPLICE AT SPAR 2, ACCESS HOLES, STRINGERS, INTEGRAL MILLED PANELS & SPANWISE SPLICE OF INTEGRAL PANEL (SSI 57-10-01)- SPAR 2 - LOWER SKIN ATTACHMENTS (SSI 57-10-06)- SPAR 2 - AUXILIARY CAP ATTACHMENTS AND AUXILIARY CAP SPLICE AT WING ATTACHMENTS (SSI 57-10-08) NOTE: DURING THIS INSPECTION, THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR THIS SSI <sub>2</sub> S 57-10-06 AND 57-10-08 (L650 ONLY)	Service	ATA:57
	MOS/MSC	25-Sep-07	N/A					STRUCTURAL		
	HRS	0								
	AFL	0								
PROC. REF: NDT 57-10-00										PKG:6016
57-10-00-220-C01-L00 <sup>S</sup>								DETAILED INSPECTION (INTERNAL) OF WING STUB COMPONENTS:- SPAR 1 - BRACKETS, RIBS 1 AND 3 ATTACHMENTS(SS I 57-10-04)- SPAR 2 - CENTER BRACKETS & RIB 2 ATTACHMENTS AND RIBS 1 & 3 WEB ATTACHMENTS (SSI 57-10-07)	Service	ATA:57
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: CPM 57-10-00										PKG:5008,6016
57-10-00-220-C02-L00 <sup>S</sup>								DETAILED INSPECTION (EXTERNAL) OF WING STUB COMPONENTS:- UPPER SKIN - RIB 1 ATTACHMENTS AND SPANWISE SPLICE OF INTEGRAL PANEL (SSI 57-10-13)	Service	ATA:57
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: CPM 57-10-00										PKG:5008,6016
57-10-00-220-C03-L00 <sup>S</sup>								DETAILED INSPECTION (EXTERNAL) OF WING STUB COMPONENTS:- RIB 4 - LOWER FLANGE AND WEB (SSI 57-10-11)	Service	ATA:57
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: CPM 57-10-00										PKG:5008,6016

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 57 - WINGS										
57-10-00-220-C04-L00 <sup>S</sup>	DETAILED INSPECTION (EXTERNAL) OF WING STUB COMPONENTS:- SPAR 3 - LOWER SKIN ATTACHMENTS (SSI 57-10-09)								Service	ATA:57
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
	PROC. REF: CPM 57-10-00									PKG:5008,6016
57-10-00-220-C05-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF WING STUB COMPONENTS:- SPAR 3 - LOWER SKIN ATTACHMENTS (SSI 57-10-09)- UPPER SKIN - TIRE COMPARTMENT COMPOSITE PANEL (SSI 57-10-14)								Service	ATA:57
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
	PROC. REF: CPM 57-10-00									PKG:5008,6016
57-10-00-220-C06-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF WING STUB COMPONENTS:- UPPER SKIN - RIB 1 ATTACHMENTS AND SPANWISE SPLICE OF INTEGRAL PANEL (SSI 57-10-13)								Service	ATA:57
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
	PROC. REF: CPM 57-10-00									PKG:5008,6016
57-10-00-220-C07-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF WING STUB COMPONENTS:- RIB 4 - LOWER FLANGE AND WEB (SSI 57-10-11)- RIB 2 - LONGITUDINAL STRINGER- TO- WEB ATTACHMENTS (SSI 57-10-12)								Service	ATA:57
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
	PROC. REF: CPM 57-10-00									PKG:5008,6016
57-10-00-220-C08-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF WING STUB COMPONENTS:- SPAR 3 - CENTER BRACKET AND RIB 2 ATTACHMENTS (SSI 57-10-10)								Service	ATA:57
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
	PROC. REF: CPM 57-10-00									PKG:5016,6032
57-10-00-250-803-L00 <sup>S</sup>	SPECIAL DETAILED INSPECTION (INTERNAL) OF WING STUB COMPONENTS BY THE ULTRA- SONIC INSPECTION METHOD:- LOWER SKIN - SPANWISE SPLICE AT SPAR 2, ACCESS HOLES, STRINGERS, INTEGRAL MILLED PANELS & SPANWISE SPLICE OF INTEGRAL PANEL (SSI 57-10-01) (L600 ONLY)								Service	ATA:57
	MOS	27-Aug-07	T:288 (+15d/-15d)					LOW UTILIZATION		
	HRS	0	T:12000 (+20/-20)							
	AFL	0	T:6000 (+20/-20)							
	PROC. REF: NDT 57-10-00									PKG:5025

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 57 - WINGS											
57-11-00-220-801-L00 <sup>S</sup>			DETAILED INSPECTION (EXTERNAL) OF WING STUB COMPONENTS:- LOWER SKIN - REAR FITTING-TO- SKIN ATTACHMENTS AND SPARS 1 & 2 - STUB- TO- WING ATTACHMENTS (SSI 57-11-17)- FUSELAGE BULKHEAD AT FRAME 50 AND ITS ATTACH- MENTS TO FRAME 50 (SSI 57-11-25)NOTE: DURING THIS INSPECTION, THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR THESE SSIS						Service	ATA:57	
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: NDT 57-11-00					PKG:5016,6032	
57-11-00-220-802-L00 <sup>S</sup>			DETAILED INSPECTION (INTERNAL) OF WING STUB COMPONENTS:- LOWER SKIN - REAR FITTING-TO- SKIN ATTACHMENTS AND SPARS 1 & 2 - STUB-TO-WING ATTACHMENTS (SSI 57-11-17)- FUSELAGE BULKHEAD AT FRAME 50 AND ITS ATTACHMENTS TO FRAME 50 (SSI 57-11-25)NOTE: DURING THIS INSPECTION, THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR SSI 57-11-25						Service	ATA:57	
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: NDT 57-11-00					PKG:5016,6032	
57-11-00-220-803-L00 <sup>S</sup>			DETAILED INSPECTION (EXTERNAL) OF WING STUB COMPONENTS:- SPAR 1 - LOWER FRONT FITTINGATTACHMENTS AND SPAR 2 - LOWER REAR FITTING ATTACH- MENTS (SSI 57-11-18)- SPAR 2 - TITANIUM FITTING ATTACHMENTS AND FUSELAGE BULKHEAD AT FRAME 46 (SSI 57-11-20)- SPAR 3 - FUSELAGE BULKHEAD ATTACHMENTS AT FRAME 50, L- SHAPE FUSELAGE FRAME 50 ATTACHMENTS & FUSELAGE STRINGERS ATTACH- MENTS (SSI 57-11-21)- SPAR 1 - TITANIUM FITTING ATTACHMENTS, FUSELAGE BULKHEAD ATTACHMENTS AT FRAME 40, L SHAPE FUSE- LAGE FRAME 40 ATTACHMENTS& FUSELAGE STRINGERS (SSI 57-11-19)NOTE: DURING THIS INSPECTION, THE CPCPBASIC TASK SHALL ALSO BE PERFORMED FOR SSIS 57-11-18 AND 57-11-20 (L600 ONLY)						Service	ATA:57	
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: NDT 57-11-00					PKG:5016,6032	
57-11-00-220-805-L00 <sup>S</sup>			DETAILED INSPECTION (INTERNAL) OF WING STUB COMPONENTS:- SPAR 1 - TITANIUM FITTING ATTACHMENTS, FUSELAGE BULKHEAD ATTACHMENTS AT FRAME 40, L SHAPE FUSELAGE FRAME 40 ATTACHMENTS & FUSELAGE STRINGERS ATTACHMENTS (SSI 57-11-19)- SPAR 3 - FUSELAGE BULKHEAD ATTACHMENTS AT FRAME 50, SHALL L- SHAPE FUSELAGE FRAME 50 ATTACHMENTS & FUSELAGE STRINGERS ATTACHMENTS (SSI 57-11-21)NOTE: DURING THIS INSPECTION, THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR SSI 57-11-21						Service	ATA:57	
	MOS	07-Jul-15	192 (+15d/-15d)					LOW UTILIZATION			
	HRS	7460.3	8000 (+20/-20)								
	AFL	3992	4000 (+20/-20)								
					PROC. REF: NDT 57-11-00					PKG:5032,6032	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 57 - WINGS										
57-11-00-220-806-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF WING STUB COMPONENTS:- SPAR 1 - LOWER FRONT FITTING ATTACHMENTS AND SPAR 2 - LOWER REAR FITTING ATTACHMENTS (SSI 57-11-18)- SPAR 2 - TITANIUM FITTING ATTACHMENTS AND FUSELAGE BULKHEAD AT FRAME 46 (SSI 57-11-20) (L600 ONLY)								Service	ATA:57
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
	PROC. REF: NDT 57-11-00									PKG:5016,6032
57-11-00-220-807-L00 <sup>S</sup>	DETAILED INSPECTION (EXTERNAL) OF WING STUB COMPONENTS:- SPAR 3 AND RIB 4 - ROD-END LINK (SSI 57-11-22)- FUSELAGE BULKHEAD AT FRAME 40 AND ITS ATTACHMENTS TO FRAME (SSI 57-11-23)- FUSELAGE BULKHEAD ATTACHMENT TO FRAME 46 (SSI 57-11-24)NOTE: DURING THIS INSPECTION, THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR THESE SSIS (L600 ONLY)								Service	ATA:57
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
	PROC. REF: NDT 57-11-00									PKG:5016,6032
57-11-00-220-808-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF WING STUB COMPONENTS:- FUSELAGE BULKHEAD AT FRAME 40 AND ITS ATTACHMENTS TO FRAME 40 (SSI 57-11-23)- FUSELAGE BULKHEAD ATTACH- MENT TO FRAME 46 (SSI 57-11-24)NOTE: DURING THIS INSPECTION, THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR SSI 57-11-24 (L600 ONLY)								Service	ATA:57
	MOS	27-Aug-07	192 (+15d/-15d)					LOW UTILIZATION		
	HRS	0	8000 (+20/-20)							
	AFL	0	4000 (+20/-20)							
	PROC. REF: NDT 57-11-00									PKG:5032
57-11-00-220-809-L00	DETAILED INSPECTION (EXTERNAL)OF WING STUB COMPONENTS:- SPAR 1 - LOWER FRONT FITTING ATTACHMENTS AND SPAR 2 - LOWER REAR FITTING ATTACHMENTS (SSI 57-11-18)- SPAR 2 - TITANIUM FITTING ATTACHMENTS AND FUSELAGE BULKHEAD AT FRAME 46 (SSI 57-11-20)- SPAR 3 - FUSELAGE BULKHEAD ATTACHMENTS AT FRAME 50, L- SHAPE FUSELAGE FRAME 50 ATTACHMENTS & FUSELAGE STRINGERS ATTACHMENTS (SSI 57-11-21)- SPAR 1 - TITANIUM FITTING ATTACHMENTS, FUSELAGE BULKHEAD ATTACHMENTS AT FRAME 40, L SHAPE FUSELAGE FRAME 40 ATTACHMENTS & FUSELAGE STRINGERS (SSI 57-11-19)NOTE: DURING THIS INSPECTION, THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR SSIS 57-11-18 AND 57-11-20 (L650 ONLY)								Service	ATA:57
	MOS/MSC	27-Aug-07	N/A							
	HRS	0								
	AFL	0								
	PROC. REF: NDT 57-11-00									PKG:6016
57-11-00-220-810-L00	DETAILED INSPECTION (INTERNAL) OF WING STUB COMPONENTS:- SPAR 1 - LOWER FRONT FITTING ATTACHMENTS AND SPAR 2 - LOWER REAR FITTING ATTACHMENTS (SSI 57-11-18)- SPAR 2 - TITANIUM FITTING ATTACHMENTS AND FUSELAGE BULKHEAD AT FRAME 46 (SSI 57-11-20) (L650 ONLY)								Service	ATA:57
	MOS/MSC	25-Sep-07	N/A					STRUCTURAL		
	HRS	0								
	AFL	0								
	PROC. REF: NDT 57-11-00									PKG:6016

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 57 - WINGS											
57-11-00-220-811-L00			DETAILED INSPECTION (EXTERNAL) OF WING STUB COMPONENTS:- SPAR 3 AND RIB 4 - ROD-END LINK (SSI 57-11-22)- FUSELAGE BULKHEAD AT FRAME 40 AND ITS ATTACHMENTS TO FRAME (SSI 57-11-23)- FUSELAGE BULKHEAD ATTACHMENT TO FRAME 46 (SSI 57-11-24)NOTE: DURING THIS INSPECTION, THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR THESE SSIS (L650 ONLY)						Service	ATA:57	
	MOS/MS	25-Sep-07	N/A					STRUCTURAL			
	HRS	0									
	AFL	0									
					PROC. REF: NDT 57-11-00					PKG:6016	
57-11-00-220-812-L00			DETAILED INSPECTION (INTERNAL) OF WING STUB COMPONENTS:- FUSELAGE BULKHEAD AT FRAME 40 AND ITS ATTACHMENTS TO FRAME 40 (SSI 57-11-23)- FUSELAGE BULKHEAD ATTACHMENT TO FRAME 46 (SSI 57-11-24)NOTE: DURING THIS INSPECTION, THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR SSI 57-11-24 (L650 ONLY)						Service	ATA:57	
	MOS/MS	25-Sep-07	N/A					STRUCTURAL			
	HRS	0									
	AFL	0									
					PROC. REF: NDT 57-11-00					PKG:6016	
57-11-00-250-801-L00 <sup>S</sup>			SPECIAL DETAILED INSPECTION (INTERNAL) OF WING STUB COMPONENTS BY THE EDDY CURRENT INSPECTION METHOD:- LOWER SKIN - REAR FITTING-TO- SKIN ATTACHMENTS AND SPARS 1 & 2 - STUB-TO-WING ATTACHMENTS (SSI 57-11-17)						Service	ATA:57	
	MOS	27-Aug-07	288 (+15d/-15d)					LOW UTILIZATION			
	HRS	0	12000 (+20/-20)								
	AFL	0	6000 (+20/-20)								
					PROC. REF: NDT 57-11-00					PKG:5140	
57-21-00-210-801-L00 <sup>S</sup>			GENERAL VISUAL INSPECTION (EXTERNAL) OF WING COMPONENTS:- LOWER SKIN/SPAR ATTACH- MENTS (SSI 57-21-36)						Service	ATA:57	
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
					PROC. REF: NDT 57-21-00					PKG:5008	
57-21-00-210-806-L00 <sup>S</sup>			GENERAL VISUAL INSPECTION (INTERNAL) OF WING COMPONENTS:- UPPER SKIN/SPAR ATTACH- MENT (SSI 57-21-37) (L600 ONLY)						Service	ATA:57	
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
					PROC. REF: NDT 57-21-00					PKG:5008	
57-21-00-210-809-L00 <sup>S</sup>			GENERAL VISUAL INSPECTION (INTERNAL) OF WING COMPONENTS:- LOWER SKIN ACCESS HOLES (SSI 57-21-32)						Service	ATA:57	
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: NDT 57-21-00					PKG:5016,6032	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 57 - WINGS										
57-21-00-210-812-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (EXTERNAL) OF WING COMPONENTS:- LOWER SKIN PANEL SPANWISE JOINT (SSI 57-21-30)- UPPER SKIN PANEL SPANWISE JOINT (SSI 57-21-31)- UPPER SKIN/SPAR ATTACHMENT (SSI 57-21-37)								Service	ATA:57
MOS	29-Jun-23		48 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		2000 (+20/-20)							
AFL	5401		1000 (+20/-20)							
PROC. REF: NDT 57-21-00										PKG:5008
57-21-00-210-813-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (INTERNAL) OF WING COMPONENTS:- LOWER SKIN PANEL CHORD- WISE JOINT (SSI 57-21-29)- LOWER SKIN PANEL SPANWISE JOINT (SSI 57-21-30)								Service	ATA:57
MOS	29-Jun-23		96 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		4000 (+20/-20)							
AFL	5401		2000 (+20/-20)							
PROC. REF: NDT 57-21-00										PKG:5016,6032
57-21-00-210-814-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (INTERNAL) OF WING COMPONENTS:- LOWER SKIN ACCESS HOLES (SSI 57-21-32)								Service	ATA:57
MOS	29-Jun-23		96 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		4000 (+20/-20)							
AFL	5401		2000 (+20/-20)							
PROC. REF: NDT 57-21-00										PKG:5016,6032
57-21-00-210-815-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (EXTERNAL) OF WING COMPONENTS:- LOWER SKIN PANEL SPANWISE JOINT (SSI 57-21-30)NOTE: DURING THIS INSPECTION, THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR THIS SSI								Service	ATA:57
MOS	29-Jun-23		96 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		4000 (+20/-20)							
AFL	5401		2000 (+20/-20)							
PROC. REF: NDT 57-21-00										PKG:5016,6032
57-21-00-210-816-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (EXTERNAL) OF WING COMPONENTS:- LOWER SKIN PANEL CHORD- WISE JOINT (SSI 57-21-29)NOTE: DURING THIS INSPECTION, THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR THIS SSI								Service	ATA:57
MOS	29-Jun-23		96 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		4000 (+20/-20)							
AFL	5401		2000 (+20/-20)							
PROC. REF: NDT 57-21-00										PKG:5016,6032
57-21-00-210-821-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (INTERNAL) OF WING COMPONENTS:- LOWER SKIN/ SPAR ATTACH- MENTS (SSI 57-21-36)								Service	ATA:57
MOS	29-Jun-23		96 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		4000 (+20/-20)							
AFL	5401		2000 (+20/-20)							
PROC. REF: NDT 57-21-00										PKG:5016,6016

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 57 - WINGS										
57-21-00-210-822-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (INTERNAL) OF WING COMPONENTS:- LOWER SKIN PANEL SPANWISE JOINT (SSI 57-21-30)								Service	ATA:57
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
	PROC. REF: NDT 57-21-00									PKG:5016,6032
57-21-00-210-823-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (INTERNAL) OF WING COMPONENTS:- SKIN PANELS (SSI 57-21-26)								Service	ATA:57
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
	PROC. REF: NDT 57-21-00									PKG:5016,6032
57-21-00-210-824-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (INTERNAL) OF WING COMPONENTS:- UPPER SKIN PANEL AT SPANWISE JOINT (SSI 57-21-31)								Service	ATA:57
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
	PROC. REF: NDT 57-21-00									PKG:5016,6032
57-21-00-210-825-L00	GENERAL VISUAL INSPECTION (INTERNAL) OF WING COMPONENTS:- UPPER SKIN/SPAR ATTACHMENT (SSI 57-21-37) (L650 ONLY)								Service	ATA:57
	MOS/MS	25-Sep-07	N/A					STRUCTURAL		
	HRS	0								
	AFL	0								
	PROC. REF: NDT 57-21-00									PKG:6016
57-21-00-210-826-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (EXTERNAL) OF WING COMPONENTS:- LOWER SKIN ACCESS HOLES (SSI 57-21-32)								Service	ATA:57
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
	PROC. REF: NDT 57-21-00									PKG:5016,6016
57-21-00-210-C01-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (EXTERNAL) OF WING COMPONENTS: - LOWER VENT HOLE (SSI 57-21-33) - GRAVITY FUEL HOLE (SSI 57-21-35)								Service	ATA:57
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
	PROC. REF: CPM 57-21-00									PKG:5009
57-21-00-210-C02-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (EXTERNAL) OF WING COMPONENTS:- UPPER SKIN/ SPAR ATTACHMENT (SSI 57-21-37)								Service	ATA:57
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
	PROC. REF: CPM 57-21-00									PKG:5009

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 57 - WINGS										
57-21-00-210-C04-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (INTERNAL) OF WING COMPONENTS:- UPPER SKIN PANEL SPAN- WISE JOINT (SSI 57-21-31)								Service	ATA:57
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: CPM 57-21-00					PKG:5008,6016
57-21-00-210-C06-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (INTERNAL) OF WING COMPONENTS:- UPPER SKIN/ SPAR STUB ATTACHMENT (SSI 57-21-39)								Service	ATA:57
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: CPM 57-21-00					PKG:5008,6016
57-21-00-210-C08-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (INTERNAL) OF WING COMPONENTS:- SKIN PANELS (SSI 57-21-26)- UPPER SKIN PANEL SPAN- WISE JOINT (SSI 57-21-31)- UPPER SKIN/ SPAR ATTACH- MENT (SSI 57-21-37)								Service	ATA:57
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
					PROC. REF: CPM 57-21-00					PKG:5016,6032
57-21-00-210-C09-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (EXTERNAL) OF WING COMPONENTS:- LOWER SKIN ACCESS HOLES (SSI 57-21-32)								Service	ATA:57
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: CPM 57-21-00					PKG:5009
57-21-00-210-C10-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (EXTERNAL) OF WING COMPONENTS:- LOWER SKIN/ WING STUB ATTACHMENT (SSI 57-21-38)								Service	ATA:57
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: CPM 57-21-00					PKG:5008,6016
57-21-00-210-C11-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (INTERNAL) OF WING COMPONENTS:- GRAVITY FUEL HOLE (SSI 57-21-35)								Service	ATA:57
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
					PROC. REF: CPM 57-21-00					PKG:5016,6032
57-21-00-210-C13-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (EXTERNAL) OF WING COMPONENTS:- UPPER SKIN/ WING STUB ATTACHMENT (SSI 57-21-39)								Service	ATA:57
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: CPM 57-21-00					PKG:5008,6016

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 57 - WINGS										
57-21-00-210-C14-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (EXTERNAL) OF WING COMPONENTS:- SKIN PANELS (SSI 57-21-26)- UPPER SKIN PANEL SPAN- WISE JOINT (SSI 57-21-31) (L600 ONLY)								Service	ATA:57
MOS	29-Jun-23		48 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		2000 (+20/-20)							
AFL	5401		1000 (+20/-20)							
PROC. REF: CPM 57-21-00										PKG:5008,6016
57-21-00-210-C15-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (EXTERNAL) OF WING COMPONENTS:- UPPER SKIN/ SPAR ATTACHMENT (SSI 57-21-37)								Service	ATA:57
MOS	29-Jun-23		48 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		2000 (+20/-20)							
AFL	5401		1000 (+20/-20)							
PROC. REF: CPM 57-21-00										PKG:5008,6016
57-21-00-210-C16-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (INTERNAL) OF WING COMPONENTS:- LOWER SKIN PANEL SPAN- WISE JOINT (SSI 57-21-30)								Service	ATA:57
MOS	29-Jun-23		96 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		4000 (+20/-20)							
AFL	5401		2000 (+20/-20)							
PROC. REF: CPM 57-21-00										PKG:5016,6032
57-21-00-210-C17-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (INTERNAL) OF WING COMPONENTS:- LOWER SKIN/WING STUB ATTACHMENT (SSI 57-21-38)								Service	ATA:57
MOS	29-Jun-23		96 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		4000 (+20/-20)							
AFL	5401		2000 (+20/-20)							
PROC. REF: CPM 57-21-00										PKG:5016,6032
57-21-00-210-C18-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (EXTERNAL) OF WING COMPONENTS:- LOWER SKIN PANEL SPAN- WISE JOINT (SSI 57-21-30) (L600 ONLY)								Service	ATA:57
MOS	29-Jun-23		48 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		2000 (+20/-20)							
AFL	5401		1000 (+20/-20)							
PROC. REF: CPM 57-21-00										PKG:5008,6016
57-21-00-220-801-L00 <sup>S</sup>	DETAILED INSPECTION (EXTERNAL) OF WING COMPONENTS:- SKIN PANELS (SSI 57-21-26)								Service	ATA:57
MOS	29-Jun-23		96 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		4000 (+20/-20)							
AFL	5401		2000 (+20/-20)							
PROC. REF: NDT 57-21-00										PKG:5016,6016

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 57 - WINGS										
57-21-00-220-802-L00 <sup>S</sup>	DETAILED INSPECTION (EXTERNAL) OF WING COMPONENTS:- LOWER SKIN ACCESS HOLES (SSI 57-21-32)								Service	ATA:57
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
					PROC. REF: NDT 57-21-00					PKG:5016,6016
57-21-00-220-803-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF WING COMPONENTS:- LOWER SKIN/SPAR ATTACH- MENTS (SSI 57-21-36)								Service	ATA:57
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
					PROC. REF: NDT 57-21-00					PKG:5016,6016
57-21-00-220-804-L00 <sup>S</sup>	DETAILED INSPECTION (EXTERNAL) OF WING COMPONENTS:- ACTUATOR ACCESS HOLES (SSI 57-21-34)- LOWER SKIN/SPAR ATTACH - MENTS (SSI 57-21-36)								Service	ATA:57
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
					PROC. REF: NDT 57-21-00					PKG:5016,6016
57-21-00-220-805-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF WING COMPONENTS:- ACTUATOR ACCESS HOLES (SSI 57-21-34)								Service	ATA:57
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
					PROC. REF: NDT 57-21-00					PKG:5016,6032
57-21-00-220-806-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF WING COMPONENTS:- LOWER SKIN ACCESS HOLES (SSI 57-21-32)								Service	ATA:57
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
					PROC. REF: NDT 57-21-00					PKG:5016,6032
57-21-00-220-807-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF WING COMPONENTS:- UPPER SKIN / SPAR ATTACH- MENT (SSI 57-21-37)- SKIN PANELS (SSI 57-21-26)								Service	ATA:57
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
					PROC. REF: NDT 57-21-00					PKG:5016,6032

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 57 - WINGS										
57-21-00-220-808-L00	DETAILED INSPECTION (EXTERNAL) OF WING COMPONENTS - SKIN PANELS (SSI 57-21-26) (L650 ONLY)									Service ATA:57
	MOS/MSC	27-Aug-07	N/A							
	HRS	0								
	AFL	0								
	PROC. REF: NDT 57-21-00									
57-21-00-220-C01-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF WING COMPONENTS:- LOWER VENT HOLE (SSI 57-21-33)									Service ATA:57
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
	PROC. REF: CPM 57-21-00									
	PKG:5016,6032									
57-21-00-220-C02-L00	DETAILED INSPECTION (EXTERNAL) OF WING COMPONENTS:- SKIN PANELS (SSI 57-21-26)- UPPER SKIN PANEL SPAN- WISE JOINT (SSI 57-21-31) (L650 ONLY)									Service ATA:57
	MOS/MSC	25-Sep-07	N/A							
	HRS	0								
	AFL	0								
	PROC. REF: CPM 57-21-00									
	PKG:6016									
57-21-00-220-C03-L00	DETAILED INSPECTION (EXTERNAL) OF WING COMPONENTS:- LOWER SKIN PANEL SPAN- WISE JOINT (SSI 57-21-30) (L650 ONLY)									Service ATA:57
	MOS/MSC	25-Sep-07	N/A							
	HRS	0								
	AFL	0								
	PROC. REF: CPM 57-21-00									
	PKG:6016									
57-21-00-220-C04-L00	GENERAL VISUAL INSPECTION (EXTERNAL) OF WING COMPONENTS: - LOWER VENT HOLE (SSI 57-21-33) (L650 ONLY)									Service ATA:57
	MOS/MSC	27-Aug-07	N/A							
	HRS	0								
	AFL	0								
	PROC. REF: CPM 57-21-00									
57-21-00-250-802-L00 <sup>S</sup>	SPECIAL DETAILED INSPECTION (EXTERNAL) OF WING COMPONENTS BY USING EDDY CURRENT LOW FREQUENCY INSPECTION METHOD:- LOWER SKIN PANEL CHORD- WISE JOINT (SSI 57-21-29). (L600 ONLY)									Service ATA:57
	MOS	11-Aug-15	192 (+15d/-15d)					LOW UTILIZATION		
	HRS	7460.3	8000 (+20/-20)							
	AFL	3992	4000 (+20/-20)							
	PROC. REF: NDT 57-21-00									
	PKG:5032,6032									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 57 - WINGS										
57-21-00-250-803-L00	SPECIAL DETAILED INSPECTION (EXTERNAL) OF WING COMPONENTS BY USING EDDY CURRENT LOW FREQUENCY INSPECTION METHOD:- LOWER SKIN PANEL CHORDWISE JOINT (SSI 57-21-29) (L650 ONLY)								Service	ATA:57
	MOS/MSC	25-Sep-07	N/A					STRUCTURAL		
	HRS	0								
	AFL	0								
PROC. REF: NDT 57-21-00										
57-21-00-250-804-L00	SPECIAL DETAILED INSPECTION (EXTERNAL) OF WING COMPONENTS BY USING EDDY CURRENT INSPECTION METHOD:- LOWER SKIN/SPAR ATTACHMENTS (SSI 57-21-36) (L650 ONLY)								Service	ATA:57
	MOS/MSC	25-Sep-07	N/A					STRUCTURAL		
	HRS	0								
	AFL	0								
PROC. REF: NDT 57-21-00										
57-21-00-250-805-L00	SPECIAL DETAIL INSPECTION (EXTERNAL) OF WING COMPONENTS BY USING EDDY CURRENT LOW FREQUENCY INSPECTION METHOD: - LOWER SKIN PANEL CHORDWISE JOINT (SSI 57-21-29) (L650 ONLY)								Service	ATA:57
	MOS/MSC	27-Aug-07	N/A							
	HRS	0								
	AFL	0								
PROC. REF: NDT 57-21-00										
57-22-00-210-801-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (INTERNAL) OF WING COMPONENTS:- SPAR 1/ WING STUB ATTACH- MENT (SSI 57-22-44)								Service	ATA:57
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
PROC. REF: NDT 57-22-00										PKG:5016,6032
57-22-00-210-802-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (INTERNAL) OF WING COMPONENTS:- SPAR 1 CAP (SSI 57-22-41)								Service	ATA:57
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
PROC. REF: NDT 57-22-00										PKG:5016,6032
57-22-00-210-803-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (EXTERNAL) OF WING COMPONENTS:- SPAR 1/ LEADING EDGE ATTACH- MENTS (SSI 57-22-43) (L600 ONLY)								Service	ATA:57
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
PROC. REF: NDT 57-22-00										PKG:5016,6016

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of:  
29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 57 - WINGS										
57-22-00-210-804-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (INTERNAL) OF WING COMPONENTS:- SPAR 1/ LEADING EDGE ATTACHMENTS (SSI 57-22-43)									Service ATA:57
	MOS	02-Jul-15	192 (+15d/-15d)					LOW UTILIZATION		
	HRS	7460.3	8000 (+20/-20)							
	AFL	3992	4000 (+20/-20)							
					PROC. REF: NDT 57-22-00					PKG:5032,6032
57-22-00-210-805-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (INTERNAL) OF WING COMPONENTS:- SPAR 1 CAP (SSI 57-22-41)									Service ATA:57
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
					PROC. REF: NDT 57-22-00					PKG:5016,6032
57-22-00-210-806-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (INTERNAL) OF WING COMPONENTS:- SPAR 1/ LEADING EDGE ATTACHMENTS (SSI 57-22-43)									Service ATA:57
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
					PROC. REF: NDT 57-22-00					PKG:5016,6032
57-22-00-210-807-L00	GENERAL VISUAL INSPECTION (EXTERNAL) OF WING COMPONENTS:- SPAR 1/WING STUB ATTACHMENT (SSI 57-22-44) (L650 ONLY)									Service ATA:57
	MOS/MS	25-Sep-07	N/A					STRUCTURAL		
	HRS	0								
	AFL	0								
					PROC. REF: NDT 57-22-00					PKG:6016
57-22-00-210-C01-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (EXTERNAL) OF WING COMPONENTS:- SPAR 1/ LEADING EDGE ATTACHMENTS (SSI 57-22-43)									Service ATA:57
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: CPM 57-22-00					PKG:5008,6016
57-22-00-220-801-L00 <sup>S</sup>	DETAILED INSPECTION (EXTERNAL) OF WING COMPONENTS:- SPAR 1/ WEB AND STIFFENERS (SSI 57-22-40)									Service ATA:57
	MOS	02-Jul-15	192 (+15d/-15d)					LOW UTILIZATION		
	HRS	7460.3	8000 (+20/-20)							
	AFL	3992	4000 (+20/-20)							
					PROC. REF: NDT 57-22-00					PKG:5032,6032
57-22-00-220-802-L00 <sup>S</sup>	DETAILED INSPECTION (EXTERNAL) OF WING COMPONENTS:- SPAR 1/ WEB AND STIFFENERS (SSI 57-22-40)- SPAR 1, WEB CUTOUTS (SSI 57-22-42)									Service ATA:57
	MOS	02-Jul-15	192 (+15d/-15d)					LOW UTILIZATION		
	HRS	7460.3	8000 (+20/-20)							
	AFL	3992	4000 (+20/-20)							
					PROC. REF: NDT 57-22-00					PKG:5032,6032

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 57 - WINGS										
57-22-00-220-803-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF WING COMPONENTS:- SPAR 1, WEB CUTOUTS (SSI 57-22-42)									Service ATA:57
MOS	29-Jun-23		96 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		4000 (+20/-20)							
AFL	5401		2000 (+20/-20)							
PROC. REF: NDT 57-22-00										PKG:5016,6032
57-22-00-220-804-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF WINGLET COMPONENTS:- FRONT SPAR - WINGLET (SSI 57-22-45)									Service ATA:57
MOS	29-Jun-23		96 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		4000 (+20/-20)							
AFL	5401		2000 (+20/-20)							
PROC. REF: NDT 57-22-00										PKG:5016,6032
57-22-00-220-805-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF WING COMPONENTS:- SPAR 1, WEB AND STIFFENERS (SSI 57-22-40)NOTE: DURING THIS INSPECTION, THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR THIS SSI									Service ATA:57
MOS	29-Jun-23		96 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		4000 (+20/-20)							
AFL	5401		2000 (+20/-20)							
PROC. REF: NDT 57-22-00										PKG:5016,6032
57-22-00-220-806-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF WING COMPONENTS:- SPAR 1, WEB AND STIFFENERS (SSI 57-22-40)NOTE: DURING THIS INSPECTION, THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR THIS SSI									Service ATA:57
MOS	29-Jun-23		96 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		4000 (+20/-20)							
AFL	5401		2000 (+20/-20)							
PROC. REF: NDT 57-22-00										PKG:5016,6032
57-22-00-220-807-L00	DETAILED INSPECTION (EXTERNAL) OF WING COMPONENTS:- SPAR 1/ LEADING EDGE ATTACHMENTS (SSI 57-22-43) (L650 ONLY)									Service ATA:57
MOS/MSC	25-Sep-07		N/A					STRUCTURAL		
HRS	0									
AFL	0									
PROC. REF: NDT 57-22-00										PKG:6016
57-23-00-210-801-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (INTERNAL) OF WING COMPONENTS:- SPAR 2 CAP (SSI 57-23-46) (L600 ONLY)									Service ATA:57
MOS	29-Jun-23		96 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		4000 (+20/-20)							
AFL	5401		2000 (+20/-20)							
PROC. REF: NDT 57-23-00										PKG:5016,6032

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 57 - WINGS										
57-23-00-210-802-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (EXTERNAL) OF WING COMPONENTS:- SPAR 2/ WING STUB ATTACH- MENTS (SSI 57-23-48) (L600 ONLY)								Service	ATA:57
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
					PROC. REF: NDT 57-23-00					PKG:5016,6016
57-23-00-210-803-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (INTERNAL) OF WING COMPONENTS:- SPAR 2/ WING STUB ATTACH- MENTS (SSI 57-23-48) (L600 ONLY)								Service	ATA:57
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
					PROC. REF: NDT 57-23-00					PKG:5016,6016
57-23-00-210-804-L00	GENERAL VISUAL INSPECTION (INTERNAL) OF WING COMPONENTS:- SPAR 2 CAP (SSI 57-23-46) (L650 ONLY)								Service	ATA:57
	MOS/MSC	25-Sep-07	N/A					STRUCTURAL		
	HRS	0								
	AFL	0								
					PROC. REF: NDT 57-23-00					PKG:6032
57-23-00-210-805-L00	GENERAL VISUAL INSPECTION (EXTERNAL) OF WING COMPONENTS:- SPAR 2/ WING STUB ATTACHMENTS (SSI 57-23-48) (L650 ONLY)								Service	ATA:57
	MOS/MSC	25-Sep-07	N/A					STRUCTURAL		
	HRS	0								
	AFL	0								
					PROC. REF: NDT 57-23-00					PKG:6032
57-23-00-210-806-L00	GENERAL VISUAL INSPECTION (INTERNAL) OF WING COMPONENTS:- SPAR 2/ WING STUB ATTACHMENTS (SSI 57-23-48) (L650 ONLY)								Service	ATA:57
	MOS/MSC	25-Sep-07	N/A					STRUCTURAL		
	HRS	0								
	AFL	0								
					PROC. REF: NDT 57-23-00					PKG:6032
57-23-00-220-801-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF WING COMPONENTS:- SPAR 2, WEB AND STIFFENERS (SSI 57-23-45)								Service	ATA:57
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
					PROC. REF: NDT 57-23-00					PKG:5016,6032
57-23-00-220-803-L00	DETAILED INSPECTION (INTERNAL) OF WING COMPONENTS:- REAR SPAR - WINGLET (SSI 57-23-49) (L650 ONLY)								Service	ATA:57
	MOS/MSC	09-Jul-15	N/A							
	HRS	7460.3								
	AFL	3992								
					PROC. REF: NDT 57-23-00					PKG:6032

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 57 - WINGS											
57-23-00-220-804-L00 <sup>S</sup>			DETAILED INSPECTION (INTERNAL) OF WING COMPONENTS:- SPAR 2, WEB CUTOUTS (SSI 57-23-47)							Service	ATA:57
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: NDT 57-23-00					PKG:5016,6032	
57-23-00-220-805-L00 <sup>S</sup>			DETAILED INSPECTION (INTERNAL) OF WING COMPONENTS:- SPAR 2, WEB CUTOUTS (SSI 57-23-47)							Service	ATA:57
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: NDT 57-23-00					PKG:5016,6032	
57-23-00-220-C01-L00 <sup>S</sup>			DETAILED INSPECTION (EXTERNAL) OF WING COMPONENTS:- SPAR 2, WEB AND STIFFEN- ERS (SSI 57-23-45)- SPAR 2, WEB CUTOUTS (SSI 57-23-47)							Service	ATA:57
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
					PROC. REF: CPM 57-23-00					PKG:5008,6016	
57-23-00-290-801-L00 <sup>S</sup>			SPECIAL DETAILED INSPECTION (INTERNAL) OF WING COMPONENTS USING BOROSCOPE:- REAR SPAR - WINGLET (SSI 57-23-49) (L600 ONLY)							Service	ATA:57
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: NDT 57-23-00					PKG:5016,6032	
57-24-00-210-801-L00 <sup>S</sup>			GENERAL VISUAL INSPECTION (INTERNAL) OF WING COMPONENTS:- SPAR 3, CAP (SSI 57-24-50)							Service	ATA:57
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: NDT 57-24-00					PKG:5016,6032	
57-24-00-210-802-L00 <sup>S</sup>			GENERAL VISUAL INSPECTION (EXTERNAL) OF WING COMPONENTS:- SPAR 3, WING STUB ATTACH- MENT (SSI 57-24-52) (L600 ONLY)							Service	ATA:57
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
					PROC. REF: NDT 57-24-00					PKG:5016,6016	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 57 - WINGS										
57-24-00-210-C01-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (EXTERNAL) OF WING COMPONENTS:- SPAR 3, WEB AND STIFFEN- ERS (SSI 57-24-49)- SPAR 3, WEB CUTOUTS (SSI 57-24-51)								Service	ATA:57
MOS	29-Jun-23		48 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		2000 (+20/-20)							
AFL	5401		1000 (+20/-20)							
PROC. REF: CPM 57-24-00										PKG:5008,6016
57-24-00-210-C02-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (INTERNAL) OF WING COMPONENTS:- SPAR 3, WEB AND STIFFEN- ERS (SSI 57-24-49)- SPAR 3, WEB CUTOUTS (SSI 57-24-51)								Service	ATA:57
MOS	29-Jun-23		48 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		2000 (+20/-20)							
AFL	5401		1000 (+20/-20)							
PROC. REF: CPM 57-24-00										PKG:5008,6016
57-24-00-220-801-L00	DETAILED INSPECTION (EXTERNAL) OF WING COMPONENTS:- SPAR 3, WING STUB ATTACHMENT (SSI 57-24-52) (L650 ONLY)								Service	ATA:57
MOS/MSC	25-Sep-07		N/A					STRUCTURAL		
HRS	0									
AFL	0									
PROC. REF: NDT 57-24-00										PKG:6016
57-25-00-210-C01-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (INTERNAL) OF WING COMPONENTS:- RIBS, MAIN BOX (SSI 57-25-53)- LOWER SKIN/ RIB ATTACHMENT (SSI 57-25-54)- UPPER SKIN/ RIB ATTACHMENT (SSI 57-25-55)								Service	ATA:57
MOS	29-Jun-23		96 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		4000 (+20/-20)							
AFL	5401		2000 (+20/-20)							
PROC. REF: CPM 57-25-00										PKG:5016,6032
57-25-00-210-C02-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (EXTERNAL) OF WING COMPONENTS:- LOWER SKIN/ RIB ATTACHMENT (SSI 57-25-54)- UPPER SKIN/ RIB ATTACHMENT (SSI 57-25-55)								Service	ATA:57
MOS	29-Jun-23		48 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		2000 (+20/-20)							
AFL	5401		1000 (+20/-20)							
PROC. REF: CPM 57-25-00										PKG:5008,6016
57-25-00-290-801-L00 <sup>S</sup>	SPECIAL DETAILED INSPECTION (INTERNAL) OF WINGLET COM- PONENTS USING BOROSCOPE:- RIB 25 - WINGLET (SSI 57-25-56)								Service	ATA:57
MOS	29-Jun-23		96 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		4000 (+20/-20)							
AFL	5401		2000 (+20/-20)							
PROC. REF: NDT 57-25-00										PKG:5016,6032

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 57 - WINGS											
57-26-00-220-801-L00 <sup>S</sup>			DETAILED INSPECTION (EXTERNAL) OF WING COMPONENTS:- FWD & AFT SIDE BRACE FITTINGS, MLG (SSI 57-26-56)							Service	ATA:57
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
					PROC. REF: NDT 57-26-00					PKG:5008,6016	
57-26-00-220-C01-L00 <sup>S</sup>			DETAILED INSPECTION (INTERNAL) OF WING COMPONENTS:- FWD & AFT SIDE BRACE FITTINGS MLG (SSI 57-26-56)- BEARING CAP (SSI 57-26-94)- TRUNNION FITTING (SSI 57-26-95)							Service	ATA:57
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
					PROC. REF: CPM 57-26-00					PKG:5008,6016	
57-26-00-250-802-L00 <sup>S</sup>			SPECIAL DETAILED INSPECTION (INTERNAL) OF WING COMPONENTS BY THE EDDY CURRENT INSPECTION METHOD:- BEARING CAP - MLG (SSI 57-26-94) (L600 ONLY)							Service	ATA:57
	MOS	27-Aug-07	288 (+15d/-15d)					LOW UTILIZATION			
	HRS	0	12000 (+20/-20)								
	AFL	0	6000 (+20/-20)								
					PROC. REF: NDT 57-26-00					PKG:5140	
57-26-00-250-803-L00 <sup>S</sup>			SPECIAL DETAILED INSPECTION (INTERNAL) OF WING COMPONENTS BY THE EDDY CURRENT INSPECTION METHOD:- FWD & AFT SIDE BRACE FITTINGS, MLG (SSI 57-26-56)							Service	ATA:57
	MOS	27-Aug-07	288 (+15d/-15d)					LOW UTILIZATION			
	HRS	0	12000 (+20/-20)								
	AFL	0	6000 (+20/-20)								
					PROC. REF: NDT 57-26-00					PKG:5140	
57-26-00-250-804-L00 <sup>S</sup>			SPECIAL DETAILED INSPECTION (EXTERNAL) OF WING COMPONENTS BY THE EDDY CURRENT INSPECTION METHOD:- TRUNNION FITTINGS (SSI 57-26-95)							Service	ATA:57
	MOS	27-Aug-07	288 (+15d/-15d)					LOW UTILIZATION			
	HRS	0	12000 (+20/-20)								
	AFL	0	6000 (+20/-20)								
					PROC. REF: NDT 57-26-00					PKG:5140	
57-26-00-250-805-L00			SPECIAL DETAILED INSPECTION (INTERNAL) OF WING COMPONENTS BY THE EDDY CURRENT INSPECTION METHOD:- BEARING CAP - MLG (SSI 57-26-94) (L650 ONLY)							Service	ATA:57
	MOS/MS	25-Sep-07	N/A					STRUCTURAL			
	HRS	0									
	AFL	0									
					PROC. REF: NDT 57-26-00					PKG:6032	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 57 - WINGS										
57-28-00-210-801-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (INTERNAL) OF WING COMPONENTS:- SPAR ATTACHMENT, TORQUE BOX (SSI 57-28-57)								Service	ATA:57
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
					PROC. REF: NDT 57-28-00					PKG:5016,6032
57-28-00-210-804-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (EXTERNAL) OF WING COMPONENTS:- SPAR 3 ATTACHMENT, TORQUE BOX (SSI 57-28-63)- OUTBOARD FLAP CENTER TRACK ATTACHMENT(SS I 57-28-68) (L600 ONLY)								Service	ATA:57
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
					PROC. REF: NDT 57-28-00					PKG:5016,6032
57-28-00-210-806-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (INTERNAL) OF WING COMPONENTS:- SPAR 3 ATTACHMENT, TORQUE BOX 2 (SSI 57-28-63)								Service	ATA:57
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
					PROC. REF: NDT 57-28-00					PKG:5016,6032
57-28-00-210-807-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (EXTERNAL) OF WING COMPONENTS:- ATTACHMENT LUGS AILERON(SS I 57-28-66)NOTE: DURING THIS INSPECTION, THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR THIS SSI (L600 ONLY)								Service	ATA:57
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
					PROC. REF: NDT 57-28-00					PKG:5016
57-28-00-210-808-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (INTERNAL) OF WING COMPONENTS:- UPPER SKIN, TORQUE BOX (SSI 57-28-61)NOTE: DURING THIS INSPECTION, THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR THIS SSI								Service	ATA:57
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
					PROC. REF: NDT 57-28-00					PKG:5016,6032
57-28-00-210-809-L00	GENERAL VISUAL INSPECTION (EXTERNAL) OF WING COMPONENTS:- SPAR ATTACHMENT, TORQUE BOX (SSI 57-28-57) (L650 ONLY)								Service	ATA:57
	MOS/MSC	25-Sep-07	N/A					STRUCTURAL		
	HRS	0								
	AFL	0								
					PROC. REF: NDT 57-28-00					PKG:6016

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 57 - WINGS										
57-28-00-210-810-L00	GENERAL VISUAL INSPECTION (EXTERNAL) OF WING COMPONENTS: - SPAR 3 ATTACHMENT, TORQUE BOX (SSI 57-28-63) (L650 ONLY)								Service	ATA:57
	MOS/MSC	27-Aug-07	N/A							
	HRS	0								
	AFL	0								
PROC. REF: NDT 57-28-00										
57-28-00-210-C01-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (EXTERNAL) OF WING COMPONENTS:- LOWER SKIN, TORQUE BOX (SSI 57-28-58) (L600 ONLY)								Service	ATA:57
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: CPM 57-28-00										
PKG:5008,6016										
57-28-00-210-C02-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (EXTERNAL) OF WING COMPONENTS:- SPAR ATTACHMENT, TORQUE BOX (SSI 57-28-57) (L600 ONLY)								Service	ATA:57
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: CPM 57-28-00										
PKG:5008,6016										
57-28-00-210-C03-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (EXTERNAL) OF WING COMPONENTS:- UPPER SKIN, TORQUE BOX (SSI 57-28-61)								Service	ATA:57
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: CPM 57-28-00										
PKG:5009										
57-28-00-210-C04-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (EXTERNAL) OF WING COMPONENTS:- FLAP ACTUATOR ATTACHMENT FITTINGS (SSI 57-28-67)								Service	ATA:57
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: CPM 57-28-00										
PKG:5009										
57-28-00-210-C05-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (INTERNAL) OF WING COMPONENTS:- SPAR ATTACHMENT, TORQUE BOX (SSI 57-28-57)								Service	ATA:57
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
PROC. REF: CPM 57-28-00										
PKG:5016,6032										
57-28-00-210-C07-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (INTERNAL) OF WING COMPONENTS:- LOWER SKIN, TORQUE BOX (SSI 57-28-58)								Service	ATA:57
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: CPM 57-28-00										
PKG:5008,6016										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 57 - WINGS										
57-28-00-210-C09-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (INTERNAL) OF WING COMPONENTS:- UPPER SKIN, TORQUE BOX (SSI 57-28-61)								Service	ATA:57
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: CPM 57-28-00					PKG:5009
57-28-00-210-C10-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (EXTERNAL) OF WING COMPONENTS:- SPAR ATTACHMENT, TORQUE BOX (SSI 57-28-57)								Service	ATA:57
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: CPM 57-28-00					PKG:5009
57-28-00-220-801-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF WING COMPONENTS:- SPAR ATTACHMENT, TORQUE BOX (SSI 57-28-57)								Service	ATA:57
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
					PROC. REF: NDT 57-28-00					PKG:5016,6032
57-28-00-220-804-L00 <sup>S</sup>	DETAILED INSPECTION (EXTERNAL) OF WING COMPONENTS:- CENTER TRACK AND RIB 15 TRAILING EDGE(SS I 57-28-69)								Service	ATA:57
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
					PROC. REF: NDT 57-28-00					PKG:5016,6016
57-28-00-220-805-L00 <sup>S</sup>	DETAILED INSPECTION (EXTERNAL) OF WING COMPONENTS:- TRACKS/ RIBS ATTACHMENT, TORQUE BOX(SS I 57-28-62)								Service	ATA:57
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
					PROC. REF: NDT 57-28-00					PKG:5016,6032
57-28-00-220-806-L00	DETAILED INSPECTION (EXTERNAL) OF WING COMPONENTS:- SPAR 3 ATTACHMENT, TORQUE BOX (SSI 57-28-63)- OUTBOARD FLAP CENTER TRACK ATTACHMENT (SSI 57-28-68) (L650 ONLY)								Service	ATA:57
	MOS/MSC	25-Sep-07	N/A					STRUCTURAL		
	HRS	0								
	AFL	0								
					PROC. REF: NDT 57-28-00					PKG:6032

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 57 - WINGS										
57-28-00-220-807-L00	DETAILED INSPECTION (EXTERNAL) OF WING COMPONENTS:- ATTACHMENT LUGS AILERON (SSI 57-28-66)NOTE: DURING THIS INSPECTION, THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR THIS SSI. (L650 ONLY)								Service	ATA:57
	MOS/MSC	25-Sep-07	N/A					STRUCTURAL		
	HRS	0								
	AFL	0								
					PROC. REF: NDT 57-28-00					PKG:6032
57-28-00-220-808-L00	DETAILED INSPECTION (EXTERNAL) OF WING COMPONENTS:- RIBS, TORQUE BOX (SSI 57-28-60) (L650 ONLY)								Service	ATA:57
	MOS/MSC	25-Sep-07	N/A					STRUCTURAL		
	HRS	0								
	AFL	0								
					PROC. REF: NDT 57-28-00					PKG:6016
57-28-00-220-809-L00	DETAILED INSPECTION (EXTERNAL) OF WING COMPONENTS:- RIBS, TORQUE BOX 3 (SSI 57-28-64)- TRACKS/ RIB ATTACHMENT, TORQUE BOX 3 (SSI 57-28-65) (L650 ONLY)								Service	ATA:57
	MOS/MSC	25-Sep-07	N/A							
	HRS	0								
	AFL	0								
					PROC. REF: NDT 57-28-00					PKG:6016
57-28-00-220-C01-L00 <sup>S</sup>	DETAILED INSPECTION (EXTERNAL) OF WING COMPONENTS:- SPAR ATTACHMENT, TORQUE BOX (SSI 57-28-57)								Service	ATA:57
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: CPM 57-28-00					PKG:5008,6016
57-28-00-220-C02-L00 <sup>S</sup>	DETAILED INSPECTION (EXTERNAL) OF WING COMPONENTS:- FLAP TRACK, TORQUE BOX (SSI 57-28-59)								Service	ATA:57
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: CPM 57-28-00					PKG:5009
57-28-00-220-C03-L00 <sup>S</sup>	DETAILED INSPECTION (EXTERNAL) OF WING COMPONENTS:- RIBS, TORQUE BOX 3 (SSI 57-28-64)- TRACKS/ RIB ATTACHMENT, TORQUE BOX 3(SSI 57-28-65) (L600 ONLY)								Service	ATA:57
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: CPM 57-28-00					PKG:5008,6016

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of:  
29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 57 - WINGS										
57-28-00-220-C04-L00 <sup>S</sup>	DETAILED INSPECTION (EXTERNAL) OF WING COMPONENTS:- ATTACHMENT ACTUATOR LUGS, INBOARD/ OUTBOARD SPOILERS								Service	ATA:57
MOS	29-Jun-23		48 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		2000 (+20/-20)							
AFL	5401		1000 (+20/-20)							
PROC. REF: CPM 57-28-00										PKG:5008,6016
57-28-00-220-C05-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF WING COMPONENTS:- TRACKS/ RIBS ATTACHMENT, TORQUE BOX(SS I 57-28-62)								Service	ATA:57
MOS	29-Jun-23		96 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		4000 (+20/-20)							
AFL	5401		2000 (+20/-20)							
PROC. REF: CPM 57-28-00										PKG:5016,6032
57-28-00-220-C06-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF WING COMPONENTS:- RIBS, TORQUE BOX 3 (SSI 57-28-64)- TRACKS/ RIB ATTACHMENT, TORQUE BOX 3(SS I 57-28-65)								Service	ATA:57
MOS	29-Jun-23		96 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		4000 (+20/-20)							
AFL	5401		2000 (+20/-20)							
PROC. REF: CPM 57-28-00										PKG:5016,6032
57-28-00-220-C07-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF WING COMPONENTS:- RIBS, TORQUE BOX 3 (SSI 57-28-60)								Service	ATA:57
MOS	29-Jun-23		48 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		2000 (+20/-20)							
AFL	5401		1000 (+20/-20)							
PROC. REF: CPM 57-28-00										PKG:5009
57-28-00-220-C08-L00 <sup>S</sup>	DETAILED INSPECTION (EXTERNAL) OF WING COMPONENTS:- RIBS, TORQUE BOX (SSI 57-28-60)								Service	ATA:57
MOS	29-Jun-23		48 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		2000 (+20/-20)							
AFL	5401		1000 (+20/-20)							
PROC. REF: CPM 57-28-00										PKG:5009
57-28-00-220-C09-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF WING COMPONENTS:- RIBS, TORQUE BOX (SSI 57-28-60)								Service	ATA:57
MOS	29-Jun-23		48 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		2000 (+20/-20)							
AFL	5401		1000 (+20/-20)							
PROC. REF: CPM 57-28-00										PKG:5008,6016

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 57 - WINGS										
57-28-00-220-C10-L00 <sup>S</sup>	DETAILED INSPECTION (EXTERNAL) OF WING COMPONENTS:- RIBS, TORQUE BOX (SSI 57-28-60) (L600 ONLY)								Service	ATA:57
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
	PROC. REF: CPM 57-28-00									PKG:5008,6016
57-28-00-220-C11-L00	DETAILED INSPECTION (EXTERNAL) OF WING COMPONENTS:- LOWER SKIN, TORQUE BOX (SSI 57-28-58) (L650 ONLY)								Service	ATA:57
	MOS/MSC	25-Sep-07	N/A							
	HRS	0								
	AFL	0								
	PROC. REF: CPM 57-28-00									PKG:6016
57-28-00-250-801-L00 <sup>S</sup>	SPECIAL DETAILED INSPECTION (INTERNAL) OF WING COMPONENTS BY THE EDDY CURRENT INSPECTION METHOD:- SPAR ATTACHMENT, TORQUE BOX (SSI 57-28-57)								Service	ATA:57
	MOS	27-Aug-07	288 (+15d/-15d)					LOW UTILIZATION		
	HRS	0	12000 (+20/-20)							
	AFL	0	6000 (+20/-20)							
	PROC. REF: NDT 57-28-00									PKG:5140
57-28-00-250-802-L00 <sup>S</sup>	SPECIAL DETAILED INSPECTION (INTERNAL) OF WING COMPONENTS BY THE EDDY CURRENT INSPECTION METHOD:- RIBS, TORQUE BOX (SSI 57-28-60)								Service	ATA:57
	MOS	27-Aug-07	288 (+15d/-15d)					LOW UTILIZATION		
	HRS	0	12000 (+20/-20)							
	AFL	0	6000 (+20/-20)							
	PROC. REF: NDT 57-28-00									PKG:5140
57-28-00-250-803-L00 <sup>S</sup>	SPECIAL DETAILED INSPECTION (EXTERNAL) OF WING COMPONENTS BY THE EDDY CURRENT INSPECTION METHOD:- SPAR ATTACHMENT, TORQUE BOX (SSI 57-28-57)								Service	ATA:57
	MOS	27-Aug-07	288 (+15d/-15d)					LOW UTILIZATION		
	HRS	0	12000 (+20/-20)							
	AFL	0	6000 (+20/-20)							
	PROC. REF: NDT 57-28-00									PKG:5140
57-28-00-250-804-L00 <sup>S</sup>	SPECIAL DETAILED INSPECTION (EXTERNAL) OF WING COMPONENTS BY THE EDDY CURRENT INSPECTION METHOD:- RIBS, TORQUE BOX (SSI 57-28-60)								Service	ATA:57
	MOS	27-Aug-07	288 (+15d/-15d)					LOW UTILIZATION		
	HRS	0	12000 (+20/-20)							
	AFL	0	6000 (+20/-20)							
	PROC. REF: NDT 57-28-00									PKG:5140

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 57 - WINGS										
57-28-00-250-805-L00 <sup>S</sup>	SPECIAL DETAILED INSPECTION (EXTERNAL) OF WING COMPONENTS BY THE EDDY CURRENT INSPECTION METHOD:- FLAP TRACK, TORQUE BOX (SSI 57-28-59)								Service	ATA:57
MOS	27-Aug-07		288 (+15d/-15d)					LOW UTILIZATION		
HRS	0		12000 (+20/-20)							
AFL	0		6000 (+20/-20)							
PROC. REF: NDT 57-28-00										PKG:5140
57-29-00-220-801-L00 <sup>S</sup>	DETAILED INSPECTION (EXTERNAL) OF WING COMPONENTS:- SKIN/ RIB ATTACHMENT, MLGB (SSI 57-29-72)								Service	ATA:57
MOS	29-Jun-23		96 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		4000 (+20/-20)							
AFL	5401		2000 (+20/-20)							
PROC. REF: NDT 57-29-00										PKG:5016,6016
57-29-00-220-802-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF WING COMPONENTS:- RIBS, MAIN LANDING GEAR BAY (SSI 57-29-71)- SKIN/ RIB ATTACHMENT, MLGB (SSI 57-29-72)								Service	ATA:57
MOS	29-Jun-23		96 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		4000 (+20/-20)							
AFL	5401		2000 (+20/-20)							
PROC. REF: NDT 57-29-00										PKG:5016,6016
57-41-00-210-801-L00	GENERAL VISUAL INSPECTION (EXTERNAL) OF WING LEAD- ING EDGE COMPONENTS:- WING LEADING EDGE 1 SKIN (SSI 57-41-94) (L650 ONLY)								Service	ATA:57
MOS/MS	25-Sep-07		N/A					STRUCTURAL		
HRS	0									
AFL	0									
PROC. REF: NDT 57-41-00										PKG:6032
57-41-00-210-C01-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (EXTERNAL) OF WING LEADING EDGE COMPONENTS:- WING LEADING EDGE 1 SKIN (SSI 57-41-94) (L600 ONLY)								Service	ATA:57
MOS	29-Jun-23		48 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		2000 (+20/-20)							
AFL	5401		1000 (+20/-20)							
PROC. REF: CPM 57-41-00										PKG:5008,6016
57-41-00-220-801-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF WING LEADING EDGE COMPONENTS:- MACHINED RIB FLANGE (SSI 57-41-98)								Service	ATA:57
MOS	29-Jun-23		96 (+15d/-15d)					LOW UTILIZATION		
HRS	10161.5		4000 (+20/-20)							
AFL	5401		2000 (+20/-20)							
PROC. REF: NDT 57-41-00										PKG:5016,6032

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 57 - WINGS										
57-42-00-210-801-L00	GENERAL VISUAL INSPECTION (EXTERNAL) OF WING LEAD- ING EDGE COMPONENTS:- WING LEADING EDGE 2 SKIN (SSI 57-42-95) (L650 ONLY)									Service ATA:57
	MOS/MSC	25-Sep-07	N/A					STRUCTURAL		
	HRS	0								
	AFL	0								
					PROC. REF: NDT 57-42-00					PKG:6032
57-42-00-210-C01-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (EXTERNAL) OF WING LEADING EDGE COMPONENTS:- WING LEADING EDGE 2 SKIN (SSI 57-42-95) (L600 ONLY)									Service ATA:57
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: CPM 57-42-00					PKG:5008,6016
57-42-00-220-801-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF WING LEADING EDGE COMPONENTS:- MACHINED RIB FLANGE (SSI 57-42-98)									Service ATA:57
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
					PROC. REF: NDT 57-42-00					PKG:5016,6032
57-42-00-220-802-L00 <sup>S</sup>	DETAILED INSPECTION (EXTERNAL) OF WING LEADING EDGE COMPONENTS:- WING LEADING EDGE 2 BOTTOM SKIN AT CONNECTIONSTO LOWER REAR GIRDER & WING LOWER SPAR CAP (SSI 57-42-97)									Service ATA:57
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: NDT 57-42-00					PKG:5008,6016
57-43-00-210-801-L00	GENERAL VISUAL INSPECTION (EXTERNAL) OF LEADING EDGE COMPONENTS:- WING LEADING EDGE 3 SKIN (SSI 57-43-96) (L650 ONLY)									Service ATA:57
	MOS/MSC	25-Sep-07	N/A					STRUCTURAL		
	HRS	0								
	AFL	0								
					PROC. REF: NDT 57-43-00					PKG:6032
57-43-00-210-C01-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (EXTERNAL) OF LEADING EDGE COMPONENTS:- WING LEADING EDGE 3 SKIN (SSI 57-43-96) (L600 ONLY)									Service ATA:57
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: CPM 57-43-00					PKG:5008,6016

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 57 - WINGS										
57-43-00-220-801-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF WING LEADING EDGE COMPONENTS:- MACHINED RIB FLANGE (SSI 57-43-98)								Service	ATA:57
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
	PROC. REF: NDT 57-43-00									PKG:5016,6032
57-50-00-220-803-L00 <sup>S</sup>	DETAILED INSPECTION (EXTERNAL) OF FLAP COMPONENTS:- ROLLER ATTACHMENT, FLAPS (SSI 57-50-76)								Service	ATA:57
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
	PROC. REF: NDT 57-50-00									PKG:5016,6032
57-50-00-220-804-L00 <sup>S</sup>	DETAILED INSPECTION (EXTERNAL) OF FLAP COMPONENTS:- TRACKS, FLAPS (SSI 57-50-80)								Service	ATA:57
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
	PROC. REF: NDT 57-50-00									PKG:5008,6016
57-50-00-220-805-L00 <sup>S</sup>	DETAILED INSPECTION (EXTERNAL) OF FLAPCOMPONENTS: FLAP ROOT-SPAR FITTING (SSI 57-50-74). INBOARD FLAP FITTING TIP SPAR (SSI 57-52-73). OUTBOARD FLAP TIP SPAR FITTING (SSI 57-53-83).								Service	ATA:57
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
	PROC. REF: NDT 57-50-00									PKG:5016,6032
57-50-00-220-806-L00 <sup>S</sup>	DETAILED INSPECTION (EXTERNAL) OF FLAPCOMPONENTS: INBOARD FLAP RIBS/SKIN ATTACHMENT (SSI57-52-79). INBOARD FLAP VANE INBOARD/OUTBOARD FITTINGS(SSI 57-52-81). OUTBOARD FLAP RIBS/SKIN ATTACHMENT (SSI57-53-86). OUTBOARD FLAP VANE INBOARD/OUTBOARDFITTINGS (SSI 57-53-88).								Service	ATA:57
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	4000 (+20/-20)							
	AFL	5401	2000 (+20/-20)							
	PROC. REF: NDT 57-50-00									PKG:5016,6016
57-50-00-220-C01-L00 <sup>S</sup>	DETAILED INSPECTION (EXTERNAL) OF FLAP COMPONENTS:- TRACKS/ RIB ATTACHMENT, FLAPS (SSI 57-50-77)								Service	ATA:57
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
	PROC. REF: CPM 57-50-00									PKG:5009

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 57 - WINGS										
57-50-00-250-801-L00 <sup>S</sup>	SPECIAL DETAILED INSPECTION (EXTERNAL) OF FLAP COMPONENTS BY THE EDDY CURRENT INSPECTION METHOD:- ROLLER ATTACHMENT, FLAPS (SSI 57-50-76)								Service	ATA:57
MOS	27-Aug-07	288 (+15d/-15d)	LOW UTILIZATION							
HRS	0	12000 (+20/-20)								
AFL	0	6000 (+20/-20)								
PROC. REF: NDT 57-50-00										PKG:5140
57-50-00-250-802-L00 <sup>S</sup>	SPECIAL DETAILED INSPECTION (EXTERNAL) OF FLAP COMPONENTS BY THE EDDY CURRENT INSPECTION METHOD:- TRACKS, FLAPS (SSI 57-50-80) (L600 ONLY)								Service	ATA:57
MOS	27-Aug-07	288 (+15d/-15d)	LOW UTILIZATION							
HRS	0	12000 (+20/-20)								
AFL	0	6000 (+20/-20)								
PROC. REF: NDT 57-50-00										PKG:5140
57-50-00-250-803-L00	SPECIAL DETAILED INSPECTION (EXTERNAL) OF FLAP COMPONENTS BY THE EDDY CURRENT INSPECTION METHOD:- TRACKS, FLAPS (SSI 57-50-80) (L650 ONLY)								Service	ATA:57
MOS/MSC	25-Sep-07	N/A	STRUCTURAL							
HRS	0									
AFL	0									
PROC. REF: NDT 57-50-00										
57-50-00-290-801-L00 <sup>S</sup>	SPECIAL DETAILED INSPECTION (INTERNAL) OF FLAPCOMPONENTS BY BORESCOPE INSPECTION METHOD: STRUCTURAL SIGNIFICANT ITEM: SSI 57-50-74 - FLAPROOTSPAR FITTING. STRUCTURAL SIGNIFICANT ITEM: SSI 57-52-73 -INBOARD FLAP TIP SPAR FITTING. STRUCTURAL SIGNIFICANT ITEM: SSI 57-53-83 -OUTBOARD FLAP TIP SPAR FITTING.								Service	ATA:57
MOS	29-Jun-23	96 (+15d/-15d)	LOW UTILIZATION							
HRS	10161.5	4000 (+20/-20)								
AFL	5401	2000 (+20/-20)								
PROC. REF: NDT 57-50-00										PKG:5016,6032
57-52-00-210-803-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (EXTERNAL) OF FLAP COMPONENTS:- VANE CENTER FITTING, INBOARD FLAP (SSI 57-52-78) (L600 ONLY)								Service	ATA:57
MOS	29-Jun-23	48 (+15d/-15d)	LOW UTILIZATION							
HRS	10161.5	2000 (+20/-20)								
AFL	5401	1000 (+20/-20)								
PROC. REF: NDT 57-52-00										PKG:5008
57-52-00-210-804-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (EXTERNAL) OF FLAP COMPONENTS:- PIN AND ACTUATOR LUGS, INBOARD FLAP (SSI 57-52-75) (L600 ONLY)								Service	ATA:57
MOS	29-Jun-23	48 (+15d/-15d)	LOW UTILIZATION							
HRS	10161.5	2000 (+20/-20)								
AFL	5401	1000 (+20/-20)								
PROC. REF: NDT 57-52-00										PKG:5009,6008

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 57 - WINGS										
57-52-00-210-805-L00	GENERAL VISUAL INSPECTION (EXTERNAL) OF FLAP COMPONENTS:- PIN AND ACTUATOR LUGS, INBOARD FLAP (SSI 57-52-75) (L650 ONLY)									Service ATA:57
	MOS/MSC	25-Sep-07	N/A					STRUCTURAL		
	HRS	0								
	AFL	0								
PROC. REF: NDT 57-52-00										PKG:6016
57-52-00-220-803-L00	DETAILED INSPECTION (EXTERNAL) OF FLAP COMPONENTS:- VANE CENTER FITTING, INBOARD FLAP (SSI 57-52-78) (L650 ONLY)									Service ATA:57
	MOS/MSC	25-Sep-07	N/A					STRUCTURAL		
	HRS	0								
	AFL	0								
PROC. REF: NDT 57-52-00										PKG:6016
57-53-00-210-801-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (EXTERNAL) OF FLAP COMPONENTS:- VANE CENTER FITTING, OUTBOARD FLAP (SSI 57-53-85) (L600 ONLY)									Service ATA:57
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: NDT 57-53-00										PKG:5008
57-53-00-210-803-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (INTERNAL) OF FLAP COMPONENTS:- CENTER RIBS ATTACHMENT, OUTBOARD FLAP (SSI 57-53-87) ONLY)									Service ATA:57
	MOS	27-Aug-07	288 (+15d/-15d)					LOW UTILIZATION		
	HRS	0	12000 (+20/-20)							
	AFL	0	6000 (+20/-20)							
PROC. REF: NDT 57-53-00										PKG:5140
57-53-00-210-806-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION(EXTERNAL) OF FLAP COMPONENTS:- PIN AND ACTUATOR LUGS, OUTBOARD FLAP(SS I 57-53-84) (L600 ONLY)									Service ATA:57
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: NDT 57-53-00										PKG:5009,6008
57-53-00-210-807-L00	GENERAL VISUAL INSPECTION(EXTERNAL) OF FLAP COMPONENTS:- PIN AND ACTUATOR LUGS, OUT- BOARD FLAP (SSI 57-53-84) (L650 ONLY)									Service ATA:57
	MOS/MSC	25-Sep-07	N/A					STRUCTURAL		
	HRS	0								
	AFL	0								
PROC. REF: NDT 57-53-00										PKG:6032

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 57 - WINGS										
57-53-00-210-C01-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (EXTERNAL) OF FLAP COMPONENTS:- CENTER RIBS ATTACHMENT, OUTBOARD FLAP(SS1 57-53-87) (L600 ONLY)								Service	ATA:57
MOS	29-Jun-23	48 (+15d/-15d)						LOW UTILIZATION		
HRS	10161.5	2000 (+20/-20)								
AFL	5401	1000 (+20/-20)								
PROC. REF: CPM 57-53-00										PKG:5009
57-53-00-220-803-L00	DETAILED INSPECTION (EXTERNAL) OF FLAP COMPONENTS:- VANE CENTER FITTING, OUTBOARD FLAP (SSI 57-53-85) (L650 ONLY)								Service	ATA:57
MOS/MSC	25-Sep-07	N/A						STRUCTURAL		
HRS	0									
AFL	0									
PROC. REF: NDT 57-53-00										PKG:6032
57-53-00-220-C01-L00	DETAILED INSPECTION (EXTERNAL) OF FLAP COMPONENTS:- CENTER RIBS ATTACHMENT, OUTBOARD FLAP (SSI 57-53-87) (L650 ONLY)								Service	ATA:57
MOS/MSC	25-Sep-07	N/A								
HRS	0									
AFL	0									
PROC. REF: CPM 57-53-00										
57-61-00-210-801-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (EXTERNAL) OF WING COMPONENTS:- HINGES ATTACHMENT, AILERON (SSI 57-61-89)NOTE: DURING THIS INSPECTION, THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR THIS SSI (L600 ONLY)								Service	ATA:57
MOS	29-Jun-23	96 (+15d/-15d)						LOW UTILIZATION		
HRS	10161.5	4000 (+20/-20)								
AFL	5401	2000 (+20/-20)								
PROC. REF: NDT 57-61-00										PKG:5016,6032
57-61-00-210-C01-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (EXTERNAL) OF AILERON COMPONENTS:- SPAR CAP, AILERON (SSI 57-61-91)								Service	ATA:57
MOS	29-Jun-23	48 (+15d/-15d)						LOW UTILIZATION		
HRS	10161.5	2000 (+20/-20)								
AFL	5401	1000 (+20/-20)								
PROC. REF: CPM 57-61-00										PKG:5009
57-61-00-220-801-L00 <sup>S</sup>	DETAILED INSPECTION (EXTERNAL) OF AILERON COMPONENTS:- ACTUATOR ATTACHMENT, AILERON (SSI 57-61-90)								Service	ATA:57
MOS	29-Jun-23	96 (+15d/-15d)						LOW UTILIZATION		
HRS	10161.5	4000 (+20/-20)								
AFL	5401	2000 (+20/-20)								
PROC. REF: NDT 57-61-00										PKG:5016,6016

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 57 - WINGS										
57-61-00-220-802-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF AILERON COMPONENTS:- ACTUATOR ATTACHMENT, AILERON (SSI 57-61-90)								Service	ATA:57
	MOS	03-Jul-15	192 (+15d/-15d)					LOW UTILIZATION		
	HRS	7460.3	8000 (+20/-20)							
	AFL	3992	4000 (+20/-20)							
	PROC. REF: NDT 57-61-00									PKG:5032,6032
57-61-00-220-804-L00 <sup>S</sup>	DETAILED INSPECTION (INTERNAL) OF AILERON COMPONENTS:- AILERON ACTUATOR FITTINGS (SSI 57-61-12)								Service	ATA:57
	MOS/MSC	03-Jul-15	N/A							
	HRS	7460.3								
	AFL	3992								
	PROC. REF: NDT 57-61-00									PKG:5032,6032
57-61-00-220-805-L00	DETAILED INSPECTION (EXTERNAL) OF WING COMPONENTS:- HINGES ATTACHMENT, AILERON (SSI 57-61-89)NOTE: DURING THIS INSPECTION, THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR THIS SSI. (L650 ONLY)								Service	ATA:57
	MOS/MSC	25-Sep-07	N/A					STRUCTURAL		
	HRS	0								
	AFL	0								
	PROC. REF: NDT 57-61-00									PKG:6032
57-70-00-210-C01-L00 <sup>S</sup>	GENERAL VISUAL INSPECTION (EXTERNAL) OF SPOILER COMPONENTS:- HINGES ATTACHMENT, SPOILERS (SSI 57-70-92)- ACTUATOR ATTACHMENT, SPOILERS (SSI 57-70-93)								Service	ATA:57
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
	PROC. REF: CPM 57-70-00									PKG:5008,6016
57-Z511-213-001-A00 <sup>S</sup>	GENERAL VISUAL INSPECTION(EXTERNAL) (ZONES 511, 611, 512, 612, 513 AND 613)								Service	ATA:57
	MOS	29-Jun-23	24 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	1000 (+20/-20)							
	AFL	5401								
	PROC. REF: AMM 05-20-76									PKG:5004
57-Z511-214-001-A00 <sup>S</sup>	GENERAL VISUAL INSPECTION(INTERNAL) (L600 ONLY) (ZONES 511, 611, 512, 612, 513 AND 613)								Service	ATA:57
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
	PROC. REF: AMM 05-20-76									PKG:5008,6016

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 57 - WINGS										
57-Z511-214-001-A01	GENERAL	VISUAL	INSPECTION(INTERNAL)	(ZONES 511, 611, 512, 612, 513 AND 613)	NOTE:EWIS (L650 ONLY)					Service ATA:57
	MOS/MSC	25-Sep-07	N/A					ZONAL		
	HRS	0								
	AFL	0								
					PROC. REF: AMM 05-20-76					PKG:6016
57-Z531-213-001-A00 <sup>S</sup>	GENERAL	VISUAL	INSPECTION(EXTERNAL)	(ZONES 531, 631)						Service ATA:57
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: AMM 05-20-82					PKG:5008,6016
57-Z531-214-001-A00 <sup>S</sup>	GENERAL	VISUAL	INSPECTION(INTERNAL)	(ZONES 531, 631)	(L600 ONLY)					Service ATA:57
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: AMM 05-20-82					PKG:5008,6016
57-Z531-214-001-A01	GENERAL	VISUAL	INSPECTION(INTERNAL)	(ZONES 531, 631)	NOTE:EWIS (L650 ONLY)					Service ATA:57
	MOS/MSC	25-Sep-07	N/A					ZONAL		
	HRS	0								
	AFL	0								
					PROC. REF: AMM 05-20-82					PKG:6016
57-Z532-213-001-A00 <sup>S</sup>	GENERAL	VISUAL	INSPECTION(EXTERNAL)	(ZONES 532 AND 632)						Service ATA:57
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: AMM 05-20-84					PKG:5008,6016
57-Z532-214-001-A00 <sup>S</sup>	GENERAL	VISUAL	INSPECTION(INTERNAL)	(ZONES 532 AND 632)	(L600 ONLY)					Service ATA:57
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
					PROC. REF: AMM 05-20-84					PKG:5008,6016
57-Z532-214-001-A01	GENERAL	VISUAL	INSPECTION(INTERNAL)	(ZONES 532 AND 632)	NOTE:EWIS (L650 ONLY)					Service ATA:57
	MOS/MSC	25-Sep-07	N/A					ZONAL		
	HRS	0								
	AFL	0								
					PROC. REF: AMM 05-20-84					PKG:6016

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 57 - WINGS										
57-Z541-213-001-A00 <sup>S</sup>	GENERAL VISUAL INSPECTION(EXTERNAL) (ZONES 541 AND 641)									Service ATA:57
MOS	29-Jun-23	48 (+15d/-15d)						LOW UTILIZATION		
HRS	10161.5	2000 (+20/-20)								
AFL	5401	1000 (+20/-20)								
					PROC. REF: AMM 05-20-86					PKG:5008,6016
57-Z541-214-001-A00 <sup>S</sup>	GENERAL VISUAL INSPECTION(INTERNAL) (ZONES 541 AND 641) (L600 ONLY)									Service ATA:57
MOS	29-Jun-23	48 (+15d/-15d)						LOW UTILIZATION		
HRS	10161.5	2000 (+20/-20)								
AFL	5401	1000 (+20/-20)								
					PROC. REF: AMM 05-20-86					PKG:5008,6016
57-Z541-214-001-A01	GENERAL VISUAL INSPECTION(INTERNAL) (ZONES 541 AND 641)NOTE:EWIS (L650 ONLY)									Service ATA:57
MOS/MS	25-Sep-07	N/A						ZONAL		
HRS	0									
AFL	0									
					PROC. REF: AMM 05-20-86					PKG:6016
57-Z551-213-002-A00 <sup>S</sup>	GENERAL VISUAL INSPECTION(EXTERNAL) (ZONES 551, 561, 651, 661)									Service ATA:57
MOS	29-Jun-23	48 (+15d/-15d)						LOW UTILIZATION		
HRS	10161.5	2000 (+20/-20)								
AFL	5401	1000 (+20/-20)								
					PROC. REF: AMM 05-20-88					PKG:5008,6016
57-Z551-214-002-A00 <sup>S</sup>	GENERAL VISUAL INSPECTION(INTERNAL) (ZONES 551, 561, 651, 661) (L600 ONLY)									Service ATA:57
MOS	29-Jun-23	48 (+15d/-15d)						LOW UTILIZATION		
HRS	10161.5	2000 (+20/-20)								
AFL	5401	1000 (+20/-20)								
					PROC. REF: AMM 05-20-88					PKG:5008,6016
57-Z551-214-002-A01	GENERAL VISUAL INSPECTION(INTERNAL) (ZONES 551, 561, 651, 661)NOTE:EWIS (L650 ONLY)									Service ATA:57
MOS/MS	25-Sep-07	N/A						ZONAL		
HRS	0									
AFL	0									
					PROC. REF: AMM 05-20-88					PKG:6016
57-Z571-213-001-A00 <sup>S</sup>	GENERAL VISUAL INSPECTION(EXTERNAL) (ZONES 571, 671, 5711, 6711, 5712, 6712, 5713, 6713)									Service ATA:57
MOS	29-Jun-23	48 (+15d/-15d)						LOW UTILIZATION		
HRS	10161.5	2000 (+20/-20)								
AFL	5401	1000 (+20/-20)								
					PROC. REF: AMM 05-20-90					PKG:5008,6016

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 57 - WINGS											
57-Z571-214-001-A00 <sup>S</sup>	GENERAL	VISUAL	INSPECTION(INTERNAL) (ZONES 571, 671, 5711, 6711, 5712, 6712, 5713, 6713) (L600 ONLY)								Service ATA:57
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
			PROC. REF: AMM 05-20-90								PKG:5008,6016
57-Z571-214-001-A01	GENERAL	VISUAL	INSPECTION(INTERNAL) (ZONES 571, 671, 5711, 6711, 5712, 6712, 5713, 6713)NOTE:EWIS (L650 ONLY)								Service ATA:57
	MOS/MSC	25-Sep-07	N/A					ZONAL			
	HRS	0									
	AFL	0									
			PROC. REF: AMM 05-20-90								
57-Z572-213-001-A00 <sup>S</sup>	GENERAL	VISUAL	INSPECTION(EXTERNAL) (ZONES 572, 672, 5721, 6721, 5722, 6722)								Service ATA:57
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
			PROC. REF: AMM 05-20-92								PKG:5008,6016
57-Z572-214-001-A00 <sup>S</sup>	GENERAL	VISUAL	INSPECTION(INTERNAL) (ZONES 572, 672, 5721, 6721, 5722, 6722) (L600 ONLY)								Service ATA:57
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
			PROC. REF: AMM 05-20-92								PKG:5008,6016
57-Z572-214-001-A01	GENERAL	VISUAL	INSPECTION(INTERNAL) (ZONES 572, 672, 5721, 6721, 5722, 6722).NOTE:EWIS (L650 ONLY)								Service ATA:57
	MOS/MSC	25-Sep-07	N/A					ZONAL			
	HRS	0									
	AFL	0									
			PROC. REF: AMM 05-20-92								
57-Z573-213-001-A00 <sup>S</sup>	GENERAL	VISUAL	INSPECTION(EXTERNAL) (ZONES 573, 673, 5731, 6731, 5732, 6732)								Service ATA:57
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
			PROC. REF: AMM 05-20-94								PKG:5008,6016
57-Z573-214-001-A00 <sup>S</sup>	GENERAL	VISUAL	INSPECTION(INTERNAL) (ZONES 573, 673, 5731, 6731, 5732, 6732) (L600 ONLY)								Service ATA:57
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	2000 (+20/-20)								
	AFL	5401	1000 (+20/-20)								
			PROC. REF: AMM 05-20-94								PKG:5008,6016

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 57 - WINGS										
57-Z573-214-001-A01	GENERAL VISUAL INSPECTION(INTERNAL) (ZONES 573, 673, 5731, 6731, 5732, 6732)NOTE:EWIS (L650 ONLY)									Service ATA:57
	MOS/MSC	25-Sep-07	N/A					ZONAL		
	HRS	0								
	AFL	0								
PROC. REF: AMM 05-20-94										
574000-0201	LH WING LEADING EDGE WING ASSEMBLY									Component ATA:57
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 57-41-00, AMM 57-42-00, AMM 57-43-00										
574000-0202	LH WING LEADING EDGE WING ASSEMBLY									Component ATA:57
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 57-41-00, AMM 57-42-00, AMM 57-43-00										
574000-0203	LH WING LEADING EDGE WING ASSEMBLY									Component ATA:57
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 57-41-00, AMM 57-42-00, AMM 57-43-00										
574000-0204	RH WING LEADING EDGE WING ASSEMBLY									Component ATA:57
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 57-41-00, AMM 57-42-00, AMM 57-43-00										
574000-0205	RH WING LEADING EDGE WING ASSEMBLY									Component ATA:57
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 57-41-00, AMM 57-42-00, AMM 57-43-00										
574000-0206	RH WING LEADING EDGE WING ASSEMBLY									Component ATA:57
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 57-41-00, AMM 57-42-00, AMM 57-43-00										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of:  
29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 57 - WINGS										
575300-0101	WING FLAP ASSY ASSEMBLY									Component ATA:57
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-50-00										
575300-0102	WING FLAP ASSY ASSEMBLY									Component ATA:57
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 27-50-00										
575600-0101	LH WING SHROUD ASSY									Component ATA:57
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										
575600-0102	RH WING SHROUD ASSY									Component ATA:57
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										
575600-0201	LH WING SHROUD ASSY									Component ATA:57
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										
575600-0202	RH WING SHROUD ASSY									Component ATA:57
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										
575600-0301	LH MOBILE SHROUD ASSY									Component ATA:57
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of:  
29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 57 - WINGS										
575600-0302	RH MOBILE SHROUD ASSY									Component ATA:57
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	AFL	0	TSN 0							
PROC. REF: NDT GENERIC										
576600-0101	LHUP SHROUD ASSY									Component ATA:57
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	AFL	0	TSN 0							
PROC. REF: NDT GENERIC										
576600-0102	RHUP SHROUD ASSY									Component ATA:57
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	AFL	0	TSN 0							
PROC. REF: NDT GENERIC										
576600-0201	LH WING FIXED SHROUD ASSY									Component ATA:57
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	AFL	0	TSN 0							
PROC. REF: NDT GENERIC										
576600-0202	RH WING FIXED SHROUD ASSY									Component ATA:57
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	AFL	0	TSN 0							
PROC. REF: NDT GENERIC										
576602-0101	LH WING SHROUD ASSY									Component ATA:57
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	AFL	0	TSN 0							
PROC. REF: NDT GENERIC										
576602-0102	RH WING SHROUD ASSY									Component ATA:57
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	AFL	0	TSN 0							
PROC. REF: NDT GENERIC										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 57 - WINGS</b>										
576604-0101	LH WING FIXED SHROUD ASSY									Component ATA:57
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	AFL	0	TSN 0							
PROC. REF: NDT GENERIC										
576604-0102	RH WING FIXED SHROUD ASSY									Component ATA:57
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	AFL	0	TSN 0							
PROC. REF: NDT GENERIC										
<b>ATA 71 - POWER PLANT</b>										
71-10-00-211-001-A00 <sup>S</sup>	VISUALLY CHECK COWLINGSEALS									Service ATA:71
	MOS	29-Jun-23	48 (+15d/-15d)	LOW UTILIZATION						
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: AMM 71-10-00										
71-10-00-220-001-A00 <sup>S</sup>	INSPECT (DETAILED INSPECTION) COWLING INBOARD/ OUTBOARD ATTACHMENT AND SURROUNDING STRUCTURE									Service ATA:71
	MOS	29-Jun-23	48 (+15d/-15d)	LOW UTILIZATION						
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: AMM 71-10-00										
71-20-00-220-001-A00 <sup>S</sup>	INSPECT (DETAILED INSPECTION) ENGINE MOUNTING ASSY									Service ATA:71
	MOS	29-Jun-23	48 (+15d/-15d)	LOW UTILIZATION						
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: AMM 71-20-00										
71-60-01-211-001-A00 <sup>S</sup>	VISUALLY CHECK AIR INTAKEATTACHMENT									Service ATA:71
	MOS	29-Jun-23	48 (+15d/-15d)	LOW UTILIZATION						
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: AMM 71-60-01										
71-60-01-211-002-A00 <sup>S</sup>	VISUALLY CHECK AIR INTAKE REAR BULKHEAD AND FIRE SHIELD									Service ATA:71
	MOS	29-Jun-23	48 (+15d/-15d)	LOW UTILIZATION						
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: AMM 71-60-01										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 71 - POWER PLANT										
71-Z411-213-001-A00 <sup>S</sup>	GENERAL VISUAL INSPECTION(EXTERNAL) (ZONES 411, 412, 413, 421, 422, 423)									Service ATA:71
	MOS	29-Jun-23	24 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	1000 (+20/-20)							
	AFL	5401								
					PROC. REF: AMM 05-20-70					PKG:5004
71-Z411-214-001-A00 <sup>S</sup>	GENERAL VISUAL INSPECTION(INTERNAL) (ZONES 411, 412, 413, 421, 422, 423 AND 425) (L600 ONLY)									Service ATA:71
	MOS	29-Jun-23	24 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	1000 (+20/-20)							
	AFL	5401								
					PROC. REF: AMM 05-20-70					PKG:5004
71-Z411-214-001-A01	GENERAL VISUAL INSPECTION(INTERNAL) (ZONES 411, 412, 413, 415, 421, 422, 423 AND 425)NOTE:EWIS (L650 ONLY)									Service ATA:71
	MOS/MS	25-Sep-07	N/A					ZONAL		
	HRS	0								
	AFL	0								
					PROC. REF: AMM 05-20-70					
711000-0101	LEFT UP COWLING -NACELLE ASSEMBLY									Component ATA:71
PN:145-76830-401	MOS/MS	27-Aug-07	O/C	TSN 0						
SN:1028	HRS	0		TSN 0						
	AFL	0		TSN 0						
					PROC. REF: AMM 71-11-01					
711000-0102	RIGHT UP COWLING -NACELLE ASSEMBLY									Component ATA:71
PN:145-76830-402	MOS/MS	27-Aug-07	O/C	TSN 0						
SN:1031	HRS	0		TSN 0						
	AFL	0		TSN 0						
					PROC. REF: AMM 71-11-01					
711000-0103	LEFT LW ENGINE COWLING ASSEMBLY									Component ATA:71
PN:135-04972-405	MOS/MS	27-Aug-07	O/C	TSN 0						
SN:0000137717	HRS	0		TSN 0						
	AFL	0		TSN 0						
					PROC. REF: AMM 71-12-01					
711000-0104	RIGHT LW ENGINE COWLING ASSEMBLY									Component ATA:71
PN:135-04974-405	MOS/MS	27-Aug-07	O/C	TSN 0						
SN:0000137712	HRS	0		TSN 0						
	AFL	0		TSN 0						
					PROC. REF: AMM 71-12-01					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 71 - POWER PLANT</b>										
<b>711000-0201 LH ENG STRUCTURE -APRON, COWLING ASSEMBLY Component ATA:71</b>										
PN:145-77030-401	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:1017	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 71-13-01										
<b>711000-0202 RH ENG STRUCTURE -APRON, COWLING ASSEMBLY Component ATA:71</b>										
PN:145-77030-402	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:1013	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 71-13-01										
<b>711000-0301 LHLW COWLING ASSEMBLY Component ATA:71</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 71-12-01										
<b>711000-0302 RHLW COWLING ASSEMBLY Component ATA:71</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 71-12-01										
<b>712000-0201 LH ENG AFT SHOCKMOUNT ASSEMBLY Component ATA:71</b>										
PN:LM-223-SA7	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 71-20-00										
<b>712000-0202 RH ENG AFT SHOCKMOUNT ASSEMBLY Component ATA:71</b>										
PN:LM-223-SA7	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 71-20-00										
<b>712000-0203 LH ENG AFT SHOCKMOUNT ASSEMBLY Component ATA:71</b>										
PN:LM-223-SA7	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 71-20-00										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 71 - POWER PLANT</b>											
712000-0204		RH ENG AFT SHOCKMOUNT ASSEMBLY								Component	ATA:71
PN:LM-223-SA7	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 71-20-00											
712000-0301		LH ENG FORWARD FLUIDLASTIC NL TUN ISOLATOR								Component	ATA:71
PN:LM-223-SA5-1	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: NDT GENERIC											
712000-0302		RH ENG FORWARD FLUIDLASTIC NL TUN ISOLATOR								Component	ATA:71
PN:LM-223-SA5-1	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: NDT GENERIC											
712000-0303		LH ENG FORWARD FLUIDLASTIC NL TUN ISOLATOR								Component	ATA:71
PN:LM-223-SA5-1	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: NDT GENERIC											
712000-0304		RH ENG FORWARD FLUIDLASTIC NL TUN ISOLATOR								Component	ATA:71
PN:LM-223-SA5-1	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: NDT GENERIC											
716000-0101		LH ENGINE AIR INLET MODULE								Component	ATA:71
PN:135-04892-407	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:NC2048	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 71-60-01											
716000-0102		RH ENGINE AIR INLET MODULE								Component	ATA:71
PN:135-04892-407	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:NC2050	HRS	0	TSN 0								
	AFL	0	TSN 0								
PROC. REF: AMM 71-60-01											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of:  
29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 71 - POWER PLANT</b>											
<b>71EN1</b>		<b>NO. 1 ENGINE</b>								<b>Component</b>	<b>ATA:71</b>
PN:23074862	MOS/MSC	30-Aug-11	E/C								
SN:CAE312988	HRS	4825.2			TSN 4721, TSR 0						
WC#: 71.EN1	AFL	2549			TSN 2477, TSR 0						
PROC. REF: AMM 71-00-00											
<b>71EN2</b>		<b>NO. 2 ENGINE</b>								<b>Component</b>	<b>ATA:71</b>
PN:23074862	MOS/MSC	30-Aug-11	E/C								
SN:CAE312989	HRS	4825.2			TSN 4721, TSR 0						
WC#: 71.EN2	AFL	2549			TSN 2477, TSR 0						
PROC. REF: AMM 71-00-00											
<b>ATA 72 - ENGINE</b>											
<b>72-00-00-970-001-A00</b>		<b>NO. 1 ENGINE - ENGINE TREND DOWNLOAD/ANALYSIS</b>								<b>Service</b>	<b>ATA:72</b>
	MOS	26-Jan-24	1		26-Feb-24		14 d	CUSTOMER OPERATIONS REQUIREMENT			
	HRS	10297.9	100		(10397.9) 10502.1		100				
	ENC	5462	70		(5532) 5604		70				
PROC. REF: AMM 72-00-00, MM NO REF											
<b>72-00-00-970-001-A00</b>		<b>NO. 2 ENGINE - ENGINE TREND DOWNLOAD/ANALYSIS</b>								<b>Service</b>	<b>ATA:72</b>
	MOS	26-Jan-24	1		26-Feb-24		14 d	CUSTOMER OPERATIONS REQUIREMENT			
	HRS	10297.9	100		(10397.9) 10502.1		100				
	ENC	5462	70		(5532) 5604		70				
PROC. REF: AMM 72-00-00, MM NO REF											
<b>72-00-CUS-0701<sup>U</sup></b>		<b>NO. 1 ENGINE - PERFORM ENGINE RUN</b>								<b>Service</b>	<b>ATA:72</b>
	DAYS/MSC	23-Apr-20	A/R								
	HRS	9252									
	ENC	4912									
<b>72-00-CUS-0701<sup>U</sup></b>		<b>NO. 2 ENGINE - PERFORM ENGINE RUN</b>								<b>Service</b>	<b>ATA:72</b>
	DAYS/MSC	23-Apr-20	A/R								
	HRS	9252									
	ENC	4912									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 72 - ENGINE										
72-20-00-212-001-A00 INSPECT (GENERAL VISUAL) ENGINE AIR INTAKE Service ATA:72										
	MOS	12-Jul-23						SYSTEM		
	HRS	10167.3	500		10667.3		265.2			
	AFL	5404								
PROC. REF: AMM 72-25-02										
72-20-00-212-001-A00 NO. 1 ENGINE - INSPECT (GENERAL VISUAL) ENGINE AIR INTAKE Service ATA:72										
	MOS	29-Jun-23						SYSTEM		
	HRS	10057.3	500		(10557.3) 10661.5		259.4			
	ENC	5329								
PROC. REF: AMM 72-25-02, MM 72-00-00										
72-20-00-212-001-A00 NO. 2 ENGINE - INSPECT (GENERAL VISUAL) ENGINE AIR INTAKE Service ATA:72										
	MOS	29-Jun-23						SYSTEM		
	HRS	10057.3	500		(10557.3) 10661.5		259.4			
	ENC	5329								
PROC. REF: AMM 72-25-02, MM 72-00-00										
72-21-01-220-001-A00 NO. 1 ENGINE - INSPECT (DETAILED INSPECTION) FAN BLADES Service ATA:72										
	MOS	17-Jan-17						SYSTEM		
	HRS	7935.4	4000		(11935.4) 12039.6		1637.5			
	ENC	4242								
PROC. REF: AMM 72-21-01, MM 72-21-15										
72-21-01-220-001-A00 NO. 2 ENGINE - INSPECT (DETAILED INSPECTION) FAN BLADES Service ATA:72										
	MOS	17-Jan-17						SYSTEM		
	HRS	7935.4	4000		(11935.4) 12039.6		1637.5			
	ENC	4242								
PROC. REF: AMM 72-21-01, MM 72-21-15										
72-21-20-220-002-A00 NO. 1 ENGINE - INSPECT (DETAILED INSPECTION) FAN SPINNER P/N 23054034, 23064250 OR 23065046 ONLY Service ATA:72										
PN:23087826	MOS/MS	19-Aug-15	N/A							
SN:FF378408	HRS	7356.1								
	ENC	3920								
PROC. REF: AMM 72-31-01, MM NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 72 - ENGINE</b>										
<b>72-21-20-220-002-A00 NO. 2 ENGINE - INSPECT (DETAILED INSPECTION) FAN SPINNER P/N 23054034, 23064250 OR 23065046 ONLY</b>										
PN:23087826	MOS/MSC	06-Jul-15	N/A							Service ATA:72
SN:FF378411	HRS	7356.1								
	ENC	3920								
PROC. REF: AMM 72-31-01, MM NO REF										
<b>72-62-01-212-001-A00 NO. 1 ENGINE - INSPECT (GENERAL VISUAL) GEARBOX RETENTION CABLES</b>										
	MOS/MSC	25-Sep-07	N/A							Service ATA:72
	HRS	0								
	ENC	0								
PROC. REF: AMM 72-63-03, MM 72-63-10										
<b>72-62-01-212-001-A00 NO. 2 ENGINE - INSPECT (GENERAL VISUAL) GEARBOX RETENTION CABLES</b>										
	MOS/MSC	25-Sep-07	N/A							Service ATA:72
	HRS	0								
	ENC	0								
PROC. REF: AMM 72-63-03, MM 72-63-10										
<b>72-63-01-710-001-A00 NO. 1 ENGINE - OPERATIONALLY CHECK STARTER DRAIN ADAPTER POST-MOD. SB AE3007A-72-253 AND PRE-MOD SB AE3007A-72-330.</b>										
	MOS/MSC	25-Sep-07	N/A					SYSTEM		Service ATA:72
	HRS	0								
	ENC	0								
PROC. REF: AMM 72-63-02, MM 72-63-10										
<b>72-63-01-710-001-A00 NO. 2 ENGINE - OPERATIONALLY CHECK STARTER DRAIN ADAPTER POST-MOD. SB AE3007A-72-253 AND PRE-MOD SB AE3007A-72-330.</b>										
	MOS/MSC	25-Sep-07	N/A					SYSTEM		Service ATA:72
	HRS	0								
	ENC	0								
PROC. REF: AMM 72-63-02, MM 72-63-10										
<b>720000-0101 RH ENG TURBOFAN,WT/FADEC,WT/SENSOR UNIT</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						Component ATA:72
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 73-22-01										
<b>720000-0102 LH ENG TURBOFAN,WT/FADEC,WT/SENSOR UNIT</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						Component ATA:72
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 73-22-01										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 72 - ENGINE											
720000-0103		NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF ACCESSORY DRIVES SECTION(MPG EQUIVALENT TASKS 71-Z411-214-001-A00 AND 71-Z411-214-001-A01)								Service	ATA:72
	MOS	14-Jul-22									
	HRS	9811.6	10000		(19811.6) 19915.8		9513.7				
	ENC	5199									
PROC. REF: MM 72-00-00											
720000-0103		NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF ACCESSORY DRIVES SECTION(MPG EQUIVALENT TASKS 71-Z411-214-001-A00 AND 71-Z411-214-001-A01)								Service	ATA:72
	MOS	14-Jul-22									
	HRS	9811.6	10000		(19811.6) 19915.8		9513.7				
	ENC	5199									
PROC. REF: MM 72-00-00											
720000-0104		NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF BYPASS SECTION (MPG EQUIVALENT TASKS 71-Z411-214-001-A00 AND 71-Z411-214-001-A01)								Service	ATA:72
	MOS	14-Jul-22									
	HRS	9811.6	10000		(19811.6) 19915.8		9513.7				
	ENC	5199									
PROC. REF: MM 72-00-00											
720000-0104		NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF BYPASS SECTION (MPG EQUIVALENT TASKS 71-Z411-214-001-A00 AND 71-Z411-214-001-A01)								Service	ATA:72
	MOS	14-Jul-22									
	HRS	9811.6	10000		(19811.6) 19915.8		9513.7				
	ENC	5199									
PROC. REF: MM 72-00-00											
720000-0106		NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF FUEL SYSTEM DISTRIBUTION (TUBES AND HOSES) (MPG EQUIVALENT TASKS 71-Z411-214-001-A00 AND 71-Z411-214-001-A01)								Service	ATA:72
	MOS	14-Jul-22									
	HRS	9811.6	10000		(19811.6) 19915.8		9513.7				
	ENC	5199									
PROC. REF: MM 72-00-00											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 72 - ENGINE											
720000-0106		NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF FUEL SYSTEM DISTRIBUTION (TUBES AND HOSES) (MPG EQUIVALENT TASKS 71-Z411-214-001-A00 AND 71-Z411-214-001-A01)								Service	ATA:72
	MOS	14-Jul-22									
	HRS	9811.6	10000		(19811.6) 19915.8		9513.7				
	ENC	5199									
PROC. REF: MM 72-00-00											
720000-0108		NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF POWER CONTROL SECTION (HARNESSES) (MPG EQUIVALENT TASKS 71-Z411-214-001-A00 AND 71-Z411-214-001-A01)								Service	ATA:72
	MOS	14-Jul-22									
	HRS	9811.6	10000		(19811.6) 19915.8		9513.7				
	ENC	5199									
PROC. REF: MM 72-00-00											
720000-0108		NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF POWER CONTROL SECTION (HARNESSES) (MPG EQUIVALENT TASKS 71-Z411-214-001-A00 AND 71-Z411-214-001-A01)								Service	ATA:72
	MOS	14-Jul-22									
	HRS	9811.6	10000		(19811.6) 19915.8		9513.7				
	ENC	5199									
PROC. REF: MM 72-00-00											
720000-0109		NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF TURBINE-INTERSTAGE THERMOCOUPLE (A) HARNESS (MPG EQUIVALENT TASKS 71-Z411-214-001-A00 AND 71-Z411-214-001-A01)								Service	ATA:72
	MOS	14-Jul-22									
	HRS	9811.6	10000		(19811.6) 19915.8		9513.7				
	ENC	5199									
PROC. REF: MM 72-00-00											
720000-0109		NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF TURBINE-INTERSTAGE THERMOCOUPLE (A) HARNESS (MPG EQUIVALENT TASKS 71-Z411-214-001-A00 AND 71-Z411-214-001-A01)								Service	ATA:72
	MOS	14-Jul-22									
	HRS	9811.6	10000		(19811.6) 19915.8		9513.7				
	ENC	5199									
PROC. REF: MM 72-00-00											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 72 - ENGINE										
720000-0110		NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF TURBINE-INTERSTAGE THERMOCOUPLE (B) HARNESS (MPG EQUIVALENT TASKS 71-Z411-214-001-A00 AND 71-Z411-214-001-A01)							Service	ATA:72
	MOS	14-Jul-22								
	HRS	9811.6	10000		(19811.6) 19915.8		9513.7			
	ENC	5199								
PROC. REF: MM 72-00-00										
720000-0110		NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF TURBINE-INTERSTAGE THERMOCOUPLE (B) HARNESS (MPG EQUIVALENT TASKS 71-Z411-214-001-A00 AND 71-Z411-214-001-A01)							Service	ATA:72
	MOS	14-Jul-22								
	HRS	9811.6	10000		(19811.6) 19915.8		9513.7			
	ENC	5199								
PROC. REF: MM 72-00-00										
720000-0111		NO. 1 ENGINE - PERFORM SPECIAL PROCEDURES ON THE ENGINE							Service	ATA:72
	MOS/MSC	25-Sep-07	N/A							
	HRS	0								
	ENC	0								
PROC. REF: GENERIC NO REF										
720000-0111		NO. 2 ENGINE - PERFORM SPECIAL PROCEDURES ON THE ENGINE							Service	ATA:72
	MOS/MSC	25-Sep-07	N/A							
	HRS	0								
	ENC	0								
PROC. REF: GENERIC NO REF										
720010-0101		NO. 1 ENGINE - MANIFOLD ASSEMBLY							Component	ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C		TSN 0					
SN:UNKNOWN	HRS	0			TSN 0					
	ENC	0			TSN 0					
PROC. REF: AMM 73-13-02, MM 73-13-10, MM 73-13-10, MM 73-13-10, MM 73-13-10, MM 73-13-10, MM 73-13-10, MM 73-13-10, MM 73-13-10, MM 73-13-10										
720010-0101		NO. 2 ENGINE - MANIFOLD ASSEMBLY							Component	ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C		TSN 0					
SN:UNKNOWN	HRS	0			TSN 0					
	ENC	0			TSN 0					
PROC. REF: AMM 73-13-02, MM 73-13-10, MM 73-13-10, MM 73-13-10, MM 73-13-10, MM 73-13-10, MM 73-13-10, MM 73-13-10, MM 73-13-10, MM 73-13-10										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 72 - ENGINE</b>											
720038-0101		<b>NO. 1 ENGINE - ACCESSORY DRIVE GEARBOX MODULE</b>							Component	ATA:72	
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	ENC	0	TSN 0								
PROC. REF: MM 72-63-10, MM 72-63-10											
720038-0101		<b>NO. 2 ENGINE - ACCESSORY DRIVE GEARBOX MODULE</b>							Component	ATA:72	
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	ENC	0	TSN 0								
PROC. REF: MM 72-63-10, MM 72-63-10											
720039-0101		<b>NO. 1 ENGINE - ACCESSORY DRIVE GEARBOX</b>							Component	ATA:72	
PN:23079389	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:2869	HRS	0	TSN 0								
	ENC	0	TSN 0								
PROC. REF: AMM 72-61-01, MM 72-63-10, MM 72-63-10											
720039-0101		<b>NO. 2 ENGINE - ACCESSORY DRIVE GEARBOX</b>							Component	ATA:72	
PN:23079389	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:2468	HRS	0	TSN 0								
	ENC	0	TSN 0								
PROC. REF: AMM 72-61-01, MM 72-63-10, MM 72-63-10											
721000-0101		<b>NO. 1 ENGINE - FAN ROTOR ASSEMBLY</b>							Component	ATA:72	
PN:23075474	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:MW50802	HRS	0	TSN 0								
	ENC	0	TSN 0								
PROC. REF: GENERIC NO REF											
721000-0101		<b>NO. 2 ENGINE - FAN ROTOR ASSEMBLY</b>							Component	ATA:72	
PN:23075474	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:MW50853	HRS	0	TSN 0								
	ENC	0	TSN 0								
PROC. REF: GENERIC NO REF											
721003-0101		<b>NO. 1 ENGINE - INSPECT ENGINE AT 100 CYCLES</b>							Service	ATA:72	
	MOS/MSC	25-Sep-07	A/R								
	HRS	0									
	ENC	0									
PROC. REF: GENERIC NO REF											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 72 - ENGINE											
721003-0101			NO. 2 ENGINE - INSPECT ENGINE AT 100 CYCLES								Service ATA:72
	MOS/MSC	25-Sep-07	A/R								
	HRS	0									
	ENC	0									
PROC. REF: GENERIC NO REF											
722100-0101			NO. 1 ENGINE - FAN WHEEL								Component ATA:72
PN:23058865	MOS	25-Sep-07		TSN 0				LIFE LIMIT			
SN:MW50802	HRS	0		TSN 0							
	ENC	0	20000	TSN 0	(20000) 20072		14538				
PROC. REF: MM 72-21-10, MM 72-21-10, BULLETINS											
722100-0101			NO. 2 ENGINE - FAN WHEEL								Component ATA:72
PN:23058865	MOS	25-Sep-07		TSN 0				LIFE LIMIT			
SN:MW50853	HRS	0		TSN 0							
	ENC	0	20000	TSN 0	(20000) 20072		14538				
PROC. REF: MM 72-21-10, MM 72-21-10, BULLETINS											
722100-0102			NO. 1 ENGINE - FAN DRIVE SHAFT								Component ATA:72
PN:23074382	MOS	25-Sep-07		TSN 0				LIFE LIMIT			
SN:GV246257	HRS	0		TSN 0							
	ENC	0	20000	TSN 0	(20000) 20072		14538				
PROC. REF: MM 72-25-40, MM 72-25-40											
722100-0102			NO. 2 ENGINE - FAN DRIVE SHAFT								Component ATA:72
PN:23074382	MOS	25-Sep-07		TSN 0				LIFE LIMIT			
SN:GV246248	HRS	0		TSN 0							
	ENC	0	20000	TSN 0	(20000) 20072		14538				
PROC. REF: MM 72-25-40, MM 72-25-40											
722101-0101			NO. 1 ENGINE - FORWARD FAN BLADE RETAINER								Component ATA:72
PN:23062491	MOS	25-Sep-07		TSN 0				LIFE LIMIT			
SN:HK120747	HRS	0		TSN 0							
	ENC	0	20000	TSN 0	(20000) 20072		14538				
PROC. REF: MM 72-21-30, MM 72-21-30											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 72 - ENGINE</b>										
<b>722101-0101 NO. 2 ENGINE - FORWARD FAN BLADE RETAINER Component ATA:72</b>										
PN:23062491	MOS		25-Sep-07	TSN 0				LIFE LIMIT		
SN:HK120751	HRS		0	TSN 0						
	ENC		0	20000	TSN 0	(20000) 20072	14538			
PROC. REF: MM 72-21-30, MM 72-21-30										
<b>722102-0101 NO. 1 ENGINE - FAN SUPPORT BEARING HOUSING ASSEMBLY Component ATA:72</b>										
PN:PN	MOS/MSC		25-Sep-07	O/C	TSN 0					
SN:UNKNOWN	HRS		0	TSN 0						
	ENC		0	TSN 0						
PROC. REF: GENERIC NO REF										
<b>722102-0101 NO. 2 ENGINE - FAN SUPPORT BEARING HOUSING ASSEMBLY Component ATA:72</b>										
PN:PN	MOS/MSC		25-Sep-07	O/C	TSN 0					
SN:UNKNOWN	HRS		0	TSN 0						
	ENC		0	TSN 0						
PROC. REF: GENERIC NO REF										
<b>722103-0101 NO. 1 ENGINE - CLEAN AND DO THE DETAILED INSPECTION OF THE FAN BLADES Service ATA:72</b>										
	MOS/MSC		25-Sep-07	N/A						
	HRS		0							
	ENC		0							
PROC. REF: AMM 72-21-01, MM NO REF										
<b>722103-0101 NO. 2 ENGINE - CLEAN AND DO THE DETAILED INSPECTION OF THE FAN BLADES Service ATA:72</b>										
	MOS/MSC		25-Sep-07	N/A						
	HRS		0							
	ENC		0							
PROC. REF: AMM 72-21-01, MM NO REF										
<b>722104-0101 NO. 1 ENGINE - FAN SPINNER ASSEMBLY Component ATA:72</b>										
PN:23087826	MOS/MSC		08-Sep-10	O/C	TSN 0					
SN:FF378408	HRS		3738.1	TSN 0						
	ENC		1964	TSN 0						
PROC. REF: AMM 72-31-01, MM 72-21-20, MM 72-21-20										
<b>722104-0101 NO. 2 ENGINE - FAN SPINNER ASSEMBLY Component ATA:72</b>										
PN:23087826	MOS/MSC		09-Sep-10	O/C	TSN 0					
SN:FF378411	HRS		3738.1	TSN 0						
	ENC		1964	TSN 0						
PROC. REF: AMM 72-31-01, MM 72-21-20, MM 72-21-20										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 72 - ENGINE</b>										
<b>722105-0101 NO. 1 ENGINE - FRONT FRAME ASSEMBLY Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>722105-0101 NO. 2 ENGINE - FRONT FRAME ASSEMBLY Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>722107-0101 NO. 1 ENGINE - FAN CASE ASSEMBLY Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 72-25-30, MM 72-25-30										
<b>722107-0101 NO. 2 ENGINE - FAN CASE ASSEMBLY Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 72-25-30, MM 72-25-30										
<b>722108-0101 NO. 1 ENGINE - NO. 1 FAN BYPASS VANE Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 72-25-10, MM 72-25-10										
<b>722108-0101 NO. 2 ENGINE - NO. 1 FAN BYPASS VANE Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 72-25-10, MM 72-25-10										
<b>722108-0102 NO. 1 ENGINE - NO. 2 FAN BYPASS VANE Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 72-25-10, MM 72-25-10										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 72 - ENGINE										
722108-0102	NO. 2 ENGINE - NO. 2 FAN BYPASS VANE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: MM 72-25-10, MM 72-25-10										
722108-0103	NO. 1 ENGINE - NO. 3 FAN BYPASS VANE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: MM 72-25-10, MM 72-25-10										
722108-0103	NO. 2 ENGINE - NO. 3 FAN BYPASS VANE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: MM 72-25-10, MM 72-25-10										
722108-0104	NO. 1 ENGINE - NO. 4 FAN BYPASS VANE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: MM 72-25-10, MM 72-25-10										
722108-0104	NO. 2 ENGINE - NO. 4 FAN BYPASS VANE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: MM 72-25-10, MM 72-25-10										
722108-0105	NO. 1 ENGINE - NO. 5 FAN BYPASS VANE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: MM 72-25-10, MM 72-25-10										
722108-0105	NO. 2 ENGINE - NO. 5 FAN BYPASS VANE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: MM 72-25-10, MM 72-25-10										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 72 - ENGINE</b>										
<b>722108-0106 NO. 1 ENGINE - NO. 6 FAN BYPASS VANE Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 72-25-10, MM 72-25-10										
<b>722108-0106 NO. 2 ENGINE - NO. 6 FAN BYPASS VANE Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 72-25-10, MM 72-25-10										
<b>722108-0107 NO. 1 ENGINE - NO. 7 FAN BYPASS VANE Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 72-25-10, MM 72-25-10										
<b>722108-0107 NO. 2 ENGINE - NO. 7 FAN BYPASS VANE Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 72-25-10, MM 72-25-10										
<b>722108-0108 NO. 1 ENGINE - NO. 8 FAN BYPASS VANE Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 72-25-10, MM 72-25-10										
<b>722108-0108 NO. 2 ENGINE - NO. 8 FAN BYPASS VANE Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 72-25-10, MM 72-25-10										
<b>722108-0109 NO. 1 ENGINE - NO. 9 FAN BYPASS VANE Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 72-25-10, MM 72-25-10										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 72 - ENGINE										
722108-0109	NO. 2 ENGINE - NO. 9 FAN BYPASS VANE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: MM 72-25-10, MM 72-25-10										
722108-0110	NO. 1 ENGINE - NO. 10 FAN BYPASS VANE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: MM 72-25-10, MM 72-25-10										
722108-0110	NO. 2 ENGINE - NO. 10 FAN BYPASS VANE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: MM 72-25-10, MM 72-25-10										
722108-0111	NO. 1 ENGINE - NO. 11 FAN BYPASS VANE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: MM 72-25-10, MM 72-25-10										
722108-0111	NO. 2 ENGINE - NO. 11 FAN BYPASS VANE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: MM 72-25-10, MM 72-25-10										
722108-0112	NO. 1 ENGINE - NO. 12 FAN BYPASS VANE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: MM 72-25-10, MM 72-25-10										
722108-0112	NO. 2 ENGINE - NO. 12 FAN BYPASS VANE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: MM 72-25-10, MM 72-25-10										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 72 - ENGINE</b>										
<b>722108-0113 NO. 1 ENGINE - NO. 13 FAN BYPASS VANE Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 72-25-10, MM 72-25-10										
<b>722108-0113 NO. 2 ENGINE - NO. 13 FAN BYPASS VANE Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 72-25-10, MM 72-25-10										
<b>722108-0114 NO. 1 ENGINE - NO. 14 FAN BYPASS VANE Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 72-25-10, MM 72-25-10										
<b>722108-0114 NO. 2 ENGINE - NO. 14 FAN BYPASS VANE Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 72-25-10, MM 72-25-10										
<b>722108-0115 NO. 1 ENGINE - NO. 15 FAN BYPASS VANE Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 72-25-10, MM 72-25-10										
<b>722108-0115 NO. 2 ENGINE - NO. 15 FAN BYPASS VANE Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 72-25-10, MM 72-25-10										
<b>722108-0116 NO. 1 ENGINE - NO. 16 FAN BYPASS VANE Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 72-25-10, MM 72-25-10										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 72 - ENGINE										
722108-0116 NO. 2 ENGINE - NO. 16 FAN BYPASS VANE Component ATA:72										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 72-25-10, MM 72-25-10										
722108-0117 NO. 1 ENGINE - NO. 17 FAN BYPASS VANE Component ATA:72										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 72-25-10, MM 72-25-10										
722108-0117 NO. 2 ENGINE - NO. 17 FAN BYPASS VANE Component ATA:72										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 72-25-10, MM 72-25-10										
722108-0118 NO. 1 ENGINE - NO. 18 FAN BYPASS VANE Component ATA:72										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 72-25-10, MM 72-25-10										
722108-0118 NO. 2 ENGINE - NO. 18 FAN BYPASS VANE Component ATA:72										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 72-25-10, MM 72-25-10										
722108-0119 NO. 1 ENGINE - NO. 19 FAN BYPASS VANE Component ATA:72										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 72-25-10, MM 72-25-10										
722108-0119 NO. 2 ENGINE - NO. 19 FAN BYPASS VANE Component ATA:72										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 72-25-10, MM 72-25-10										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 72 - ENGINE</b>										
<b>722108-0120 NO. 1 ENGINE - NO. 20 FAN BYPASS VANE Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 72-25-10, MM 72-25-10										
<b>722108-0120 NO. 2 ENGINE - NO. 20 FAN BYPASS VANE Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 72-25-10, MM 72-25-10										
<b>722108-0121 NO. 1 ENGINE - NO. 21 FAN BYPASS VANE Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 72-25-10, MM 72-25-10										
<b>722108-0121 NO. 2 ENGINE - NO. 21 FAN BYPASS VANE Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 72-25-10, MM 72-25-10										
<b>722108-0122 NO. 1 ENGINE - NO. 22 FAN BYPASS VANE Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 72-25-10, MM 72-25-10										
<b>722108-0122 NO. 2 ENGINE - NO. 22 FAN BYPASS VANE Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 72-25-10, MM 72-25-10										
<b>722108-0123 NO. 1 ENGINE - NO. 23 FAN BYPASS VANE Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 72-25-10, MM 72-25-10										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 72 - ENGINE										
722108-0123	NO. 2 ENGINE - NO. 23 FAN BYPASS VANE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 72-25-10, MM 72-25-10										
722108-0124	NO. 1 ENGINE - NO. 24 FAN BYPASS VANE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 72-25-10, MM 72-25-10										
722108-0124	NO. 2 ENGINE - NO. 24 FAN BYPASS VANE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 72-25-10, MM 72-25-10										
722108-0125	NO. 1 ENGINE - NO. 25 FAN BYPASS VANE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 72-25-10, MM 72-25-10										
722108-0125	NO. 2 ENGINE - NO. 25 FAN BYPASS VANE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 72-25-10, MM 72-25-10										
722108-0126	NO. 1 ENGINE - NO. 26 FAN BYPASS VANE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 72-25-10, MM 72-25-10										
722108-0126	NO. 2 ENGINE - NO. 26 FAN BYPASS VANE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 72-25-10, MM 72-25-10										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 72 - ENGINE</b>										
<b>722108-0127 NO. 1 ENGINE - NO. 27 FAN BYPASS VANE Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 72-25-10, MM 72-25-10										
<b>722108-0127 NO. 2 ENGINE - NO. 27 FAN BYPASS VANE Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 72-25-10, MM 72-25-10										
<b>722108-0128 NO. 1 ENGINE - NO. 28 FAN BYPASS VANE Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 72-25-10, MM 72-25-10										
<b>722108-0128 NO. 2 ENGINE - NO. 28 FAN BYPASS VANE Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 72-25-10, MM 72-25-10										
<b>722108-0129 NO. 1 ENGINE - NO. 29 FAN BYPASS VANE Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 72-25-10, MM 72-25-10										
<b>722108-0129 NO. 2 ENGINE - NO. 29 FAN BYPASS VANE Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 72-25-10, MM 72-25-10										
<b>722108-0130 NO. 1 ENGINE - NO. 30 FAN BYPASS VANE Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 72-25-10, MM 72-25-10										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of:  
29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 72 - ENGINE</b>										
722108-0130	NO. 2 ENGINE - NO. 30 FAN BYPASS VANE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: MM 72-25-10, MM 72-25-10										
722109-0101	NO. 1 ENGINE - SEG CARBON FAN SEAL ASSEMBLY									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
722109-0101	NO. 2 ENGINE - SEG CARBON FAN SEAL ASSEMBLY									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
722111-0101	NO. 1 ENGINE - SPANNER NUT									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: MM 72-21-05, MM 72-21-05										
722111-0101	NO. 2 ENGINE - SPANNER NUT									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: MM 72-21-05, MM 72-21-05										
722112-0101	NO. 1 ENGINE - BEARING SELF-LOCKING NUT									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
722112-0101	NO. 2 ENGINE - BEARING SELF-LOCKING NUT									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 72 - ENGINE</b>										
<b>722113-0101 NO. 1 ENGINE - ROLLER BEARING Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>722113-0101 NO. 2 ENGINE - ROLLER BEARING Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>722114-0101 NO. 1 ENGINE - NO. 1 FAN BLADE Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 72-31-02, MM 72-21-15, MM 72-21-15										
<b>722114-0101 NO. 2 ENGINE - NO. 1 FAN BLADE Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 72-31-02, MM 72-21-15, MM 72-21-15										
<b>722114-0102 NO. 1 ENGINE - NO. 2 FAN BLADE Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 72-31-02, MM 72-21-15, MM 72-21-15										
<b>722114-0102 NO. 2 ENGINE - NO. 2 FAN BLADE Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 72-31-02, MM 72-21-15, MM 72-21-15										
<b>722114-0103 NO. 1 ENGINE - NO. 3 FAN BLADE Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 72-31-02, MM 72-21-15, MM 72-21-15										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 72 - ENGINE</b>											
722114-0103		NO. 2 ENGINE - NO. 3 FAN BLADE								Component	ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	ENC	0		TSN 0							
PROC. REF: AMM 72-31-02, MM 72-21-15, MM 72-21-15											
722114-0104		NO. 1 ENGINE - NO. 4 FAN BLADE								Component	ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	ENC	0		TSN 0							
PROC. REF: AMM 72-31-02, MM 72-21-15, MM 72-21-15											
722114-0104		NO. 2 ENGINE - NO. 4 FAN BLADE								Component	ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	ENC	0		TSN 0							
PROC. REF: AMM 72-31-02, MM 72-21-15, MM 72-21-15											
722114-0105		NO. 1 ENGINE - NO. 5 FAN BLADE								Component	ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	ENC	0		TSN 0							
PROC. REF: AMM 72-31-02, MM 72-21-15, MM 72-21-15											
722114-0105		NO. 2 ENGINE - NO. 5 FAN BLADE								Component	ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	ENC	0		TSN 0							
PROC. REF: AMM 72-31-02, MM 72-21-15, MM 72-21-15											
722114-0106		NO. 1 ENGINE - NO. 6 FAN BLADE								Component	ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	ENC	0		TSN 0							
PROC. REF: AMM 72-31-02, MM 72-21-15, MM 72-21-15											
722114-0106		NO. 2 ENGINE - NO. 6 FAN BLADE								Component	ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	ENC	0		TSN 0							
PROC. REF: AMM 72-31-02, MM 72-21-15, MM 72-21-15											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 72 - ENGINE</b>										
<b>722114-0107 NO. 1 ENGINE - NO. 7 FAN BLADE Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 72-31-02, MM 72-21-15, MM 72-21-15										
<b>722114-0107 NO. 2 ENGINE - NO. 7 FAN BLADE Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 72-31-02, MM 72-21-15, MM 72-21-15										
<b>722114-0108 NO. 1 ENGINE - NO. 8 FAN BLADE Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 72-31-02, MM 72-21-15, MM 72-21-15										
<b>722114-0108 NO. 2 ENGINE - NO. 8 FAN BLADE Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 72-31-02, MM 72-21-15, MM 72-21-15										
<b>722114-0109 NO. 1 ENGINE - NO. 9 FAN BLADE Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 72-31-02, MM 72-21-15, MM 72-21-15										
<b>722114-0109 NO. 2 ENGINE - NO. 9 FAN BLADE Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 72-31-02, MM 72-21-15, MM 72-21-15										
<b>722114-0110 NO. 1 ENGINE - NO. 10 FAN BLADE Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 72-31-02, MM 72-21-15, MM 72-21-15										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 72 - ENGINE										
722114-0110	NO. 2 ENGINE - NO. 10 FAN BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 72-31-02, MM 72-21-15, MM 72-21-15										
722114-0111	NO. 1 ENGINE - NO. 11 FAN BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 72-31-02, MM 72-21-15, MM 72-21-15										
722114-0111	NO. 2 ENGINE - NO. 11 FAN BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 72-31-02, MM 72-21-15, MM 72-21-15										
722114-0112	NO. 1 ENGINE - NO. 12 FAN BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 72-31-02, MM 72-21-15, MM 72-21-15										
722114-0112	NO. 2 ENGINE - NO. 12 FAN BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 72-31-02, MM 72-21-15, MM 72-21-15										
722114-0113	NO. 1 ENGINE - NO. 13 FAN BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 72-21-15, MM 72-21-15										
722114-0113	NO. 2 ENGINE - NO. 13 FAN BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 72-21-15, MM 72-21-15										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 72 - ENGINE										
722114-0114	NO. 1 ENGINE - NO. 14 FAN BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: MM 72-21-15, MM 72-21-15										
722114-0114	NO. 2 ENGINE - NO. 14 FAN BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: MM 72-21-15, MM 72-21-15										
722114-0115	NO. 1 ENGINE - NO. 15 FAN BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: MM 72-21-15, MM 72-21-15										
722114-0115	NO. 2 ENGINE - NO. 15 FAN BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: MM 72-21-15, MM 72-21-15										
722114-0116	NO. 1 ENGINE - NO. 16 FAN BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: AMM 72-31-02, MM 72-21-15, MM 72-21-15										
722114-0116	NO. 2 ENGINE - NO. 16 FAN BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: AMM 72-31-02, MM 72-21-15, MM 72-21-15										
722114-0117	NO. 1 ENGINE - NO. 17 FAN BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: AMM 72-31-02, MM 72-21-15, MM 72-21-15										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 72 - ENGINE										
722114-0117	NO. 2 ENGINE - NO. 17 FAN BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: AMM 72-31-02, MM 72-21-15, MM 72-21-15										
722114-0118	NO. 1 ENGINE - NO. 18 FAN BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: AMM 72-31-02, MM 72-21-15, MM 72-21-15										
722114-0118	NO. 2 ENGINE - NO. 18 FAN BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: AMM 72-31-02, MM 72-21-15, MM 72-21-15										
722114-0119	NO. 1 ENGINE - NO. 19 FAN BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: AMM 72-31-02, MM 72-21-15, MM 72-21-15										
722114-0119	NO. 2 ENGINE - NO. 19 FAN BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: AMM 72-31-02, MM 72-21-15, MM 72-21-15										
722114-0120	NO. 1 ENGINE - NO. 20 FAN BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: AMM 72-31-02, MM 72-21-15, MM 72-21-15										
722114-0120	NO. 2 ENGINE - NO. 20 FAN BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: AMM 72-31-02, MM 72-21-15, MM 72-21-15										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 72 - ENGINE</b>										
<b>722114-0121 NO. 1 ENGINE - NO. 21 FAN BLADE Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 72-31-02, MM 72-21-15, MM 72-21-15										
<b>722114-0121 NO. 2 ENGINE - NO. 21 FAN BLADE Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 72-31-02, MM 72-21-15, MM 72-21-15										
<b>722114-0122 NO. 1 ENGINE - NO. 22 FAN BLADE Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 72-31-02, MM 72-21-15, MM 72-21-15										
<b>722114-0122 NO. 2 ENGINE - NO. 22 FAN BLADE Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 72-31-02, MM 72-21-15, MM 72-21-15										
<b>722114-0123 NO. 1 ENGINE - NO. 23 FAN BLADE Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 72-31-02, MM 72-21-15, MM 72-21-15										
<b>722114-0123 NO. 2 ENGINE - NO. 23 FAN BLADE Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 72-31-02, MM 72-21-15, MM 72-21-15										
<b>722114-0124 NO. 1 ENGINE - NO. 24 FAN BLADE Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 72-31-02, MM 72-21-15, MM 72-21-15										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 72 - ENGINE										
722114-0124	NO. 2 ENGINE - NO. 24 FAN BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: AMM 72-31-02, MM 72-21-15, MM 72-21-15										
722120-0101	NO. 1 ENGINE - DETAILED INSPECTION OF THE FAN SPINNER									Service ATA:72
	MOS/MSC	25-Sep-07	N/R							
	HRS	0								
	ENC	0								
PROC. REF: AMM 72-31-01, MM 72-21-20										
722120-0101	NO. 2 ENGINE - DETAILED INSPECTION OF THE FAN SPINNER									Service ATA:72
	MOS/MSC	25-Sep-07	N/R							
	HRS	0								
	ENC	0								
PROC. REF: AMM 72-31-01, MM 72-21-20										
722500-0101	NO. 1 ENGINE - BEVEL PINION - RADIAL DRIVE GEARSHAFT									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
722500-0101	NO. 2 ENGINE - BEVEL PINION - RADIAL DRIVE GEARSHAFT									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
722501-0101	NO. 1 ENGINE - FRONT SUMP BEVEL GEAR									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
722501-0101	NO. 2 ENGINE - FRONT SUMP BEVEL GEAR									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 72 - ENGINE</b>											
722502-0101		<b>NO. 1 ENGINE - FRONT SUMP HOUSING ASSEMBLY</b>							Component	ATA:72	
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	ENC	0	TSN 0								
PROC. REF: GENERIC NO REF											
722502-0101		<b>NO. 2 ENGINE - FRONT SUMP HOUSING ASSEMBLY</b>							Component	ATA:72	
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	ENC	0	TSN 0								
PROC. REF: GENERIC NO REF											
722503-0101		<b>NO. 1 ENGINE - MID-SPAN ROLLER BEARING</b>							Component	ATA:72	
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	ENC	0	TSN 0								
PROC. REF: MM 72-25-35, MM 72-25-35											
722503-0101		<b>NO. 2 ENGINE - MID-SPAN ROLLER BEARING</b>							Component	ATA:72	
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	ENC	0	TSN 0								
PROC. REF: MM 72-25-35, MM 72-25-35											
722504-0101		<b>NO. 1 ENGINE - HORIZONTAL QUILL SHAFT</b>							Component	ATA:72	
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	ENC	0	TSN 0								
PROC. REF: GENERIC NO REF											
722504-0101		<b>NO. 2 ENGINE - HORIZONTAL QUILL SHAFT</b>							Component	ATA:72	
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	ENC	0	TSN 0								
PROC. REF: GENERIC NO REF											
722506-0101		<b>NO. 1 ENGINE - NO. 4 CARBON-TANDEM SEAL ASSEMBLY</b>							Component	ATA:72	
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	ENC	0	TSN 0								
PROC. REF: GENERIC NO REF											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 72 - ENGINE										
722506-0101	NO. 2 ENGINE - NO. 4 CARBON-TANDEM SEAL ASSEMBLY									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
722508-0101	NO. 1 ENGINE - 80 X 100 X 11 MM ROLLER BEARING									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
722508-0101	NO. 2 ENGINE - 80 X 100 X 11 MM ROLLER BEARING									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
722509-0101	NO. 1 ENGINE - 87 X 108 X 11 BALL BEARING									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
722509-0101	NO. 2 ENGINE - 87 X 108 X 11 BALL BEARING									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
722510-0101	NO. 1 ENGINE - FLANGED ROLLER BEARING									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
722510-0101	NO. 2 ENGINE - FLANGED ROLLER BEARING									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 72 - ENGINE</b>											
722511-0101		<b>NO. 1 ENGINE - ROLLER BEARING</b>								Component	ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	ENC	0	TSN 0								
PROC. REF: GENERIC NO REF											
722511-0101		<b>NO. 2 ENGINE - ROLLER BEARING</b>								Component	ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	ENC	0	TSN 0								
PROC. REF: GENERIC NO REF											
722512-0101		<b>NO. 1 ENGINE - RADIAL DRIVE GEARSHAFT ASSEMBLY</b>								Component	ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	ENC	0	TSN 0								
PROC. REF: GENERIC NO REF											
722512-0101		<b>NO. 2 ENGINE - RADIAL DRIVE GEARSHAFT ASSEMBLY</b>								Component	ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	ENC	0	TSN 0								
PROC. REF: GENERIC NO REF											
722513-0101		<b>NO. 1 ENGINE - CONRAD BEARING</b>								Component	ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	ENC	0	TSN 0								
PROC. REF: GENERIC NO REF											
722513-0101		<b>NO. 2 ENGINE - CONRAD BEARING</b>								Component	ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	ENC	0	TSN 0								
PROC. REF: GENERIC NO REF											
722514-0101		<b>NO. 1 ENGINE - NO. 1 POWER TURBINE (LPT) BALL BEARING</b>								Component	ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	ENC	0	TSN 0								
PROC. REF: GENERIC NO REF											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 72 - ENGINE</b>										
722514-0101	NO. 2 ENGINE - NO. 1 POWER TURBINE (LPT) BALL BEARING									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
723000-0101	NO. 1 ENGINE - COMPRESSOR ROTOR ASSEMBLY									Component ATA:72
PN:23075618	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:A21726	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
723000-0101	NO. 2 ENGINE - COMPRESSOR ROTOR ASSEMBLY									Component ATA:72
PN:23075618	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:A21727	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
723017-0101	NO. 1 ENGINE - COMP/TURBINE SHAFT									Component ATA:72
PN:23073165	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:L314125	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
723017-0101	NO. 2 ENGINE - COMP/TURBINE SHAFT									Component ATA:72
PN:23073165	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:L314133	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
723018-0101	NO. 1 ENGINE - COMPRESSOR STUB SHAFT									Component ATA:72
PN:23077677	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:GV256851	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
723018-0101	NO. 2 ENGINE - COMPRESSOR STUB SHAFT									Component ATA:72
PN:23077677	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:GV256859	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 72 - ENGINE</b>											
<b>723019-0101</b>		<b>NO. 1 ENGINE - COMPRESSOR TIE BOLT</b>								<b>Component</b>	<b>ATA:72</b>
PN:23076018	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:L316484	HRS	0		TSN 0							
	ENC	0		TSN 0							
PROC. REF: GENERIC NO REF											
<b>723019-0101</b>		<b>NO. 2 ENGINE - COMPRESSOR TIE BOLT</b>								<b>Component</b>	<b>ATA:72</b>
PN:23076018	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:L316500	HRS	0		TSN 0							
	ENC	0		TSN 0							
PROC. REF: GENERIC NO REF											
<b>723020-0101</b>		<b>NO. 1 ENGINE - 9TH STAGE COMPRESSOR CASE</b>								<b>Component</b>	<b>ATA:72</b>
PN:23077726	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:JB42245	HRS	0		TSN 0							
	ENC	0		TSN 0							
PROC. REF: GENERIC NO REF											
<b>723020-0101</b>		<b>NO. 2 ENGINE - 9TH STAGE COMPRESSOR CASE</b>								<b>Component</b>	<b>ATA:72</b>
PN:23077726	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:JB42246	HRS	0		TSN 0							
	ENC	0		TSN 0							
PROC. REF: GENERIC NO REF											
<b>723500-0101</b>		<b>NO. 1 ENGINE - 1ST STAGE COMPRESSOR WHEEL</b>								<b>Component</b>	<b>ATA:72</b>
PN:23065041	MOS	25-Sep-07		TSN 0				LIFE LIMIT			
SN:L317342	HRS	0		TSN 0							
	ENC	0	20000	TSN 0	(20000) 20072		14538				
PROC. REF: GENERIC NO REF											
<b>723500-0101</b>		<b>NO. 2 ENGINE - 1ST STAGE COMPRESSOR WHEEL</b>								<b>Component</b>	<b>ATA:72</b>
PN:23065041	MOS	25-Sep-07		TSN 0				LIFE LIMIT			
SN:L317309	HRS	0		TSN 0							
	ENC	0	20000	TSN 0	(20000) 20072		14538				
PROC. REF: GENERIC NO REF											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 72 - ENGINE</b>										
<b>723500-0102 NO. 1 ENGINE - 2ND STAGE COMPRESSOR WHEEL Component ATA:72</b>										
PN:23050752	MOS		25-Sep-07	TSN 0				LIFE LIMIT		
SN:L308271	HRS		0	TSN 0						
	ENC	0	15200	TSN 0	(15200) 15272		9738			
PROC. REF: GENERIC NO REF										
<b>723500-0102 NO. 2 ENGINE - 2ND STAGE COMPRESSOR WHEEL Component ATA:72</b>										
PN:23050752	MOS		25-Sep-07	TSN 0				LIFE LIMIT		
SN:L308272	HRS		0	TSN 0						
	ENC	0	15200	TSN 0	(15200) 15272		9738			
PROC. REF: GENERIC NO REF										
<b>723500-0103 NO. 1 ENGINE - 3RD STAGE COMPRESSOR WHEEL Component ATA:72</b>										
PN:23065303	MOS		25-Sep-07	TSN 0				LIFE LIMIT		
SN:L310095	HRS		0	TSN 0						
	ENC	0	13300	TSN 0	(13300) 13372		7838			
PROC. REF: GENERIC NO REF										
<b>723500-0103 NO. 2 ENGINE - 3RD STAGE COMPRESSOR WHEEL Component ATA:72</b>										
PN:23065303	MOS		25-Sep-07	TSN 0				LIFE LIMIT		
SN:L310107	HRS		0	TSN 0						
	ENC	0	13300	TSN 0	(13300) 13372		7838			
PROC. REF: GENERIC NO REF										
<b>723500-0104 NO. 1 ENGINE - 4TH STAGE COMPRESSOR WHEEL Component ATA:72</b>										
PN:23071259	MOS		25-Sep-07	TSN 0				LIFE LIMIT		
SN:L296792	HRS		0	TSN 0						
	ENC	0	20000	TSN 0	(20000) 20072		14538			
PROC. REF: GENERIC NO REF										
<b>723500-0104 NO. 2 ENGINE - 4TH STAGE COMPRESSOR WHEEL Component ATA:72</b>										
PN:23071259	MOS		25-Sep-07	TSN 0				LIFE LIMIT		
SN:L296731	HRS		0	TSN 0						
	ENC	0	20000	TSN 0	(20000) 20072		14538			
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of:  
29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 72 - ENGINE</b>										
<b>723500-0105 NO. 1 ENGINE - 5TH STAGE COMPRESSOR WHEEL Component ATA:72</b>										
PN:23071260	MOS		25-Sep-07	TSN 0				LIFE LIMIT		
SN:L312877	HRS		0	TSN 0						
	ENC	0	20000	TSN 0	(20000) 20072		14538			
PROC. REF: GENERIC NO REF										
<b>723500-0105 NO. 2 ENGINE - 5TH STAGE COMPRESSOR WHEEL Component ATA:72</b>										
PN:23071260	MOS		25-Sep-07	TSN 0				LIFE LIMIT		
SN:L312854	HRS		0	TSN 0						
	ENC	0	20000	TSN 0	(20000) 20072		14538			
PROC. REF: GENERIC NO REF										
<b>723500-0106 NO. 1 ENGINE - 6TH STAGE COMPRESSOR WHEEL Component ATA:72</b>										
PN:23074717	MOS		25-Sep-07	TSN 0				LIFE LIMIT		
SN:L275159	HRS		0	TSN 0						
	ENC	0	20000	TSN 0	(20000) 20072		14538			
PROC. REF: GENERIC NO REF										
<b>723500-0106 NO. 2 ENGINE - 6TH STAGE COMPRESSOR WHEEL Component ATA:72</b>										
PN:23074717	MOS		25-Sep-07	TSN 0				LIFE LIMIT		
SN:L275144	HRS		0	TSN 0						
	ENC	0	20000	TSN 0	(20000) 20072		14538			
PROC. REF: GENERIC NO REF										
<b>723500-0107 NO. 1 ENGINE - 7TH STAGE COMPRESSOR WHEEL Component ATA:72</b>										
PN:23074217	MOS		25-Sep-07	TSN 0				LIFE LIMIT		
SN:L299189	HRS		0	TSN 0						
	ENC	0	20000	TSN 0	(20000) 20072		14538			
PROC. REF: GENERIC NO REF										
<b>723500-0107 NO. 2 ENGINE - 7TH STAGE COMPRESSOR WHEEL Component ATA:72</b>										
PN:23074217	MOS		25-Sep-07	TSN 0				LIFE LIMIT		
SN:L299210	HRS		0	TSN 0						
	ENC	0	20000	TSN 0	(20000) 20072		14538			
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 72 - ENGINE</b>										
<b>723500-0108 NO. 1 ENGINE - 8TH STAGE COMPRESSOR WHEEL Component ATA:72</b>										
PN:23074721	MOS		25-Sep-07	TSN 0				LIFE LIMIT		
SN:L305178	HRS		0	TSN 0						
	ENC	0	20000	TSN 0	(20000) 20072		14538			
PROC. REF: GENERIC NO REF										
<b>723500-0108 NO. 2 ENGINE - 8TH STAGE COMPRESSOR WHEEL Component ATA:72</b>										
PN:23074721	MOS		25-Sep-07	TSN 0				LIFE LIMIT		
SN:L305092	HRS		0	TSN 0						
	ENC	0	20000	TSN 0	(20000) 20072		14538			
PROC. REF: GENERIC NO REF										
<b>723500-0109 NO. 1 ENGINE - 9TH STAGE COMPRESSOR WHEEL Component ATA:72</b>										
PN:23074722	MOS		25-Sep-07	TSN 0				LIFE LIMIT		
SN:L310539	HRS		0	TSN 0						
	ENC	0	20000	TSN 0	(20000) 20072		14538			
PROC. REF: GENERIC NO REF										
<b>723500-0109 NO. 2 ENGINE - 9TH STAGE COMPRESSOR WHEEL Component ATA:72</b>										
PN:23074722	MOS		25-Sep-07	TSN 0				LIFE LIMIT		
SN:L310527	HRS		0	TSN 0						
	ENC	0	20000	TSN 0	(20000) 20072		14538			
PROC. REF: GENERIC NO REF										
<b>723500-0110 NO. 1 ENGINE - 10TH STAGE COMPRESSOR WHEEL Component ATA:72</b>										
PN:23074723	MOS		25-Sep-07	TSN 0				LIFE LIMIT		
SN:L309565	HRS		0	TSN 0						
	ENC	0	20000	TSN 0	(20000) 20072		14538			
PROC. REF: GENERIC NO REF										
<b>723500-0110 NO. 2 ENGINE - 10TH STAGE COMPRESSOR WHEEL Component ATA:72</b>										
PN:23074723	MOS		25-Sep-07	TSN 0				LIFE LIMIT		
SN:L309575	HRS		0	TSN 0						
	ENC	0	20000	TSN 0	(20000) 20072		14538			
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of:  
29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 72 - ENGINE</b>										
<b>723500-0111 NO. 1 ENGINE - 11TH STAGE COMPRESSOR WHEEL</b>										
PN:23074724	MOS		25-Sep-07		TSN 0			LIFE LIMIT		Component ATA:72
SN:L308976	HRS		0		TSN 0					
	ENC		0	20000	TSN 0	(20000) 20072	14538			
PROC. REF: GENERIC NO REF										
<b>723500-0111 NO. 2 ENGINE - 11TH STAGE COMPRESSOR WHEEL</b>										
PN:23074724	MOS		25-Sep-07		TSN 0			LIFE LIMIT		Component ATA:72
SN:L308972	HRS		0		TSN 0					
	ENC		0	20000	TSN 0	(20000) 20072	14538			
PROC. REF: GENERIC NO REF										
<b>723500-0112 NO. 1 ENGINE - 12TH STAGE COMPRESSOR WHEEL</b>										
PN:23074725	MOS		25-Sep-07		TSN 0			LIFE LIMIT		Component ATA:72
SN:L295437	HRS		0		TSN 0					
	ENC		0	20000	TSN 0	(20000) 20072	14538			
PROC. REF: GENERIC NO REF										
<b>723500-0112 NO. 2 ENGINE - 12TH STAGE COMPRESSOR WHEEL</b>										
PN:23074725	MOS		25-Sep-07		TSN 0			LIFE LIMIT		Component ATA:72
SN:L295434	HRS		0		TSN 0					
	ENC		0	20000	TSN 0	(20000) 20072	14538			
PROC. REF: GENERIC NO REF										
<b>723500-0113 NO. 1 ENGINE - 13TH STAGE COMPRESSOR WHEEL</b>										
PN:23074213	MOS		25-Sep-07		TSN 0			LIFE LIMIT		Component ATA:72
SN:L313172	HRS		0		TSN 0					
	ENC		0	20000	TSN 0	(20000) 20072	14538			
PROC. REF: GENERIC NO REF										
<b>723500-0113 NO. 2 ENGINE - 13TH STAGE COMPRESSOR WHEEL</b>										
PN:23074213	MOS		25-Sep-07		TSN 0			LIFE LIMIT		Component ATA:72
SN:L313180	HRS		0		TSN 0					
	ENC		0	20000	TSN 0	(20000) 20072	14538			
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 72 - ENGINE</b>											
723500-0114			<b>NO. 1 ENGINE - 14TH STAGE COMPRESSOR WHEEL</b>								Component ATA:72
PN:23074214	MOS		25-Sep-07		TSN 0			LIFE LIMIT			
SN:L308693	HRS		0		TSN 0						
	ENC		0	20000	TSN 0	(20000) 20072	14538				
PROC. REF: GENERIC NO REF											
723500-0114			<b>NO. 2 ENGINE - 14TH STAGE COMPRESSOR WHEEL</b>								Component ATA:72
PN:23074214	MOS		25-Sep-07		TSN 0			LIFE LIMIT			
SN:L308696	HRS		0		TSN 0						
	ENC		0	20000	TSN 0	(20000) 20072	14538				
PROC. REF: GENERIC NO REF											
723500-0120			<b>NO. 1 ENGINE - COMPRESSOR SHAFT CONE ASSEMBLY</b>								Component ATA:72
PN:23076016	MOS		25-Sep-07		TSN 0			LIFE LIMIT			
SN:L311723	HRS		0		TSN 0						
	ENC		0	20000	TSN 0	(20000) 20072	14538				
PROC. REF: GENERIC NO REF											
723500-0120			<b>NO. 2 ENGINE - COMPRESSOR SHAFT CONE ASSEMBLY</b>								Component ATA:72
PN:23076016	MOS		25-Sep-07		TSN 0			LIFE LIMIT			
SN:L311743	HRS		0		TSN 0						
	ENC		0	20000	TSN 0	(20000) 20072	14538				
PROC. REF: GENERIC NO REF											
723700-0101			<b>NO. 1 ENGINE - COMPRESSOR CASE ASSEMBLY</b>								Component ATA:72
PN:PN	MOS/MSC		25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS		0		TSN 0						
	ENC		0		TSN 0						
PROC. REF: GENERIC NO REF											
723700-0101			<b>NO. 2 ENGINE - COMPRESSOR CASE ASSEMBLY</b>								Component ATA:72
PN:PN	MOS/MSC		25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS		0		TSN 0						
	ENC		0		TSN 0						
PROC. REF: GENERIC NO REF											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 72 - ENGINE</b>										
<b>723705-0101 NO. 1 ENGINE - COMPRESSOR DIFFUSER Component ATA:72</b>										
PN:23079071	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:NY217133	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>723705-0101 NO. 2 ENGINE - COMPRESSOR DIFFUSER Component ATA:72</b>										
PN:23079071	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:NY216909	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>723707-0101 NO. 1 ENGINE - SPLIT BALL BEARING Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>723707-0101 NO. 2 ENGINE - SPLIT BALL BEARING Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>723902-0101 NO. 1 ENGINE - NO. 6 CARBON CENTER SUMP SEAL ASSEMBLY Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>723902-0101 NO. 2 ENGINE - NO. 6 CARBON CENTER SUMP SEAL ASSEMBLY Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>723903-0101 NO. 1 ENGINE - NO. 5 CARBON CENTER SUMP SEAL ASSEMBLY Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 72 - ENGINE</b>										
<b>723903-0101 NO. 2 ENGINE - NO. 5 CARBON CENTER SUMP SEAL ASSEMBLY Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>723904-0101 NO. 1 ENGINE - CENTER SUMP HOUSING ASSEMBLY Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>723904-0101 NO. 2 ENGINE - CENTER SUMP HOUSING ASSEMBLY Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>724500-0101 NO. 1 ENGINE - COMBUSTION LINER ASSEMBLY Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>724500-0101 NO. 2 ENGINE - COMBUSTION LINER ASSEMBLY Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>725000-0101 NO. 1 ENGINE - HPT ROTOR ASSEMBLY Component ATA:72</b>										
PN:23074650	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:A72794	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>725000-0101 NO. 2 ENGINE - HPT ROTOR ASSEMBLY Component ATA:72</b>										
PN:23074650	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:A72795	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 72 - ENGINE</b>										
725010-0101	NO. 1 ENGINE - ROTOR ASSY-LPT ROTOR ASSEMBLY									Component ATA:72
PN:23074088	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:A82774	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
725010-0101	NO. 2 ENGINE - ROTOR ASSY-LPT ROTOR ASSEMBLY									Component ATA:72
PN:23074088	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:A82776	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
725181-0101	NO. 1 ENGINE - NO. 1 HP TURBINE 2ND STAGE VANE ASSEMBLY									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
725181-0101	NO. 2 ENGINE - NO. 1 HP TURBINE 2ND STAGE VANE ASSEMBLY									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
725181-0102	NO. 1 ENGINE - NO. 2 HP TURBINE 2ND STAGE VANE ASSEMBLY									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
725181-0102	NO. 2 ENGINE - NO. 2 HP TURBINE 2ND STAGE VANE ASSEMBLY									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
725181-0103	NO. 1 ENGINE - NO. 3 HP TURBINE 2ND STAGE VANE ASSEMBLY									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 72 - ENGINE</b>										
725181-0103	NO. 2 ENGINE - NO. 3 HP TURBINE 2ND STAGE VANE ASSEMBLY									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725181-0104	NO. 1 ENGINE - NO. 4 HP TURBINE 2ND STAGE VANE ASSEMBLY									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725181-0104	NO. 2 ENGINE - NO. 4 HP TURBINE 2ND STAGE VANE ASSEMBLY									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725181-0105	NO. 1 ENGINE - NO. 5 HP TURBINE 2ND STAGE VANE ASSEMBLY									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725181-0105	NO. 2 ENGINE - NO. 5 HP TURBINE 2ND STAGE VANE ASSEMBLY									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725181-0106	NO. 1 ENGINE - NO. 6 HP TURBINE 2ND STAGE VANE ASSEMBLY									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725181-0106	NO. 2 ENGINE - NO. 6 HP TURBINE 2ND STAGE VANE ASSEMBLY									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 72 - ENGINE										
725181-0107	NO. 1 ENGINE - NO. 7 HP TURBINE 2ND STAGE VANE ASSEMBLY									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725181-0107	NO. 2 ENGINE - NO. 7 HP TURBINE 2ND STAGE VANE ASSEMBLY									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725181-0108	NO. 1 ENGINE - NO. 8 HP TURBINE 2ND STAGE VANE ASSEMBLY									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725181-0108	NO. 2 ENGINE - NO. 8 HP TURBINE 2ND STAGE VANE ASSEMBLY									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725181-0109	NO. 1 ENGINE - NO. 9 HP TURBINE 2ND STAGE VANE ASSEMBLY									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725181-0109	NO. 2 ENGINE - NO. 9 HP TURBINE 2ND STAGE VANE ASSEMBLY									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725181-0110	NO. 1 ENGINE - NO. 10 HP TURBINE 2ND STAGE VANE ASSEMBLY									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 72 - ENGINE										
725181-0110	NO. 2 ENGINE - NO. 10 HP TURBINE 2ND STAGE VANE ASSEMBLY									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725181-0111	NO. 1 ENGINE - NO. 11 HP TURBINE 2ND STAGE VANE ASSEMBLY									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725181-0111	NO. 2 ENGINE - NO. 11 HP TURBINE 2ND STAGE VANE ASSEMBLY									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725181-0112	NO. 1 ENGINE - NO. 12 HP TURBINE 2ND STAGE VANE ASSEMBLY									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725181-0112	NO. 2 ENGINE - NO. 12 HP TURBINE 2ND STAGE VANE ASSEMBLY									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725181-0113	NO. 1 ENGINE - NO. 13 HP TURBINE 2ND STAGE VANE ASSEMBLY									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725181-0113	NO. 2 ENGINE - NO. 13 HP TURBINE 2ND STAGE VANE ASSEMBLY									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 72 - ENGINE										
725181-0114	NO. 1 ENGINE - NO. 14 HP TURBINE 2ND STAGE VANE ASSEMBLY									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
725181-0114	NO. 2 ENGINE - NO. 14 HP TURBINE 2ND STAGE VANE ASSEMBLY									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
725181-0115	NO. 1 ENGINE - NO. 15 HP TURBINE 2ND STAGE VANE ASSEMBLY									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
725181-0115	NO. 2 ENGINE - NO. 15 HP TURBINE 2ND STAGE VANE ASSEMBLY									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
725181-0116	NO. 1 ENGINE - NO. 16 HP TURBINE 2ND STAGE VANE ASSEMBLY									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
725181-0116	NO. 2 ENGINE - NO. 16 HP TURBINE 2ND STAGE VANE ASSEMBLY									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
725200-0101	NO. 1 ENGINE - 1ST STAGE GAS-GENERATOR TURBINE OR HP TURBINE WHEEL									Component ATA:72
PN:23079946	MOS	25-Sep-07		TSN 0				LIFE LIMIT		
SN:MW51866	HRS	0		TSN 0						
	ENC	0	35000	TSN 0	(35000) 35072		29538			
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 72 - ENGINE</b>										
<b>725200-0101 NO. 2 ENGINE - 1ST STAGE GAS-GENERATOR TURBINE OR HP TURBINE WHEEL Component ATA:72</b>										
PN:23079946	MOS		25-Sep-07		TSN 0			LIFE LIMIT		
SN:MW51868	HRS		0		TSN 0					
	ENC	0	35000		TSN 0	(35000) 35072	29538			
PROC. REF: GENERIC NO REF										
<b>725200-0102 NO. 1 ENGINE - 2ND STAGE GAS-GENERATOR TURBINE OR HP TURBINE WHEEL Component ATA:72</b>										
PN:23084781	MOS		25-Sep-07		TSN 0			LIFE LIMIT		
SN:MW51939	HRS		0		TSN 0					
	ENC	0	20000		TSN 0	(20000) 20072	14538			
PROC. REF: GENERIC NO REF										
<b>725200-0102 NO. 2 ENGINE - 2ND STAGE GAS-GENERATOR TURBINE OR HP TURBINE WHEEL Component ATA:72</b>										
PN:23084781	MOS		25-Sep-07		TSN 0			LIFE LIMIT		
SN:MW51964	HRS		0		TSN 0					
	ENC	0	20000		TSN 0	(20000) 20072	14538			
PROC. REF: GENERIC NO REF										
<b>725200-0105 NO. 1 ENGINE - HP TURBINE ROTOR 1ST TO 2ND STAGE TURBINE SPACER Component ATA:72</b>										
PN:23076778	MOS		25-Sep-07		TSN 0			LIFE LIMIT		
SN:TW516137	HRS		0		TSN 0					
	ENC	0	30000		TSN 0	(30000) 30072	24538			
PROC. REF: GENERIC NO REF										
<b>725200-0105 NO. 2 ENGINE - HP TURBINE ROTOR 1ST TO 2ND STAGE TURBINE SPACER Component ATA:72</b>										
PN:23076778	MOS		25-Sep-07		TSN 0			LIFE LIMIT		
SN:TW516070	HRS		0		TSN 0					
	ENC	0	30000		TSN 0	(30000) 30072	24538			
PROC. REF: GENERIC NO REF										
<b>725281-0101 NO. 1 ENGINE - STAGE 1 TURBINE WHEEL RING SEAL Component ATA:72</b>										
PN:PN	MOS/MSC		25-Sep-07	O/C	TSN 0					
SN:UNKNOWN	HRS		0		TSN 0					
	ENC	0			TSN 0					
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 72 - ENGINE											
725281-0101			NO. 2 ENGINE - STAGE 1 TURBINE WHEEL RING SEAL						Component	ATA:72	
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	ENC	0		TSN 0							
PROC. REF: GENERIC NO REF											
725282-0101			NO. 1 ENGINE - NO. 1 HP TURBINE 2ND STAGE BLADE						Component	ATA:72	
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	ENC	0		TSN 0							
PROC. REF: GENERIC NO REF											
725282-0101			NO. 2 ENGINE - NO. 1 HP TURBINE 2ND STAGE BLADE						Component	ATA:72	
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	ENC	0		TSN 0							
PROC. REF: GENERIC NO REF											
725282-0102			NO. 1 ENGINE - NO. 2 HP TURBINE 2ND STAGE BLADE						Component	ATA:72	
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	ENC	0		TSN 0							
PROC. REF: GENERIC NO REF											
725282-0102			NO. 2 ENGINE - NO. 2 HP TURBINE 2ND STAGE BLADE						Component	ATA:72	
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	ENC	0		TSN 0							
PROC. REF: GENERIC NO REF											
725282-0103			NO. 1 ENGINE - NO. 3 HP TURBINE 2ND STAGE BLADE						Component	ATA:72	
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	ENC	0		TSN 0							
PROC. REF: GENERIC NO REF											
725282-0103			NO. 2 ENGINE - NO. 3 HP TURBINE 2ND STAGE BLADE						Component	ATA:72	
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	ENC	0		TSN 0							
PROC. REF: GENERIC NO REF											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 72 - ENGINE</b>										
725282-0104			<b>NO. 1 ENGINE - NO. 4 HP TURBINE 2ND STAGE BLADE</b>						Component	ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
725282-0104			<b>NO. 2 ENGINE - NO. 4 HP TURBINE 2ND STAGE BLADE</b>						Component	ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
725282-0105			<b>NO. 1 ENGINE - NO. 5 HP TURBINE 2ND STAGE BLADE</b>						Component	ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
725282-0105			<b>NO. 2 ENGINE - NO. 5 HP TURBINE 2ND STAGE BLADE</b>						Component	ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
725282-0106			<b>NO. 1 ENGINE - NO. 6 HP TURBINE 2ND STAGE BLADE</b>						Component	ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
725282-0106			<b>NO. 2 ENGINE - NO. 6 HP TURBINE 2ND STAGE BLADE</b>						Component	ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
725282-0107			<b>NO. 1 ENGINE - NO. 7 HP TURBINE 2ND STAGE BLADE</b>						Component	ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 72 - ENGINE</b>										
<b>725282-0107 NO. 2 ENGINE - NO. 7 HP TURBINE 2ND STAGE BLADE Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>725282-0108 NO. 1 ENGINE - NO. 8 HP TURBINE 2ND STAGE BLADE Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>725282-0108 NO. 2 ENGINE - NO. 8 HP TURBINE 2ND STAGE BLADE Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>725282-0109 NO. 1 ENGINE - NO. 9 HP TURBINE 2ND STAGE BLADE Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>725282-0109 NO. 2 ENGINE - NO. 9 HP TURBINE 2ND STAGE BLADE Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>725282-0110 NO. 1 ENGINE - NO. 10 HP TURBINE 2ND STAGE BLADE Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>725282-0110 NO. 2 ENGINE - NO. 10 HP TURBINE 2ND STAGE BLADE Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 72 - ENGINE										
725282-0111	NO. 1 ENGINE - NO. 11 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0111	NO. 2 ENGINE - NO. 11 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0112	NO. 1 ENGINE - NO. 12 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0112	NO. 2 ENGINE - NO. 12 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0113	NO. 1 ENGINE - NO. 13 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0113	NO. 2 ENGINE - NO. 13 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0114	NO. 1 ENGINE - NO. 14 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 72 - ENGINE										
725282-0114	NO. 2 ENGINE - NO. 14 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0115	NO. 1 ENGINE - NO. 15 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0115	NO. 2 ENGINE - NO. 15 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0116	NO. 1 ENGINE - NO. 16 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0116	NO. 2 ENGINE - NO. 16 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0117	NO. 1 ENGINE - NO. 17 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0117	NO. 2 ENGINE - NO. 17 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 72 - ENGINE										
725282-0118	NO. 1 ENGINE - NO. 18 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0118	NO. 2 ENGINE - NO. 18 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0119	NO. 1 ENGINE - NO. 19 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0119	NO. 2 ENGINE - NO. 19 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0120	NO. 1 ENGINE - NO. 20 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0120	NO. 2 ENGINE - NO. 20 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0121	NO. 1 ENGINE - NO. 21 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 72 - ENGINE										
725282-0121	NO. 2 ENGINE - NO. 21 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0122	NO. 1 ENGINE - NO. 22 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0122	NO. 2 ENGINE - NO. 22 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0123	NO. 1 ENGINE - NO. 23 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0123	NO. 2 ENGINE - NO. 23 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0124	NO. 1 ENGINE - NO. 24 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0124	NO. 2 ENGINE - NO. 24 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 72 - ENGINE										
725282-0125	NO. 1 ENGINE - NO. 25 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0125	NO. 2 ENGINE - NO. 25 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0126	NO. 1 ENGINE - NO. 26 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0126	NO. 2 ENGINE - NO. 26 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0127	NO. 1 ENGINE - NO. 27 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0127	NO. 2 ENGINE - NO. 27 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0128	NO. 1 ENGINE - NO. 28 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 72 - ENGINE										
725282-0128	NO. 2 ENGINE - NO. 28 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0129	NO. 1 ENGINE - NO. 29 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0129	NO. 2 ENGINE - NO. 29 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0130	NO. 1 ENGINE - NO. 30 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0130	NO. 2 ENGINE - NO. 30 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0131	NO. 1 ENGINE - NO. 31 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0131	NO. 2 ENGINE - NO. 31 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 72 - ENGINE</b>										
725282-0132			<b>NO. 1 ENGINE - NO. 32 HP TURBINE 2ND STAGE BLADE</b>						Component	ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
725282-0132			<b>NO. 2 ENGINE - NO. 32 HP TURBINE 2ND STAGE BLADE</b>						Component	ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
725282-0133			<b>NO. 1 ENGINE - NO. 33 HP TURBINE 2ND STAGE BLADE</b>						Component	ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
725282-0133			<b>NO. 2 ENGINE - NO. 33 HP TURBINE 2ND STAGE BLADE</b>						Component	ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
725282-0134			<b>NO. 1 ENGINE - NO. 34 HP TURBINE 2ND STAGE BLADE</b>						Component	ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
725282-0134			<b>NO. 2 ENGINE - NO. 34 HP TURBINE 2ND STAGE BLADE</b>						Component	ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
725282-0135			<b>NO. 1 ENGINE - NO. 35 HP TURBINE 2ND STAGE BLADE</b>						Component	ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 72 - ENGINE										
725282-0135	NO. 2 ENGINE - NO. 35 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0136	NO. 1 ENGINE - NO. 36 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0136	NO. 2 ENGINE - NO. 36 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0137	NO. 1 ENGINE - NO. 37 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0137	NO. 2 ENGINE - NO. 37 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0138	NO. 1 ENGINE - NO. 38 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0138	NO. 2 ENGINE - NO. 38 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 72 - ENGINE										
725282-0139	NO. 1 ENGINE - NO. 39 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0139	NO. 2 ENGINE - NO. 39 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0140	NO. 1 ENGINE - NO. 40 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0140	NO. 2 ENGINE - NO. 40 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0141	NO. 1 ENGINE - NO. 41 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0141	NO. 2 ENGINE - NO. 41 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0142	NO. 1 ENGINE - NO. 42 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 72 - ENGINE										
725282-0142	NO. 2 ENGINE - NO. 42 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0143	NO. 1 ENGINE - NO. 43 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0143	NO. 2 ENGINE - NO. 43 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0144	NO. 1 ENGINE - NO. 44 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0144	NO. 2 ENGINE - NO. 44 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0145	NO. 1 ENGINE - NO. 45 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0145	NO. 2 ENGINE - NO. 45 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 72 - ENGINE										
725282-0146	NO. 1 ENGINE - NO. 46 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0146	NO. 2 ENGINE - NO. 46 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0147	NO. 1 ENGINE - NO. 47 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0147	NO. 2 ENGINE - NO. 47 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0148	NO. 1 ENGINE - NO. 48 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0148	NO. 2 ENGINE - NO. 48 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0149	NO. 1 ENGINE - NO. 49 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 72 - ENGINE										
725282-0149	NO. 2 ENGINE - NO. 49 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0150	NO. 1 ENGINE - NO. 50 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0150	NO. 2 ENGINE - NO. 50 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0151	NO. 1 ENGINE - NO. 51 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0151	NO. 2 ENGINE - NO. 51 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0152	NO. 1 ENGINE - NO. 52 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0152	NO. 2 ENGINE - NO. 52 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 72 - ENGINE</b>											
725282-0153		NO. 1 ENGINE - NO. 53 HP TURBINE 2ND STAGE BLADE							Component	ATA:72	
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	ENC	0	TSN 0								
PROC. REF: GENERIC NO REF											
725282-0153		NO. 2 ENGINE - NO. 53 HP TURBINE 2ND STAGE BLADE							Component	ATA:72	
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	ENC	0	TSN 0								
PROC. REF: GENERIC NO REF											
725282-0154		NO. 1 ENGINE - NO. 54 HP TURBINE 2ND STAGE BLADE							Component	ATA:72	
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	ENC	0	TSN 0								
PROC. REF: GENERIC NO REF											
725282-0154		NO. 2 ENGINE - NO. 54 HP TURBINE 2ND STAGE BLADE							Component	ATA:72	
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	ENC	0	TSN 0								
PROC. REF: GENERIC NO REF											
725282-0155		NO. 1 ENGINE - NO. 55 HP TURBINE 2ND STAGE BLADE							Component	ATA:72	
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	ENC	0	TSN 0								
PROC. REF: GENERIC NO REF											
725282-0155		NO. 2 ENGINE - NO. 55 HP TURBINE 2ND STAGE BLADE							Component	ATA:72	
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	ENC	0	TSN 0								
PROC. REF: GENERIC NO REF											
725282-0156		NO. 1 ENGINE - NO. 56 HP TURBINE 2ND STAGE BLADE							Component	ATA:72	
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	ENC	0	TSN 0								
PROC. REF: GENERIC NO REF											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 72 - ENGINE										
725282-0156	NO. 2 ENGINE - NO. 56 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0157	NO. 1 ENGINE - NO. 57 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0157	NO. 2 ENGINE - NO. 57 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0158	NO. 1 ENGINE - NO. 58 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0158	NO. 2 ENGINE - NO. 58 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0159	NO. 1 ENGINE - NO. 59 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0159	NO. 2 ENGINE - NO. 59 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 72 - ENGINE										
725282-0160	NO. 1 ENGINE - NO. 60 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0160	NO. 2 ENGINE - NO. 60 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0161	NO. 1 ENGINE - NO. 61 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0161	NO. 2 ENGINE - NO. 61 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0162	NO. 1 ENGINE - NO. 62 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0162	NO. 2 ENGINE - NO. 62 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0163	NO. 1 ENGINE - NO. 63 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 72 - ENGINE										
725282-0163	NO. 2 ENGINE - NO. 63 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0164	NO. 1 ENGINE - NO. 64 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0164	NO. 2 ENGINE - NO. 64 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0165	NO. 1 ENGINE - NO. 65 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0165	NO. 2 ENGINE - NO. 65 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0166	NO. 1 ENGINE - NO. 66 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0166	NO. 2 ENGINE - NO. 66 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 72 - ENGINE</b>										
<b>725282-0167 NO. 1 ENGINE - NO. 67 HP TURBINE 2ND STAGE BLADE Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>725282-0167 NO. 2 ENGINE - NO. 67 HP TURBINE 2ND STAGE BLADE Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>725282-0168 NO. 1 ENGINE - NO. 68 HP TURBINE 2ND STAGE BLADE Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>725282-0168 NO. 2 ENGINE - NO. 68 HP TURBINE 2ND STAGE BLADE Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>725282-0169 NO. 1 ENGINE - NO. 69 HP TURBINE 2ND STAGE BLADE Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>725282-0169 NO. 2 ENGINE - NO. 69 HP TURBINE 2ND STAGE BLADE Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>725282-0170 NO. 1 ENGINE - NO. 70 HP TURBINE 2ND STAGE BLADE Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 72 - ENGINE										
725282-0170	NO. 2 ENGINE - NO. 70 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0171	NO. 1 ENGINE - NO. 71 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0171	NO. 2 ENGINE - NO. 71 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0172	NO. 1 ENGINE - NO. 72 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0172	NO. 2 ENGINE - NO. 72 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0173	NO. 1 ENGINE - NO. 73 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0173	NO. 2 ENGINE - NO. 73 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 72 - ENGINE										
725282-0174	NO. 1 ENGINE - NO. 74 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0174	NO. 2 ENGINE - NO. 74 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0175	NO. 1 ENGINE - NO. 75 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0175	NO. 2 ENGINE - NO. 75 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0176	NO. 1 ENGINE - NO. 76 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0176	NO. 2 ENGINE - NO. 76 HP TURBINE 2ND STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725282-0201	NO. 1 ENGINE - HPT 2ND STAGE (BLADED) WHEEL ASSEMBLY									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 72 - ENGINE</b>											
725282-0201		<b>NO. 2 ENGINE - HPT 2ND STAGE (BLADED) WHEEL ASSEMBLY</b>							Component	ATA:72	
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	ENC	0	TSN 0								
PROC. REF: GENERIC NO REF											
725283-0101		<b>NO. 1 ENGINE - STAGE 2 TURBINE BLADES</b>							Component	ATA:72	
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	ENC	0	TSN 0								
PROC. REF: GENERIC NO REF											
725283-0101		<b>NO. 2 ENGINE - STAGE 2 TURBINE BLADES</b>							Component	ATA:72	
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	ENC	0	TSN 0								
PROC. REF: GENERIC NO REF											
725284-0101		<b>NO. 1 ENGINE - NO. 1 HP TURBINE 1ST STAGE BLADE</b>							Component	ATA:72	
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	ENC	0	TSN 0								
PROC. REF: GENERIC NO REF											
725284-0101		<b>NO. 2 ENGINE - NO. 1 HP TURBINE 1ST STAGE BLADE</b>							Component	ATA:72	
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	ENC	0	TSN 0								
PROC. REF: GENERIC NO REF											
725284-0102		<b>NO. 1 ENGINE - NO. 2 HP TURBINE 1ST STAGE BLADE</b>							Component	ATA:72	
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	ENC	0	TSN 0								
PROC. REF: GENERIC NO REF											
725284-0102		<b>NO. 2 ENGINE - NO. 2 HP TURBINE 1ST STAGE BLADE</b>							Component	ATA:72	
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	ENC	0	TSN 0								
PROC. REF: GENERIC NO REF											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 72 - ENGINE</b>										
725284-0103	NO. 1 ENGINE - NO. 3 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725284-0103	NO. 2 ENGINE - NO. 3 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725284-0104	NO. 1 ENGINE - NO. 4 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725284-0104	NO. 2 ENGINE - NO. 4 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725284-0105	NO. 1 ENGINE - NO. 5 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725284-0105	NO. 2 ENGINE - NO. 5 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725284-0106	NO. 1 ENGINE - NO. 6 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 72 - ENGINE										
725284-0106	NO. 2 ENGINE - NO. 6 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725284-0107	NO. 1 ENGINE - NO. 7 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725284-0107	NO. 2 ENGINE - NO. 7 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725284-0108	NO. 1 ENGINE - NO. 8 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725284-0108	NO. 2 ENGINE - NO. 8 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725284-0109	NO. 1 ENGINE - NO. 9 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725284-0109	NO. 2 ENGINE - NO. 9 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 72 - ENGINE										
725284-0110	NO. 1 ENGINE - NO. 10 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725284-0110	NO. 2 ENGINE - NO. 10 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725284-0111	NO. 1 ENGINE - NO. 11 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725284-0111	NO. 2 ENGINE - NO. 11 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725284-0112	NO. 1 ENGINE - NO. 12 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725284-0112	NO. 2 ENGINE - NO. 12 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725284-0113	NO. 1 ENGINE - NO. 13 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 72 - ENGINE										
725284-0113	NO. 2 ENGINE - NO. 13 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725284-0114	NO. 1 ENGINE - NO. 14 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725284-0114	NO. 2 ENGINE - NO. 14 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725284-0115	NO. 1 ENGINE - NO. 15 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725284-0115	NO. 2 ENGINE - NO. 15 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725284-0116	NO. 1 ENGINE - NO. 16 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725284-0116	NO. 2 ENGINE - NO. 16 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 72 - ENGINE										
725284-0117	NO. 1 ENGINE - NO. 17 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725284-0117	NO. 2 ENGINE - NO. 17 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725284-0118	NO. 1 ENGINE - NO. 18 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725284-0118	NO. 2 ENGINE - NO. 18 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725284-0119	NO. 1 ENGINE - NO. 19 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725284-0119	NO. 2 ENGINE - NO. 19 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725284-0120	NO. 1 ENGINE - NO. 20 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 72 - ENGINE										
725284-0120	NO. 2 ENGINE - NO. 20 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725284-0121	NO. 1 ENGINE - NO. 21 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725284-0121	NO. 2 ENGINE - NO. 21 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725284-0122	NO. 1 ENGINE - NO. 22 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725284-0122	NO. 2 ENGINE - NO. 22 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725284-0123	NO. 1 ENGINE - NO. 23 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725284-0123	NO. 2 ENGINE - NO. 23 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 72 - ENGINE</b>										
<b>725284-0124 NO. 1 ENGINE - NO. 24 HP TURBINE 1ST STAGE BLADE</b> Component ATA:72										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>725284-0124 NO. 2 ENGINE - NO. 24 HP TURBINE 1ST STAGE BLADE</b> Component ATA:72										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>725284-0125 NO. 1 ENGINE - NO. 25 HP TURBINE 1ST STAGE BLADE</b> Component ATA:72										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>725284-0125 NO. 2 ENGINE - NO. 25 HP TURBINE 1ST STAGE BLADE</b> Component ATA:72										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>725284-0126 NO. 1 ENGINE - NO. 26 HP TURBINE 1ST STAGE BLADE</b> Component ATA:72										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>725284-0126 NO. 2 ENGINE - NO. 26 HP TURBINE 1ST STAGE BLADE</b> Component ATA:72										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>725284-0127 NO. 1 ENGINE - NO. 27 HP TURBINE 1ST STAGE BLADE</b> Component ATA:72										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 72 - ENGINE										
725284-0127	NO. 2 ENGINE - NO. 27 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725284-0128	NO. 1 ENGINE - NO. 28 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725284-0128	NO. 2 ENGINE - NO. 28 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725284-0129	NO. 1 ENGINE - NO. 29 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725284-0129	NO. 2 ENGINE - NO. 29 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725284-0130	NO. 1 ENGINE - NO. 30 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725284-0130	NO. 2 ENGINE - NO. 30 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 72 - ENGINE											
725284-0131			NO. 1 ENGINE - NO. 31 HP TURBINE 1ST STAGE BLADE						Component	ATA:72	
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	ENC	0		TSN 0							
PROC. REF: GENERIC NO REF											
725284-0131			NO. 2 ENGINE - NO. 31 HP TURBINE 1ST STAGE BLADE						Component	ATA:72	
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	ENC	0		TSN 0							
PROC. REF: GENERIC NO REF											
725284-0132			NO. 1 ENGINE - NO. 32 HP TURBINE 1ST STAGE BLADE						Component	ATA:72	
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	ENC	0		TSN 0							
PROC. REF: GENERIC NO REF											
725284-0132			NO. 2 ENGINE - NO. 32 HP TURBINE 1ST STAGE BLADE						Component	ATA:72	
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	ENC	0		TSN 0							
PROC. REF: GENERIC NO REF											
725284-0133			NO. 1 ENGINE - NO. 33 HP TURBINE 1ST STAGE BLADE						Component	ATA:72	
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	ENC	0		TSN 0							
PROC. REF: GENERIC NO REF											
725284-0133			NO. 2 ENGINE - NO. 33 HP TURBINE 1ST STAGE BLADE						Component	ATA:72	
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	ENC	0		TSN 0							
PROC. REF: GENERIC NO REF											
725284-0134			NO. 1 ENGINE - NO. 34 HP TURBINE 1ST STAGE BLADE						Component	ATA:72	
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	ENC	0		TSN 0							
PROC. REF: GENERIC NO REF											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 72 - ENGINE											
725284-0134			NO. 2 ENGINE - NO. 34 HP TURBINE 1ST STAGE BLADE						Component	ATA:72	
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	ENC	0		TSN 0							
PROC. REF: GENERIC NO REF											
725284-0135			NO. 1 ENGINE - NO. 35 HP TURBINE 1ST STAGE BLADE						Component	ATA:72	
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	ENC	0		TSN 0							
PROC. REF: GENERIC NO REF											
725284-0135			NO. 2 ENGINE - NO. 35 HP TURBINE 1ST STAGE BLADE						Component	ATA:72	
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	ENC	0		TSN 0							
PROC. REF: GENERIC NO REF											
725284-0136			NO. 1 ENGINE - NO. 36 HP TURBINE 1ST STAGE BLADE						Component	ATA:72	
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	ENC	0		TSN 0							
PROC. REF: GENERIC NO REF											
725284-0136			NO. 2 ENGINE - NO. 36 HP TURBINE 1ST STAGE BLADE						Component	ATA:72	
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	ENC	0		TSN 0							
PROC. REF: GENERIC NO REF											
725284-0137			NO. 1 ENGINE - NO. 37 HP TURBINE 1ST STAGE BLADE						Component	ATA:72	
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	ENC	0		TSN 0							
PROC. REF: GENERIC NO REF											
725284-0137			NO. 2 ENGINE - NO. 37 HP TURBINE 1ST STAGE BLADE						Component	ATA:72	
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	ENC	0		TSN 0							
PROC. REF: GENERIC NO REF											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 72 - ENGINE</b>										
725284-0138			<b>NO. 1 ENGINE - NO. 38 HP TURBINE 1ST STAGE BLADE</b>						Component	ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
725284-0138			<b>NO. 2 ENGINE - NO. 38 HP TURBINE 1ST STAGE BLADE</b>						Component	ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
725284-0139			<b>NO. 1 ENGINE - NO. 39 HP TURBINE 1ST STAGE BLADE</b>						Component	ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
725284-0139			<b>NO. 2 ENGINE - NO. 39 HP TURBINE 1ST STAGE BLADE</b>						Component	ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
725284-0140			<b>NO. 1 ENGINE - NO. 40 HP TURBINE 1ST STAGE BLADE</b>						Component	ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
725284-0140			<b>NO. 2 ENGINE - NO. 40 HP TURBINE 1ST STAGE BLADE</b>						Component	ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
725284-0141			<b>NO. 1 ENGINE - NO. 41 HP TURBINE 1ST STAGE BLADE</b>						Component	ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 72 - ENGINE											
725284-0141			NO. 2 ENGINE - NO. 41 HP TURBINE 1ST STAGE BLADE						Component	ATA:72	
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	ENC	0		TSN 0							
PROC. REF: GENERIC NO REF											
725284-0142			NO. 1 ENGINE - NO. 42 HP TURBINE 1ST STAGE BLADE						Component	ATA:72	
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	ENC	0		TSN 0							
PROC. REF: GENERIC NO REF											
725284-0142			NO. 2 ENGINE - NO. 42 HP TURBINE 1ST STAGE BLADE						Component	ATA:72	
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	ENC	0		TSN 0							
PROC. REF: GENERIC NO REF											
725284-0143			NO. 1 ENGINE - NO. 43 HP TURBINE 1ST STAGE BLADE						Component	ATA:72	
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	ENC	0		TSN 0							
PROC. REF: GENERIC NO REF											
725284-0143			NO. 2 ENGINE - NO. 43 HP TURBINE 1ST STAGE BLADE						Component	ATA:72	
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	ENC	0		TSN 0							
PROC. REF: GENERIC NO REF											
725284-0144			NO. 1 ENGINE - NO. 44 HP TURBINE 1ST STAGE BLADE						Component	ATA:72	
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	ENC	0		TSN 0							
PROC. REF: GENERIC NO REF											
725284-0144			NO. 2 ENGINE - NO. 44 HP TURBINE 1ST STAGE BLADE						Component	ATA:72	
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	ENC	0		TSN 0							
PROC. REF: GENERIC NO REF											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 72 - ENGINE										
725284-0145	NO. 1 ENGINE - NO. 45 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725284-0145	NO. 2 ENGINE - NO. 45 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725284-0146	NO. 1 ENGINE - NO. 46 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725284-0146	NO. 2 ENGINE - NO. 46 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725284-0147	NO. 1 ENGINE - NO. 47 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725284-0147	NO. 2 ENGINE - NO. 47 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725284-0148	NO. 1 ENGINE - NO. 48 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 72 - ENGINE											
725284-0148			NO. 2 ENGINE - NO. 48 HP TURBINE 1ST STAGE BLADE						Component	ATA:72	
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	ENC	0		TSN 0							
PROC. REF: GENERIC NO REF											
725284-0149			NO. 1 ENGINE - NO. 49 HP TURBINE 1ST STAGE BLADE						Component	ATA:72	
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	ENC	0		TSN 0							
PROC. REF: GENERIC NO REF											
725284-0149			NO. 2 ENGINE - NO. 49 HP TURBINE 1ST STAGE BLADE						Component	ATA:72	
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	ENC	0		TSN 0							
PROC. REF: GENERIC NO REF											
725284-0150			NO. 1 ENGINE - NO. 50 HP TURBINE 1ST STAGE BLADE						Component	ATA:72	
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	ENC	0		TSN 0							
PROC. REF: GENERIC NO REF											
725284-0150			NO. 2 ENGINE - NO. 50 HP TURBINE 1ST STAGE BLADE						Component	ATA:72	
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	ENC	0		TSN 0							
PROC. REF: GENERIC NO REF											
725284-0151			NO. 1 ENGINE - NO. 51 HP TURBINE 1ST STAGE BLADE						Component	ATA:72	
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	ENC	0		TSN 0							
PROC. REF: GENERIC NO REF											
725284-0151			NO. 2 ENGINE - NO. 51 HP TURBINE 1ST STAGE BLADE						Component	ATA:72	
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	ENC	0		TSN 0							
PROC. REF: GENERIC NO REF											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 72 - ENGINE										
725284-0152	NO. 1 ENGINE - NO. 52 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725284-0152	NO. 2 ENGINE - NO. 52 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725284-0153	NO. 1 ENGINE - NO. 53 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725284-0153	NO. 2 ENGINE - NO. 53 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725284-0154	NO. 1 ENGINE - NO. 54 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725284-0154	NO. 2 ENGINE - NO. 54 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725284-0155	NO. 1 ENGINE - NO. 55 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 72 - ENGINE										
725284-0155	NO. 2 ENGINE - NO. 55 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725284-0156	NO. 1 ENGINE - NO. 56 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725284-0156	NO. 2 ENGINE - NO. 56 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725284-0157	NO. 1 ENGINE - NO. 57 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725284-0157	NO. 2 ENGINE - NO. 57 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725284-0158	NO. 1 ENGINE - NO. 58 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725284-0158	NO. 2 ENGINE - NO. 58 HP TURBINE 1ST STAGE BLADE									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 72 - ENGINE</b>										
<b>725284-0201 NO. 1 ENGINE - HPT 1ST STAGE (BLADED) WHEEL ASSEMBLY</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						Component ATA:72
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>725284-0201 NO. 2 ENGINE - HPT 1ST STAGE (BLADED) WHEEL ASSEMBLY</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						Component ATA:72
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>725285-0101 NO. 1 ENGINE - 1ST STAGE HPT BLADES</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						Component ATA:72
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>725285-0101 NO. 2 ENGINE - 1ST STAGE HPT BLADES</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						Component ATA:72
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>725289-0101 NO. 1 ENGINE - AIR DISTRIBUTION RING</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						Component ATA:72
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>725289-0101 NO. 2 ENGINE - AIR DISTRIBUTION RING</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						Component ATA:72
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>725700-0101 NO. 1 ENGINE - LPT TURBINE ASSEMBLY</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						Component ATA:72
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 72 - ENGINE										
725700-0101	NO. 2 ENGINE - LPT TURBINE ASSEMBLY									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725702-0101	NO. 1 ENGINE - LPT CASE ASSEMBLY									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725702-0101	NO. 2 ENGINE - LPT CASE ASSEMBLY									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725703-0101	NO. 1 ENGINE - LP TURBINE STAGE 1 VANE RING									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725703-0101	NO. 2 ENGINE - LP TURBINE STAGE 1 VANE RING									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725707-0101	NO. 1 ENGINE - INTERSHAFT CARBON SEAL									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725707-0101	NO. 2 ENGINE - INTERSHAFT CARBON SEAL									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 72 - ENGINE</b>										
<b>725800-0101 NO. 1 ENGINE - 1ST STAGE LOW PRESSURE TURBINE WHEEL</b>										
PN:23076801	MOS		25-Sep-07		TSN 0			LIFE LIMIT		Component ATA:72
SN:MW49192	HRS		0		TSN 0					
	ENC	0	35000		TSN 0	(35000) 35072	29538			
PROC. REF: GENERIC NO REF										
<b>725800-0101 NO. 2 ENGINE - 1ST STAGE LOW PRESSURE TURBINE WHEEL</b>										
PN:23076801	MOS		25-Sep-07		TSN 0			LIFE LIMIT		Component ATA:72
SN:MW49120	HRS		0		TSN 0					
	ENC	0	35000		TSN 0	(35000) 35072	29538			
PROC. REF: GENERIC NO REF										
<b>725800-0102 NO. 1 ENGINE - 2ND STAGE LOW PRESSURE TURBINE WHEEL</b>										
PN:23079220	MOS		25-Sep-07		TSN 0			LIFE LIMIT		Component ATA:72
SN:MW48763	HRS		0		TSN 0					
	ENC	0	35000		TSN 0	(35000) 35072	29538			
PROC. REF: GENERIC NO REF										
<b>725800-0102 NO. 2 ENGINE - 2ND STAGE LOW PRESSURE TURBINE WHEEL</b>										
PN:23079220	MOS		25-Sep-07		TSN 0			LIFE LIMIT		Component ATA:72
SN:MW48782	HRS		0		TSN 0					
	ENC	0	35000		TSN 0	(35000) 35072	29538			
PROC. REF: GENERIC NO REF										
<b>725800-0103 NO. 1 ENGINE - 3RD STAGE LOW PRESSURE TURBINE WHEEL</b>										
PN:23079224	MOS		25-Sep-07		TSN 0			LIFE LIMIT		Component ATA:72
SN:MW48959	HRS		0		TSN 0					
	ENC	0	35000		TSN 0	(35000) 35072	29538			
PROC. REF: GENERIC NO REF										
<b>725800-0103 NO. 2 ENGINE - 3RD STAGE LOW PRESSURE TURBINE WHEEL</b>										
PN:23079224	MOS		25-Sep-07		TSN 0			LIFE LIMIT		Component ATA:72
SN:MW48958	HRS		0		TSN 0					
	ENC	0	35000		TSN 0	(35000) 35072	29538			
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 72 - ENGINE</b>										
<b>725800-0104 NO. 1 ENGINE - LOW PRESSURE TURBINE INTERSTAGE AFT SPACER</b>										
PN:23054049	MOS		25-Sep-07		TSN 0			LIFE LIMIT		Component ATA:72
SN:TW516290	HRS		0		TSN 0					
	ENC	0	35000		TSN 0	(35000) 35072	29538			
PROC. REF: GENERIC NO REF										
<b>725800-0104 NO. 2 ENGINE - LOW PRESSURE TURBINE INTERSTAGE AFT SPACER</b>										
PN:23054049	MOS		25-Sep-07		TSN 0			LIFE LIMIT		Component ATA:72
SN:TW516291	HRS		0		TSN 0					
	ENC	0	35000		TSN 0	(35000) 35072	29538			
PROC. REF: GENERIC NO REF										
<b>725800-0105 NO. 1 ENGINE - LOW PRESSURE TURBINE INTERSTAGE FORWARD SPACER</b>										
PN:23054049	MOS		25-Sep-07		TSN 0			LIFE LIMIT		Component ATA:72
SN:TW514752	HRS		0		TSN 0					
	ENC	0	35000		TSN 0	(35000) 35072	29538			
PROC. REF: GENERIC NO REF										
<b>725800-0105 NO. 2 ENGINE - LOW PRESSURE TURBINE INTERSTAGE FORWARD SPACER</b>										
PN:23054049	MOS		25-Sep-07		TSN 0			LIFE LIMIT		Component ATA:72
SN:TW516323	HRS		0		TSN 0					
	ENC	0	35000		TSN 0	(35000) 35072	29538			
PROC. REF: GENERIC NO REF										
<b>725800-0106 NO. 1 ENGINE - LP TURBINE ROTOR LOW PRESSURE TURBINE FORWARD SHAFT</b>										
PN:23074538	MOS		25-Sep-07		TSN 0			LIFE LIMIT		Component ATA:72
SN:GV253002	HRS		0		TSN 0					
	ENC	0	35000		TSN 0	(35000) 35072	29538			
PROC. REF: GENERIC NO REF										
<b>725800-0106 NO. 2 ENGINE - LP TURBINE ROTOR LOW PRESSURE TURBINE FORWARD SHAFT</b>										
PN:23074538	MOS		25-Sep-07		TSN 0			LIFE LIMIT		Component ATA:72
SN:GV257987	HRS		0		TSN 0					
	ENC	0	35000		TSN 0	(35000) 35072	29538			
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 72 - ENGINE</b>										
<b>725800-0201 NO. 1 ENGINE - BALL BEARING Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>725800-0201 NO. 2 ENGINE - BALL BEARING Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>725802-0101 NO. 1 ENGINE - REAR LPT SHAFT Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>725802-0101 NO. 2 ENGINE - REAR LPT SHAFT Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>725883-0101 NO. 1 ENGINE - LPT-1 ROTATING SEAL Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>725883-0101 NO. 2 ENGINE - LPT-1 ROTATING SEAL Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>725884-0101 NO. 1 ENGINE - LPT WHEEL ASSEMBLY Component ATA:72</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 72 - ENGINE										
725884-0101	NO. 2 ENGINE - LPT WHEEL ASSEMBLY									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725885-0101	NO. 1 ENGINE - LPT (BLADED) WHEEL ASSEMBLY									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725885-0101	NO. 2 ENGINE - LPT (BLADED) WHEEL ASSEMBLY									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725886-0101	NO. 1 ENGINE - LPT STAGE 1 (BLADED) WHEEL ASSEMBLY									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725886-0101	NO. 2 ENGINE - LPT STAGE 1 (BLADED) WHEEL ASSEMBLY									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										
725900-0101	NO. 1 ENGINE - NO. 7 CARBON SEAL ASSEMBLY									Component ATA:72
PN:23061737	MOS/MSC	01-Sep-17	O/C	TSN 0						
SN:NSN	HRS	8179.9	TSN 0							
	ENC	4374	TSN 0							
PROC. REF: GENERIC NO REF										
725900-0101	NO. 2 ENGINE - NO. 7 CARBON SEAL ASSEMBLY									Component ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 72 - ENGINE</b>											
725910-0101		<b>NO. 1 ENGINE - ROLLER BEARING</b>								Component	ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	ENC	0	TSN 0								
PROC. REF: GENERIC NO REF											
725910-0101		<b>NO. 2 ENGINE - ROLLER BEARING</b>								Component	ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	ENC	0	TSN 0								
PROC. REF: GENERIC NO REF											
726303-0101		<b>NO. 1 ENGINE - RADIAL DRIVE QUILL SHAFT</b>								Component	ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	ENC	0	TSN 0								
PROC. REF: GENERIC NO REF											
726303-0101		<b>NO. 2 ENGINE - RADIAL DRIVE QUILL SHAFT</b>								Component	ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	ENC	0	TSN 0								
PROC. REF: GENERIC NO REF											
727100-0101		<b>NO. 1 ENGINE - RIGHT COMPRESSOR INNER DUCT ASSEMBLY</b>								Component	ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	ENC	0	TSN 0								
PROC. REF: MM 72-71-10, MM 72-71-10, MM 72-71-10, MM 72-71-10, MM 72-71-10, MM 72-71-10											
727100-0101		<b>NO. 2 ENGINE - RIGHT COMPRESSOR INNER DUCT ASSEMBLY</b>								Component	ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	ENC	0	TSN 0								
PROC. REF: MM 72-71-10, MM 72-71-10, MM 72-71-10, MM 72-71-10, MM 72-71-10, MM 72-71-10											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 72 - ENGINE</b>											
727101-0101			<b>NO. 1 ENGINE - LEFT COMPRESSOR INNER DUCT ASSEMBLY</b>						Component	ATA:72	
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	ENC	0		TSN 0							
PROC. REF: MM 72-71-10, MM 72-71-10, MM 72-71-10, MM 72-71-10, MM 72-71-10, MM 72-71-10											
727101-0101			<b>NO. 2 ENGINE - LEFT COMPRESSOR INNER DUCT ASSEMBLY</b>						Component	ATA:72	
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	ENC	0		TSN 0							
PROC. REF: MM 72-71-10, MM 72-71-10, MM 72-71-10, MM 72-71-10, MM 72-71-10, MM 72-71-10											
727102-0101			<b>NO. 1 ENGINE - LOWER COMPRESSOR INNER DUCT ASSEMBLY</b>						Component	ATA:72	
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	ENC	0		TSN 0							
PROC. REF: MM 72-71-10, MM 72-71-10, MM 72-71-10, MM 72-71-10, MM 72-71-10, MM 72-71-10											
727102-0101			<b>NO. 2 ENGINE - LOWER COMPRESSOR INNER DUCT ASSEMBLY</b>						Component	ATA:72	
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	ENC	0		TSN 0							
PROC. REF: MM 72-71-10, MM 72-71-10, MM 72-71-10, MM 72-71-10, MM 72-71-10, MM 72-71-10											
727300-0101			<b>NO. 1 ENGINE - OUTER BYPASS DUCT ASSEMBLY</b>						Component	ATA:72	
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	ENC	0		TSN 0							
PROC. REF: GENERIC NO REF											
727300-0101			<b>NO. 2 ENGINE - OUTER BYPASS DUCT ASSEMBLY</b>						Component	ATA:72	
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	ENC	0		TSN 0							
PROC. REF: GENERIC NO REF											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 72 - ENGINE</b>											
727302-0101			NO. 1 ENGINE - BYPASS SUPPORT ASSEMBLY							Component	ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	ENC	0	TSN 0								
PROC. REF: MM 72-73-09, MM 72-73-09											
727302-0101			NO. 2 ENGINE - BYPASS SUPPORT ASSEMBLY							Component	ATA:72
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0	TSN 0								
	ENC	0	TSN 0								
PROC. REF: MM 72-73-09, MM 72-73-09											
<b>ATA 73 - ENGINE FUEL AND CONTROL</b>											
73-11-00-960-001-A00			NO. 1 ENGINE - DISCARD OF ENGINE FUEL FILTER ELEMENT							Service	ATA:73
	MOS	13-Apr-22	SYSTEM								
	HRS	9739.4	2000 (+20/-20)	(11739.4)	11759.4	1441.5 (+20)	11843.6				
	ENC	5173									
PROC. REF: AMM 73-11-01, AMM 73-11-00, MM NO REF											
73-11-00-960-001-A00			NO. 2 ENGINE - DISCARD OF ENGINE FUEL FILTER ELEMENT							Service	ATA:73
	MOS	13-Apr-22	SYSTEM								
	HRS	9739.4	2000 (+20/-20)	(11739.4)	11759.4	1441.5 (+20)	11843.6				
	ENC	5173									
PROC. REF: AMM 73-11-01, AMM 73-11-00, MM NO REF											
73-11-10-130-001-A00			NO. 1 ENGINE - RESTORE (CLEANING) FUEL NOZZLES EXCEPT P/N 23075904, 23077006, 23087207, OR 23090046							Service	ATA:73
PN:23087207	MOS/MSC	N/A									
SN:UNKNOWN	HRS										
	ENC										
PROC. REF: AMM 73-11-10, MM 73-11-10, MM 73-11-10											
73-11-10-130-001-A00			NO. 2 ENGINE - RESTORE (CLEANING) FUEL NOZZLES EXCEPT P/N 23075904, 23077006, 23087207, OR 23090046							Service	ATA:73
PN:23087207	MOS/MSC	N/A									
SN:UNKNOWN	HRS										
	ENC										
PROC. REF: AMM 73-11-10, MM 73-11-10, MM 73-11-10											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 73 - ENGINE FUEL AND CONTROL</b>										
<b>73-11-10-130-001-A01 NO. 1 ENGINE - RESTORE (CLEANING) FUEL NOZZLES P/N 23075904, 23077006, 23087207, OR 23090046 ONLY</b>										
PN:23087207	MOS		14-Jul-22					SYSTEM		Service ATA:73
SN:UNKNOWN	HRS		9811.6		10000	(19811.6) 19915.8	9513.7			
	ENC		5199							
PROC. REF: AMM 73-11-10, MM 73-11-10, MM 73-11-10										
<b>73-11-10-130-001-A01 NO. 2 ENGINE - RESTORE (CLEANING) FUEL NOZZLES P/N 23075904, 23077006, 23087207, OR 23090046 ONLY</b>										
PN:23087207	MOS		14-Jul-22					SYSTEM		Service ATA:73
SN:UNKNOWN	HRS		9811.6		10000	(19811.6) 19915.8	9513.7			
	ENC		5199							
PROC. REF: AMM 73-11-10, MM 73-11-10, MM 73-11-10										
<b>73-21-00-211-001-A00 NO. 1 ENGINE - VISUALLY CHECK FUEL PUMP AND METERING UNIT FOR FUEL LEAKAGE</b>										
	MOS		29-Jun-23					SYSTEM		Service ATA:73
	HRS		10057.3		1000	(11057.3) 11161.5	759.4			
	ENC		5329							
PROC. REF: AMM 73-21-00, MM 72-00-00										
<b>73-21-00-211-001-A00 NO. 2 ENGINE - VISUALLY CHECK FUEL PUMP AND METERING UNIT FOR FUEL LEAKAGE</b>										
	MOS		29-Jun-23					SYSTEM		Service ATA:73
	HRS		10057.3		1000	(11057.3) 11161.5	759.4			
	ENC		5329							
PROC. REF: AMM 73-21-00, MM 72-00-00										
<b>73-21-06-720-001-A00 NO. 1 ENGINE - FUNCTIONALLY CHECK FUEL FILTER IMPENDING BYPASS INDICATOR SYSTEM</b>										
	MOS		18-Aug-18					SYSTEM		Service ATA:73
	HRS		8620.9		3000	(11620.9) 11725.1	1323			
	ENC		4609							
PROC. REF: AMM 73-21-06, MM 73-37-10										
<b>73-21-06-720-001-A00 NO. 2 ENGINE - FUNCTIONALLY CHECK FUEL FILTER IMPENDING BYPASS INDICATOR SYSTEM</b>										
	MOS		18-Aug-18					SYSTEM		Service ATA:73
	HRS		8620.9		3000	(11620.9) 11725.1	1323			
	ENC		4609							
PROC. REF: AMM 73-21-06, MM 73-37-10										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 73 - ENGINE FUEL AND CONTROL										
73-22-01-720-003-A00 FUNCTIONALLY CHECK MULTI-FUNCTION DISPLAY FOR ENG( ) LT FAULT ANDENG( ) SCHED MAINT REPAIR MAINTENANCE MESSAGES Service ATA:73										
	MOS	11-Dec-23	12		11-Dec-24		303 d			
	HRS	10328.7	250		10578.7		176.6			
	AFL	5502								
PROC. REF: AMM 73-22-01										
73-30-04-220-001-A00 NO. 1 ENGINE - INSPECT (DETAILED INSPECTION) THE FADEC ANTI- VIBRATION MOUNTS Service ATA:73										
	MOS	17-Jan-17								
	HRS	7935.4	5000		(12935.4) 13039.6		2637.5			
	ENC	4242								
PROC. REF: AMM 73-30-04, MM 73-25-10										
73-30-04-220-001-A00 NO. 2 ENGINE - INSPECT (DETAILED INSPECTION) THE FADEC ANTI- VIBRATION MOUNTS Service ATA:73										
	MOS	17-Jan-17								
	HRS	7935.4	5000		(12935.4) 13039.6		2637.5			
	ENC	4242								
PROC. REF: AMM 73-30-04, MM 73-25-10										
731101-0101 NO. 1 ENGINE - NO. 1 FUEL NOZZLE ASSEMBLY Component ATA:73										
PN:23087207	MOS/MSC	14-Jul-22	O/C		TSO 0					
SN:VN1BCK0522	HRS	9811.6			TSO 0					
	ENC	5199			TSO 0					
PROC. REF: AMM 73-13-01, MM 73-11-10, MM 73-11-10										
731101-0101 NO. 2 ENGINE - NO. 1 FUEL NOZZLE ASSEMBLY Component ATA:73										
PN:23087207	MOS/MSC	14-Jul-22	O/C		TSO 0					
SN:VN1BCE0573	HRS	9811.6			TSO 0					
	ENC	5199			TSO 0					
PROC. REF: AMM 73-13-01, MM 73-11-10, MM 73-11-10										
731101-0102 NO. 1 ENGINE - NO. 2 FUEL NOZZLE ASSEMBLY Component ATA:73										
PN:23087207	MOS/MSC	14-Jul-22	O/C		TSO 0					
SN:VN1BCK0523	HRS	9811.6			TSO 0					
	ENC	5199			TSO 0					
PROC. REF: AMM 73-13-01, MM 73-11-10, MM 73-11-10										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 73 - ENGINE FUEL AND CONTROL</b>											
<b>731101-0102</b>		<b>NO. 2 ENGINE - NO. 2 FUEL NOZZLE ASSEMBLY</b>								<b>Component</b>	<b>ATA:73</b>
PN:23087207	MOS/MSC		14-Jul-22	O/C	TSO 0						
SN:VN1BCE0574	HRS		9811.6		TSO 0						
	ENC		5199		TSO 0						
PROC. REF: AMM 73-13-01, MM 73-11-10, MM 73-11-10											
<b>731101-0103</b>		<b>NO. 1 ENGINE - NO. 3 FUEL NOZZLE ASSEMBLY</b>								<b>Component</b>	<b>ATA:73</b>
PN:23087207	MOS/MSC		14-Jul-22	O/C	TSO 0						
SN:VN1BCK0524	HRS		9811.6		TSO 0						
	ENC		5199		TSO 0						
PROC. REF: AMM 73-13-01, MM 73-11-10, MM 73-11-10											
<b>731101-0103</b>		<b>NO. 2 ENGINE - NO. 3 FUEL NOZZLE ASSEMBLY</b>								<b>Component</b>	<b>ATA:73</b>
PN:23087207	MOS/MSC		14-Jul-22	O/C	TSO 0						
SN:VN1BCE0575	HRS		9811.6		TSO 0						
	ENC		5199		TSO 0						
PROC. REF: AMM 73-13-01, MM 73-11-10, MM 73-11-10											
<b>731101-0104</b>		<b>NO. 1 ENGINE - NO. 4 FUEL NOZZLE ASSEMBLY</b>								<b>Component</b>	<b>ATA:73</b>
PN:23087207	MOS/MSC		14-Jul-22	O/C	TSO 0						
SN:VN1BCK0529	HRS		9811.6		TSO 0						
	ENC		5199		TSO 0						
PROC. REF: AMM 73-13-01, MM 73-11-10, MM 73-11-10											
<b>731101-0104</b>		<b>NO. 2 ENGINE - NO. 4 FUEL NOZZLE ASSEMBLY</b>								<b>Component</b>	<b>ATA:73</b>
PN:23087207	MOS/MSC		14-Jul-22	O/C	TSO 0						
SN:VN1BCE0581	HRS		9811.6		TSO 0						
	ENC		5199		TSO 0						
PROC. REF: AMM 73-13-01, MM 73-11-10, MM 73-11-10											
<b>731101-0105</b>		<b>NO. 1 ENGINE - NO. 5 FUEL NOZZLE ASSEMBLY</b>								<b>Component</b>	<b>ATA:73</b>
PN:23087207	MOS/MSC		14-Jul-22	O/C	TSO 0						
SN:VN1BCK0765	HRS		9811.6		TSO 0						
	ENC		5199		TSO 0						
PROC. REF: AMM 73-13-01, MM 73-11-10, MM 73-11-10											
<b>731101-0105</b>		<b>NO. 2 ENGINE - NO. 5 FUEL NOZZLE ASSEMBLY</b>								<b>Component</b>	<b>ATA:73</b>
PN:23087207	MOS/MSC		14-Jul-22	O/C	TSO 0						
SN:VN1BCE0584	HRS		9811.6		TSO 0						
	ENC		5199		TSO 0						
PROC. REF: AMM 73-13-01, MM 73-11-10, MM 73-11-10											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 73 - ENGINE FUEL AND CONTROL</b>										
<b>731101-0106 NO. 1 ENGINE - NO. 6 FUEL NOZZLE ASSEMBLY Component ATA:73</b>										
PN:23087207	MOS/MSC		14-Jul-22	O/C	TSO 0					
SN:VN1BCK0768	HRS		9811.6		TSO 0					
	ENC		5199		TSO 0					
PROC. REF: AMM 73-13-01, MM 73-11-10, MM 73-11-10										
<b>731101-0106 NO. 2 ENGINE - NO. 6 FUEL NOZZLE ASSEMBLY Component ATA:73</b>										
PN:23087207	MOS/MSC		14-Jul-22	O/C	TSO 0					
SN:VN1BCD1026	HRS		9811.6		TSO 0					
	ENC		5199		TSO 0					
PROC. REF: AMM 73-13-01, MM 73-11-10, MM 73-11-10										
<b>731101-0107 NO. 1 ENGINE - NO. 7 FUEL NOZZLE ASSEMBLY Component ATA:73</b>										
PN:23087207	MOS/MSC		14-Jul-22	O/C	TSO 0					
SN:VN1BCK0769	HRS		9811.6		TSO 0					
	ENC		5199		TSO 0					
PROC. REF: AMM 73-13-01, MM 73-11-10, MM 73-11-10										
<b>731101-0107 NO. 2 ENGINE - NO. 7 FUEL NOZZLE ASSEMBLY Component ATA:73</b>										
PN:23087207	MOS/MSC		14-Jul-22	O/C	TSO 0					
SN:VN1BCD1027	HRS		9811.6		TSO 0					
	ENC		5199		TSO 0					
PROC. REF: AMM 73-13-01, MM 73-11-10, MM 73-11-10										
<b>731101-0108 NO. 1 ENGINE - NO. 8 FUEL NOZZLE ASSEMBLY Component ATA:73</b>										
PN:23087207	MOS/MSC		14-Jul-22	O/C	TSO 0					
SN:VN1BCK0770	HRS		9811.6		TSO 0					
	ENC		5199		TSO 0					
PROC. REF: AMM 73-13-01, MM 73-11-10, MM 73-11-10										
<b>731101-0108 NO. 2 ENGINE - NO. 8 FUEL NOZZLE ASSEMBLY Component ATA:73</b>										
PN:23087207	MOS/MSC		14-Jul-22	O/C	TSO 0					
SN:VN1BCD1028	HRS		9811.6		TSO 0					
	ENC		5199		TSO 0					
PROC. REF: AMM 73-13-01, MM 73-11-10, MM 73-11-10										
<b>731101-0109 NO. 1 ENGINE - NO. 9 FUEL NOZZLE ASSEMBLY Component ATA:73</b>										
PN:23087207	MOS/MSC		14-Jul-22	O/C	TSO 0					
SN:VN1BCK0771	HRS		9811.6		TSO 0					
	ENC		5199		TSO 0					
PROC. REF: AMM 73-13-01, MM 73-11-10, MM 73-11-10										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 73 - ENGINE FUEL AND CONTROL</b>											
731101-0109		NO. 2 ENGINE - NO. 9 FUEL NOZZLE ASSEMBLY								Component	ATA:73
PN:23087207	MOS/MSC	14-Jul-22	O/C	TSO 0							
SN:VN1BCD1029	HRS	9811.6		TSO 0							
	ENC	5199		TSO 0							
PROC. REF: AMM 73-13-01, MM 73-11-10, MM 73-11-10											
731101-0110		NO. 1 ENGINE - NO. 10 FUEL NOZZLE ASSEMBLY								Component	ATA:73
PN:23087207	MOS/MSC	14-Jul-22	O/C	TSO 0							
SN:VN1BCK0777	HRS	9811.6		TSO 0							
	ENC	5199		TSO 0							
PROC. REF: AMM 73-13-01, MM 73-11-10, MM 73-11-10											
731101-0110		NO. 2 ENGINE - NO. 10 FUEL NOZZLE ASSEMBLY								Component	ATA:73
PN:23087207	MOS/MSC	14-Jul-22	O/C	TSO 0							
SN:VN1BCD1032	HRS	9811.6		TSO 0							
	ENC	5199		TSO 0							
PROC. REF: AMM 73-13-01, MM 73-11-10, MM 73-11-10											
731101-0111		NO. 1 ENGINE - NO. 11 FUEL NOZZLE ASSEMBLY								Component	ATA:73
PN:23087207	MOS/MSC	14-Jul-22	O/C	TSO 0							
SN:VN1BCK0779	HRS	9811.6		TSO 0							
	ENC	5199		TSO 0							
PROC. REF: AMM 73-13-01, MM 73-11-10, MM 73-11-10											
731101-0111		NO. 2 ENGINE - NO. 11 FUEL NOZZLE ASSEMBLY								Component	ATA:73
PN:23087207	MOS/MSC	14-Jul-22	O/C	TSO 0							
SN:VN1BCD1033	HRS	9811.6		TSO 0							
	ENC	5199		TSO 0							
PROC. REF: AMM 73-13-01, MM 73-11-10, MM 73-11-10											
731101-0112		NO. 1 ENGINE - NO. 12 FUEL NOZZLE ASSEMBLY								Component	ATA:73
PN:23087207	MOS/MSC	14-Jul-22	O/C	TSO 0							
SN:VN1BCK0780	HRS	9811.6		TSO 0							
	ENC	5199		TSO 0							
PROC. REF: AMM 73-13-01, MM 73-11-10, MM 73-11-10											
731101-0112		NO. 2 ENGINE - NO. 12 FUEL NOZZLE ASSEMBLY								Component	ATA:73
PN:23087207	MOS/MSC	14-Jul-22	O/C	TSO 0							
SN:VN1BCD1035	HRS	9811.6		TSO 0							
	ENC	5199		TSO 0							
PROC. REF: AMM 73-13-01, MM 73-11-10, MM 73-11-10											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 73 - ENGINE FUEL AND CONTROL</b>											
731101-0113		NO. 1 ENGINE - NO. 13 FUEL NOZZLE ASSEMBLY							Component	ATA:73	
PN:23087207	MOS/MSC	14-Jul-22	O/C	TSO 0							
SN:VN1BCK0781	HRS	9811.6	TSO 0								
	ENC	5199	TSO 0								
PROC. REF: AMM 73-13-01, MM 73-11-10, MM 73-11-10											
731101-0113		NO. 2 ENGINE - NO. 13 FUEL NOZZLE ASSEMBLY							Component	ATA:73	
PN:23087207	MOS/MSC	14-Jul-22	O/C	TSO 0							
SN:VN1BCD1036	HRS	9811.6	TSO 0								
	ENC	5199	TSO 0								
PROC. REF: AMM 73-13-01, MM 73-11-10, MM 73-11-10											
731101-0114		NO. 1 ENGINE - NO. 14 FUEL NOZZLE ASSEMBLY							Component	ATA:73	
PN:23087207	MOS/MSC	14-Jul-22	O/C	TSO 0							
SN:VN1BCK0782	HRS	9811.6	TSO 0								
	ENC	5199	TSO 0								
PROC. REF: AMM 73-13-01, MM 73-11-10, MM 73-11-10											
731101-0114		NO. 2 ENGINE - NO. 14 FUEL NOZZLE ASSEMBLY							Component	ATA:73	
PN:23087207	MOS/MSC	14-Jul-22	O/C	TSO 0							
SN:VN1BCD1037	HRS	9811.6	TSO 0								
	ENC	5199	TSO 0								
PROC. REF: AMM 73-13-01, MM 73-11-10, MM 73-11-10											
731101-0115		NO. 1 ENGINE - NO. 15 FUEL NOZZLE ASSEMBLY							Component	ATA:73	
PN:23087207	MOS/MSC	14-Jul-22	O/C	TSO 0							
SN:VN1BCK0783	HRS	9811.6	TSO 0								
	ENC	5199	TSO 0								
PROC. REF: AMM 73-13-01, MM 73-11-10, MM 73-11-10											
731101-0115		NO. 2 ENGINE - NO. 15 FUEL NOZZLE ASSEMBLY							Component	ATA:73	
PN:23087207	MOS/MSC	14-Jul-22	O/C	TSO 0							
SN:VN1BCD1042	HRS	9811.6	TSO 0								
	ENC	5199	TSO 0								
PROC. REF: AMM 73-13-01, MM 73-11-10, MM 73-11-10											
731101-0116		NO. 1 ENGINE - NO. 16 FUEL NOZZLE ASSEMBLY							Component	ATA:73	
PN:23087207	MOS/MSC	14-Jul-22	O/C	TSO 0							
SN:VN1BCK0784	HRS	9811.6	TSO 0								
	ENC	5199	TSO 0								
PROC. REF: AMM 73-13-01, MM 73-11-10, MM 73-11-10											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 73 - ENGINE FUEL AND CONTROL</b>										
<b>731101-0116 NO. 2 ENGINE - NO. 16 FUEL NOZZLE ASSEMBLY Component ATA:73</b>										
PN:23087207	MOS/MSC		14-Jul-22	O/C	TSO 0					
SN:VN1BCD1043	HRS		9811.6		TSO 0					
	ENC		5199		TSO 0					
PROC. REF: AMM 73-13-01, MM 73-11-10, MM 73-11-10										
<b>731101-0201 NO. 1 ENGINE - FUEL NOZZLE ASSEMBLY Component ATA:73</b>										
PN:23087207	MOS/MSC		14-Jul-22	O/C						
SN:UNKNOWN	HRS		9811.6							
	ENC		5199							
PROC. REF: AMM 73-13-01, MM 73-11-10, MM 73-11-10										
<b>731101-0201 NO. 2 ENGINE - FUEL NOZZLE ASSEMBLY Component ATA:73</b>										
PN:23087207	MOS/MSC		14-Jul-22	O/C						
SN:UNKNOWN	HRS		9811.6							
	ENC		5199							
PROC. REF: AMM 73-13-01, MM 73-11-10, MM 73-11-10										
<b>732101-0101 NO. 1 ENGINE - METERING UNIT AND FUEL PUMP Component ATA:73</b>										
PN:23077658	MOS/MSC		25-Sep-07	O/C	TSN 0					
SN:SCP06-034	HRS		0		TSN 0					
	ENC		0		TSN 0					
PROC. REF: AMM 73-21-01, MM 73-21-10, MM 73-21-10										
<b>732101-0101 NO. 2 ENGINE - METERING UNIT AND FUEL PUMP Component ATA:73</b>										
PN:23077658	MOS/MSC		25-Sep-07	O/C	TSN 0					
SN:SCP07-034	HRS		0		TSN 0					
	ENC		0		TSN 0					
PROC. REF: AMM 73-21-01, MM 73-21-10, MM 73-21-10										
<b>732200-0101 LEFT ENGINE PRESSURE DERIVATION SENSOR Component ATA:73</b>										
PN:PN	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:UNKNOWN	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: NDT GENERIC										
<b>732200-0102 LEFT ENGINE PRESSURE DERIVATION SENSOR Component ATA:73</b>										
PN:PN	MOS/MSC		27-Aug-07	O/C	TSN 0					
SN:UNKNOWN	HRS		0		TSN 0					
	AFL		0		TSN 0					
PROC. REF: NDT GENERIC										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 73 - ENGINE FUEL AND CONTROL</b>										
<b>732200-0103 RIGHT ENGINE PRESSURE DERIVATION SENSOR Component ATA:73</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										
<b>732200-0104 RIGHT ENGINE PRESSURE DERIVATION SENSOR Component ATA:73</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										
<b>732200-0201 REAR FUS PRESSURE TRANSDUCER - ENGINE SYSTEM TRANSDUCER Component ATA:73</b>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										
<b>732201-0201<sup>U</sup> L ENG 1A FADEC, BASIC, ELECTRICAL CONTROL UNIT Component ATA:73</b>										
PN:23078837	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 73-22-01										
<b>732201-0202<sup>U</sup> L ENG 1B FADEC, BASIC, ELECTRICAL CONTROL UNIT Component ATA:73</b>										
PN:23078837	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 73-22-01										
<b>732201-0203<sup>U</sup> R ENG 2A FADEC, BASIC, ELECTRICAL CONTROL UNIT Component ATA:73</b>										
PN:23078837	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 73-22-01										
<b>732201-0204<sup>U</sup> R ENG 2B FADEC, BASIC, ELECTRICAL CONTROL UNIT Component ATA:73</b>										
PN:23078837	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 73-22-01										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of:  
29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 73 - ENGINE FUEL AND CONTROL</b>										
732501-0101			NO. 1 ENGINE - NO. 1 FADEC							Component ATA:73
PN:23093341	MOS/MSC		22-Oct-21	O/C						
SN:BX162257	HRS		9600							
	ENC		5089							
PROC. REF: AMM 73-22-01, MM 73-25-10, MM 73-25-10										
732501-0101			NO. 2 ENGINE - NO. 1 FADEC							Component ATA:73
PN:23093341	MOS/MSC		22-Oct-21	O/C						
SN:BX162259	HRS		9600							
	ENC		5089							
PROC. REF: AMM 73-22-01, MM 73-25-10, MM 73-25-10										
732503-0101			NO. 1 ENGINE - NO. 2 FADEC							Component ATA:73
PN:23093341	MOS/MSC		22-Oct-21	O/C						
SN:BX162278	HRS		9600							
	ENC		5089							
PROC. REF: AMM 73-22-01, MM 73-25-10, MM 73-25-10										
732503-0101			NO. 2 ENGINE - NO. 2 FADEC							Component ATA:73
PN:23093341	MOS/MSC		22-Oct-21	O/C						
SN:BX162246	HRS		9600							
	ENC		5089							
PROC. REF: AMM 73-22-01, MM 73-25-10, MM 73-25-10										
732510-0201			NO. 1 ENGINE - INSPECTION OF FADEC FAULT							Service ATA:73
	MOS/MSC		25-Sep-07	A/R						
	HRS		0							
	ENC		0							
PROC. REF: MM 73-25-10										
732510-0201			NO. 2 ENGINE - INSPECTION OF FADEC FAULT							Service ATA:73
	MOS/MSC		25-Sep-07	A/R						
	HRS		0							
	ENC		0							
PROC. REF: MM 73-25-10										
733001-0101			NO. 1 ENGINE - FUEL FLOWMETER							Component ATA:73
PN:23052613	MOS/MSC		25-Sep-07	O/C	TSN 0					
SN:JQ-12321	HRS		0		TSN 0					
	ENC		0		TSN 0					
PROC. REF: AMM 73-31-01, MM 73-35-10, MM 73-35-10										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 73 - ENGINE FUEL AND CONTROL</b>											
733001-0101		NO. 2 ENGINE - FUEL FLOWMETER								Component	ATA:73
PN:23052613	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:JQ-12299	HRS	0		TSN 0							
	ENC	0		TSN 0							
PROC. REF: AMM 73-31-01, MM 73-35-10, MM 73-35-10											
733100-0101		NO. 1 ENGINE - FUEL TEMPERATURE SENSOR								Component	ATA:73
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	ENC	0		TSN 0							
PROC. REF: AMM 73-32-01, MM 73-31-10, MM 73-31-10											
733100-0101		NO. 2 ENGINE - FUEL TEMPERATURE SENSOR								Component	ATA:73
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	ENC	0		TSN 0							
PROC. REF: AMM 73-32-01, MM 73-31-10, MM 73-31-10											
<b>ATA 74 - IGNITION</b>											
74-21-01-960-001-A00		NO. 1 ENGINE - DISCARD THE IGNITERS								Service	ATA:74
	MOS	17-Jan-17						SYSTEM			
	HRS	7935.4	4000		(11935.4)		1637.5				
	ENC	4242			12039.6						
PROC. REF: AMM 74-21-01, MM 74-21-10, MM 74-21-10, MM 74-21-10, MM 74-21-10											
74-21-01-960-001-A00		NO. 2 ENGINE - DISCARD THE IGNITERS								Service	ATA:74
	MOS	17-Jan-17						SYSTEM			
	HRS	7935.4	4000		(11935.4)		1637.5				
	ENC	4242			12039.6						
PROC. REF: AMM 74-21-01, MM 74-21-10, MM 74-21-10, MM 74-21-10, MM 74-21-10											
741102-0101		NO. 1 ENGINE - PMA ROTOR								Component	ATA:74
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:UNKNOWN	HRS	0		TSN 0							
	ENC	0		TSN 0							
PROC. REF: MM 74-11-10, MM 74-11-10											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 74 - IGNITION</b>										
<b>741102-0101 NO. 2 ENGINE - PMA ROTOR Component ATA:74</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 74-11-10, MM 74-11-10										
<b>741103-0101 NO. 1 ENGINE - (PMA) ALTERNATOR STATOR Component ATA:74</b>										
PN:23075489	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UN11285	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 74-11-15, MM 74-11-15										
<b>741103-0101 NO. 2 ENGINE - (PMA) ALTERNATOR STATOR Component ATA:74</b>										
PN:23075489	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UN11296	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 74-11-15, MM 74-11-15										
<b>741301-0101 NO. 1 ENGINE - LEFT EXCITOR IGNITION Component ATA:74</b>										
PN:23077617	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UY06404681	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 74-13-01, MM 74-13-10, MM 74-13-10										
<b>741301-0101 NO. 2 ENGINE - LEFT EXCITOR IGNITION Component ATA:74</b>										
PN:23077617	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UY06404672	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 74-13-01, MM 74-13-10, MM 74-13-10										
<b>741303-0101 NO. 1 ENGINE - RIGHT EXCITOR IGNITION Component ATA:74</b>										
PN:23077617	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UY06485105	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 74-13-01, MM 74-13-10, MM 74-13-10										
<b>741303-0101 NO. 2 ENGINE - RIGHT EXCITOR IGNITION Component ATA:74</b>										
PN:23077617	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UY06344426	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 74-13-01, MM 74-13-10, MM 74-13-10										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 74 - IGNITION</b>											
742101-0101		<b>NO. 1 ENGINE - TOP IGNITOR</b>								Component	ATA:74
PN:23062672	MOS/MSC		17-Jan-17	O/C	TSN 0						
SN:JH1600694	HRS		7935.4		TSN 0						
	ENC		4242		TSN 0						
PROC. REF: AMM 74-21-01, MM 74-21-10, MM 74-21-10											
742101-0101		<b>NO. 2 ENGINE - TOP IGNITOR</b>								Component	ATA:74
PN:23062672	MOS/MSC		17-Jan-17	O/C	TSN 0						
SN:JH1601674	HRS		7935.4		TSN 0						
	ENC		4242		TSN 0						
PROC. REF: AMM 74-21-01, MM 74-21-10, MM 74-21-10											
742103-0101		<b>NO. 1 ENGINE - BOTTOM IGNITOR</b>								Component	ATA:74
PN:23062672	MOS/MSC		17-Jan-17	O/C	TSN 0						
SN:JH1601513	HRS		7935.4		TSN 0						
	ENC		4242		TSN 0						
PROC. REF: AMM 74-21-01, MM 74-13-10, MM 74-21-10											
742103-0101		<b>NO. 2 ENGINE - BOTTOM IGNITOR</b>								Component	ATA:74
PN:23062672	MOS/MSC		17-Jan-17	O/C	TSN 0						
SN:JH1601492	HRS		7935.4		TSN 0						
	ENC		4242		TSN 0						
PROC. REF: AMM 74-21-01, MM 74-13-10, MM 74-21-10											
742105-0101		<b>NO. 1 ENGINE - SPARK IGNITER (A) LEAD ASSEMBLY</b>								Component	ATA:74
PN:23054367	MOS/MSC		25-Sep-07	O/C	TSN 0						
SN:UM06477887	HRS		0		TSN 0						
	ENC		0		TSN 0						
PROC. REF: AMM 74-21-02, MM 74-21-15, MM 74-21-15											
742105-0101		<b>NO. 2 ENGINE - SPARK IGNITER (A) LEAD ASSEMBLY</b>								Component	ATA:74
PN:23054367	MOS/MSC		25-Sep-07	O/C	TSN 0						
SN:UM06477892	HRS		0		TSN 0						
	ENC		0		TSN 0						
PROC. REF: AMM 74-21-02, MM 74-21-15, MM 74-21-15											
742107-0101		<b>NO. 1 ENGINE - SPARK IGNITER (B) LEAD ASSEMBLY</b>								Component	ATA:74
PN:23054368	MOS/MSC		25-Sep-07	O/C	TSN 0						
SN:UM06417221	HRS		0		TSN 0						
	ENC		0		TSN 0						
PROC. REF: AMM 74-21-02, MM 74-21-20, MM 74-21-20											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 74 - IGNITION</b>										
742107-0101	NO. 2 ENGINE - SPARK IGNITER (B) LEAD ASSEMBLY									Component ATA:74
PN:23054368	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UM06417225	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 74-21-02, MM 74-21-20, MM 74-21-20										
<b>ATA 75 - AIR</b>										
753101-0101	NO. 1 ENGINE - BLEED AIR-COMPR ACCEL VALVE ASSEMBLY									Component ATA:75
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 75-31-02, MM 75-31-15, MM 75-31-15										
753101-0101	NO. 2 ENGINE - BLEED AIR-COMPR ACCEL VALVE ASSEMBLY									Component ATA:75
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 75-31-02, MM 75-31-15, MM 75-31-15										
753302-0101	NO. 1 ENGINE - INT LUDT HYDRAULIC ACTUATOR ASSEMBLY									Component ATA:75
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
753302-0101	NO. 2 ENGINE - INT LUDT HYDRAULIC ACTUATOR ASSEMBLY									Component ATA:75
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
754301-0101	NO. 1 ENGINE - NO. 1 P2.5 PRESSURE TRANSDUCER SENSOR									Component ATA:75
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 75-43-10, MM 75-43-10										
754301-0101	NO. 2 ENGINE - NO. 1 P2.5 PRESSURE TRANSDUCER SENSOR									Component ATA:75
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 75-43-10, MM 75-43-10										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 75 - AIR										
754302-0101	NO. 1 ENGINE - NO. 2 P2.5 PRESSURE TRANSDUCER SENSOR									Component ATA:75
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: MM 75-43-10, MM 75-43-10										
754302-0101	NO. 2 ENGINE - NO. 2 P2.5 PRESSURE TRANSDUCER SENSOR									Component ATA:75
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: MM 75-43-10, MM 75-43-10										
754303-0101	NO. 1 ENGINE - NO. 1 P2 PRESSURE TRANSDUCER SENSOR									Component ATA:75
PN:23055446	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:QW400480S	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: MM 75-43-10, MM 75-43-10										
754303-0101	NO. 2 ENGINE - NO. 1 P2 PRESSURE TRANSDUCER SENSOR									Component ATA:75
PN:23055446	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:QW440459S	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: MM 75-43-10, MM 75-43-10										
754303-0102	NO. 1 ENGINE - NO. 2 P2 PRESSURE TRANSDUCER SENSOR									Component ATA:75
PN:23055446	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:QW400473S	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: MM 75-43-10, MM 75-43-10										
754303-0102	NO. 2 ENGINE - NO. 2 P2 PRESSURE TRANSDUCER SENSOR									Component ATA:75
PN:23055446	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:QW400458S	HRS	0	TSN 0							
	ENC	0	TSN 0							
PROC. REF: MM 75-43-10, MM 75-43-10										
754310-0101	NO. 1 ENGINE - INSPECT THE COMPRESSOR-INLET-PRESSURE-SENSOR (P2.5 SENSOR)									Service ATA:75
	MOS/MSC	25-Sep-07	N/R							
	HRS	0								
	ENC	0								
PROC. REF: MM 75-43-10										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 75 - AIR											
754310-0101			NO. 2 ENGINE - INSPECT THE COMPRESSOR-INLET-PRESSURE-SENSOR (P2.5 SENSOR)						Service	ATA:75	
	MOS/MSC	25-Sep-07	N/R								
	HRS	0									
	ENC	0									
PROC. REF: MM 75-43-10											
ATA 76 - ENGINE CONTROLS											
76-11-04-720-001-A00 <sup>S</sup>			FUNCTIONALLY CHECK FRICTION LOCK ASSEMBLY FOR PRE-LOAD VALUE.						Service	ATA:76	
	MOS/MSC	29-Jun-23	N/A								
	HRS	10161.5									
	AFL	5401									
PROC. REF: AMM 76-11-04											
76-12-00-710-001-A00 <sup>S</sup>			OPERATIONAL CHECK WOW INPUT SIGNAL TO FADEC						Service	ATA:76	
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
PROC. REF: AMM 76-12-00											
76-12-01-212-001-A00 <sup>S</sup>			GENERAL VISUAL INSPECTION RESOLVERS ATTACHMENTS TO THE THRUST LEVERS.(NOTE: CHECK TOGETHER WITH TASK 78-33-00-720 -001-A00)						Service	ATA:76	
	MOS	29-Jun-23	96 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	4000 (+20/-20)								
	AFL	5401	2000 (+20/-20)								
PROC. REF: AMM 76-12-01											
76-13-03-710-001-A00 <sup>S</sup>			OPERATIONAL CHECK IDLE LOCKOUT MICROSWITCH						Service	ATA:76	
	MOS	29-Jun-23	12 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	500 (+20/-20)								
	AFL	5401									
PROC. REF: AMM 76-13-03											
76-20-00-710-001-A00 <sup>S</sup>			OPERATIONAL CHECK EMERGENCY SHUTDOWN SYSTEM.						Service	ATA:76	
	MOS	29-Jun-23	24 (+15d/-15d)					LOW UTILIZATION			
	HRS	10161.5	1000 (+20/-20)								
	AFL	5401									
PROC. REF: AMM 76-20-00											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of:  
29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 76 - ENGINE CONTROLS</b>										
<b>761000-0101 CREW CAB CONTROL BOX,-THRUST REVERSER/GUST LOCK,ENGINE,CTL CONSOL ASSEMBLY</b> Component ATA:76										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 76-11-02										
<b>761000-0201 C FLOOR BOX -POWER SUPPLY DIODE ASSEMBLY</b> Component ATA:76										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 76-12-03										
<b>761000-0301 CENTER PEDESTAL QUADRANT ASSY-ENGINE CENTRAL,MAIN CONSOLE,COCKPIT QUADRANT</b> Component ATA:76										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										
<b>761100-0101 NO. 1 ENGINE - INT ENGINE (B) HARNESS ASSEMBLY</b> Component ATA:76										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 76-11-15, MM 76-11-15										
<b>761100-0101 NO. 2 ENGINE - INT ENGINE (B) HARNESS ASSEMBLY</b> Component ATA:76										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 76-11-15, MM 76-11-15										
<b>761101-0101 NO. 1 ENGINE - ENGINE CONTROL WIRING HARNESS</b> Component ATA:76										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 76-11-10, MM 76-11-10, MM 76-11-15, MM 76-11-15										
<b>761101-0101 NO. 2 ENGINE - ENGINE CONTROL WIRING HARNESS</b> Component ATA:76										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 76-11-10, MM 76-11-10, MM 76-11-15, MM 76-11-15										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 76 - ENGINE CONTROLS</b>										
<b>761102-0101 NO. 1 ENGINE - EXT ENGINE WIRING HARNESS ASSEMBLY</b> <span style="float:right">Component ATA:76</span>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 76-11-20, MM 76-11-20, MM 76-11-20, MM 76-11-20, MM 76-11-25, MM 76-11-25, MM 76-11-25, MM 76-11-25										
<b>761102-0101 NO. 2 ENGINE - EXT ENGINE WIRING HARNESS ASSEMBLY</b> <span style="float:right">Component ATA:76</span>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 76-11-20, MM 76-11-20, MM 76-11-20, MM 76-11-20, MM 76-11-25, MM 76-11-25, MM 76-11-25, MM 76-11-25										
<b>761103-0101 NO. 1 ENGINE - INT ENGINE (A) HARNESS ASSEMBLY</b> <span style="float:right">Component ATA:76</span>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 76-11-10, MM 76-11-10										
<b>761103-0101 NO. 2 ENGINE - INT ENGINE (A) HARNESS ASSEMBLY</b> <span style="float:right">Component ATA:76</span>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 76-11-10, MM 76-11-10										
<b>761200-0101 OVERH P CONTROL ASSY-POWER PLANT CONTROL,COCKPIT MODULE</b> <span style="float:right">Component ATA:76</span>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 76-12-04										
<b>761200-0201 CREW CAB THRUST RATING SELECTION MODULE</b> <span style="float:right">Component ATA:76</span>										
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 76-12-02										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 76 - ENGINE CONTROLS</b>										
761301-0101 NO. 1 ENGINE - EXT-ENGINE INDICATING HARNESS ASSEMBLY										Component ATA:76
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 76-13-15, MM 76-13-15, MM 76-13-15, MM 76-13-15										
761301-0101 NO. 2 ENGINE - EXT-ENGINE INDICATING HARNESS ASSEMBLY										Component ATA:76
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 76-13-15, MM 76-13-15, MM 76-13-15, MM 76-13-15										
761302-0101 NO. 1 ENGINE - INT-ENG INDICATING HARNESS ASSEMBLY										Component ATA:76
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 76-13-10, MM 76-13-10										
761302-0101 NO. 2 ENGINE - INT-ENG INDICATING HARNESS ASSEMBLY										Component ATA:76
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 76-13-10, MM 76-13-10										
<b>ATA 77 - ENGINE INDICATING</b>										
771100-0101 NO. 1 ENGINE - NO. 1 GAS PRODUCER SENSOR										Component ATA:77
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 77-11-10, MM 77-11-10										
771100-0101 NO. 2 ENGINE - NO. 1 GAS PRODUCER SENSOR										Component ATA:77
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 77-11-10, MM 77-11-10										
771101-0101 NO. 1 ENGINE - NO. 2 GAS PRODUCER SENSOR										Component ATA:77
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 77-11-10, MM 77-11-10										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 77 - ENGINE INDICATING</b>										
<b>771101-0101 NO. 2 ENGINE - NO. 2 GAS PRODUCER SENSOR Component ATA:77</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: MM 77-11-10, MM 77-11-10										
<b>771103-0101 NO. 1 ENGINE - NO. 1 FAN SPEED PICKUP SENSOR Component ATA:77</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 77-11-02, MM 77-11-15, MM 77-11-15										
<b>771103-0101 NO. 2 ENGINE - NO. 1 FAN SPEED PICKUP SENSOR Component ATA:77</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 77-11-02, MM 77-11-15, MM 77-11-15										
<b>771105-0101 NO. 1 ENGINE - NO. 2 FAN SPEED PICKUP SENSOR Component ATA:77</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 77-11-02, MM 77-11-15, MM 77-11-15										
<b>771105-0101 NO. 2 ENGINE - NO. 2 FAN SPEED PICKUP SENSOR Component ATA:77</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 77-11-02, MM 77-11-15, MM 77-11-15										
<b>772101-0101 NO. 1 ENGINE - NO. 1 TURBINE THERMOCOUPLE Component ATA:77</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 77-21-01, MM 77-21-10, MM 77-21-10										
<b>772101-0101 NO. 2 ENGINE - NO. 1 TURBINE THERMOCOUPLE Component ATA:77</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 77-21-01, MM 77-21-10, MM 77-21-10										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 77 - ENGINE INDICATING</b>										
<b>772101-0102 NO. 1 ENGINE - NO. 2 TURBINE THERMOCOUPLE Component ATA:77</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 77-21-01, MM 77-21-10, MM 77-21-10										
<b>772101-0102 NO. 2 ENGINE - NO. 2 TURBINE THERMOCOUPLE Component ATA:77</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 77-21-01, MM 77-21-10, MM 77-21-10										
<b>772101-0103 NO. 1 ENGINE - NO. 3 TURBINE THERMOCOUPLE Component ATA:77</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 77-21-01, MM 77-21-10, MM 77-21-10										
<b>772101-0103 NO. 2 ENGINE - NO. 3 TURBINE THERMOCOUPLE Component ATA:77</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 77-21-01, MM 77-21-10, MM 77-21-10										
<b>772101-0104 NO. 1 ENGINE - NO. 4 TURBINE THERMOCOUPLE Component ATA:77</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 77-21-01, MM 77-21-10, MM 77-21-10										
<b>772101-0104 NO. 2 ENGINE - NO. 4 TURBINE THERMOCOUPLE Component ATA:77</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 77-21-01, MM 77-21-10, MM 77-21-10										
<b>772101-0105 NO. 1 ENGINE - NO. 5 TURBINE THERMOCOUPLE Component ATA:77</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 77-21-01, MM 77-21-10, MM 77-21-10										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 77 - ENGINE INDICATING</b>										
<b>772101-0105 NO. 2 ENGINE - NO. 5 TURBINE THERMOCOUPLE Component ATA:77</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 77-21-01, MM 77-21-10, MM 77-21-10										
<b>772101-0106 NO. 1 ENGINE - NO. 6 TURBINE THERMOCOUPLE Component ATA:77</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 77-21-01, MM 77-21-10, MM 77-21-10										
<b>772101-0106 NO. 2 ENGINE - NO. 6 TURBINE THERMOCOUPLE Component ATA:77</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 77-21-01, MM 77-21-10, MM 77-21-10										
<b>772101-0107 NO. 1 ENGINE - NO. 7 TURBINE THERMOCOUPLE Component ATA:77</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 77-21-01, MM 77-21-10, MM 77-21-10										
<b>772101-0107 NO. 2 ENGINE - NO. 7 TURBINE THERMOCOUPLE Component ATA:77</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 77-21-01, MM 77-21-10, MM 77-21-10										
<b>772101-0108 NO. 1 ENGINE - NO. 8 TURBINE THERMOCOUPLE Component ATA:77</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 77-21-01, MM 77-21-10, MM 77-21-10										
<b>772101-0108 NO. 2 ENGINE - NO. 8 TURBINE THERMOCOUPLE Component ATA:77</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 77-21-01, MM 77-21-10, MM 77-21-10										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 77 - ENGINE INDICATING</b>										
<b>772101-0109 NO. 1 ENGINE - NO. 9 TURBINE THERMOCOUPLE Component ATA:77</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 77-21-01, MM 77-21-10, MM 77-21-10										
<b>772101-0109 NO. 2 ENGINE - NO. 9 TURBINE THERMOCOUPLE Component ATA:77</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 77-21-01, MM 77-21-10, MM 77-21-10										
<b>772101-0110 NO. 1 ENGINE - NO. 10 TURBINE THERMOCOUPLE Component ATA:77</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 77-21-01, MM 77-21-10, MM 77-21-10										
<b>772101-0110 NO. 2 ENGINE - NO. 10 TURBINE THERMOCOUPLE Component ATA:77</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 77-21-01, MM 77-21-10, MM 77-21-10										
<b>772101-0111 NO. 1 ENGINE - NO. 11 TURBINE THERMOCOUPLE Component ATA:77</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 77-21-01, MM 77-21-10, MM 77-21-10										
<b>772101-0111 NO. 2 ENGINE - NO. 11 TURBINE THERMOCOUPLE Component ATA:77</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 77-21-01, MM 77-21-10, MM 77-21-10										
<b>772101-0112 NO. 1 ENGINE - NO. 12 TURBINE THERMOCOUPLE Component ATA:77</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 77-21-01, MM 77-21-10, MM 77-21-10										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 77 - ENGINE INDICATING</b>										
<b>772101-0112 NO. 2 ENGINE - NO. 12 TURBINE THERMOCOUPLE Component ATA:77</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 77-21-01, MM 77-21-10, MM 77-21-10										
<b>772101-0113 NO. 1 ENGINE - NO. 13 TURBINE THERMOCOUPLE Component ATA:77</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 77-21-01, MM 77-21-10, MM 77-21-10										
<b>772101-0113 NO. 2 ENGINE - NO. 13 TURBINE THERMOCOUPLE Component ATA:77</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 77-21-01, MM 77-21-10, MM 77-21-10										
<b>772101-0114 NO. 1 ENGINE - NO. 14 TURBINE THERMOCOUPLE Component ATA:77</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 77-21-01, MM 77-21-10, MM 77-21-10										
<b>772101-0114 NO. 2 ENGINE - NO. 14 TURBINE THERMOCOUPLE Component ATA:77</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 77-21-01, MM 77-21-10, MM 77-21-10										
<b>772101-0115 NO. 1 ENGINE - NO. 15 TURBINE THERMOCOUPLE Component ATA:77</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 77-21-01, MM 77-21-10, MM 77-21-10										
<b>772101-0115 NO. 2 ENGINE - NO. 15 TURBINE THERMOCOUPLE Component ATA:77</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 77-21-01, MM 77-21-10, MM 77-21-10										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 77 - ENGINE INDICATING</b>										
<b>772101-0116 NO. 1 ENGINE - NO. 16 TURBINE THERMOCOUPLE Component ATA:77</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 77-21-01, MM 77-21-10, MM 77-21-10										
<b>772101-0116 NO. 2 ENGINE - NO. 16 TURBINE THERMOCOUPLE Component ATA:77</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 77-21-01, MM 77-21-10, MM 77-21-10										
<b>772101-0201 NO. 1 ENGINE - TURBINE (1-16) THERMOCOUPLE Component ATA:77</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 77-21-01, MM 77-21-10, MM 77-21-10										
<b>772101-0201 NO. 2 ENGINE - TURBINE (1-16) THERMOCOUPLE Component ATA:77</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 77-21-01, MM 77-21-10, MM 77-21-10										
<b>772102-0101 NO. 1 ENGINE - T/C WIRING HARNESS Component ATA:77</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 77-21-02, MM 77-21-15, MM 77-21-15, MM 77-21-20, MM 77-21-20										
<b>772102-0101 NO. 2 ENGINE - T/C WIRING HARNESS Component ATA:77</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 77-21-02, MM 77-21-15, MM 77-21-15, MM 77-21-20, MM 77-21-20										
<b>772103-0101 NO. 1 ENGINE - T/C WIRING ASSEMBLY Component ATA:77</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 77-21-02, MM 77-21-15, MM 77-21-15, MM 77-21-20, MM 77-21-20										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 77 - ENGINE INDICATING</b>										
<b>772103-0101 NO. 2 ENGINE - T/C WIRING ASSEMBLY Component ATA:77</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 77-21-02, MM 77-21-15, MM 77-21-15, MM 77-21-20, MM 77-21-20										
<b>774000-0101 REAR VIBRATION MONITORING-ENGINE,EVMU,REAR FUSLG I UNIT Component ATA:77</b>										
PN:241-244-013-002	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:AC25773	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 77-41-03										
<b>774102-0101 NO. 1 ENGINE - ACCELEROMETER VIBRATION SENSOR Component ATA:77</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>774102-0101 NO. 2 ENGINE - ACCELEROMETER VIBRATION SENSOR Component ATA:77</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>774102-0102 NO. 1 ENGINE - ACCELEROMETER VIBRATION SENSOR Component ATA:77</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>774102-0102 NO. 2 ENGINE - ACCELEROMETER VIBRATION SENSOR Component ATA:77</b>										
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REF										
<b>ATA 78 - EXHAUST</b>										
<b>78-10-01-212-002-A00 INSPECT (GENERAL VISUAL) PLAIN EXHAUST ASSY FOR DAMAGE, FAILURE OR IRREGULARITIES.(NOTE : NOT APPLICABLE TO AIRCRAFT WITH THRUST REVERSERS INSTALLED). Service ATA:78</b>										
	MOS/MSC	15-Aug-13	N/A					SYSTEM		
	HRS	6643.4								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 78 - EXHAUST										
	AFL	3572								
PROC. REF: AMM 78-10-01										PKG:6020
78-31-00-220-001-A00 <sup>S</sup>	INSPECT (DETAILED INSPECTION) THRUST REVERSER STRUCTURE									Service ATA:78
MOS	06-Jul-19	72 (+15d/-15d)						LOW UTILIZATION		
HRS	9057.4	3000 (+20/-20)								
AFL	4853	1500 (+20/-20)								
PROC. REF: AMM 78-31-00										PKG:5012,6020
78-32-00-211-001-A00 <sup>S</sup>	VISUAL CHECK THRUST REVERSER 1RY AND 3RY LOCKS									Service ATA:78
MOS	29-Jun-23	12 (+15d/-15d)						LOW UTILIZATION		
HRS	10161.5	500 (+20/-20)								
AFL	5401									
PROC. REF: AMM 78-32-00										PKG:5002
78-32-00-710-001-A00 <sup>S</sup>	OPERATIONAL CHECK THRUST REVERSER (TR) SECONDARY (2RY) AND TERTIARY (3RY) LOCKS									Service ATA:78
MOS	29-Jun-23	12 (+15d/-15d)						LOW UTILIZATION		
HRS	10161.5	500 (+20/-20)								
AFL	5401									
PROC. REF: AMM 78-32-00										PKG:5002
78-33-00-710-001-A00 <sup>S</sup>	OPERATIONAL CHECK AIR/GROUND INPUT SIGNAL TO THRUST REVERSER (TR) SYSTEM (CMR)									Service ATA:78
MOS	29-Jun-23	12 (+15d/-15d)						LOW UTILIZATION		
HRS	10161.5	500 (+20/-20)								
AFL	5401									
PROC. REF: AMM 78-33-00										PKG:5002
78-33-00-710-002-A00 <sup>S</sup>	OPERATIONAL CHECK WHEEL-SPEED INPUT SIGNAL TO THE THRUST REVERSER SYSTEM (CMR)									Service ATA:78
MOS	29-Jun-23	12 (+15d/-15d)						LOW UTILIZATION		
HRS	10161.5	500 (+20/-20)								
AFL	5401									
PROC. REF: AMM 78-33-00										PKG:5002
78-33-00-720-001-A00 <sup>S</sup>	FUNCTIONAL CHECK THRUST-REVERSER (TR) CONTROL-LEVER MICROSWITCHES									Service ATA:78
MOS	29-Jun-23	96 (+15d/-15d)						LOW UTILIZATION		
HRS	10161.5	4000 (+20/-20)								
AFL	5401	2000 (+20/-20)								
PROC. REF: AMM 78-33-00										PKG:5016,6032

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 78 - EXHAUST										
78-33-01-710-001-A00 <sup>S</sup>	OPERATIONAL CHECK THRUST REVERSER ISOLATION CONTROL UNIT (ICU) (CMR)									Service ATA:78
	MOS	29-Jun-23	12 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	500 (+20/-20)							
	AFL	5401								
					PROC. REF: AMM 78-33-01					PKG:5002
78-34-00-710-001-A00 <sup>S</sup>	OPERATIONAL CHECK THRUST-REVERSER (TR) INDICATING SYSTEM (CMR)									Service ATA:78
	MOS	06-Jul-19	72 (+15d/-15d)					LOW UTILIZATION		
	HRS	9057.4	3000 (+20/-20)							
	AFL	4853	1500 (+20/-20)							
					PROC. REF: AMM 78-34-00					PKG:5012,6020
78-34-01-720-001-A00	FUNCTIONAL CHECK STOW/TRANSIT THRUST REVERSER MICROSWITCHES FOR INSULATION PRE-MOD S.B. 145LEG-78-0006. (ELECTRICAL TEST).(L600 ONLY)									Service ATA:78
	MOS/MSC	27-Aug-07	N/A							
	HRS	0								
	AFL	0								
					PROC. REF: AMM 78-34-01					
78-Z416-213-001-A00 <sup>S</sup>	GENERAL VISUAL INSPECTION THRUST REVERSER MODULE (EXTERNAL) (ZONES 416 AND 426)									Service ATA:78
	MOS	29-Jun-23	24 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	1000 (+20/-20)							
	AFL	5401								
					PROC. REF: AMM 05-20-74					PKG:5004
78-Z416-213-001-A01	GENERAL VISUAL INSPECTION (EXTERNAL) (ZONES 416 AND 426).NOTE: FOR AIRCRAFT WITHOUT THRUST REVERSERS ONLY.									Service ATA:78
	MOS/MSC		N/A							
	HRS									
	AFL									
					PROC. REF: AMM 05-30-41					PKG:6016
78-Z416-214-001-A00 <sup>S</sup>	GENERAL VISUAL INSPECTION THRUST REVERSER MODULE (INTERNAL) (ZONES 416 AND 426) (L600 ONLY)									Service ATA:78
	MOS	29-Jun-23	24 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	1000 (+20/-20)							
	AFL	5401								
					PROC. REF: AMM 05-20-74					PKG:5004
78-Z416-214-001-A01	GENERAL VISUAL INSPECTION (INTERNAL) (ZONES 416 AND 426).NOTE: FOR AIRCRAFT WITHOUT THRUST REVERSERS ONLY.									Service ATA:78
	MOS/MSC		N/A							
	HRS									
	AFL									
					PROC. REF: AMM 05-30-41					PKG:6016

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 78 - EXHAUST										
78-Z416-214-001-A02	GENERAL VISUAL INSPECTION THRUST REVERSER MODULE (INTERNAL) (ZONES 416 AND 426).NOTE: EWIS. (L650 ONLY)								Service	ATA:78
	MOS/MSC	25-Sep-07	N/A					ZONAL		
	HRS	0								
	AFL	0								
PROC. REF: AMM 05-20-74										
783000-0201	LH ENG THRUST REVERSER ASSEMBLY								Component	ATA:78
PN:145-79600-407	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:TR1838	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 78-31-01										
783000-0202	RH ENG THRUST REVERSER ASSEMBLY								Component	ATA:78
PN:145-79600-407	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:TR1863	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 78-31-01										
783101-0101	LEFT UPPER THRUST REVERSER DOOR								Component	ATA:78
PN:145-79603-403	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UPD1837	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 78-31-02										
783101-0102	LEFT LOWER THRUST REVERSER DOOR								Component	ATA:78
PN:145-79604-403	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:LPD1838	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 78-31-03										
783101-0103	RIGHT UPPER THRUST REVERSER DOOR								Component	ATA:78
PN:145-79603-403	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UPD1863	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 78-31-02										
783101-0104	RIGHT LOWER THRUST REVERSER DOOR								Component	ATA:78
PN:145-79604-403	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:LPD1863	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 78-31-03										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 78 - EXHAUST											
783201-0101		LEFT UPPER PIVOT DOOR ACTUATOR								Component	ATA:78
PN:TY2039-14A	MOS	27-Aug-07		TSN 0				LIFE LIMIT			
SN:3910	HRS	0		TSN 0							
	AFL	0	60250	TSN 0	60250		54716				
PROC. REF: AMM 78-32-01											
783201-0102		LEFT LOWER PIVOT DOOR ACTUATOR								Component	ATA:78
PN:TY2039-14A	MOS	27-Aug-07		TSN 0				LIFE LIMIT			
SN:3909	HRS	0		TSN 0							
	AFL	0	60250	TSN 0	60250		54716				
PROC. REF: AMM 78-32-01											
783201-0103		RIGHT UPPER PIVOT DOOR ACTUATOR								Component	ATA:78
PN:TY2039-14A	MOS	27-Aug-07		TSN 0				LIFE LIMIT			
SN:3948	HRS	0		TSN 0							
	AFL	0	60250	TSN 0	60250		54716				
PROC. REF: AMM 78-32-01											
783201-0104		RIGHT LOWER PIVOT DOOR ACTUATOR								Component	ATA:78
PN:TY2039-14A	MOS	27-Aug-07		TSN 0				LIFE LIMIT			
SN:3961	HRS	0		TSN 0							
	AFL	0	60250	TSN 0	60250		54716				
PROC. REF: AMM 78-32-01											
783202-0101		LEFT 90 DEG PRIMARY DOOR LOCK ACTUATOR								Component	ATA:78
PN:TY2038-02A	MOS	27-Aug-07		TSN 0				LIFE LIMIT			
SN:61016	HRS	0		TSN 0							
	AFL	0	60250	TSN 0	60250		54716				
PROC. REF: AMM 78-32-02											
783202-0102		LEFT 270 DEG PRIMARY DOOR LOCK ACTUATOR								Component	ATA:78
PN:TY2038-02A	MOS	27-Aug-07		TSN 0				LIFE LIMIT			
SN:61017	HRS	0		TSN 0							
	AFL	0	60250	TSN 0	60250		54716				
PROC. REF: AMM 78-32-02											
783202-0103		RIGHT 90 DEG PRIMARY DOOR LOCK ACTUATOR								Component	ATA:78
PN:TY2038-02A	MOS	27-Aug-07		TSN 0				LIFE LIMIT			
SN:61066	HRS	0		TSN 0							
	AFL	0	60250	TSN 0	60250		54716				
PROC. REF: AMM 78-32-02											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 78 - EXHAUST</b>										
<b>783202-0104 RIGHT 270 DEG PRIMARY DOOR LOCK ACTUATOR Component ATA:78</b>										
PN:TY2038-02A	MOS		27-Aug-07	TSN 0				LIFE LIMIT		
SN:61067	HRS		0	TSN 0						
	AFL		0	60250	TSN 0	60250	54716			
PROC. REF: AMM 78-32-02										
<b>783205-0101 LEFT UPPER TERTIARY LOCK Component ATA:78</b>										
PN:TY2560-01A	MOS		27-Aug-07	TSN 0				LIFE LIMIT		
SN:03203	HRS		0	TSN 0						
	AFL		0	61500	TSN 0	61500	55966			
PROC. REF: AMM 78-32-05										
<b>783205-0102 LEFT LOWER TERTIARY LOCK Component ATA:78</b>										
PN:TY2560-01A	MOS		27-Aug-07	TSN 0				LIFE LIMIT		
SN:03204	HRS		0	TSN 0						
	AFL		0	61500	TSN 0	61500	55966			
PROC. REF: AMM 78-32-05										
<b>783205-0103 RIGHT UPPER TERTIARY LOCK Component ATA:78</b>										
PN:TY2560-01A	MOS		27-Aug-07	TSN 0				LIFE LIMIT		
SN:03313	HRS		0	TSN 0						
	AFL		0	61500	TSN 0	61500	55966			
PROC. REF: AMM 78-32-05										
<b>783205-0104 RIGHT LOWER TERTIARY LOCK Component ATA:78</b>										
PN:TY2560-01A	MOS		27-Aug-07	TSN 0				LIFE LIMIT		
SN:03314	HRS		0	TSN 0						
	AFL		0	61500	TSN 0	61500	55966			
PROC. REF: AMM 78-32-05										
<b>783301-0101 LH REAR ISOLATION ASSY-THRUST REVERSER VALVE Component ATA:78</b>										
PN:TY2041-03A	MOS		27-Aug-07	TSN 0				LIFE LIMIT		
SN:1936	HRS		0	TSN 0						
	AFL		0	60250	TSN 0	60250	54716			
PROC. REF: AMM 78-33-01										
<b>783301-0102 RH REAR ISOLATION ASSY-THRUST REVERSER VALVE Component ATA:78</b>										
PN:TY2041-03A	MOS		27-Aug-07	TSN 0				LIFE LIMIT		
SN:1937	HRS		0	TSN 0						
	AFL		0	60250	TSN 0	60250	54716			
PROC. REF: AMM 78-33-01										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 78 - EXHAUST</b>											
783305-0101		LEFT DIRECTIONAL CONTROL UNIT								Component	ATA:78
PN:TY2040-01A	MOS	27-Aug-07		TSN 0				LIFE LIMIT			
SN:1944	HRS	0		TSN 0							
	AFL	0	60250	TSN 0	60250		54716				
PROC. REF: AMM 78-33-05											
783305-0102		RIGHT DIRECTIONAL CONTROL UNIT								Component	ATA:78
PN:TY2040-01A	MOS	27-Aug-07		TSN 0				LIFE LIMIT			
SN:1971	HRS	0		TSN 0							
	AFL	0	60250	TSN 0	60250		54716				
PROC. REF: AMM 78-33-05											
783305-0201		LEFT LOCK SEQUENCER								Component	ATA:78
PN:TY2047-03B	MOS	27-Aug-07		TSN 0				LIFE LIMIT			
SN:1921	HRS	0		TSN 0							
	AFL	0	60250	TSN 0	60250		54716				
PROC. REF: AMM 78-33-06											
783305-0202		RIGHT LOCK SEQUENCER								Component	ATA:78
PN:TY2047-03B	MOS	27-Aug-07		TSN 0				LIFE LIMIT			
SN:1948	HRS	0		TSN 0							
	AFL	0	60250	TSN 0	60250		54716				
PROC. REF: AMM 78-33-06											
783402-0101		LEFT HAND UPPER DEPLOY SWITCH SWITCH								Component	ATA:78
PN:83-990-173	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:00561	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 78-34-02											
783402-0102		LEFT HAND LOWER DEPLOY SWITCH								Component	ATA:78
PN:83-990-174	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:00564	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 78-34-02											
783402-0103		RIGHT HAND UPPER DEPLOY SWITCH								Component	ATA:78
PN:83-990-173	MOS/MSC	27-Aug-07	O/C	TSN 0							
SN:00596	HRS	0		TSN 0							
	AFL	0		TSN 0							
PROC. REF: AMM 78-34-02											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 78 - EXHAUST										
783402-0104	RIGHT HAND LOWER DEPLOY SWITCH									Component ATA:78
PN:83-990-174	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:00603	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 78-34-02										
789000-0101	LEFT UPPER LEFT THRUST REVERSER STOW SWITCH									Component ATA:78
PN:83-990-168	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:11614	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 78-34-01										
789000-0102	LEFT LOWER LEFT THRUST REVERSER STOW SWITCH									Component ATA:78
PN:83-990-168	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:11623	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 78-34-01										
789000-0103	RIGHT UPPER LEFT THRUST REVERSER STOW SWITCH									Component ATA:78
PN:83-990-168	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:11621	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 78-34-01										
789000-0104	RIGHT LOWER LEFT THRUST REVERSER STOW SWITCH									Component ATA:78
PN:83-990-168	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:11622	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 78-34-01										
789000-0105	LEFT UPPER RIGHT THRUST REVERSER STOW SWITCH									Component ATA:78
PN:PN	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 78-34-01										
789000-0106	LEFT LOWER RIGHT THRUST REVERSER STOW SWITCH									Component ATA:78
PN:83-990-168	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:12018	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 78-34-01										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 78 - EXHAUST</b>										
<b>789000-0107 RIGHT UPPER RIGHT THRUST REVERSER STOW SWITCH Component ATA:78</b>										
PN:83-990-168	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:11979	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 78-34-01										
<b>789000-0108 RIGHT LOWER RIGHT THRUST REVERSER STOW SWITCH Component ATA:78</b>										
PN:83-990-168	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:12017	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 78-34-01										
<b>789000-0201 UPPER LEFT THRUST REVERSER TRANSIT SWITCH Component ATA:78</b>										
PN:83-990-168	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:11613	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 78-34-01										
<b>789000-0202 LOWER LEFT THRUST REVERSER TRANSIT SWITCH Component ATA:78</b>										
PN:83-990-168	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:11619	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 78-34-01										
<b>789000-0203 UPPER RIGHT THRUST REVERSER TRANSIT SWITCH Component ATA:78</b>										
PN:83-990-168	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:11973	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 78-34-01										
<b>789000-0204 LOWER RIGHT THRUST REVERSER TRANSIT SWITCH Component ATA:78</b>										
PN:83-990-168	MOS/MSC	27-Aug-07	O/C	TSN 0						
SN:12008	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 78-34-01										
<b>ATA 79 - OIL</b>										
<b>79-23-01-960-002-A00<sup>S</sup> DISCARD OIL FILTER Service ATA:79</b>										
	MOS	29-Jun-23	24 (+15d/-15d)					LOW UTILIZATION		
	HRS	10161.5	1000 (+20/-20)							
	AFL	5401								
PROC. REF: AMM 79-23-01										
PKG:5004										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 79 - OIL										
79-27-00-211-001-A00	NO. 1 ENGINE - VISUALLY CHECK OIL PLUMBING									Service ATA:79
	MOS	14-Jul-22						SYSTEM		
	HRS	9811.6	10000		(19811.6) 19915.8		9513.7			
	ENC	5199								
PROC. REF: AMM 79-27-00, MM 72-00-00										
79-27-00-211-001-A00	NO. 2 ENGINE - VISUALLY CHECK OIL PLUMBING									Service ATA:79
	MOS	14-Jul-22						SYSTEM		
	HRS	9811.6	10000		(19811.6) 19915.8		9513.7			
	ENC	5199								
PROC. REF: AMM 79-27-00, MM 72-00-00										
79-34-00-212-001-A00	INSPECT (GENERAL VISUAL) MFD FOR ENG 1(2) OIL DEBRIS FOR ENGINE AE3007A1P MAINTENANCE MESSAGE (NOTE: IF INSTALLED).									Service ATA:79
	MOS/MSC	15-Aug-13	N/A							
	HRS	6643.4								
	AFL	3572								
PROC. REF: AMM 79-34-00										
79-34-00-212-001-A01	INSPECT (GENERAL VISUAL) MFD FOR ENG 1(2) OIL DEBRIS FOR ENGINE AE3007A1E OR AE3007A2 MAINTENANCE MESSAGE (NOTE: IF INSTALLED).									Service ATA:79
	DAYS	26-Jan-24	30		25-Feb-24		13 d	ROUTINE		
	HRS	10402.1	70		10472.1		70			
	AFL	5534								
PROC. REF: AMM 79-34-00										
79-34-01-720-001-A00	NO. 1 ENGINE - FUNCTIONALLY CHECK INDICATING MAGNETIC PLUG ASSEMBLY									Service ATA:79
	MOS	17-Feb-17						SYSTEM		
	HRS	7961.8	8000		(15961.8) 16066		5663.9			
	ENC	4253								
PROC. REF: AMM 79-34-01, MM 79-37-10										
79-34-01-720-001-A00	NO. 2 ENGINE - FUNCTIONALLY CHECK INDICATING MAGNETIC PLUG ASSEMBLY									Service ATA:79
	MOS	17-Feb-17						SYSTEM		
	HRS	7961.8	8000		(15961.8) 16066		5663.9			
	ENC	4253								
PROC. REF: AMM 79-34-01, MM 79-37-10										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 79 - OIL										
79-37-00-720-001-A00		NO. 1 ENGINE - FUNCTIONALLY CHECK OIL FILTER IMPEDING BYPASS INDICATING SYSTEM								Service ATA:79
	MOS	17-Feb-17						SYSTEM		
	HRS	7961.8	8000		(15961.8) 16066		5663.9			
	ENC	4253								
PROC. REF: AMM 79-37-00, MM 79-37-15										
79-37-00-720-001-A00		NO. 2 ENGINE - FUNCTIONALLY CHECK OIL FILTER IMPEDING BYPASS INDICATING SYSTEM								Service ATA:79
	MOS	10-Jul-20						SYSTEM		
	HRS	9265.4	8000		(17265.4) 17369.6		6967.5			
	ENC	4922								
PROC. REF: AMM 79-37-00, MM 79-37-15										
790010-0101		NO. 1 ENGINE - CHANGE THE OIL								Service ATA:79
	MOS/MSC	25-Sep-07	A/R							
	HRS	0								
	ENC	0								
PROC. REF: MM 12-10-79										
790010-0101		NO. 2 ENGINE - CHANGE THE OIL								Service ATA:79
	MOS/MSC	25-Sep-07	A/R							
	HRS	0								
	ENC	0								
PROC. REF: MM 12-10-79										
791101-0101		NO. 1 ENGINE - OIL TANK ASSEMBLY								Component ATA:79
PN:23070328	MOS/MSC	25-Sep-07	O/C		TSN 0					
SN:RJ15141	HRS	0			TSN 0					
	ENC	0			TSN 0					
PROC. REF: AMM 79-11-01, MM 79-11-10, MM 79-11-10										
791101-0101		NO. 2 ENGINE - OIL TANK ASSEMBLY								Component ATA:79
PN:23070328	MOS/MSC	25-Sep-07	O/C		TSN 0					
SN:RJ15135	HRS	0			TSN 0					
	ENC	0			TSN 0					
PROC. REF: AMM 79-11-01, MM 79-11-10, MM 79-11-10										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 79 - OIL</b>											
792101-0101		<b>NO. 1 ENGINE - LUBE/SCAVENGE PUMP ASSEMBLY</b>							Component	ATA:79	
PN:23079382	MOS/MSC		25-Sep-07	O/C	TSN 0						
SN:NL-3020	HRS		0		TSN 0						
	ENC		0		TSN 0						
PROC. REF: MM 79-21-10, MM 79-21-10											
792101-0101		<b>NO. 2 ENGINE - LUBE/SCAVENGE PUMP ASSEMBLY</b>							Component	ATA:79	
PN:23079382	MOS/MSC		25-Sep-07	O/C	TSN 0						
SN:NL-3021	HRS		0		TSN 0						
	ENC		0		TSN 0						
PROC. REF: MM 79-21-10, MM 79-21-10											
792103-0101		<b>NO. 1 ENGINE - OIL PRESS/TEMP SENSOR</b>							Component	ATA:79	
PN:23073715	MOS/MSC		25-Sep-07	O/C	TSN 0						
SN:QW7496V	HRS		0		TSN 0						
	ENC		0		TSN 0						
PROC. REF: AMM 79-32-01, MM 79-31-10, MM 79-31-10											
792103-0101		<b>NO. 2 ENGINE - OIL PRESS/TEMP SENSOR</b>							Component	ATA:79	
PN:23073715	MOS/MSC		25-Sep-07	O/C	TSN 0						
SN:QW7493V	HRS		0		TSN 0						
	ENC		0		TSN 0						
PROC. REF: AMM 79-32-01, MM 79-31-10, MM 79-31-10											
792301-0101		<b>NO. 1 ENGINE - OIL FILTER ASSEMBLY</b>							Component	ATA:79	
PN:23087914	MOS/MSC		20-Mar-20	O/C	TSN 0						
SN:WQ739D	HRS		9243.7		TSN 0						
	ENC		4910		TSN 0						
PROC. REF: AMM 79-21-01, MM 79-23-10, MM 79-23-10											
792301-0101		<b>NO. 2 ENGINE - OIL FILTER ASSEMBLY</b>							Component	ATA:79	
PN:23087914	MOS/MSC		19-Sep-13	O/C	TSN 0						
SN:WQ419D	HRS		6680.2		TSN 0						
	ENC		3597		TSN 0						
PROC. REF: AMM 79-21-01, MM 79-23-10, MM 79-23-10											
792501-0101		<b>NO. 1 ENGINE - OIL AIR COOLED COOLER</b>							Component	ATA:79	
PN:23075194	MOS/MSC		25-Sep-07	O/C	TSN 0						
SN:VR2974	HRS		0		TSN 0						
	ENC		0		TSN 0						
PROC. REF: AMM 79-25-01, MM 79-25-10, MM 79-25-10											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 79 - OIL										
792501-0101	NO. 2 ENGINE - OIL AIR COOLED COOLER									Component ATA:79
PN:23075194	MOS/MSC		25-Sep-07	O/C	TSN 0					
SN:VR2967	HRS		0		TSN 0					
	ENC		0		TSN 0					
PROC. REF: AMM 79-25-01, MM 79-25-10, MM 79-25-10										
792503-0101	NO. 1 ENGINE - OIL FUEL COOLED COOLER									Component ATA:79
PN:23077047	MOS/MSC		25-Sep-07	O/C	TSN 0					
SN:VR3135	HRS		0		TSN 0					
	ENC		0		TSN 0					
PROC. REF: AMM 79-25-02, MM 79-25-15, MM 79-25-15										
792503-0101	NO. 2 ENGINE - OIL FUEL COOLED COOLER									Component ATA:79
PN:23077047	MOS/MSC		25-Sep-07	O/C	TSN 0					
SN:VR3137	HRS		0		TSN 0					
	ENC		0		TSN 0					
PROC. REF: AMM 79-25-02, MM 79-25-15, MM 79-25-15										
792507-0101	NO. 1 ENGINE - NO. 1 P2.5 TRANSDUCER									Component ATA:79
PN:PN	MOS/MSC		25-Sep-07	O/C	TSN 0					
SN:UNKNOWN	HRS		0		TSN 0					
	ENC		0		TSN 0					
PROC. REF: GENERIC NO REF										
792507-0101	NO. 2 ENGINE - NO. 1 P2.5 TRANSDUCER									Component ATA:79
PN:PN	MOS/MSC		25-Sep-07	O/C	TSN 0					
SN:UNKNOWN	HRS		0		TSN 0					
	ENC		0		TSN 0					
PROC. REF: GENERIC NO REF										
792508-0101	NO. 1 ENGINE - NO. 2 P2.5 TRANSDUCER									Component ATA:79
PN:PN	MOS/MSC		25-Sep-07	O/C	TSN 0					
SN:UNKNOWN	HRS		0		TSN 0					
	ENC		0		TSN 0					
PROC. REF: GENERIC NO REF										
792508-0101	NO. 2 ENGINE - NO. 2 P2.5 TRANSDUCER									Component ATA:79
PN:PN	MOS/MSC		25-Sep-07	O/C	TSN 0					
SN:UNKNOWN	HRS		0		TSN 0					
	ENC		0		TSN 0					
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 79 - OIL											
792509-0101			NO. 1 ENGINE - RTD TOTAL TEMP SENSOR							Component	ATA:79
PN:23059750	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:RTAN269	HRS	0	TSN 0								
	ENC	0	TSN 0								
PROC. REF: GENERIC NO REF											
792509-0101			NO. 2 ENGINE - RTD TOTAL TEMP SENSOR							Component	ATA:79
PN:23059750	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:RTAN274	HRS	0	TSN 0								
	ENC	0	TSN 0								
PROC. REF: GENERIC NO REF											
793000-0101			NO. 1 ENGINE - INSPECT OIL CONTAMINATION (MPG EQUIVALENT TASKS: 79-34-00-212-001-A00 AND 79-34-00-212-001-A01)							Service	ATA:79
	MOS/MSC	25-Sep-07	-								
	HRS	0									
	ENC	0									
PROC. REF: MM 79-30-00											
793000-0101			NO. 2 ENGINE - INSPECT OIL CONTAMINATION (MPG EQUIVALENT TASKS: 79-34-00-212-001-A00 AND 79-34-00-212-001-A01)							Service	ATA:79
	MOS/MSC	25-Sep-07	-								
	HRS	0									
	ENC	0									
PROC. REF: MM 79-30-00											
793005-0101			NO. 1 ENGINE - GENERAL VISUAL INSPECTION OIL TANK							Service	ATA:79
	MOS/MSC	25-Sep-07	N/A								
	HRS	0									
	ENC	0									
PROC. REF: AMM 79-11-01, MM 3007A-79-009											
793005-0101			NO. 2 ENGINE - GENERAL VISUAL INSPECTION OIL TANK							Service	ATA:79
	MOS/MSC	25-Sep-07	N/A								
	HRS	0									
	ENC	0									
PROC. REF: AMM 79-11-01, MM 3007A-79-009											
793301-0101			NO. 1 ENGINE - LOW OIL PRESSURE SWITCH							Component	ATA:79
PN:23078098	MOS/MSC	25-Sep-07	O/C	TSN 0							
SN:KB11053	HRS	0	TSN 0								
	ENC	0	TSN 0								
PROC. REF: AMM 49-64-02, MM 79-33-10, MM 79-33-10											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of:  
29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 79 - OIL										
793301-0101	NO. 2 ENGINE - LOW OIL PRESSURE SWITCH									Component ATA:79
PN:23078098	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:KB11047	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 49-64-02, MM 79-33-10, MM 79-33-10										
793704-0101	NO. 1 ENGINE - MAGNETIC-INDICATE PLUG									Component ATA:79
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 79-34-01, MM 79-37-10, MM 79-37-10										
793704-0101	NO. 2 ENGINE - MAGNETIC-INDICATE PLUG									Component ATA:79
PN:PN	MOS/MSC	25-Sep-07	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: AMM 79-34-01, MM 79-37-10, MM 79-37-10										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: EMB-135BJ - LEGACY 600 Serial: 14501007 RegNo: N317PJ HRS: 10402.1 AFL: 5534 As Of: 29-Jan-2024

12-Feb-2024 07:01 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 80 - STARTING</b>										
<b>80-10-01-720-001-A00<sup>S</sup> FUNCTIONALLY CHECK AIR TURBINE STARTER (ATS) INCLUDING OIL SERVICING.</b>										
	MOS	29-Jun-23	12 (+15d/-15d)					LOW UTILIZATION		Service ATA:80
	HRS	10161.5	500 (+20/-20)							
	AFL	5401								
PROC. REF: AMM 80-10-01										PKG:5002
<b>80-10-02-160-001-A00<sup>S</sup> SERVICE (CLEANING) START CONTROL VALVE FILTER</b>										
	MOS	29-Jun-23	48 (+15d/-15d)					LOW UTILIZATION		Service ATA:80
	HRS	10161.5	2000 (+20/-20)							
	AFL	5401	1000 (+20/-20)							
PROC. REF: AMM 80-10-02										PKG:5008,6016
<b>801100-0101 LH ENG PNEUMATIC STARTER UNIT</b>										
PN:3505910-6	MOS/MSC	27-Aug-07	O/C	TSN 0						Component ATA:80
SN:2578	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										
<b>801100-0102 RH ENG PNEUMATIC STARTER UNIT</b>										
PN:3505910-6	MOS/MSC	27-Aug-07	O/C	TSN 0						Component ATA:80
SN:2576	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										
<b>801100-0201 LH ENG BUTTERFLY TYPE,STARTER SYS SHUTOFF VALVE</b>										
PN:3215358-2	MOS/MSC	27-Aug-07	O/C	TSN 0						Component ATA:80
SN:2313	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										
<b>801100-0202 RH ENG BUTTERFLY TYPE,STARTER SYS SHUTOFF VALVE</b>										
PN:3215358-2	MOS/MSC	27-Aug-07	O/C	TSN 0						Component ATA:80
SN:2312	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: NDT GENERIC										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task