

PRIVATE JETS INC

COMPUTERIZED MAINTENANCE TRACKING

N393PJ

S/N 501-0303

Cessna Citation Model 501
Unit 0551

MFG Date Jul-80

Date **6/16/26**

L/H Engine

Aircraft Total Time 9314.8

Pratt & Whitney JT15D-1A

S/N PCE-76713

Aircraft Total Landings 8098

A/C Hobbs 407.2
12/9/2024

TTSN	8203.8 Eng Hrs
TCSN	7085 Cycles
TTSHSI	591.4 Eng Hrs
TCSHSI	487 Cycles
TTS O/H	2343 Eng Hrs
TCS O/H	2006 Cycles

R/H Engine

Pratt & Whitney JT15D-1A

S/N PCE-76286

TTSN	8517.4 Eng Hrs
TCSN	7449 Cycles
TTSHSI	293.8 Eng Hrs
TCSHSI	244 Cycles
TTS O/H	2091.3 Eng Hrs
TCS O/H	1520 Cycles

Note* As a Model 500 S/N was 500-0397 Unit 551 SB11-4r5 changed the S/N to 501-0303 Unit 551

PHASE INSPECTION PROGRAM

Ref: Model 500 Maintenance Manual Chapter 5-10-00

Ref	Phase	INTERVAL	C/W	DUE	REMAINING	
B		150	9314.6	9464.6	149.8 AFTT HRS	plus 30hrs
1	Method 3	300	9314.6	9614.6	299.8 AFTT HRS	plus 30hrs
	Phases 1-4 are combined	24 mo	6/12/26	6/11/28	726 DAYS	
2		300	9314.6	9614.6	299.8 AFTT HRS	plus 30hrs
		24 mo	6/12/26	6/11/28	726 DAYS	
3		300	9314.6	9614.6	299.8 AFTT HRS	plus 30hrs
		24 mo	6/12/26	6/11/28	726 DAYS	
4		300	9314.6	9614.6	299.8 AFTT HRS	plus 30hrs
		24 mo	6/12/26	6/11/28	726 DAYS	
5		1200	9314.6	10514.6	1199.8 AFTT HRS	plus 100hrs
		36 mo	6/12/26	6/11/29	1091 DAYS	
6	N/A	Aircraft is not based in a corrosive environment				
7	N/A	Drag chute not installed				
8	Oil change L/H Engine	Oil change is on condition per Pratt & Whitney M/M 72-00-00 pg 608				
8	Oil change R/H Engine	Oil change is on condition per Pratt & Whitney M/M 72-00-00 pg 608				
9	N/A	No inspection critiera listed in maintenance manual for this phase				
10	N/A	Foreign registered A/C only Gill sealed lead acid battery installed P/N G6381ES Inspected per Gill M/M see below				
11	N/A	Aircraft registered in the Netherlands only				
12	ACM oil change	600	9004.6	9604.6	289.8 AFTT HRS	
		600	7763	8363	265 LANDINGS	
13	Emergency power supply PS-823 Nicad	Not installed				
14	Emergency power supply PS-835 Lead acid	Not installed				
15	Horiz & vertical fwd & aft spar	10000	0	10000	685.2 AFTT HRS	One time then 15000 hrs
		15000				One time then 1000 hrs
		1000				Every 1000 hrs
16	Engine support structure &	10000	0	10000	685.2 AFTT HRS	One time then 15000 hrs
		15000				One time then 1000 hrs
		3000				Every 3000 hrs
17	Horizontal stab attach fittings &	10000	0	10000	685.2 AFTT HRS	

18 Inspect Toilet,life vests,oxy masks, emerg equip 1 yr 6/12/26 6/12/27 361 Days

PHASE INSPECTION PROGRAM

CONTINUED

Ref: Model 500 Maintenance Manual Chapter 5-10-00

Ref	Phase	INTERVAL	C/W	DUE	REMAINING			
	19 N/A	No inspection critiera listed in maintenance manual for this phase						
	20 91.411 & 91.413 & RVSM Certification	2 yrs	10/9/23	10/8/25	(251) DAYS			
	21 Underwater locator beacon	2 yrs	N/A	Equipment not installed	See log date 6/2/09			
per SL 35-06	22 Hydro test Oxygen & Gear bottle							
	Puritan Oxygen Bottle	3 yrs	9/23/24	9/23/27	464 DAYS	176176-64	547657	
	HTL Emergency Gear Bottle	3 yrs	11/14/24	11/14/27	516 DAYS	9912103-3	3695	
	Bottle Life Limit 10-2026							
	23 Elevator rate limiter (CAA requirement)	5 yrs	N/A	Aircraft is r				
	24 Inspect Bulkhead,Spar, Etc	10000	0.0	10000.0	685.2 AFTT HRS	One time inspect then		
		3000			AFTT HRS	every 3000hrs thereafter		
8/22/08	25 Engine Hot Section Inspection L/H	1750	Per rev 35 Phase 25 not used. See below component time limits					76713
7/30/99	Engine Hot Section Inspection R/H	1750	Per rev 35 Phase 25 not used. See below component time limits					77181
	26 N/A	Hydro test performed on Phase 22						
	27 thru 33 N/A	No inspection critiera listed in maintenance manual for these phases						
	34 Inspect portable fire extinguisher, etc	6 mo	6/12/26	12/11/26	179 DAYS			
	35 & 36 N/A	No inspection critiera listed in maintenance manual for these phases						
	37 Structure inspection	5000	5006.5	10006.5	691.7 AFTT HRS			
	38 N/A	No inspection critiera listed in maintenance manual for this phase						
	39 N/A	For aircraft with Camara pod & Nav sight installed						
	40 Inspect Cabin Door Fuselage Frame	10000	Per Revision 35 This inspection is not currently used					
	41 N/A	For aircraft registered in the Netherlands or France only						
	42 thru 46 N/A	No inspection critiera listed in maintenance manual for this phase						
	47 Hydro Test Portable Fire Extinguishers	12 yrs	8/16/24	8/13/36	3711 DAYS			
	48 Inspect Portable Fire extinguihsers	6 yrs	8/16/24	8/15/30	1521 DAYS			
	49 Inspect Windshields,Windows,Skin Seam	3 yrs	6/12/26	6/11/29	1091 DAYS			
		1200	8249.5	9449.5	134.7 AFTT HRS	plus 100hrs		
	50 Inspect Front Carry-Thru to Wing Spar Lugs	3 yrs	Not currently used					
		1200	Not currently used					
	51 N/A	for aircraft not incorporating SB 28-10						
	52 Forward & Aft bulkhead inspection	5000	6871.1	AFTT 5916.2	Black binder	WO SE-DVA		
					AFTT HRS	One time inspect then		

2000 8720.3 10720.3 1405.5 AFTT HRS every 2000hrs thereafter

PHASE INSPECTION PROGRAM

CONTINUED

Ref: Model 500 Maintenance Manual Chapter 5-10-00

Ref	Phase	INTERVAL	C/W	DUE	REMAINING	
53	ELT inspect & test FAR 91.207 (d)	12 mo	6/12/26	6/12/27	361 DAYS	
MA	Inspect NLG Fork	12000	0	12000	3902 Landings	One time inspect then
		1000			Landings	every 1000 ldgs after
MC	Inspect NLG Fork British Certified Aircraft Only		Per Revision 35		Inspection currently not used	
MD	Inspect MLG side brace fitting	5000	4530	9530	1432 Landings	
ME	N/A British certified aircraft only		Per Revision 35		Inspection currently not used	
MF	Inspect brake L/H	200	8098	8298	200 Landings	
MF	Inspect brake R/H	200	8098	8298	200 Landings	
MG	Inspect brakes		For aircraft with T/R's installed only			
!yr	Reweigh Aircraft	3 yr	10/9/23	10/8/26	114 Days	
	Gill Sealed Lead Acid Batteries					
	Initial Inspection	800	8906.2	9706.2	800.0 AFTT HRS	One time inspect then
	Initial Inspection	1 yr	7/20/23	7/19/24	365 DAYS	
	GIIL P/N 7638-44	400			AFTT HRS	
P & W	Borescope engine L/H	300	4170.9	SB 7288 installed	This insp no longer required	
P & W	Borescope engine R/H	300	7024.8	SB 7288 installed	This insp no longer required	
P & W	Inspect Oil Filter L/H		C/W during the Phase 2 & 4			
P & W	Inspect Oil Filter R/H		C/W during the Phase 2 & 4			
P & W	Engine Minor Inspection Phase 4 L/H	300	9314.6	9614.6	299.8 AFTT HRS	
P & W	Engine Minor Inspection Phase 4 R/H	300	9314.6	9614.6	299.8 AFTT HRS	

RVSM

Instruction for Continued Airworthiness Document IC2703-34254

Ref	Description	INTERVAL	C/W	DUE	REMAINING	P/N	S/N
AAIP	RVSM inspection guide	24 mo	6/12/26	6/11/28	726 DAYS		

PORTABLE FIRE EXTINGUISHER INSPECTIONS

NFPA No. 10

Ref	Description			INTERVAL	C/W	DUE	REMAINING	P/N	S/N
	Inspect portable fire extinguisher	Cockpit		30 day	6/12/26	7/12/26	26 Days		
Phase 34	Inspect portable fire extinguisher	Cockpit		1 yr	6/12/26	6/12/27	361 Days		
Phase 48	Inspect portable fire extinguisher	Cockpit	Internal	6 yr	8/16/24	8/15/30	1521 Days		
Phase 47	Inspect portable fire extinguisher	Cockpit	Hydro	12 yr	8/16/24	8/13/36	3711 Days		
	Inspect portable fire extinguisher	Cabin		30 day	6/12/26	7/12/26	26 Days		X-481504
Phase 34	Inspect portable fire extinguisher	Cabin		1 yr	6/12/26	6/12/27	361 Days		
Phase 48	Inspect portable fire extinguisher	Cabin	Internal	6 yr	8/16/24	8/15/30	1521 Days		
Phase 47	Inspect portable fire extinguisher	Cabin	Hydro	12 yr	8/16/24	8/13/36	3711 Days		

COMPONENT TIME LIMITS

Ref: Model 500 Maintenance Manual Chapter 5-11-00

Ref	Description			INTERVAL	C/W	DUE	REMAINING	P/N	S/N
O/H	Environment Control Unit (Hamilton Standard)								
	Air cycle machine			5000	Cessna Refrigeration unit installed		P/N 9912069-21		
O/H	Overhead Cabin Fan	Blower assy		1200	8414.2	9614.2	299.4 AFTT HRS	BC61A-901-2	629A
	Engine Fire Extinguisher Cartridges								
	Forward bottle								
	Log entry 8/16/2024	Total life (MFG Date)		10 yrs	3/31/22	3/28/32	2112 DAYS	M13083-5	
	Aft bottle								
	Log entry 8/16/2024	Total life (MFG Date)		10 yrs	10/15/17	10/13/27	484 DAYS	M13083-5	

COMPONENT TIME LIMITS

Ref: Model 500 Maintenance Manual Chapter 5-11-00

Ref	Description			INTERVAL	C/W	DUE	REMAINING	P/N	S/N
	Aft Bottle	Service life (installed)		4 yrs					
	Log engty 8/8/2022	Total life (MFG Date)		10 yrs	10/15/17	10/13/27	484 DAYS	M13083-5	
	FWB Bottle	Service life (installed)		4 yrs					
	Log engty 6/8/18	Total life (MFG Date)		10 yrs	2/1/18	1/30/28	593 DAYS	M13085-5	
	Engine Fire Bottle Fwd	Hydro		5yrs	2/1/24	1/30/29	959 Days		B13588
	Engine Fire Bottle Aft	Hydro		5yrs	5/20/22	5/19/27	337 Days		B13576
	Flap Gear Box	L/H		3000	6798.1	9798.1	483.3 AFTT HRS	5565175-38	120796
		R/H		3000	6798.1	9798.1	483.3 AFTT HRS	5565175-38	120193

Brake Assyembly Goodrich	L/H	749	7608	8357	259	Landings	2-1530-4	572
	R/H	749	7608	8357	259	Landings	2-1530-4	3179
Main Landing Gear								
Trunnion Attach Pin	L/H	28600	0	28600	20502	Landings	5541205-3	
	R/H	28600	0	28600	20502	Landings	5541205-4	
Actuator assembly	L/H	37500	0	37500	29402	Landings	9912053-13	DA1145
	R/H	37500	0	37500	29402	Landings	9912053-12	DA767
Actuator Attach Pin	L/H	28600	4895	33495	25397	Landings	6527213-2	
	R/H	28600	0	28600	20502	Landings	6527213-2	

COMPONENT TIME LIMITS

Ref: Model 500 Maintenance Manual Chapter 5-11-00

Ref	Description	P/N	INTERVAL	C/W	DUE	REMAINING	P/N	S/N
	Main Landing Gear Assembly	P/N	5541000-11 & 5541000-12					
	Actuator Attach Stud	L/H	28600	0	28600	20502 Landings	6541204-2	
		R/H	28600	0	28600	20502 Landings	6541204-2	
	Trunnion	L/H	28600	0	28600	20502 Landings	5541306-3	
		R/H	28600	0	28600	20502 Landings	5541306-3	
	Cylinder Assembly	L/H	16100	0	16100	8002 Landings	5541109-5	
		R/H	16100	0	16100	8002 Landings	5541109-6	
	Piston Weld Assembly	L/H	15000	0	15000	6902 Landings	5541108-5	
		R/H	15000	0	15000	6902 Landings	5541108-6	
	Axle	L/H	28600	0	28600	20502 Landings	6541200-1	
		R/H	28600	0	28600	20502 Landings	6541200-1	
	Upper Piston Bearing	L/H	28600	0	28600	20502 Landings	5541310-3	
		R/H	28600	0	28600	20502 Landings	5541310-3	
	Upper Torque Link Assembly	L/H	28600	0	28600	20502 Landings	5541304-9	
		R/H	28600	0	28600	20502 Landings	5541304-10	
	Lower Torque Link Assembly	L/H	28600	0	28600	20502 Landings	5541304-11	
		R/H	41600	0	41600	33502 Landings	5541304-6	
	Torque Link Shaft	L/H	28600	0	28600	20502 Landings	6541212-2	

	R/H	28600	0	28600	20502 Landings	6541212-2
Torque Link Bolt	L/H	41600	0	41600	33502 Landings	5541220-2
	R/H	41600	0	41600	33502 Landings	5541220-2
Torque Link Nut	L/H	28600	0	28600	20502 Landings	MS17825-8
	R/H	28600	0	28600	20502 Landings	MS17825-8
Forward Trunnion Fitting Assy	L/H	20000	0	20000	11902 Landings	552270-1
	R/H	20000	0	20000	11902 Landings	5522700-2
Aft Trunnion Fitting Assembly	L/H	41600	0	41600	33502 Landings	5522710-1
	R/H	41600	0	41600	33502 Landings	5522710-2

COMPONENT TIME LIMITS

Ref: Model 500 Maintenance Manual Chapter 5-11-00

Ref	Description	INTERVAL	C/W	DUE	REMAINING	P/N	S/N
	Nose Landing Gear	Parts included with gear					
	Nose Landing Gear Assy	41000	0	41000	32902 Landings		
	Trunion Pins	41000	0	41000	32902 Landings		
	Actuator Support Fitting	41000	0	41000	32902 Landings		
	Actuator Attach Bolt	41000	0	41000	32902 Landings		
	Piston Weld Assembly	41000	0	41000	32902 Landings		
	Fork	41000	0	41000	32902 Landings		
	Cylinder Braze Assembly	N/A	For P/N 9912063-3 P/N installed 9912063-13				
	Upper Torque Link	41000	0	41000	32902 Landings		
	Lower Torque Link	41000	0	41000	32902 Landings		
	Axle Shaft	41000	0	41000	32902 Landings		
	Axle Bucket	41000	0	41000	32902 Landings		
	Exceptions						
	Trunion Assembly	22500	0	22500	14402 Landings	5542301-5	
	Actuator Assembly	32600	0	32600	24502 Landings	9912063-13	
	Axle Spacer	22500	0	22500	14402 Landings	5542223-1	
	Torque Link Shaft	22500	0	22500	14402 Landings	5542208-3	
	Trunnion Support Fitting	L/H 22500	5395	27895	19797 Landings	5513056-5	
		R/H 22500	0	22500	14402 Landings	5513056-6	

Replace	Pneumatic Blowdown / Emergency Brake Bottle									
	HTL / Pacific Scientific			24 yrs	10/15/02	10/9/26	115	DAYS		
	Locator Beacon Battery Pack (ELT)			Log 6/8/18	3yr	8/16/24	8/16/27	426	DAYS	ELT110-4 P/N 452-0130

COMPONENT TIME LIMITS

Ref: Model 500 Maintenance Manual Chapter 5-11-00

Ref	Description			INTERVAL	C/W	DUE	REMAINING	P/N	S/N
Replace	Oxygen Bottle								
			3HT1850	24 yrs	3/1/06	3/1/30	1354 DAYS	176176-64	547657
	Oxygen Masks								
		Pilot	Log entry	11/11/16	12 Yr	11/9/16	11/6/28	874 DAYS	MC10-16-101 39469I
		Co-Pilot	Log entry	11/11/16	12 yr	11/9/16	11/6/28	874 DAYS	MC10-16-101 54377I
	Passenger Oxygen Masks								
	Fwd	Box 1	Mask 1	Log entry 1/12/15	8 yr	7/17/20	7/15/28	760 DAYS	C351-2000-205
			Mask 2		8 yr	3/12/20	3/10/28	633 DAYS	or
	Box 2	Mask 3		Not Installed					
		Mask 4		8 yr	7/17/20	7/15/28	760 DAYS	Customer P/N	
	Box 3	Mask 5		8 yr	7/17/20	7/15/28	760 DAYS	174505-01	
		Mask 6		8 yr	3/12/20	3/10/28	633 DAYS		
	Box 4	Mask 7		8 yr	7/17/20	7/15/28	760 DAYS		
		Mask 8		8 yr	7/17/20	7/15/28	760 DAYS		
	Box 5	Mask 9		Not Installed					
		Mask 10		8 yr	8/31/22	8/29/30	47724 DAYS		
	Power Plants								
	L/H	Engine Mounts		Aft	3500	6970.8	10470.8	1156.0 AFTT HRS	9912455-2 2293
				Fwd Top	3500	6970.8	10470.8	1156.0 AFTT HRS	9912455-1 3138
				Fwd Bottom	3500	6970.8	10470.8	1156.0 AFTT HRS	9912455-1 3133
	R/H	Engine Mounts		Aft	3500	9311	12811	3496.2 AFTT HRS	
				Fwd Top	3500	9311	12811.0	3496.2 AFTT HRS	
				Fwd Bottom	3500	9311.0	12811.0	3496.2 AFTT HRS	
	L/H	Engine Overhaul	8/22/08	5079	3500	5860.8	9360.8	1157 Eng Hrs	JT15D-1A 76713 +/-50.0
	R/H	Engine Overhaul	6/12/98		3500	5732.4	9232.4	715.0 Eng Hrs	JT15D-1A 76286 +/-50.0
Phase 25	L/H	Engine Hot Section	Cycles HSI	6598	1750	7612.4	9362.4	1158.6 Eng Hrs	JT15D-1A 76713 +/-50.0
Phase 25	R/H	Engine Hot Section	Cycles HSI	7205	1750	8223.6	9973.6	1456.2 Eng Hrs	JT15D-1A 76286 +/-50.0

Starter / Generators

L/H Engine	1000	8455.9	9455.9	141.1 AFTT HRS	23080-001-1	1108
R/H Engine	1000	8414.2	9414.2	99.4 AFTT HRS	23080-001-1	2614

L/H ENGINE LIFE LIMIT ITEMS

JT15D-1A S/N 76713

Ref: Life Limit Items in SB P&WC 72-7002 & Disk Time Record Sheet from Overhaul

At Overhaul 8/22/08 TTSN 5860.8 Eng TTSN
 TCSN 5079 Eng TCSN

Description	P/N S/N	Life Limit Cycles	At Install		Remaining Cycles	
			Total Cycles Date	Total Cycles on Part		
Hub Low Compressor	3018018 5A3707	27500	8202 8/22/08	10208	17292 Cycles	
<i>Note: Hub Low Compressor has a Flight Count Factor =2</i> <i>Total Flights = Number of Flights x flight Count Factor</i>						<i>Total FCF Cycles 20416</i> <i>Remaining Cycles 7084</i>
Impeller	3020365 PA2115	8400	5079 8/22/08	7085	1315 Cycles	
High Turbine Disk	3023411 1107	14000	4723 8/22/08	6729	7271 Cycles	
Second Turbine Disk	3022212 3394	14000	5484 8/22/08	7490	6510 Cycles	
Third Turbine Disk	3021213 6D654	14000	5079 8/22/08	7085	6915 Cycles	
High Turbine Blades	3070381-01	These blades are non life limited				
<i>Note: All new blades installed</i>		8/22/08				

R/H

ENGINE LIFE LIMIT ITEMS

JT15D-1A

S/N

76286

Ref: Life Limit Items in SB P&WC 72-7002 &

Disk Time Record Sheet from Overhaul Dated 9/22/89

At Overhaul	6/12/98	TTSN	6426.1	Last Overhaul	6/12/98	TTSN	6426.1
		TCSN	5929			TCSN	5929

At Install

Description	P/N S/N	Life Limit Cycles	Total Cycles Date	Total Cycles on Part	Remaining Cycles
Hub Low Compressor	3018018 383	27500	9250 6/12/98	10770	16730 Cycles
<i>Note: Hub Low Compressor has a Flight Count Factor =2</i> <i>Total Flights = Number of Flights x flight Count Factor</i>				Total FCF Cycles	21540
					Remaining Cycles 5960
Impeller	3020365 A4327	8400	5929 6/12/98	7449	951 Cycles
High Turbine Disk	3023411 359	14000	5929 6/12/98	6173	7827 Cycles
Second Turbine Disk	3022212 438	14000	5929 6/12/98	7449	6551 Cycles
Third Turbine Disk	3036113 361	14000	5929 6/12/98	7449	6551 Cycles
High Turbine Blades	3028601	3500	0.0 6/12/98	293.8	3206.2 Eng Hrs

AIRWORTHINESS DIRECTIVES (AD's)

Ref	Description		INTERVAL	C/W	DUE	REMAINING
73-26-09	Flight Compartment side Window		N/A	Due to S/N of Aircraft		
74-26-05	Fuel Control Units	L/H	N/A	P/N not installed per Overhaul sheet		
74-26-05	Fuel Control Units	R/H	N/A	P/N not installed per Overhaul sheet		
79-12-06	Upper & Lower Spar Cap Stems		N/A	Due to S/N & Unit number		
80-09-09	Dual Flight Director Installation		N/A	Due to S/N of Aircraft		
83-01-06			N/A	8/3/07	6815.8	Equipment not installed
87-10-01	Fan blades	L/H	C/W	8/22/08		Found embodied at O/H
87-10-01	Fan blades	R/H	C/W	4/23/87		C/W at overhaul by Volvo Fly
87-20-05	Seat belts		N/A	6/1/88	3171	
87-17-06	Seat belts		N/A	6/1/88	3171	
89-06-01	Switlik Life Jackets		N/A	5/7/89	Type not installed	
90-03-02	Vertical Gyro		N/A	3/12/90	3668	
90-07-01	Keith Air conditioner		N/A	5/16/90	3719	
93-05-15	Thrust Reveerser Throttle Load Limiter		N/A	Thrust Reversers not installed		
93-18-08	High pressure turbine assembly	L/H	C/W	8/22/08		Found embodied at O/H
93-18-08	High pressure turbine assembly	R/H	N/A	9/12/96	5283.6	
94-19-06	Puritian Oxygen Masks		C/W	2/6/95	4821.2	
95-25-10	Outflow / safety Valve		N/A	7/20/96	Due to P/N installed	
98-04-38	AFM - Limitations Section - icing		C/W	5/2/98	5631.3	Blue logbook, yellow section
98-25-02	BF Goodrich skywatch		C/W	8/17/99	5698.2	Blue logbook, yellow section
98-25-10	Aircraft Belts INC		C/W	8/17/99	5698.2	Blue logbook, yellow section
99-08-21	Puritian Bennett		C/W	8/17/99	5698.2	Blue logbook, yellow section
001-23-17	Garmin GNS430		N/A	6/9/02	GNS 430 not installed	
003-13-08	Goodrich Avionics systems		N/A	1/19/04	6387.4	Equipment not installed
004-04-09	Impellers	L/H	C/W	8/22/08		Found embodied at O/H
004-04-09	Impellers	R/H	N/A	4/13/04	6416	Impeller P/N not installed
004-08-15	TAWS 8000 Terrain		N/A	5/4/04	6431.4	Equipment not installed
004-09-05	Brake Stator Disks		N/A	7/5/04	6441.7	
005-01-05			N/A	8/15/08	Software 4.06 is installed	
005-01-19	Garmin GTX330		N/A	8/15/08	Verified that software 4.06 in installed	
005-25-08	Shadin ADC 2000		N/A	4/26/06	6674.4	Equipment not installed
006-04-10	Incorrect wires engine fire bottles		C/W	4/26/06	6674.4	SB 26-02 C/W on 6/10/05
006-06-03	Airplane Flight Manual (AFM)		C/W	5/10/06	6674	
006-16-18	Sandel TAWS ST3400		C/W	9/14/06	6757.4	

06-16-18R1	Sandel TAWS ST3400	C/W	9/14/06	6757.4	Per this log entry Software 3.07 has been loaded
007-11-17	Wires for positive & negative terminal fire bottles	C/W	4/26/06	6674.4	SB 26-02 C/W on 6/10/05
010-01-03	Fire Fighting Enterprises Halon fire extinguishers	N/A	1/5/10	Verified by CH	Manufacturer not installed
011-01-09	BE Aerospace PBEs	N/A	1/5/11	Equipment not installed	
011-04-09	Oxygen Generators	N/A		Oxygen generators not installed	
012-11-09	R1 Oxygen Generators	N/A	8/14/15	8020.3	Equipment not installed
013-09-11	Air conditioner compressor motor P/N 1134104-1,-5	N/A	7/1/13	Keith Products installed P/N ES61108-1	
015-08-07	Crew oxygen masks	N/A	6/1/15	Type not installed	
015-10-51	Avidyne Integrated Flight Displays	N/A	6/1/15	Avidyne equipment not installed	
015-17-12	Air conditioner compressor motor	N/A	8/26/15	8020.3	STC & P/N of motor not installed
015-23-09	Zodiac oxygen masks	N/A	12/4/15	8081.2	MFG & P/N not installed
016-11-20	BE Aerospace PBEs	N/A	12/23/16	8219.2	Equip not installed
018-21-14	Zodiac Aerotechnics MC10 series oxygen masks	N/A	3/26/19	8450.5	Do to P/N installed

SERVICE BULLETINS (SB's)

Ref		Description	INTERVAL	C/W	DUE	REMAINING
SB	11-4 R5	Model 500 conversion to 501	C/W	12/14/01	5964.5	
SL	21-20	Compressor drive motor brush inspect/replacement	C/W	3/8/94	4531.9	
SB	21-23	Outflow valve	C/W	5/31/95	4901.3	
SB	23-18	VLF noise filter	C/W	11/8/00	5841.4	Blue logbook yellow section
SB	23-22	Sunstrand CVR	N/A	12/12/94	4795.1	
SB	24-18	Wing tip wire bundle	C/W	11/8/00	5841.4	Blue logbook yellow section
SL	500-25-3	Inspect / Modification of personel flotation devices				
SL	25-08	Replace CO2 cartridge in life vests	C/W	1/28/97	5364.8	
SB	25-09	Glareshield	C/W	11/8/00	5841.4	Blue logbook yellow section
SB	26-02	Engine fire bottle wiring	C/W	6/10/05	6608.4	
SB	27-9	Speed brake switch	C/W	11/25/88	3348	
SB	27-14	Flap motor connector	C/W	3/20/07	6798.1	
SB	27-15	L & R flap gear box	C/W	5/6/02	6026.5	
SB	27-16	Elevator electric trim	C/W	11/8/00	5841.4	Blue logbook yellow section
SB	28-7 R5	Motive Flow Fuel press switch removal	C/W	12/14/01	5964.5	

SB	28-08	Fuel cell inspection	C/W	3/14/96	5152.2	
SB	28-09	Airborne fuel pump	C/W	9/11/96	5283.5	
SB	28-10	Fuel cell foam block	C/W	6/21/01	5916.2	Black binder WO SE-DVA
SB	28-12	Wing boost pump wiring	C/W	5/10/06	6674	Installed kit #SB500-12-0
SB	32-38	Brakes	N/A	1/22/90	3652	
SB	32-42	MLG wheel well hyd lines grommet replacement	C/W	3/8/94	4531.9	
SB	32-45	Power brake screw	C/W	11/10/00	5841.4	Cessna log book
SB	32-47	Goodrich brakes	C/W	11/8/00	5841.4	Blue logbook yellow section
SB	32-48	Goodrich brakes	C/W	11/8/00	5814.4	Blue logbook yellow section
SL	32-53	NLG Uplock line inspection	C/W	3/8/94	4531.9	
SL	32-54	Landing gear locking solenoid inspection	C/W	3/8/94	4531.9	
SL	32-56	Cleveland brake bolt replacment	N/A	10/25/93	4394.5	Equipment not installed
SL	32-57	NLG down and lock switch inspection	C/W	3/8/94	4531.9	
SL	32-62	MLG actuator stud inspection	C/W	10/25/93	4394.5	
SL	32-66	NLG wheel hardware inspection	C/W	11/10/94	4773.3	
SB	32-85	Emergency air bottle replace	C/W	1/28/97	5364.8	

SERVICE BULLETINS (SB's)

Ref		Description	INTERVAL	C/W	DUE	REMAINING
SL	33-04	Landing light switch replace	C/W	10/25/93	4394.5	
SB	33-13	Emergency light battery upgrade	C/W	5/16/16	8112.2	
SB	34-15	9500 lb Zero fuel	C/W	3/17/97	5416	
SB	34-57	Starter/Generator & GCU filter installation	C/W	3/8/94	4531.9	
SB	34-58	Vertical gyro	N/A	11/9/89	3603	
SI	430-100	Glareshield mod	C/W	4/30/07	6804.6	
SB	35-06	Eros mask	C/W	11/11/16	8198.0	
SB	52-15	Cabin door hinge pin	C/W	1/12/88	3025.0	
SB	52-16	Entry step improvement installation	C/W	3/8/94	4531.9	
SB	52-18	Baggage door safety lock installation	N/A	8/3/07	6815.8	Equipment not installed
SB	52-19	Door step catch cover	C/W	11/8/00	5841.4	Blue logbook yellow section
SB	56-6 R4	Windshield replacement L/H	C/W	12/14/01	5964.5	

SL	57-04	Wire bundle route improvement		C/W	3/8/94	4531.9
SB	57-05	Wing carry-thru spar fitting inspection		C/W	9/15/95	5038.3
SL	500-72-10	Inspection of Impeller	L/H	C/W	8/22/08	SB 7590 was found embodied at O/H
SL	500-72-10	Inspection of Impeller	R/H	N/A		P/N of Impeller not installed
SL	74-04	Igniter box grounding		C/W	2/22/01	5874.3
SB	7136R4	Oil Pump	L/H	C/W	7/16/09	5934.8 Eng TT
SB	7185R2	Oil Pump	L/H	C/W	7/16/09	5934.8 Eng TT
SB	7193		L/H	C/W	8/18/94	
SB	7193		R/H	C/W	9/22/81	
	7281		L/H			
	7281		R/H			
	7288		L/H	C/W	8/18/94	
	7288		R/H	C/W	3/28/00	
	7297		L/H			
	7297		R/H	C/W	10/25/93	
	7306		L/H	C/W	8/22/08	
	7306		R/H			
	7317		L/H	C/W	8/18/94	
	7317		R/H	C/W	3/28/00	
	7476		L/H			
	7476		R/H			
	7581					
	7581					

