

PRIVATE JETS INC

COMPUTERIZED MAINTENANCE TRACKING

N393PJ

S/N 501-0303

Cessna Citation Model 501
Unit 0551

MFG Date Jul-80

Date **9/14/26**

L/H Engine

Aircraft Total Time 9339.2

Pratt & Whitney JT15D-1A

S/N PCE-76713

Aircraft Total Landings 8111

A/C Hobbs 407.2
12/9/2024

TTSN	8228.2 Eng Hrs
TCSN	7098 Cycles
TTSHSI	615.8 Eng Hrs
TCSHSI	500 Cycles
TTS O/H	2367.4 Eng Hrs
TCS O/H	2019 Cycles

R/H Engine

Pratt & Whitney JT15D-1A

S/N PCE-76286

TTSN	8541.8 Eng Hrs
TCSN	7462 Cycles
TTSHSI	318.2 Eng Hrs
TCSHSI	257 Cycles
TTS O/H	2115.7 Eng Hrs
TCS O/H	1533 Cycles

Note* As a Model 500 S/N was 500-0397 Unit 551 SB11-4r5 changed the S/N to 501-0303 Unit 551

PHASE INSPECTION PROGRAM

Ref: Model 500 Maintenance Manual Chapter 5-10-00

Ref	Phase	INTERVAL	C/W	DUE	REMAINING	
B		150	9314.6	9464.6	125.4 AFTT HRS	plus 30hrs
1	Method 3	300	9314.6	9614.6	275.4 AFTT HRS	plus 30hrs
	Phases 1-4 are combined	24 mo	6/12/26	6/11/28	636 DAYS	
2		300	9314.6	9614.6	275.4 AFTT HRS	plus 30hrs
		24 mo	6/12/26	6/11/28	636 DAYS	
3		300	9314.6	9614.6	275.4 AFTT HRS	plus 30hrs
		24 mo	6/12/26	6/11/28	636 DAYS	
4		300	9314.6	9614.6	275.4 AFTT HRS	plus 30hrs
		24 mo	6/12/26	6/11/28	636 DAYS	
5		1200	9314.6	10514.6	1175.4 AFTT HRS	plus 100hrs
		36 mo	6/12/26	6/11/29	1001 DAYS	
6	N/A	Aircraft is not based in a corrosive environment				
7	N/A	Drag chute not installed				
8	Oil change L/H Engine	Oil change is on condition per Pratt & Whitney M/M 72-00-00 pg 608				
8	Oil change R/H Engine	Oil change is on condition per Pratt & Whitney M/M 72-00-00 pg 608				
9	N/A	No inspection criteria listed in maintenance manual for this phase				
10	N/A	Foreign registered A/C only Gill sealed lead acid battery installed P/N G6381ES Inspected per Gill M/M see below				
11	N/A	Aircraft registered in the Netherlands only				
12	ACM oil change	600	9004.6	9604.6	265.4 AFTT HRS	
		600	7763	8363	252 LANDINGS	
13	Emergency power supply PS-823 Nicad	Not installed				
14	Emergency power supply PS-835 Lead acid	Not installed				
15	Horiz & vertical fwd & aft spar	10000	0	10000	660.8 AFTT HRS	One time then 15000 hrs
		15000				One time then 1000 hrs
		1000				Every 1000 hrs
16	Engine support structure &	10000	0	10000	660.8 AFTT HRS	One time then 15000 hrs
		15000				One time then 1000 hrs
		3000				Every 3000 hrs
17	Horizontal stab attach fittings &	10000	0	10000	660.8 AFTT HRS	

18	Inspect Toilet,life vests,oxy masks, emerg equip	1 yr	6/12/26	6/12/27	271	Days
----	--	------	---------	---------	-----	------

PHASE INSPECTION PROGRAM

CONTINUED

Ref: Model 500 Maintenance Manual Chapter 5-10-00

Ref	Phase	INTERVAL	C/W	DUE	REMAINING			
per SL 35-06	19	N/A	No inspection critiera listed in maintenance manual for this phase					
	20	91.411 & 91.413 & RVSM Certification	2 yrs	3/18/26	3/17/28	550	DAYS	
	21	Underwater locator beacon	2 yrs	N/A	Equipment not installed	See log date 6/2/09		
	22	Hydro test Oxygen & Gear bottle						
		Puritan Oxygen Bottle	3 yrs	9/23/24	9/23/27	374	DAYS	
		HTL Emergency Gear Bottle	3 yrs	11/14/24	11/14/27	426	DAYS	
		Bottle Life Limit 10-2026						
	23	Elevator rate limiter (CAA requirement)	5 yrs	N/A	Aircraft is r			
	24	Inspect Bulkhead,Spar, Etc	10000	0.0	10000.0	660.8	AFTT HRS	
			3000				AFTT HRS	
8/22/08 7/30/99						One time inspect then		
						every 3000hrs thereafter		
	25	Engine Hot Section Inspection L/H	1750	Per rev 35 Phase 25 not used. See below component time limits				76713
		Engine Hot Section Inspection R/H	1750	Per rev 35 Phase 25 not used. See below component time limits				77181
	26	N/A	Hydro test performed on Phase 22					
	27 thru 33	N/A	No inspection critiera listed in maintenance manual for these phases					
	34	Inspect portable fire extinguisher, etc	6 mo	6/12/26	12/11/26	89	DAYS	
	35 & 36	N/A	No inspection critiera listed in maintenance manual for these phases					
	37	Structure inspection	5000	5006.5	10006.5	667.3	AFTT HRS	
	38	N/A	No inspection critiera listed in maintenance manual for this phase					
39	N/A	For aircraft with Camara pod & Nav sight installed						
40	Inspect Cabin Door Fuselage Frame	10000	Per Revision 35 This inspection is not currently used					
41	N/A	For aircraft registered in the Netherlands or France only						
42 thru 46	N/A	No inspection critiera listed in maintenance manual for this phase						
47	Hydro Test Portable Fire Extinguishers	12 yrs	8/16/24	8/13/36	3621	DAYS		
48	Inspect Portable Fire extinguihsers	6 yrs	8/16/24	8/15/30	1431	DAYS		
49	Inspect Windshields,Windows,Skin Seam	3 yrs	6/12/26	6/11/29	1001	DAYS		
		1200	8249.5	9449.5	110.3	AFTT HRS	plus 100hrs	
50	Inspect Front Carry-Thru to Wing Spar Lugs	3 yrs	Not currently used					
		1200	Not currently used					
51	N/A	for aircraft not incorporating SB 28-10						
52	Forward & Aft bulkhead inspection	5000	6871.1	AFTT 5916.2	Black binder	WO SE-DVA		
					AFTT HRS	One time inspect then		

2000 8720.3 10720.3 1381.1 AFTT HRS every 2000hrs thereafter

PHASE INSPECTION PROGRAM

CONTINUED

Ref: Model 500 Maintenance Manual Chapter 5-10-00

Ref	Phase	INTERVAL	C/W	DUE	REMAINING	
	53 ELT inspect & test FAR 91.207 (d)	12 mo	6/12/26	6/12/27	271 DAYS	
MA	Inspect NLG Fork	12000	0	12000	3889 Landings	One time inspect then
		1000			Landings	every 1000 lds after
MC	Inspect NLG Fork British Certified Aircraft Only		Per Revision 35		Inspection currently not used	
MD	Inspect MLG side brace fitting	5000	4530	9530	1419 Landings	
ME	N/A British certified aircraft only		Per Revision 35		Inspection currently not used	
MF	Inspect brake L/H	200	8098	8298	187 Landings	
MF	Inspect brake R/H	200	8098	8298	187 Landings	
MG	Inspect brakes		For aircraft with T/R's installed only			
!yr	Reweigh Aircraft	3 yr	10/9/23	10/8/26	24 Days	
	Gill Sealed Lead Acid Batteries					
	RG-380E/40B Initial Inspection	800	9314.6	10114.6	800.0 AFTT HRS	One time inspect then
	S/N 41467778 Initial Inspection	1 yr	6/12/26	6/12/27	365 DAYS	
P & W	Borescope engine L/H	300	4170.9	SB 7288 installed	This insp no longer required	
P & W	Borescope engine R/H	300	7024.8	SB 7288 installed	This insp no longer required	
P & W	Inspect Oil Filter L/H		C/W during the Phase 2 & 4			
P & W	Inspect Oil Filter R/H		C/W during the Phase 2 & 4			
P & W	Engine Minor Inspection Phase 4 L/H	300	9314.6	9614.6	275.4 AFTT HRS	
P & W	Engine Minor Inspection Phase 4 R/H	300	9314.6	9614.6	275.4 AFTT HRS	

RVSM

Instruction for Continued Airworthiness Document IC2703-34254

Ref	Description	INTERVAL	C/W	DUE	REMAINING	P/N	S/N
-----	-------------	----------	-----	-----	-----------	-----	-----

PORTABLE FIRE EXTINGUISHER INSPECTIONS

NFPA No. 10

Ref	Description	INTERVAL	C/W	DUE	REMAINING	P/N	S/N
-----	-------------	----------	-----	-----	-----------	-----	-----

	Inspect portable fire extinguisher	Cockpit		30 day	6/12/26	7/12/26	(64) Days	
Phase 34	Inspect portable fire extinguisher	Cockpit		1 yr	6/12/26	6/12/27	271 Days	
Phase 48	Inspect portable fire extinguisher	Cockpit	Internal	6 yr	8/16/24	8/15/30	1431 Days	
Phase 47	Inspect portable fire extinguisher	Cockpit	Hydro	12 yr	8/16/24	8/13/36	3621 Days	
	Inspect portable fire extinguisher	Cabin		30 day	6/12/26	7/12/26	(64) Days	X-481504
Phase 34	Inspect portable fire extinguisher	Cabin		1 yr	6/12/26	6/12/27	271 Days	
Phase 48	Inspect portable fire extinguisher	Cabin	Internal	6 yr	8/16/24	8/15/30	1431 Days	
Phase 47	Inspect portable fire extinguisher	Cabin	Hydro	12 yr	8/16/24	8/13/36	3621 Days	

COMPONENT TIME LIMITS

Ref: Model 500 Maintenance Manual Chapter 5-11-00

Ref	Description	INTERVAL	C/W	DUE	REMAINING	P/N	S/N
O/H	Environment Control Unit (Hamilton Standard)						
	Air cycle machine	5000	Cessna Refrigeration unit installed		P/N 9912069-21		
O/H	Overhead Cabin Fan	1200	8414.2	9614.2	275.0	AFTT HRS BC61A-901-2	629A
	Engine Fire Extinguisher Cartridges						
	Forward bottle						
	Log entry 8/16/2024 Total life (MFG Date)	10 yrs	3/31/22	3/28/32	2022 DAYS	M13083-5	
	Aft bottle						
	Log entry 8/16/2024 Total life (MFG Date)	10 yrs	10/15/17	10/13/27	394 DAYS	M13083-5	

COMPONENT TIME LIMITS

Ref: Model 500 Maintenance Manual Chapter 5-11-00

Ref	Description	INTERVAL	C/W	DUE	REMAINING	P/N	S/N
	Aft Bottle	4 yrs					
	Log engty 8/8/2022 Total life (MFG Date)	10 yrs	10/15/17	10/13/27	394 DAYS	M13083-5	
	FWB Bottle	4 yrs					
	Log engty 6/8/18 Total life (MFG Date)	10 yrs	2/1/18	1/30/28	503 DAYS	M13085-5	
	Engine Fire Bottle Fwd	5yrs	2/1/24	1/30/29	869 Days		B13588
	Engine Fire Bottle Aft	5yrs	5/20/22	5/19/27	247 Days		B13576
	Flap Gear Box	3000	6798.1	9798.1	458.9 AFTT HRS	5565175-38	120796
		3000	6798.1	9798.1	458.9 AFTT HRS	5565175-38	120193
	Brake Assyembly Goodrich	749	8098	8847	736 Landings	2-1530-4	654

	R/H	749	8098	8847	736 Landings	2-1530-4	587
Main Landing Gear							
Trunnion Attach Pin	L/H	28600	0	28600	20489 Landings	5541205-3	
	R/H	28600	0	28600	20489 Landings	5541205-4	
Actuator assembly	L/H	37500	0	37500	29389 Landings	9912053-13	DA1145
	R/H	37500	0	37500	29389 Landings	9912053-12	DA767
Actuator Attach Pin	L/H	28600	4895	33495	25384 Landings	6527213-2	
	R/H	28600	0	28600	20489 Landings	6527213-2	

COMPONENT TIME LIMITS

Ref: Model 500 Maintenance Manual Chapter 5-11-00

Ref	Description	P/N	INTERVAL	C/W	DUE	REMAINING	P/N	S/N
	Main Landing Gear Assembly	P/N	5541000-11 & 5541000-12					
	Actuator Attach Stud	L/H	28600	0	28600	20489 Landings	6541204-2	
		R/H	28600	0	28600	20489 Landings	6541204-2	
	Trunnion	L/H	28600	0	28600	20489 Landings	5541306-3	
		R/H	28600	0	28600	20489 Landings	5541306-3	
	Cylinder Assembly	L/H	16100	0	16100	7989 Landings	5541109-5	
		R/H	16100	0	16100	7989 Landings	5541109-6	
	Piston Weld Assembly	L/H	15000	0	15000	6889 Landings	5541108-5	
		R/H	15000	0	15000	6889 Landings	5541108-6	
	Axle	L/H	28600	0	28600	20489 Landings	6541200-1	
		R/H	28600	0	28600	20489 Landings	6541200-1	
	Upper Piston Bearing	L/H	28600	0	28600	20489 Landings	5541310-3	
		R/H	28600	0	28600	20489 Landings	5541310-3	
	Upper Torque Link Assembly	L/H	28600	0	28600	20489 Landings	5541304-9	
		R/H	28600	0	28600	20489 Landings	5541304-10	
	Lower Torque Link Assembly	L/H	28600	0	28600	20489 Landings	5541304-11	
		R/H	41600	0	41600	33489 Landings	5541304-6	
	Torque Link Shaft	L/H	28600	0	28600	20489 Landings	6541212-2	
		R/H	28600	0	28600	20489 Landings	6541212-2	

Torque Link Bolt	L/H	41600	0	41600	33489 Landings	5541220-2
	R/H	41600	0	41600	33489 Landings	5541220-2
Torque Link Nut	L/H	28600	0	28600	20489 Landings	MS17825-8
	R/H	28600	0	28600	20489 Landings	MS17825-8
Forward Trunnion Fitting Assy	L/H	20000	0	20000	11889 Landings	552270-1
	R/H	20000	0	20000	11889 Landings	5522700-2
Aft Trunnion Fitting Assembly	L/H	41600	0	41600	33489 Landings	5522710-1
	R/H	41600	0	41600	33489 Landings	5522710-2

COMPONENT TIME LIMITS

Ref: Model 500 Maintenance Manual Chapter 5-11-00

Ref	Description	INTERVAL	C/W	DUE	REMAINING	P/N	S/N
	Nose Landing Gear	Parts included with gear					
	Nose Landing Gear Assy	41000	0	41000	32889 Landings		
	Trunion Pins	41000	0	41000	32889 Landings		
	Actuator Support Fitting	41000	0	41000	32889 Landings		
	Actuator Attach Bolt	41000	0	41000	32889 Landings		
	Piston Weld Assembly	41000	0	41000	32889 Landings		
	Fork	41000	0	41000	32889 Landings		
	Cylinder Braze Assembly	N/A	For P/N 9912063-3 P/N installed 9912063-13				
	Upper Torque Link	41000	0	41000	32889 Landings		
	Lower Torque Link	41000	0	41000	32889 Landings		
	Axle Shaft	41000	0	41000	32889 Landings		
	Axle Bucket	41000	0	41000	32889 Landings		
	Exceptions						
	Trunion Assembly	22500	0	22500	14389 Landings	5542301-5	
	Actuator Assembly	32600	0	32600	24489 Landings	9912063-13	
	Axle Spacer	22500	0	22500	14389 Landings	5542223-1	
	Torque Link Shaft	22500	0	22500	14389 Landings	5542208-3	
	Trunnion Support Fitting	L/H 22500	5395	27895	19784 Landings	5513056-5	
		R/H 22500	0	22500	14389 Landings	5513056-6	
	Pneumatic Blowdown / Emergency Brake Bottle						

Replace	HTL / Pacific Scientific	24 yrs	10/15/02	10/9/26	25 DAYS		
Locator Beacon Battery Pack (ELT)	Log 6/8/18	3yr	8/16/24	8/16/27	336 DAYS	ELT110-4	Artex
						P/N 452-0130	

COMPONENT TIME LIMITS

Ref: Model 500 Maintenance Manual Chapter 5-11-00

Ref	Description				INTERVAL	C/W	DUE	REMAINING		P/N	S/N
Replace	Oxygen Bottle										
	3HT1850				24 yrs	3/1/06	3/1/30	1264	DAYS	176176-64	547657
	Oxygen Masks										
		Pilot	Log entry	11/11/16	12 Yr	11/9/16	11/6/28	784	DAYS	MC10-16-101	39469I
		Co-Pilot	Log entry	11/11/16	12 yr	11/9/16	11/6/28	784	DAYS	MC10-16-101	54377I
	Passenger Oxygen Masks										
	Fwd	Box 1	Mask 1	Log entry 1/12/15	8 yr	7/17/20	7/15/28	670	DAYS	C351-2000-205	
			Mask 2		8 yr	3/12/20	3/10/28	543	DAYS	or	
		Box 2	Mask 3		Not Installed						
			Mask 4		8 yr	7/17/20	7/15/28	670	DAYS	Customer P/N	
		Box 3	Mask 5		8 yr	7/17/20	7/15/28	670	DAYS	174505-01	
			Mask 6		8 yr	3/12/20	3/10/28	543	DAYS		
		Box 4	Mask 7		8 yr	7/17/20	7/15/28	670	DAYS		
			Mask 8		8 yr	7/17/20	7/15/28	670	DAYS		
		Box 5	Mask 9		Not Installed						
			Mask 10		8 yr	8/31/22	8/29/30	47724	DAYS		
	Life vests				S/N Installed	Date Installed					
		Pilot	L1906003		6/12/26						
		Copilot	L2043593		6/12/26						
		#1	L2043731		6/12/26						
		#2	L2052888		6/12/26						
		#3	L3104181		6/12/26						
		#4	L2043730		6/12/26						
		#5	L595373		6/12/26						
		#6	L5427198		6/12/26						
		#7	L521961		6/12/26						

Power Plants

Phase 25 Phase 25	L/H	Engine Mounts	Aft		3500	6970.8	10470.8	1131.6	AFTT HRS	9912455-2	2293
			Fwd Top		3500	6970.8	10470.8	1131.6	AFTT HRS	9912455-1	3138
			Fwd Bottom		3500	6970.8	10470.8	1131.6	AFTT HRS	9912455-1	3133
	R/H	Engine Mounts	Aft		3500	9311	12811	3471.8	AFTT HRS		
			Fwd Top		3500	9311	12811.0	3471.8	AFTT HRS		
			Fwd Bottom		3500	9311.0	12811.0	3471.8	AFTT HRS		
	L/H	Engine Overhaul	8/22/08	5079	3500	5860.8	9360.8	1132.6	Eng Hrs	JT15D-1A	76713 +/-50.0
	R/H	Engine Overhaul	6/12/98		3500	5732.4	9232.4	690.6	Eng Hrs	JT15D-1A	76286 +/-50.0
	L/H	Engine Hot Section	Cycles HSI	6598	1750	7612.4	9362.4	1134.2	Eng Hrs	JT15D-1A	76713 +/-50.0
	R/H	Engine Hot Section	Cycles HSI	7205	1750	8223.6	9973.6	1431.8	Eng Hrs	JT15D-1A	76286 +/-50.0
Starter / Generators											
	L/H Engine				1000	8455.9	9455.9	116.7	AFTT HRS	23080-001-1	1108
	R/H Engine				1000	8414.2	9414.2	75	AFTT HRS	23080-001-1	2614

L/H ENGINE LIFE LIMIT ITEMS

JT15D-1A

S/N 76713

Ref: Life Limit Items in SB P&WC 72-7002 & Disk Time Record Sheet from Overhaul

At Overhaul 8/22/08 TTSN 5860.8 Eng TTSN
 TCSN 5079 Eng TCSN

Description	P/N S/N	Life Limit Cycles	At Install		Remaining Cycles	
			Total Cycles Date	Total Cycles on Part		
Hub Low Compressor	3018018 5A3707	27500	8202 8/22/08	10221	17279 Cycles	
Note: Hub Low Compressor has a Flight Count Factor =2 Total Flights = Number of Flights x flight Count Factor				Total FCF Cycles	20442	
					Remaining Cycles	7058
Impeller	3020365 PA2115	8400	5079 8/22/08	7098	1302 Cycles	
High Turbine Disk	3023411 1107	14000	4723 8/22/08	6742	7258 Cycles	

Second Turbine Disk	3022212 3394	14000	5484 8/22/08	7503	6497 Cycles
Third Turbine Disk	3021213 6D654	14000	5079 8/22/08	7098	6902 Cycles
High Turbine Blades	3070381-01 <i>Note: All new blades installed</i>	These blades are non life limited 8/22/08			

R/H ENGINE LIFE LIMIT ITEMS

JT15D-1A S/N 76286

Ref: Life Limit Items in SB P&WC 72-7002 & Disk Time Record Sheet from Overhaul Dated 9/22/89

At Overhaul	6/12/98	TTSN	6426.1	Last Overhaul	6/12/98	TTSN	6426.1
		TCSN	5929			TCSN	5929

At Install

Description	P/N S/N	Life Limit Cycles	Total Cycles Date	Total Cycles on Part	Remaining Cycles
Hub Low Compressor	3018018 383	27500	9250 6/12/98	10783	16717 Cycles
<i>Note: Hub Low Compressor has a Flight Count Factor =2</i> <i>Total Flights = Number of Flights x flight Count Factor</i>				Total FCF Cycles	21566
					Remaining Cycles
					5934

Impeller	3020365 A4327	8400	5929 6/12/98	7462	938 Cycles
High Turbine Disk	3023411 359	14000	5929 6/12/98	6186	7814 Cycles
Second Turbine Disk	3022212 438	14000	5929 6/12/98	7462	6538 Cycles
Third Turbine Disk	3036113	14000	5929	7462	6538 Cycles

361

6/12/98

High Turbine Blades	3028601	3500	0.0	318.2	3181.8 Eng Hrs
			6/12/98		

AIRWORTHINESS DIRECTIVES (AD's)

Ref	Description		INTERVAL	C/W	DUE	REMAINING
73-26-09	Flight Compartment side Window		N/A	Due to S/N of Aircraft		
74-26-05	Fuel Control Units	L/H	N/A	P/N not installed per Overhaul sheet		
74-26-05	Fuel Control Units	R/H	N/A	P/N not installed per Overhaul sheet		
79-12-06	Upper & Lower Spar Cap Stems		N/A	Due to S/N & Unit number		
80-09-09	Dual Flight Director Installation		N/A	Due to S/N of Aircraft		
83-01-06			N/A	8/3/07	6815.8	Equipment not installed
87-10-01	Fan blades	L/H	C/W	8/22/08		Found embodied at O/H
87-10-01	Fan blades	R/H	C/W	4/23/87		C/W at overhaul by Volvo Fly
87-20-05	Seat belts		N/A	6/1/88	3171	
87-17-06	Seat belts		N/A	6/1/88	3171	
89-06-01	Switlik Life Jackets		N/A	5/7/89	Type not installed	
90-03-02	Vertical Gyro		N/A	3/12/90	3668	
90-07-01	Keith Air conditioner		N/A	5/16/90	3719	
93-05-15	Thrust Reveerser Throttle Load Limiter		N/A	Thrust Reversers not installed		
93-18-08	High pressure turbine assembly	L/H	C/W	8/22/08		Found embodied at O/H
93-18-08	High pressure turbine assembly	R/H	N/A	9/12/96	5283.6	
94-19-06	Puritian Oxygen Masks		C/W	2/6/95	4821.2	
95-25-10	Outflow / safety Valve		N/A	7/20/96	Due to P/N installed	
98-04-38	AFM - Limitations Section - icing		C/W	5/2/98	5631.3	Blue logbook, yellow section
98-25-02	BF Goodrich skywatch		C/W	8/17/99	5698.2	Blue logbook, yellow section
98-25-10	Aircraft Belts INC		C/W	8/17/99	5698.2	Blue logbook, yellow section
99-08-21	Puritian Bennett		C/W	8/17/99	5698.2	Blue logbook, yellow section
001-23-17	Garmin GNS430		N/A	6/9/02	GNS 430 not installed	
003-13-08	Goodrich Avionics systems		N/A	1/19/04	6387.4	Equipment not installed
004-04-09	Impellers	L/H	C/W	8/22/08		Found embodied at O/H

004-04-09	Impellers	R/H	N/A	4/13/04	6416 Impeller P/N not installed
004-08-15	TAWS 8000 Terrain		N/A	5/4/04	6431.4 Equipment not installed
004-09-05	Brake Stator Disks		N/A	7/5/04	6441.7
005-01-05			N/A	8/15/08	Software 4.06 is installed
005-01-19	Garmin GTX330		N/A	8/15/08	Verified that software 4.06 in installed
005-25-08	Shadin ADC 2000		N/A	4/26/06	6674.4 Equipment not installed
006-04-10	Incorrect wires engine fire bottles		C/W	4/26/06	6674.4 SB 26-02 C/W on 6/10/05
006-06-03	Airplane Flight Manual (AFM)		C/W	5/10/06	6674
006-16-18	Sandel TAWS ST3400		C/W	9/14/06	6757.4
06-16-18R1	Sandel TAWS ST3400		C/W	9/14/06	6757.4 Per this log entry Software 3.07 has been loaded
007-11-17	Wires for positive & negative terminal fire bottles		C/W	4/26/06	6674.4 SB 26-02 C/W on 6/10/05
010-01-03	Fire Fighting Enterprises Halon fire extinguishers		N/A	1/5/10	Verified by CH Manufacturer not installed
011-01-09	BE Aerospace PBEs		N/A	1/5/11	Equipment not installed
011-04-09	Oxygen Generators		N/A		Oxygen generators not installed
012-11-09	R1 Oxygen Generators		N/A	8/14/15	8020.3 Equipment not installed
013-09-11	Air conditioner compressor motor P/N 1134104-1,-5		N/A	7/1/13	Keith Products installed P/N ES61108-1
015-08-07	Crew oxygen masks		N/A	6/1/15	Type not installed
015-10-51	Avidyne Integrated Flight Displays		N/A	6/1/15	Avidyne equipment not installed
015-17-12	Air conditioner compressor motor		N/A	8/26/15	8020.3 STC & P/N of motor not installed
015-23-09	Zodiac oxygen masks		N/A	12/4/15	8081.2 MFG & P/N not installed
016-11-20	BE Aerospace PBEs		N/A	12/23/16	8219.2 Equip not installed
018-21-14	Zodiac Aerotechnics MC10 series oxygen masks		N/A	3/26/19	8450.5 Do to P/N installed

SERVICE BULLETINS (SB's)

Ref		Description	INTERVAL	C/W	DUE	REMAINING
SB	11-4 R5	Model 500 conversion to 501	C/W	12/14/01	5964.5	
SL	21-20	Compressor drive motor brush inspect/replacement	C/W	3/8/94	4531.9	
SB	21-23	Outflow valve	C/W	5/31/95	4901.3	
SB	23-18	VLF noise filter	C/W	11/8/00	5841.4	Blue logbook yellow section
SB	23-22	Sunstrand CVR	N/A	12/12/94	4795.1	
SB	24-18	Wing tip wire bundle	C/W	11/8/00	5841.4	Blue logbook yellow section

SL	500-25-3	Inspect / Modification of personel flotation devices			
SL	25-08	Replace CO2 cartridge in life vests	C/W	1/28/97	5364.8
SB	25-09	Glareshield	C/W	11/8/00	5841.4 Blue logbook yellow section
SB	26-02	Engine fire bottle wiring	C/W	6/10/05	6608.4
SB	27-9	Speed brake switch	C/W	11/25/88	3348
SB	27-14	Flap motor connector	C/W	3/20/07	6798.1
SB	27-15	L & R flap gear box	C/W	5/6/02	6026.5
SB	27-16	Elevator electric trim	C/W	11/8/00	5841.4 Blue logbook yellow section
SB	28-7 R5	Motive Flow Fuel press switch removal	C/W	12/14/01	5964.5
SB	28-08	Fuel cell inspection	C/W	3/14/96	5152.2
SB	28-09	Airborne fuel pump	C/W	9/11/96	5283.5
SB	28-10	Fuel cell foam block	C/W	6/21/01	5916.2 Black binder WO SE-DVA
SB	28-12	Wing boost pump wiring	C/W	5/10/06	6674 Installed kit #SB500-12-0
SB	32-38	Brakes	N/A	1/22/90	3652
SB	32-42	MLG wheel well hyd lines grommet replacement	C/W	3/8/94	4531.9
SB	32-45	Power brake screw	C/W	11/10/00	5841.4 Cessna log book
SB	32-47	Goodrich brakes	C/W	11/8/00	5841.4 Blue logbook yellow section
SB	32-48	Goodrich brakes	C/W	11/8/00	5814.4 Blue logbook yellow section
SL	32-53	NLG Uplock line inspection	C/W	3/8/94	4531.9
SL	32-54	Landing gear locking solenoid inspection	C/W	3/8/94	4531.9
SL	32-56	Cleveland brake bolt replacment	N/A	10/25/93	4394.5 Equipment not installed
SL	32-57	NLG down and lock switch inspection	C/W	3/8/94	4531.9
SL	32-62	MLG actuator stud inspection	C/W	10/25/93	4394.5
SL	32-66	NLG wheel hardware inspection	C/W	11/10/94	4773.3
SB	32-85	Emergency air bottle replace	C/W	1/28/97	5364.8

SERVICE BULLETINS (SB's)

Ref		Description	INTERVAL	C/W	DUE	REMAINING
SL	33-04	Landing light switch replace	C/W	10/25/93	4394.5	
SB	33-13	Emergency light battery upgrade	C/W	5/16/16	8112.2	
SB	34-15	9500 lb Zero fuel	C/W	3/17/97	5416	

SB	34-57	Starter/Generator & GCU filter installation	C/W	3/8/94	4531.9
SB	34-58	Vertical gyro	N/A	11/9/89	3603
SI	430-100	Glareshield mod	C/W	4/30/07	6804.6
SB	35-06	Eros mask	C/W	11/11/16	8198.0
SB	52-15	Cabin door hinge pin	C/W	1/12/88	3025.0
SB	52-16	Entry step improvement installation	C/W	3/8/94	4531.9
SB	52-18	Baggage door safety lock installation	N/A	8/3/07	6815.8 Equipment not installed
SB	52-19	Door step catch cover	C/W	11/8/00	5841.4 Blue logbook yellow section
SB	56-6 R4	Windshield replacement L/H	C/W	12/14/01	5964.5
SL	57-04	Wire bundle route improvement	C/W	3/8/94	4531.9
SB	57-05	Wing carry-thru spar fitting inspection	C/W	9/15/95	5038.3
SL	500-72-10	Inspection of Impeller L/H	C/W	8/22/08	SB 7590 was found embodied at O/H
SL	500-72-10	Inspection of Impeller R/H	N/A		P/N of Impeller not installed
SL	74-04	Igniter box grounding	C/W	2/22/01	5874.3
SB	7136R4	Oil Pump L/H	C/W	7/16/09	5934.8 Eng TT
SB	7185R2	Oil Pump L/H	C/W	7/16/09	5934.8 Eng TT
SB	7193	L/H	C/W	8/18/94	
SB	7193	R/H	C/W	9/22/81	
	7281	L/H			
	7281	R/H			
	7288	L/H	C/W	8/18/94	
	7288	R/H	C/W	3/28/00	
	7297	L/H			
	7297	R/H	C/W	10/25/93	
	7306	L/H	C/W	8/22/08	
	7306	R/H			
	7317	L/H	C/W	8/18/94	
	7317	R/H	C/W	3/28/00	
	7476	L/H			
	7476	R/H			
	7581				
	7581				

